

Surveyors Record

Book # 2

Monroe County

March 2^d A D 1839.

ran the following lines and made the corners in Section No 17. S 7 R 1 East for Isaac Bass & David Young. (un) length of the line from the North West corner to the Northern half mile post of said Section 159. poles 14 1/2 links corner made and stone planted 79. poles 193 links on the Section line 79. poles 193 links East of the North West ^{corner} and the same distance West of the North 1/2 mile post with a ^{corner} Sugar Bush 24 inches diameter S 50° E 21 links distant Hickory 6 inches diameter N 54° W 3 3/4 links distant Isaac Bass & David Young. chain bearers. Sworn this March 2^d 1839.

James H. Spencer
Monroe County Surveyor

April 1st 1839.

ran the following lines and made the following corners in Section No 31. Township No Eight No one West. length of the line from the Northern half mile post to the North East corner of said Section No 31.) 159. poles 13 1/2 links corner made & stone planted equidistant between said corners length of the line from said corner to a stone standing 80 poles ^{1 1/2} East of the center of said Section 31.) 158. poles 14 links. Chain bearers Silas Guy & Samuel Smith by agreement.

the above Survey for Samuel Smith


James H. Spencer
Monroe County Surveyor

April 1st 1839.

ran the following lot of land for Richard M. Houston situate in the North West corner of Section No 12, S 7 R 2 W Beginning in the center of a branch commonly known as Wrights Branch about 40 poles South of the said A & B corner S 57° E 65. poles to a stone with a Sugar 6 inches diameter S 4° E 24 3/4 links dist then N 85° E 70. poles to a stone in open ground then N 5° W. untill the line intersects said branch then up said branch with its meanderings thereof to the beginning.

Chain bearers George J. Wright & Peter M. Houston Sworn this April 1st 1839.

James H. Spencer
Monroe County Surveyor



ran the following lines and
made the following corners in
Section No 32, T. 10. R. 1. East
for Joseph Polley, (sen) Joseph
East Polley, Jun John A. Polley
D James Polley, Daniel Barrow
out to William Peter son,

Length of the line from the North
1/2 mile post to the South 1/2 mile
321. poles 12. in. h. Sep. 60. in h.

length of the line North of
the center of said section
No 32, 138.22

Length South Sea 16 8. 10.

length East Lo " 161. 08-

length West 100'

Stone planted at (g) and. Mitered. Trees made 80. poles 15 links
west of the eastern white oak 6 inches diameter S 87° E 5 1/2
links. distant red oak 15 inches diameter N 17° W. 11. links
distant length of the line from the north west corner to
the nestons 1/2 mile post 160 poles 18 1/2 links stone planted
at (i) 80. poles 9 1/4 links. north of the nestons 1/2 mile post
B oak 15 inches diameter N 19° W 13 1/2 links. Hickory 4 inches
diameter N 35° E 21 1/2 links. distant

minors. "Lies, made and stone planted at the center of the section
no 32, Black Oak 10 inches diameter N $27\frac{1}{2}^{\circ}$ E 21 lin. N. distant
Black Oak, 12 inches diameter N 44° W, 18 lin. N. distant.

Length of the line from the N.E. corner of Section 32 to the
Northern 1/2 mile post 162, poles $7\frac{1}{3}$ links. S. p. 169. Link
corner made at (K) equidistant from the North West corner
of Sec No 32, ~~with a line~~ leads to the Northern 1/2 mile Bush 18 in
ches diameter at $89\frac{1}{2}$ ft, 41 links distant.
Length of the line from the North West corner to the Northern
1/2 mile post 162, poles $7\frac{1}{3}$ links

corner made at (N) the South ~~East~~ West corner of North East
1/4 of North East quarter Birch 12 inches diameter A 83° E 33 lks
distant Maple 10 inches diameter A 15° N 30 lks distant
corner made at (P) the South East corner of the North west
1/4 of North west quarter of Section No 32 Black oak 6
inches diameter A 13° E 16 lks dist white oak 30 inches

diagonal A 88 $\frac{1}{2}$ to 28 links distant corner made 81 poles 12
links south of the center Hickory 5 inches diameter A 32 $\frac{1}{2}$ E
7 links distant White oak 5 inches diameter A 72 $\frac{1}{2}$ to 9
links distant corner made at (B) the center of south
west quarter of Section No 32, white walnut 18 inches diam
S 77 $\frac{1}{2}$ E 41 links distant white oak 15 inches diameter A 24 $\frac{1}{2}$ E
44 $\frac{1}{2}$ links distant length of the line from A to A 80 poles
length from A to B 80 poles length of the line west of the
center 159 poles 17 links. length of the line from from
the corner standing $\frac{1}{4}$ mile west of the Eastern $\frac{1}{2}$ mile
part of Section No 32) 241 poles 20 links to (C)

Chain Bearers in Section 32. Thomas Peter son John
A Polley James Polley & Joseph Polley (Jr) sworn
this March 3^d A.D. 1859.

James W. Spencer
Monroe County Surveyor

April 25th A.D. 1859.

ran the following lines and made the following corners
in Section No 18 Township No 8 North of Range No 1 East
for Henderson Ellis John C Johnston John Garrison & Joseph
Shields beginning at a stone standing at the S E corner of
the A to $\frac{1}{4}$ of A E quarter of Section No 18 witness trees Birch
30 inches diameter S 57 $\frac{1}{2}$ E 15 $\frac{1}{2}$ links dist Dogwood 5 in diam
A 67 $\frac{1}{2}$ E 32 $\frac{1}{2}$ links dist then S 6 $\frac{1}{2}$ E 154 poles 15 links to a stone
at the A E cor of S to $\frac{1}{4}$ of S E quarter of said Section (18
witness Birch 18 in diameter S 1 $\frac{1}{2}$ to 6 links dist Maple 12
inches diam A 20 $\frac{1}{2}$ to 13 links distant

James Ellis and John Armstrong chain bearers by
consent of Parties

James W. Spencer
Monroe County Surveyor.

August 19th A.D. 1857

ran for Hugh Campbell Joshua George & Andrew
William Lusters of Christian ^{church} in Monroe
County Indiana the following lot of land situate
in the North west corner of the east half of North
East quarter of Section Twenty Nine Township
No Eight North of Range No one West. Beginning
at a stone standing 4 poles East of said North west
corner of said East half with a Buckeye 15 in
ches diameter $A 2\frac{1}{2}^{\circ}$ to 2 links dist. then $S 2\frac{1}{2}^{\circ}$ E 5 poles
to the North west corner of said church house lot
then $S 2\frac{1}{4}^{\circ}$ E 4 poles then $A 85^{\circ}$ E 4 poles 22 links then
+ $A 4\frac{1}{2}^{\circ}$ to 4 poles then $S 85^{\circ}$ to 4 poles 17 1/2 links to the
Beginning containing 17 poles & 700 of a pole.
Cham Beavers William Blakely
and Samuel Mathers by consent

James H. Spencer
Monroe County Surveyor


April 1st A.D. 1857.

ran the following lot of land for Hugh Campbell and
George Shirley in Section No 29 T. 8 R. 1. W. Beginning
13 poles 18 1/2 links South of the North East corner of the
west 1/2 of North East ~~corner~~ quarter of said Section No
29 then $S 84^{\circ}$ to 13 poles 8 links then $A 1^{\circ}$ to 13 poles 18 1/2
links then $S 84\frac{1}{4}^{\circ}$ to 32 poles then 17 links then $S 13\frac{1}{2}^{\circ}$ E
+ 32 poles then $S 24\frac{1}{4}^{\circ}$ E 42 poles 10 links then $A 83^{\circ}$ E 8 poles
9 1/2 links then $S 16\frac{1}{2}^{\circ}$ E 2 poles 17 links then $S 22^{\circ}$ E 29 poles
36 links then $S 3^{\circ}$ E 12 poles then $S 63\frac{1}{2}^{\circ}$ E 12 poles 6
links then $A 5^{\circ}$ to 106 poles 17 1/2 links to the Beginning
containing 19 acres one quarter and 01 pole
Cham Beavers Embury Campbell & George Shirley
by Consent of Parties

James H. Spencer
Monroe County Surveyor

Oct 26th A.D. 1857

ran in compliance with
an order of the court
of Common Pleas for the
County of Monroe State
of Indiana the following
described lot of land
as lower for the benefit
of Susan Davis widow
of John Davis late of
Monroe County Decd
in section no 4 Township
no 10. North of range



Beginning at the center of said section 4. with a
ced. Birch 20 inches diameter S 84° E 32. lbs dist then S 85° E 119. poles 22 1/2
links to a stake with a ced. Birch 20 in diam S 62° E 29 lbs
dist Black Walnut 6 inches diameter A 47° E 5 lbs dist
then A 6° E 202. poles 4 links with a ced. Black Walnut
8 inches diameter A 3° E 27 lbs dist Sassafras 2 in diameter
S 14° E 2 links dist then S 85° E 37. poles 2 1/2 links with a
mulberry 16 in diam A 76° E 87 1/2 lbs dist Birch 20 in diam
S 75° E 126 links dist then S 5° E 37. poles 4 links with a ced.
Birch 8 in diam A 78° E 14. lbs dist Birch 20 in diameter
S 76° E 50. lbs dist then S 85° E 80. poles with a ced. Birch
12 in diam S 80° E 18 links dist Birch 30 in diam A 29° E 18
links distant then S 5° E 165 poles to the Beginning contain
ing one hundred & thirty acres and one half. 130.2.00.

also ran at the same time the following lot of land for
Mary A Davis child and heir of said John Davis Decd
Beginning at the South East corner of the lower lot of Susan
Davis with a ced. Birch 20 in diameter A 62° E 29 lbs dist
Black Walnut 6 inches diameter A 47° E 5 lbs distant
then A 6° E 80. poles to a stake with a ced. Black Walnut 6 in
diameter A 22° E 31 links distant Sycamore 4 inches diam
S 40° E 41 links dist then A 85° E 76 poles to a stake in
open ground then S 6° E 80 poles to a stake in open ground
then S 85° E 76 poles to the Beginning containing 36 thirty
acres. also a lot of land assigned to Martha Brambles see
Surveys report heretofore filed in the clerks office of
Monroe County (Turn over)

Chain Bearers Jefferson, Wampler & James Harris amman
James R. Bushirk. Sworn.

commissioners Jefferson Wampler James R. Bushirk.
and Peter Allen. Sworn by me Oct 26th 1859-

James H. Spencer
Monroe County Surveyor

August 29th 1859.

Ran the following lines and made the following
corners in sections Nos 3 & 4. T⁹ R. 1. T. for J & C
Griffith Austin & George Turner John H. Whisman and W. H.
Bushirk & Alexander Turner. Corner made at the N
E corner of Section 3. Ran with the section line 78. poles
18 links withup Red Elm 6 inches diam S 25° E 56 links
dist B Gum 8 in diam S 28° E 37 links dist then S 6° E
78 poles 19 links. withup Live Buck 25 in diam N 37° E 29
links dist Buck 8 in diam N 51° E. 4. lks dist, then Began
at the N. W. cor. ran South on the section line 157. poles
19 links. corner Buckeye 14 in diam withup Hackberry N 85° E
9 links. At an Sec line 78 poles 421 links withup Sugar 4.
in diam N 20° E. 60 links Poplar 8 in diam N 82° E 34.
links dist then S 85° E. 78. poles 7. links. withup Buck
8 inches S 56° E. 15. links 4. N 36° E. 28. links.

then Began at the N E corner of Sec 4. T⁹ R. 1. met
withup Live gum and others made Buck 14 inches
diam S 81° E. 16. links. H. Oak 30 in diam N 69° E 23. links
dist then east on the section line 160. poles 11. links
withup B. Gum 8 in diam S 39° E 39. lks dist Buck 12
inches diam N 89° E 93 lks dist


Chain Bearers, J. M. Cost, J. L. Griffith
William H. Bushirk. Sworn

the above Survey made by J. S. Bushirk. and
copied by me from the James H. Spencer
manuscript furnished Monroe County Surveyor
by said Bushirk,

August 31st A.D. 1857.

ran the following lines in Sec 33 T10 R. 1. West
 Began at the S.E. Cor ran on Section line 79.
 poles 19. links witup Ash 10. in diam A 50 Tr. 34. lbs
 dist Elm 4. A 62° E 43. lbs then N 6° W. 79. poles 13.
 links witup cherry 2. in S. 9° W. 224. lbs then S 85° E
 79. poles 12. lbs witup h oak. A 10. Tr. 205 links
 Austin Turner W. S. Bushk. chain Bearers
 and J. L. Griffiths & H. Turner & Lagman & Markes
 by contract the above done by J. S. Bushk. copied
 from the manuscript furnished me by said
 Bushk.

James W. Spencer
 Monroe County Assessor



CS
 10

October 21st A.D. 1837

ran the following lines and made the following corners.
In Section No 18 Township No 9 Mine North of Range No one
East of 2 principal Meridian for Isaac Cox James J
Alexander John P. Thompson & James H. Spencer
length of the line East and West through the center of said section
18. S 73° E. 312 poles length of the line East of the center 185
poles 12 1/2 links length West of center 156 poles 12 1/2 links. Stone
planted and witness trees made at the Western 1/2 mile post
of said Sec 18. Birch 12 inches diameter N 12 1/4° W. 31. lks dist
Sickory 20 inches diameter S 37° E. 31. lks dist distance from
the N. W. corner to S. E. corner Sec 18 is 313. poles.

corner made at the center of the section and stone
planted and witness trees made W. Oak 15 inches diam
S 43° W. 127. lks dist B. Oak 4 inches diam N 10° W. 62. links
distant

length of the line East of the center of said Sec 18. is 155
poles 12 1/2 links length West of the center 156 poles 12 1/2 links
corner made and stone planted 77 poles 18 3/4 links
East of the center Gum 24 inches diam S 37 1/2° W. 14. lks dist
Birch 18 inches diameter N 71° E. 21 1/2 lks dist

corner made equidistant between the South 1/2 mile
post and South East corner of section No 18. and
stone planted witness trees W. Oak 10 inches diam N 85° W
18 links dist

distance from the South 1/2 mile post and South
East corner 157. poles 8 1/2 links. Stone planted and
witness trees made at the center of the South East quarter
B. Walnut 12 in diam N 22° E. 12. links dist B. Ash 12
inches diam N 84° E. 56. links dist

also ran at the same time for John P. Thompson the
following described lot of land situated in the
South West quarter of section No 18. Township No nine
North of Range No one East Beginning at the center of said
section at a stone witness trees W. Oak 15. inches diameter
S 43° W. 127. links dist Black Oak 4 inches diameter N 10° W
62. links distant then S 85° W. 30 poles & 8. links then S 28° W
17 poles & 30 links then S 72° E. 27. poles & 21. links
then S 25 1/2° W. 18. poles and 18. links then S 86° E. 22. poles
and 8. links then N 5° W. 46. poles 11. links to the

Beginning containing

Chain Bearers. Jasper A. Coe James Raden and John P. Thompson. Marker Isaac Coe Marker all sworn by me this Oct 21st A.D. 1859.

Stone planted at the North
 1/2 mile post of Section No 18 Sq. James H. Spencer
 R. 1. E. marked I. C. & I. B. & I. A. Monroe County Surveyor

Oct 22nd A.D. 1859.

ran the following line in Section No 7. Township No 9 North of Range No one East Began at a stone the South 1/2 mile post. Then N 67° W. 327. poles 13 links to the North 1/2 post. Up 273 lbs nitrop. Lead made at center of Section No 7. Hook. 8 inches diameter S 68° W. 8 links dist Hickory 8 inches diam S 42° E 34 lbs dist the above survey done for Isaac Coe and John Barnhill.

James Raden & John P. Thompson chain Bearers. Sworn. and Isaac Coe assessor. Sworn
 James H. Spencer
 Monroe County Surveyor

Sept 7th A.D. 1859.

ran the following lines in Section 31 Sq R 2. E for James Clarke & Alexander Mitchell commenced at N W cor nitrop B. oak 5 inches diam S 34° E 45 lbs dist B. oak 5 inches diam S 32° W. 60 links dist then South on section line 79 poles & 7 links nitrop Birch 8 inches S 2° E 48 lbs dist 14 in diam N 17° W. 48 1/2 lbs dist then S 84° E 44 poles 14 links nitrop H oak 10 in diam N 87° W. 28 lbs dist B oak 20 in diam S 6° W. 44 lbs dist.

chain Bearers Samuel Fowler William Luster Benjamin Browning A Mitchell & J Clarke Sworn
 the above done by J. S. Rusher.

James H. Spencer

Sept 1st A.D. 1857

ran the following lines and made the following corners in Section No 36 S 7 R 1 E. for William Mitchell Benjamin Browning Catharine Fleetwood Peter Norman James Black & James Fleetwood corner made at Eastern 1/2 mile post corner (A) witnefs Hickory 10 inches diam N 47° E 22. lks dist 10 inches diam S 60° W 40 1/2 lks dist then S on Sec line 79 poles 14 links corner (B) witnefs Lee Honey Locust 6 inches diam N 36° W 158 lks dist Buck 10. inches diam N 87° W 118 lks then South on Sec line 79 poles 14 links corner (C) witnefs Sycamore 10. inches diam N 5° W 110 1/2 links W. Oak 12. in diam N 77° E 197. links then commenced S W corner D witnefs Buck 24 inches S 73° W 14 links 20. in diam N 57° W 50 links then East on Sec line 158 poles 18 links corner (E) witnefs W. Oak 18. N 7° W 288. links Ash Sprout 1/2 S 75° E 9 1/2 links then E on Sec line 79 poles 7 links corner F. witnefs W. Oak 15 inches N 1° W 245 links Ash 12. N 7° W 250. " " then commenced at A W corner of Sec Cor (G) witnefs Buck 14. inches N 28° W 14. links 12. N 7° W 24 1/2 links then East to A E. cor 317. poles 13 links witnefs Lee Hickory 12. inches N 90° E 20. links W. Oak 10. inches S 32° W 54. links

commenced at Northern 1/2 mile stake Black Gum corner Lee witnefs Sugar 6 inches S 10° E 14 links then S 5° E 159 poles 7 links to center of the Sec corner W. witnefs Gum 10. inches S 17 1/2° E 61. links Buck 12 N 32° E 15 length from Center to South 1/2 mile 159 poles 7 links Eastern 1/2 mile 159 poles 16 links Trip 159. Poles 10. the western Section line N 4 South 315 poles 12 links at old 1/2 mile witnefs Gave the center in the A E corner of Peter Norman Wheat House in the Garret then N 85° E 79 poles 17 1/2 links corner (H) witnefs Black Walnut 10 in diam N 27° W 180 links commenced at Rock on the Sec line 79 poles west of the S E cor of the Sec Cor witnefs Mulberry 14 in diam N 24° E 29 links 12. S 24° E 80 links

William Hunter & Samuel Fowler Chain Bearers sworn William Browning William Mitchell Flag & Markers the above done by F S Rusk and recorded by me from the manuscript furnished me

James W. Spencer
M C Surveyor

June 1st A.D. 1859.

have the following lot of land in Fractional Section No 3. north of Indian Boundary line in Town Ship No 10 north of range No 2 west. Beginning at the North West corner of said Fractional Section No 3. then South with the section line 187 poles to the Western 1/2 mile post of said Trac Sec, then $N 85^{\circ} E$ 162 poles 5 links to the center of the section then $N 5^{\circ} W$ 53 poles 7 links to a stone then $N 75^{\circ} W$ 22 poles 3 links then $N 80^{\circ} W$ 24 poles then $N 58^{\circ} W$ 24 poles 16 links then $N 60^{\circ} W$ 13 poles 14 links then $N 37^{\circ} W$ 12 poles 17 1/2 links then $N 44^{\circ} W$ 17 poles 14 links then $N 61^{\circ} W$ 17 poles 6 links then $N 59^{\circ} W$ 2 poles 23 links then $N 67^{\circ} W$ 18 poles then $N 41^{\circ} W$ 16 poles then $N 47^{\circ} W$ 12 poles then $N 40^{\circ} W$ 34 poles 12 poles to the Beginning containing 105 acres 1 quarter & 16 poles.

X Chain Bearers Jefferson Sampson & Isaac Bushkirk Sworn by me

James H. Spencer
Monroe County Surveyor

The above Survey was made for
the benefit of the heirs of John
David Deceased late of Monroe County Indiana
Jno. M. C. S.

X Description of land belonging to the Heirs of John David Deed, North East quarter of Fractional Section No 4. T 10 R. 2. West 74 acres also A & Grace Sec 33. T 11 R. 2. W. 62 acres also lots No 1 & 2 of Trac Sec No 4. T 10 R. 2. W 88 acres also 97 acres one quarter & 16 poles of East Trac of A & Grace Sec 3. T 10 R. 2. West also 48 1/4 of Trac Sec No 3. T 10 R. 2 West.

James H. Spencer
Monroe County Surveyor

March 15th A.D. 1858

ran the following lines and Made the following
corners in Section 11 S 9 R. 1. E. for David West
Siram Meoy William Swisher & others.

length of the line E. & West through the center 324 poles 19 links

length North and South 328 poles $\frac{58}{100}$

length of the line east of center

161 poles $\frac{29}{100}$

length West 160

160

163 " $\frac{56}{100}$

length North 160

160

165 " $\frac{8}{100}$

length South 160

160

163 " $\frac{72}{100}$

corner Made at center white ash 18 inches diameter

N 23 $\frac{1}{2}$ ° W, 26 $\frac{1}{2}$ links dist. Maple 12 inches diameter S 82° E

20 links dist. corner Made and witness "Lice 80 poles

$\frac{48}{100}$ East of the center Sugar 10 inches diam S 65° W 24

links dist. B. Oak 15 in diam N 22 $\frac{1}{2}$ ° E 45 lbs dist

length of the line from the A & C cor to the Apr mile

post 163 poles $\frac{47}{100}$ corner Made equidistant between said

corners poplar 20 in diam N 84° W 29 lbs dist red Oak

6 inches diam N 25° W, 15 $\frac{1}{2}$ lbs dist corner Made at S 8°

corner of S $\frac{1}{2}$ quarter or $\frac{1}{4}$ white oak 36 inches diam N 32 $\frac{1}{2}$ ° W

23 $\frac{1}{2}$ ° links dist W. Oak 12 in diam S 87 $\frac{1}{2}$ ° W, 39 $\frac{1}{2}$ lbs distant

Distance from M to R, 81 poles corner Made at M the S $\frac{1}{2}$

corner of A $\frac{1}{2}$ of A & C per witness B. Oak 20 inches diam

S 35° E 9 links dist Sugar 15 in diam N 82° W, 25 lbs dist

length of the line from the A & C cor of Sec 11, 163 poles

$\frac{76}{100}$ corner Made 81 poles $\frac{88}{100}$ poles South of of the A & C

corner witness "Lice W. Oak 18 inches diameter S 56° W 16 $\frac{1}{2}$

links dist corner and witness "Lice Made at the South

East corner of A $\frac{1}{2}$ of A $\frac{1}{2}$ quarter R Oak 24 in diam

S 29° W 44 lbs dist

corner Made 81 poles & $\frac{98}{100}$ poles West of the center

Sugar 15 inches diam N 45° E 29 lbs dist Blk. Ash 6 in

diam S 35° E 42 $\frac{1}{2}$ links dist,

ran at the same time the following lot of land

Beginning at the Western $\frac{1}{2}$ mile post of Section No 11

S 9 R. 1. East then South 81 poles $\frac{70}{100}$ poles witness B. Oak

24 inches diam S 11° E 50 $\frac{1}{2}$ lbs dist "H. Oak N 65° E 44 $\frac{1}{2}$

lbs dist then N 85° E 81 poles $\frac{70}{100}$ poles to a stone corner

witness "Lice B. Ash 4 in diam N 20 $\frac{1}{2}$ ° W 6 lbs dist B.

ash 4 in diam S 48° E 22 lbs dist, then South 81 poles

$\frac{58}{100}$ poles then 81 poles $\frac{76}{100}$ poles to the Beginning

41. acres 3 quarters & 14 poles

Jacob West Gorge Swisher & Jacob Swisher
Chain Bearers Sworn by me

James W. Spencer
Monroe County Surveyor

Surveyed on Dec. 12. J. Y. R. 1877.
and established the following corners for James & others

1st Cor. center of section Mt. trees. Bunch 10. N. 12 E. 39 6

Bunch 16. N 66 W. 57 1/2

2nd N.E. cor of N.W. q. of S.E. q. " Bunch 12. S 35 W. 25

Bunch 12. S 10 E. 47

3rd Center of S.E. q. " Bunch 10. N 45 E. 19

Line 18. N 68 W. 30

4th South West cor of section B. Oak 6. S 42 W. 23

B. Oak 12. N 21 E. 28

Established the following in Sec 13. J. Y. R. 1877

D Duchas	D Duchas	D Duchas	A Holland Medford
		C B	
D Brough		D Chambers	
	O		

East

South

Cor A Bunch 14. S 26 W. 23 1/2

Bunch 5. N 80 W. 21

Cor B Bunch 20. N 75 E. 23

Bunch 18. N 54 W. 27

Cor C Bunch 18. S 25 E. 18

Bunch 8. S 80 W. 24

Cor D Hick 18. S 89 W. 19

N. Oak 8. N 47 E. 23

Cor E Bunch 14. N 51 W. 18

Maple 22. N 33 E. 22

Established at the same time the West 1/2 mile stake of Sec 11.
J. Y. R. 1877. Mt. trees Bunch 14. N 30 E. 23 6 (to C Woodward)

Honey Locust 4. S 63 E. 44

J. W. Spencer M. C. Lamm
& J. Woodburn Depts

Established for Wm Reddy in Sec 15 J. Y. R. 1877
the following corners

1st The N.E. cor of W. half of N.E. q. Mt. trees. Sug 14. S 50 W. 21 6

Sug 7. S 40 E. 12

Cont

- 2^d The S.E. cor of W. half of N.E. q. Mt. trees. Beech 8. N48 W. 39.6.
 Hick 15. N55 E. 29.
 3^d The S.W. cor of W. half of N.E. q. " Sug. 28. S88 W. 31.
 Beech 12. N66 W. 20
 4. The N.W. cor of W. half of N.E. q. " W. Oak 48. S65 E. 39.
 Mulberry 6. S17 W. 32.

Laid off for Mrs. Reddy 80 acres in the south end of Section 10. T. 7. R. 1. W. beginning at a stone on the section line 112 poles east of the S.W. cor of said section, running thence North 80 poles to a stone (planted), thence East 160 poles to a stone thence South 80 poles to a stone, thence West 160 poles to the beginning. Mt. trees for the cor. at the end of 3^d course Beech 14. S32 W. 10
 Beech 8. N32 W. 19.

Established for Prob. Service the S.E. cor of the N.W. q. of Sec. 10. T. 7. R. 1. W. Mt. tree Mulberry 14. N37 W. 43 links.

Established for Mrs. Leonard the S.E. cor of the S.W. q. of Section 2. T. 7. R. 1. W.
 Mt. trees Apple tree 6. N72 E. 95 li.
 Hick 24. N62 W. not being very
 just was not tall.

James W. Spencer, M. C. Surv.
 Done by James Woodburn Deputy.

Sept 1. 1856. Established for Mrs. Woods & others in Section 32. T. 10. R. 1. W. the following corners.

1. The S.W. cor of N. half of S.E. q. Mt. trees Hick 14. N68 W. 31 li.
 2. The N.E. cor of S.W. q. of N.E. q. " Beech 10. N33 W. 49 li.
 Sug. 12. N2 E. 48 li.

Sept 8. 1856.

Established for L. Lutz & J. Baugh the N.E. cor of W. half of N.W. q. of Sec. 14. T. 7. R. 1. W. Mt. trees Beech 10. N35 W. 9 li.
 W. Oak 15. S88 E. 36 li.

also for James Shields the following corners in Sec. 1. T. 7. R. 1. W.

1. The S.W. cor of N.E. q. of said sec. White Oak 18. S21 E. 16 li.
 White Oak 12 W. 12
 2. The N.E. cor of S. half of N.E. q. Beech 10. S21 W. 23 li.
 W. Oak 18. N50 W. 21 li.

L. W. Spencer M. C. Surv.
 by J. Woodburn Deputy.

Aug 17 1857

Surveyed in Sec 10 & 11. T. 10. R. 2 N. and established for Lem Genby and others the following corners viz.

1. In Sec 10. The N.W. cor of E. half of S.E. q. Mt. trees Birch 12. S 32 W. 18 1/2 l.
Birch 20 N 60 E 34 1/2.
2. In Sec 10. The S.W. cor of same " Hick 22. S 88 W 24 1/2.
Birch 6. S 10 E. 30.
- + 3. In Sec 11. Center of S.W. q. " 13 Walnut East 15 l.
At another stone west 15 l.
4. In Sec 11. The S.E. cor of W. half of S.E. q. Birch 20. S 14 E. 45 1/2.
Birch 24 S 40 W. 55.

J. W. Spencer M. C. Surv.
by James Woodburn De. pt.

Sept 15-16,

Surveyed in Section 2 T. 7 N. 1 W. and established for Sol. Lucas, H. Barnett & others the following corners viz.

- + 1. The N.E. m. stake Mt. trees Sec 20. S 60 W 5 l.
Elm 10. South 19 1/2.
2. Cor at center of section. White Oak. 20. S 70 W 24.
W. Oak 24. N 66 E 34.

Apr 22, 37

Surveyed in Section 18. T. 10 N. 1 W. and established for Messrs Gilman and Clark the following corners.

- X 1. Corner in center of Sec. Mt. trees Sycamore 20. S 13 E 8 l.
Sycamore 3. N 15 E 24
2. The S.W. cor of E. 1/2 of N.W. q. " Birch 16. S 31 W 44
Birch 20. S 80 W 18 l.
3. The N.W. cor same " White Oak 30. S 78 W 23.
D. Wood 2. S 80 E 8.

July 1858.

Surveyed in Sec 16. T. 9. R. 1 W. and established for John Blair and H. Martin the following corners.

- X The N.E. cor of W. 1/2 of S.W. q. Mt. trees Sec 14. N 35 E 56 1/2 l.
Birch 12. N 32 E 75 1/2.

X At the same time established for John Blair in Section 17. T. 9. R. 1 W. a corner 40 poles west of the East 1/2 mile stake of said section Mt. trees. Birch 36. N 4 E. 7 l.
Birch 10 S 40 E 24.

Thos Gillispie & John
F. M. Dermont Surv.

James W. Spencer M. C. S.
by James Woodburn De. pt.

Apr 4. 1858. Surveyed for John Keith and Wm Lucas in Sec. 2 T. 8 N. R. 1 W. and established the N.W. cor of the East $\frac{1}{2}$ of N.E. qr.

Met trees Elm 20. N 77 W. 61.6
Hornbeam 8. S 12 W. 63.

Joseph Pennington ch the
Lad & Hall Sur

Apr 8. Established in Sec 6. T. 8. N. 1. R. for Mr Sherwood.

- | | | | |
|---|-----------|--------------|------------|
| 1. N.E. cor of Section | Met trees | Red Oak 12. | Post 16.6 |
| | | Hick 6. | N 40 E 20. |
| 2. S.E. of N.E. of N.E. qr. | " | Red Oak 10 | S 42 E 10. |
| | | Red Oak 12 | N 55 W 45. |
| + 3. S.E. of N.E. qr | " | B. Walnut 8. | S 85 W 22 |
| | | Red Elm 6. | N 38 E 43. |
| 4. S.E. of W. $\frac{1}{2}$ of N.W. qr. | " | Beech 10 | N 70 W 21. |
| | | Sug 10 | S 72 E 18. |
| 5. S.W. of N.W. qr. | " | Beech 20. | S 61 W 39 |
| | | Lynm 10 | E. 19. |

James Ellis ch the
John Johnson Sur

James W Spenser M.C. Sur
by James Woodburn Deft.

June 18 1858. Surveyed in Sec 31. T. 8 N. R. 2 W. and established the following corners, for Whaley Carpenter, Bender &c.

- | | |
|---|-----------------------------------|
| 1. a corner 85 poles W. of East $\frac{1}{2}$ m. stake. | Met Beech 10. S 50 W. 44.6 |
| | Sug 14. S 7 E 67 $\frac{1}{2}$. |
| + 2. Cor in center of Sec. | Beech 18. S 21 W 67. |
| | B. Gum 16. S 49 E 14. |
| 3. The West $\frac{1}{2}$ m. stake. | B. Walnut 8. N 33 W. 58 |
| | Beech 40. N 35 E 44 $\frac{1}{2}$ |

Jacob Carpenter ch the
G H Gilman Sur

J. W. Spenser M.C. Sur
by James Woodburn Deft.

Sec 14. T. 8. N. 1. E.




Elyah Robinson ch the
Lewis Young Sur

June 26. 1858. Surveyed in Sec. 17. T. 9 N. 1 E. and established the following corners for Dr Rose

- | | |
|----------------------------|-------------------------------------|
| Cor A on Ind. Bound. line, | Pop. 36. S 30 W. 44.6 |
| | Hick 20. N 65 W. 54 $\frac{1}{2}$. |
| " B " " " | B. Oak. N 69 W 35. |
| | W. Oak. S 6 W 50 $\frac{1}{2}$. |
| " C. center Sec. | Beech 20. S 17 W. 18. |
| | Beech 18. N 38 E 45 $\frac{1}{2}$. |
| D | Beech 18. N 20 W. 29. |
| | Sug 18. S 7 W. 28. |

J. W. Spenser M.C. Sur
by J. Woodburn Deft.

Dec. 28, 29, 30, 31st 1857

Established the following corners in Sec 12, T 8, S 2, R.

- K S.E. cor of Sec. Birch 24. 583 M. 436. B Oak 10. 51 M. 30 6.
 L 5 m S. Hick 24. N 26 M. 36 1/2. Sug. 30. 578 M. 59 ..
 P 102 poles North of L Gum 16. N 78 M. 43 1/2. Sug. 14. 544 1/2 44 ..
 G 102 .. K Birch 18. 526 E 93. B Oak 14. 510 E. 43 ..
 Q center of Sec Gum 16. N 35 M. 58 .. Birch 20. N 62 M. 102 ..
 O Birch 6. 532 E 16 1/2. W Oak 24. N 59 E. 57 ..
 B no trees being near the S.W. cor of a chimney was taken N 57 E 123 1/2 ..
 R 100 poles North P. B Walnut 14. N 25 M. 24. Hick 20. 550 E. 42 ..
 D 68 poles 20 links East of C Gum 6. N 50 M. 37 1/2. B Oak 6. 553 M. 45 ..
 F 100 poles North of G W Oak 18. South. 46. Gum 6. N 15 M. 31 1/2 ..

Established the following in Sec 7, T 8, S 1, R.

- B W Oak 10. 514 M. 35. Birch 8. N 32 M. 11 1/2 ..
 C 1/2 m. S.W. W Oak 20. N 80 E. 50. Birch 24. 558 E. 38 ..
 M Center of Section W Oak 18. West 104. Sug. 14. 518 M. 39 ..
 L Gum 10. N 30 M. 20. Birch 14. N 80 E. 33 ..
 I S.W. cor of Sec Birch 24. 541 M. 84. B Oak 10. 51 M. 32 ..
 H Birch 10. N 74 M. 16 1/2. W Oak 20. N 50 E. 48 ..
 H² W Oak 18. 565 M. 41. W Oak 10. N 50 E. 87 ..
 K Sug. 12. N 66 M. 20 1/2. Sug. 12. 551 M. 32 ..

Sec 12 { Samuel Ward & Ch. he
 Milton Cole } Sworn
 Sec 7 { John Borland & Ch. he
 Mrs. Moore } Sworn

J. W. Spenser M. C. Sur.
 by Jas. Woodburn Depty

Dec 11. 1858. Established for Thos Jarvis the N.E. cor of Sec. Lot No. in the S.W. qr of Sec 3. T. 8. R. 1 W.

Wet tree Birch 8. N 84 E 54 1/2

+ Established at the same time the South 1/2 mile stake of said Sec 3. Wet trees Birch 20 S 62 E 59 1/2
Birch 20 N 80 W 39 1/2.

B. F. Rogers ch. l.
C. D. Hay S. down

J. W. Spenser M. C. Secy
by J. Woodburn Depty.

July 30. 1858. Surveyed in Sec 15. T. 9. R. 1 E. and established the following corners for David & M. Coy. viz.

The S.W. cor of S.E. qr of N.E. qr.

Birch 10 S 40 W 15 1/2

+ " N.W. " " " "

Gum 12 N 10 E 53.

Birch 8. S 37 W 8.

Birch 10. S 35 E 6 1/2

" N.E. " " " "

Gum 24 S 65 E 19.

Hick 14. N 38 E 10.

John Carter ch. l.
John Stevens Sw.

J. W. Spenser M. C. Secy
by J. Woodburn Depty.

Aug. 1. 1858. Surveyed in Sec 22. T. 8. R. 2 W. and established the following corner for John Sinsmore & M. Stone.

The S.W. cor of East 1/2 of N.E. qr.

Hick 4. N 20 W 6 1/2

Asch 10 S 24 E 19.

Sept 7. 1858. Established for J. Johnson and M. Butler the following corners in Sec 8. T. 9. R. 1 W. viz.

Cor in center of Sec. Wet trees

Sug 20. N 12 E 15 1/2

+

Elm 36. N 70 E 22.

cor at West 1/2 mile stake

Birch 10. N 34 W 30.

W. Oak 20 S 48 W 38 1/2.

at Parkers ch. l.
F. Myler Sw.

J. W. Spenser M. C. Secy
by J. Woodburn Depty.

Sec 2 T9 R 1 W

A		B	
50.11	50.11	50.11	50.11
G. Jackson	John Campbell	Rawlings	C
80.18 1/2	E 50.18 1/2	50.18 1/2 D	50.18 1/2
Burns	J. Jackson	Burns	I
H	J. R. Lucas		
162	162		

X

Cor F' Beech 7. S77E 45 1/2. W. Oak 12. N69E 37 1/2.
 .. H Beech 2. N33E 3 1/4. Beech 4. N16E 5.
 .. I Iron Wood 3. N72W 10. Beech 16. S65E 6.
 .. I Apple 10. East 4 1/2. Apple 10. S50W 48 1/2.

S. & F. Glenay & Co
 John Jackson Sur

J. W. Spenser & Co Sur
 by J. Woodburn Depty.

Sec 34 T9 R 2 W

NW	NE
	D
SW	E Coffey
	Field
F	A

July 1859 Surveyed in Sec 34 T9 R 2 W
 and established the following corners for
 Benj. Field and C. Coffey.

Cor A W. trees White Walnut 4. N30W 5 poles 21 1/2.
 .. B " " Sug 16. S45E 2 poles 18 1/2.
 .. C " " Beech 22. N31W 2 " 22 1/2.
 .. D " " Wild cherry 26. S65E 61 1/2 1/2.
 .. E " " Wild cherry 18. S77E 65 1/2.
 .. F " " W. Oak 30 S29E 71 1/2.
 .. G Sug 14 S44E 72 1/2.
 .. H Hick. 2. N25E 35.
 .. I Sug 1 S70E 17.
 .. J Sycamore 2. S8W 19.
 .. K Wild cherry 3. S80E 24 1/2.

B. Field & Co

C. Coffey Sur

J. W. Spenser & Co Sur
 by Jas Woodburn Depty.

Aug 21. 1859

X

Surveyed and established the S.E. and S.W. corners of a
 10 acre lot of the North End of the East 1/2 of S.W. 1/4 of Sec 6. T8 R 1 W.
 S.E. cor W. trees. Beech 16. N65E 30 1/2. B. Wal. 6. West 33 1/2.
 S.W. " " Beech 12. N30W 18 1/2. Hick 20. North 12.

J. W. Spenser & Co Sur
 by Jas Woodburn Depty.

January the 10th 1860

Ran the following line for Lewis May commencing at the N. W. corner of Section 31 T. 8. R. 1. W. ran S⁵ E on the ^{line} 1 pole Witness Bech 15 inches in diameter 135⁰ E 20 links dist Sugar 10 inches in diameter S⁵ E 26 links dist thence down W. A. Campbell and Henry Pelman sworn

J. S. Burkish M. C. Surveyor

January the 12th 1860

Ran the following lines and established the following corners for Jose & Adamson & J. S. Burkish in Section 30 T. 9. R. 1. E commencing at the N. W. corner Witness Sugar 8 inches S⁷ E 11 links dist Bech 20 inches N⁵⁵ W 21 links thence S⁵ E 101 poles + 15 links Witness Bech 10 inches in diameter 135⁰ E 113 link dist Bech 15 inches in diameter S⁵³ E 73 links dist thence down James & Adamson and J. S. Burkish by consent

J. S. Burkish M. C. Surveyor

No. 5. N	No. 4. N	No. 3. N	No. 2. N	No. 1. N
No. 5. S	No. 4. S	No. 3. S	No. 2. S	No. 1. S

January the 23rd 1860 Ran the following lines in Sec. 353 Party Town (1) nine Rang (1) one West for Harrison Stony

commenced at a stake 107 poles & 23 links S. 88° E from the Western 1/2 mile stake Run S. 88° E 40 poles & 23 links to a stake thence S. 88° W 19 poles & 132 links to a stake thence S. 88° W 40 poles & 23 links to a stake thence S. 88° E 19 poles & 132 links to the place of beginning which is lot No. 1. S.

then commenced at the N. W. corner of said lot No. 1. Run S. 88° E 40 poles & 23 links to a stake thence S. 88° W 19 poles & 132 links to a stake thence S. 88° W 40 poles & 23 links to a stake thence S. 88° E 19 poles & 132 links to the place of beginning which is lot No. 2. S.

then commenced at the N. W. corner of lot No. 2. Run S. 88° E 40 poles & 23 links to a stake thence S. 88° W 19 poles & 132 links to a stake thence S. 88° W 40 poles & 23 links to a stake thence S. 88° E 19 poles & 132 links to the place of beginning which is lot No. 3. S.

then commenced at the N. W. corner of lot No. 3. Run S. 88° E 40 poles & 23 links to a stake thence S. 88° W 19 poles & 132 links to a stake thence S. 88° W 40 poles & 23 links to a stake to the place of beginning which is lot No. 4. S.

X

then commenced at the N. W. corner of lot No. 4. Run S. 88° E 40 poles & 23 links to a stake thence S. 88° W 19 poles & 132 links to a stake thence S. 88° W 40 poles & 23 links to the Western 1/2 mile stake of said Sec. thence S. 88° E 29 poles & 23 links to the place of beginning which is lot No. 5. S.

then commenced at the S. E. corner of lot No. 1. S. Run S. 88° E 40 poles & 23 links to a stake & corner witness claim 5 inches in diameter S. 88° W 22 links dist. thence S. 88° W 19 poles & 132 links to a stake thence S. 88° W 40 poles & 23 links to a stake thence S. 88° E 19 poles & 132 links to the place of beginning which is lot No. 1. S.

then commenced at the S. E. corner of lot No. 2. S. Run S. 88° E 40 poles & 23 links to a stake thence S. 88° W 19 poles & 132 links to a stake thence S. 88° W 40 poles & 23 links to a stake thence S. 88° E 19 poles & 132 links to the place of beginning which is lot No. 2. S.

then commenced at the S. E. corner of lot No. 3. S. Run S. 88° E 40 poles & 23 links to a stake thence S. 88° W 19 poles & 132 links to a stake thence S. 88° W 40 poles & 23 links to a stake thence S. 88° E 19 poles & 132 links to the place of beginning which is lot No. 3. S.

then commenced at the S. E. corner of lot No. 4. S. Run S. 88° E 40 poles & 23 links to a stake thence S. 88° W 19 poles & 132 links to a stake thence S. 88° W 40 poles & 23 links to a stake thence S. 88° E 19 poles & 132 links to the place of beginning which is lot No. 4. S.

then commenced at the S. E. corner of lot No. 5. S. Run S. 88° E 40 poles & 23 links to a stake thence S. 88° W 19 poles & 132 links to a stake planted before thence S. 88° W 40 poles & 23 links to a stake.

36 poles & 15 links till said line. Stake said back near an Area
10 inches and Elms 9 inches on the S W Band of east beach
James Hoff and Robert Buckner Chas. Breen Swann
J. S. Buckner M. C. S.


J Buckner C	Jones	Breen	
James Henderson	Jones	Breen	
James Henderson	Henderson	Jones	
Jones	James Henderson	Jones	Henderson Steff

February the 20th 1860
From the following lines and corners
the following corners in section 19
T. 10. N. of R. 10. 1. 6 for
J. S. Buckner James Henderson
Reuben Henderson Reuben Steff
Jones and Breen
Corner at the S W corner A.
Witness Beach 20 inches in diameter
S 34° E 28 links dist Beach 10 inches
in diameter S 34° E 20 1/2 links dist
Elms N 5° W 80 poles & 22 links from

Witness Beach 8 inches N 5° W 80 links dist W Oak 3 inches in
diameter S 34° E 28 links dist Thence N 5° W 161 poles & 12 links
to corner C Witness Sugar 1 inch in diameter S 34° E 18 links dist
Ash 1 inch in diameter S 34° E 41 links dist
Then commencing at Section 19 side stake corner D Witness (S 34° W 11 links dist
diameter) Hickory 10 inches in diameter S 11° E 21 links dist Then commencing at
the S E corner E Witness Beach 12 inches S 11° E 10 links dist Beach
15 inches in diameter S 34° E 48 links dist Then commencing at the S W
then corner A Run S 34° E 80 poles & 12 links to corner F Witness W Oak
12 inches in diameter S 34° E 153 links W Oak 9 inches in diameter S 34° E
52 links dist Thence S 34° E N 5° E 80 poles & 12 links to corner C Witness
B Sugar 8 inches in diameter N 5° E 29 links dist R Oak 6 inches in diameter
N 5° W 28 links dist Thence N 5° W 77 poles & 21 links to corner H Witness
W Oak 3 inches in diameter S 34° E 25 links dist W Oak 10 inches in diameter
N 5° W 74 links dist Thence N 5° W 77 poles & 21 links corner I Witness
S Oak 3 inches in diameter N 5° W 12 links dist Beach 9 inches in diameter
S 34° W 76 links dist Thence N 5° W 77 poles & 21 links to corner J Witness
Beach 9 inches in diameter S 11° E 1 links dist Maple 9 inches in diameter
N 5° W 112 links dist Thence S 34° W 77 poles & 21 links to Northern 1/2 of 19
Thence S 34° W 77 poles & 7 links to corner L Witness Sugar 18 inches in diameter
S 30° W 26 links dist R Oak 22 inches in diameter S 34° W 27 links dist
Thence S 34° E 222 pole 22 links to corner M Witness Beach 12
inches in diameter N 5° E 6 links dist W Oak 15 inches in diameter
S 34° W 21 links dist Thence N 5° W 80 poles & 22 links to

corner N. Witness Appleton 2 inch in diameter N. 87° W 92 links dist
 then N. 80° W 80 poles + 21 links to corner O. Witness Chestnut Oak 12 inches in
 diameter N. 87° W 22 links dist. S. Oak 10 inches in diameter S. 80° W 112 links dist
 Joseph Hawbent & James Hendricks Chas. Bason Surveyors

J. S. Burdick M. C. Surveyor



February the 27th 1860

Run the following lines and establish
 the following corners in Section 15. T. 1. N. R. 2. W. for David Harrison
 John M. Berry Charles Carter Thomas
 Thomas Carter & Martha Wilson
 commenced at S. W. corner A. Witness
 Sugar 15 inches S. 80° E 44 links dist
 Birch 30 inches S. 20° E 13 links dist
 then S. 82° E 111 poles + 15 links to Western
 1/2 mile stake corner B. Witness
 Sugar 15 inches S. 82° E 79 links dist
 So 15 inches S. 70° E 81 links dist
 then S. 82° E 112 poles + 8 links to S. W.
 corner C. Witness
 Sugar 12 inches S. 82° W 184 links
 So 10 inches S. 85° W 101 links

then S. 86° E 101 poles and 2 links to Southern 1/2 mile stake. Witness Sugar 20 inches
 S. 81° E 11 links dist Sugar 20 inches S. 82° E 10 links dist then S. 84° W 50 poles
 corner E. Witness W. Cherry 2 inches S. 15° E 114 links dist E. Walnut 12 inch S. 84°
 E 322 links dist then S. 87° W 9 poles + 112 links to corner F. Witness Elm 144 inches
 S. 87° E 44 links dist then commenced at the Eastern 1/2 mile stake corner G.
 Witness Sugar 22 inches S. 87° E 68 links dist Elm 30 inches S. 85° W 215 links
 dist then S. 86° W 101 poles + 34 links to the S. E. corner H. This corner
 was made by crossing the section line at being in an old pole. Then
 S. 86° W 164 poles to the Northern 1/2 mile stake corner I. Witness Birch 13 inches
 S. 75° W 75 links dist Birch 20 inches S. 72° E 67 links dist then S. 82° E
 161 poles + 12 links to the center of the section corner J. Witness Birch 12 inches
 S. 85° E 11 links dist Sugar 15 inches S. 85° W 51 links dist then S. 86° W 59
 poles + 122 links corner K. Witness Birch 18 inches S. 85° W 392 links dist
 Birch 20 inches S. 85° E 101 links dist then established the S. E. corner L.
 Witness Peach 30 inches West 11 links dist Birch 23 inches S. 85° W 11 links
 Chas. Bason Jesse Williams George Bason & John M. Berry Surveyors

J. S. Burdick M. C. Surveyor

March the 5th 1860

Run the following lines and
established the following

corners for Charles S. Miller
(C. S. Miller) & others in Section 29 T. 10 N.

1st The commences at the Eastern

of said state of said Section

on 18th N 81 poles to corner

A Walnut B Walnut 30 inches

in diameter C 18th N 77 links

dist. 18th N 3 inches in

diameter 18th N 81 links

dist. then commenced at the

18th N corner of said Section

on 18th N 80 poles & 5 links to corner B Walnut 30 inches

in diameter C 18th N 25 links dist. Beach 12 inches in diameter

18th N 81 links dist. Chas. S. Miller, Henry Whiteman and

Thomas S. Miller sworn by me

W. H. Gilbert Deputy

Surveyor

March the 13th 1860

Run the following lines and made two previous

corners in Section 6 Township 10 N. of Range 1

East for J. A. Butcher commenced at the N. W.

corner A Walnut 30 inches in diameter

18th N 81 links dist. then 15th N 157 poles &

15th links corner B Walnut 30 inches in

diameter 18th N 31 links distant Sugar 12 inches in

diameter 18th N 172 links distant then 15th N 18 poles

12 links to corner C Walnut 30 inches in diameter 18th N

12 links distant 18th N 16 inches 18th N 31 links distant then com-

menced at W corner Run 18th N 12 poles & 102 links to corner D

Walnut Beach 12 inches in diameter 18th N 31 links distant

Sugar 12 inches in diameter 18th N 22 links distant then 18th N

8 poles then 18th N 82 poles & 18 links to corner E Walnut 30 inches in

diameter 18th N 53 links distant B Walnut 30 inches in

diameter 18th N 56 links distant Chas. S. Miller, W. H. Gilbert

and J. A. Butcher sworn this done by me, Subst.

J. A. Butcher, W. H. Gilbert

L' Walnut 16 inches in diameter S⁸² W¹⁰ 100 poles distant. H Oak 10 inches in diameter S⁸² E 20 links distant. Thence S⁸² W¹⁰ 100 poles + 20 links to F' Walnut Hickory 20 inches in diameter S⁸² W¹⁰ 20 links distant. Hickory 20 inches in diameter S⁸² W¹⁰ 70 links distant. Thence S⁸² W¹⁰ 80 poles + 2 links to a stake. Thence S⁸² E 20 poles + 2 links to G' Walnut. H Oak 8 inches in diameter S⁸² W¹⁰ 20 links distant. H Walnut 2 inches in diameter S⁸² W¹⁰ 10 links distant.

Andrew Tompkins & James Smith claim same survey

S. J. Burdett & Co. Surveyors

H	G	E	Andrew Tompkins
J	I		
William Kinser	Peter Peckham	Andrew Tompkins	
K	I	N	
Peter Peckham		John Peckham	
M	D	P	
John Peckham	William Kinser	John Peckham	Jacob Peckham
D	C	B	A

April 2nd 1840

Run the following line & make the following corners in Section 31 T. 7 S. R. 1 E.

1st John Peckham John Peckham Andrew Tompkins William Kinser and Jacob Peckham

Commenced at H & corner A Walnut H Oak 8 inches S⁸² W¹⁰ 70 links out H Oak 5 inches in diam S⁸² E 25 links dist thence S⁸² W¹⁰ 80 poles + 12 links to B Walnut H Oak 8 inches in diam S⁸² W¹⁰ 32 links dist H Oak

18 inches in diam S⁸² E 37 links dist thence S⁸² W¹⁰ 80 poles + 12 links to C Walnut B Walnut 20 inches in diam S⁸² W¹⁰ 257 links dist Cyammore 16 inches in diam S⁸² E 102 links dist thence S⁸² W¹⁰ 80 poles + 12 links to D Walnut H Oak 6 inches in diam S⁸² E 20 links dist H Oak 5 inches in diam S⁸² E 102 links dist thence S⁸² W¹⁰ 80 poles + 12 links to F H corner then commenced at the H & corner E 20 links Walnut goes down corner H Oak 2 inches in diam S⁸² E 2 links dist H Oak 2 inches in diam S⁸² E 72 links dist thence S⁸² W¹⁰ 80 poles 10 links to F' Walnut H Oak 18 inches in diam S⁸² W¹⁰ 32 links dist H Oak 16 inches in diam S⁸² E 37 links dist thence S⁸² W¹⁰ 80 poles 10 links to G' Walnut H Oak 2 inches in diam S⁸² W¹⁰ 20 links dist H Oak 3 inches in diam S⁸² E 30 links dist thence S⁸² W¹⁰ 100 poles to H H corner H' Walnut H Oak 15 inches in diam S⁸² E 20 links dist H Oak 2 inches in diam S⁸² E 20 links dist thence S⁸² W¹⁰ 80 poles 12 links to a stake thence S⁸² E 28 poles + 20 links to I Walnut Birch 16 inches in diam S⁸² E 12 links dist Birch 10 inches in diam S⁸² W¹⁰ 22 links dist thence from J H corner S⁸² E 28 poles + 10 links to J Walnut Birch 2 inches in diam S⁸² E

L. W.

Hue
H
pole
H

X

Notes.

1
 2 Name of survey of line and adjoining corner
 3 of the line dividing Town 10 North
 4 in all that part of the North East Quarter
 5 of fractional Section Thirty two (32) Town 11 N.
 6 Range 9 West, in Cass County, Indiana,
 7 which lies on the South side of White River,
 8 as it may run, and thereby establishing
 9 perfecting and perpetuating the line and
 10 corner of the adjoining land owner, T. H. H.
 11 Enoch D. Duesch, Henry D. Duesch, John H. Duesch,
 12 Henry C. Duesch, Samuel A. Duesch, Isaac A.
 13 Duesch, James M. Duesch, Paul S. Duesch, Miner
 14 S. Duesch, William S. Duesch, as here at law and
 15 many of James R. Duesch, deceased, owners
 16 of adjoining and adjoining lands in Sec.
 17 33, Town 11, Range 9 West in Monroe
 18 County, Indiana, and Marion Hays as
 19 joint and adjoining land owner of lands
 20 in Sec. 32, 33, Town 11 North Range
 21 9 West in Monroe County, Indiana. W.
 22 Geo. D. Hays, Marion Hays, David H. Hays,
 23 Robert D. Hays, George C. Hays,
 24 John Hays, Wm. Hays, Marion Hays, as here
 25 at law and many of Joseph Hays,
 26 deceased, adjoining and adjoining land owners
 27 in Sec. 32, Town 11, North Range 9 West
 28 in Monroe County, Indiana, W. Hays, H.
 29 Duesch, Wm. Duesch, James M. Duesch, adjoining and
 30 adjoining land owners, in Sec. 32, Town 11,
 31 North Range 9 West, in Cass County,
 32 Indiana, W.
 33

34
 35
 36
 37
 38
 39
 40
 41
 42
 43
 44
 45
 46
 47
 48
 49
 50
 51
 52
 53
 54
 55
 56
 57
 58
 59
 60
 61
 62
 63
 64
 65
 66
 67
 68
 69
 70
 71
 72
 73
 74
 75
 76
 77
 78
 79
 80
 81
 82
 83
 84
 85
 86
 87
 88
 89
 90
 91
 92
 93
 94
 95
 96
 97
 98
 99
 100

1 Saturday. Oct. 16. 1897 at 11 o'clock a.m. The family
 2 Surgeons of Maine and New Brunswick, at an
 3 request as is provided by Law, will proceed
 4 to judge the heirs and succeed the common
 5 and perpetuate and perfect the heirs and
 6 common, as set out in the caption of this
 7 notice, the power to be done at the equal
 8 costs of the parties interested and whose
 9 lands are thereby acquiring and joining the
 10 line of survey.

11 Notice and hands, this Oct. 16. 1897.

12 <u>Elyacott Buckin, sig.</u>	<u>Malina Noye, sig.</u>
13 <u>John W. Buckin, .</u>	<u>Car. Geo. Noye, sig.</u>
14 <u>Sam. C. Buckin, .</u>	<u>David N. Noye, sig.</u>
15 <u>William A. Buckin, .</u>	<u>Robert D. Noye, sig.</u>
16 <u>Isaac A. Buckin, .</u>	<u>George C. Noye, sig.</u>
17 <u>James M. Buckin, per.</u>	<u>John Noye, sig.</u>
18 <u>Laurel Smith, sig.</u>	<u>Alvin Noye, sig.</u>
19 <u>Marion Smith, per.</u>	<u>Harry M. Buckin, per.</u>
20 <u>Marion Smith, per.</u>	

(11 cps)

(Notice)

E. S. Noye

10 land to J. H. Noye, Grand Juror

7 links dist Birch 2 inches in diam S 8 W 14 links dist Thine 1st E 90 poles
 & 15 links to D Whitings R Oak 8 inches in diam S 8 W 38 links dist R Oak
 11 inches S 8 E 18 links dist Thine 1st E 80 poles & 20 links to D Whitings
 B Oak 7 inches in diam S 8 E 18 links dist B Oak 5 inches in diam S 8 W
 23 links dist Thine 1st E 80 poles 12 links to A Whitings W Oak 12 inches in diam
 S 8 E 16 links dist W Oak 7 inches in diam S 8 E 11 links dist Thine 1st E
 70 poles & 12 links to Section line corner then commences at Hunter Carter in 1/4
 1/4 mile S 8 W to A Whitings Sycamore 2 inches in diam S 8 E 27 links dist
 R Oak 10 inches in diam S 8 W 25 links dist from S 8 E corner to Carter
 1/4 mile stake 143 poles & 15 links corner made & equidistant between the same O Whitings
 R Oak 2 inches in diam S 8 E 2 links dist R Oak 2 inches in diam S 8 E
 17 1/2 links dist Thine 1st W 80 poles & 5 links to P Whitings B Oak
 8 inches in diam S 8 W 13 1/2 links dist Bunch of Sycamore 2 rods
 S 8 E 6 links distant Thine 1st W 80 poles & 1 link to D Whitings
 W Oak 15 inches in diam S 8 W 27 links dist W Oak 10 inches in
 diam S 8 E 22 links dist

Martin Dickson & Jackson & Lucra & Anne Beavers sworn
 the above Survey was made in compliance with a Notice in the
 Bloomington Republican

J. S. Burdick M. A. Surveyor

Given Class	Given Class
S 8 E 18	S 8 W 18
John Clark	John Clark

Boy with 2 inches in diam S 8 E 76 links dist Thine 1st E 80 poles & 15 links
 Thine 1st E 80 poles & 20 links to B Whitings Sycamore 2 inches in diam S 8 E
 27 links dist Birch 2 inches in diam S 8 W 17 links dist
 Anne Beavers Hug & Adams & for further sworn

Mike Galtbert Deputy Surveyor
 Monroe, County

James Langwell	Peter Jensen
Hugh S. W.	
Adams	

X

April the 11th 1860

Ran the following line and Established the following
corners in S. W. quarter section 2, T. 10. R. 18.
for Francis Langwell Peter Jensen & Hugh S. W.
Commenced on S. Section at corner planted before
Equal distant between Southern 1/2 mile stake & S. W.
corner Ran 180° N 81 poles & 1 link made a corner Whiteoak
Hickory 20 inches in diam 180° N 21 links dist Beach
1 inch in diam 180° E 21 links dist Thine 180° N
20 poles made a corner Whiteoak 30 inches in diam 180° N 113
links dist R Oak stump 30 inches in diam 180° N 113 links dist
Thine 180° N 61 poles & 1 link made corner Whiteoak 30 inches in diam
180° N 32 links dist Beach 10 inches in diam 180° N 20 links dist
Thine 180° N 40 poles & 1 link made corner

Mike Gabbert Deputy Surveyor
Monroe County

April the 12th 1860

Ran the following line between sections 32 & 33 Town 10 of R. 18.
for William C. Graves & James Watson
Commenced at The Section corner dividing line sections 32 & 33 at
Whiteoak gone new corner 30 poles in diam 180° E 167
links dist R Oak 32 inches in diam 180° N 53 links dist Thine 180°
111 poles & 23 links to 1/2 mile stake between said sections 32 & 33 old
Whiteoak gone new corner Beach 10 inches in diam 180° N 39 links dist
Beach 12 inches in diam 180° E 40 links dist
Thine 180° N 40 poles & 1 link made corner

X

Mike Gabbert Deputy Surveyor
Monroe County



April 25th 1840

In pursuance to an order of the Court of Common Pleas of the County of Monroe and State of Indiana made at its April Term preceded on the 23rd 24th and 25th days of April to make the following Survey and division of the lands belonging to Shadrick Martin deceased and Set off their respective Shares to Susanna Martin beginning at the S. W. Corner of Section 12 T. 10. R. 1. W. 1. The North West fourth of the South West quarter of Section 12 T. 10. R. 1. W. 1. also a part of the S. E. fourth of

the S. W. quarter of the aforesaid Section Town and Range bounded as follows to wit beginning at the S. W. Corner of Said quarter quarter thence S. 5th W. 91 poles and 1 link to the center of Said quarter Section thence S. 84th E 1 pole to a Stake thence S. 5th E 24 poles to a Stake thence S. 84th E 79 poles and cornered Witness tree Bl Walnut 4 in diameter S. 44th E. 3 links distant W. Walnut 5 in diameter S. 30 W. 48 link distant thence S. 5. E. 57 poles and 1 link to the S. E. corner of Said quarter Section thence S. 84th W. 58 poles to the place of beginning the aforesaid lands in our judgement being three ninths in value of all the lands ordered and decreed to be partitioned and Set forth in Said Warrant

To John Martin the S. W. fourth of the S. W. q of Section 12 T. 10. R. 1. W. 1. commencing at S. W. corner to Bl stump 21 inches in diam S. 84th E 5 links dist Sugar 20 inches in diam S. 84th E 29 links dist Thence S. 84th E 82 poles + 19 links Witness Bl Oak 28 inches in diam S. 84th E 16 links dist A Oak stump 22 inches in diam S. 84th E 26 links dist Thence S. 84th W 57 poles + 1 link Witness Bl Oak 28 inches in diam S. 84th W 127 links dist Hickory 5 inches in diam S. 84th W 17 links dist Thence S. 84th W 25 poles Witness Elm 6 inches in diam S. 84th W 23 links dist Elm 10 inches in diam S. 84th W 26 links dist Thence S. 84th E 82 poles + 19 links to a stake thence S. 84th E 82 poles + 1 link to the place of beginning which in our judgement is the same as the


in Value of all of the Lands Ordered and directed to be partitioned and set forth in said warrant.

To Eliza J. Shivers Wife of John W. Shivers the S. E. fourth of A. B. 98 of Section 12 T. 10. R. 1. W. and part of the S. E. fourth of the A. B. of T. & R. aforesaid Beginning and describing as follows to wit Beginning at the S. E. corner of said 98 98. Thence S. 88° W. 29 poles to a stake thence S. 21 poles to a stake thence S. 88° E. 29 poles to a stake thence S. 21 poles to the place of beginning containing 11 acres 136 poles more or less the above said two tracts of Land in our Judgment being the one ninth in Value of all the Lands Ordered and directed to be partitioned and set forth in said warrant.

To Sarah A. Hartline the S. E. fourth of the S. W. quarter of Section 1. T. 10. R. 1. W. containing 40 acres more or less which in our Judgment is the one ninth in value of all the Lands ordered and directed to be partitioned and set forth in said warrant.

To John M. Miller the S. W. fourth of the S. W. quarter of Section 1. T. 10. R. 1. W. beginning at the S. W. corner of said Section Run S. 41° W. 81 poles 1/2 links to a corner Established before thence S. 51° W. 59 poles 1/2 links a witness tree Hickory 3 in diam S. 56° W. 3 links distant Spruce 3 in diam S. 22° W. 50 links dist thence S. 84° E. 40 poles witness B. oak 16 in diam S. 61° W. 9 links dist B. Walnut 12 in diam S. 60° W. 11 links dist Then back on same line a witness plum tree 10 in diam S. 73° W. 54 links dist thence S. 5° E. 140 poles to Southern Section line witness Hickory 30 in diam S. 3. E. 68 links dist Sugar 22 in diam S. 31 W. 95 links distant thence S. 84° W. 44 poles to the place of beginning Containing 69 acres more or less the above said two tracts of land in our Judgment being the two ninths in value of all the Lands described in the warrant of petitioner.

and to Martha Ann Canada wife of Absalom C. Canada the S. W. fourth of the S. E. quarter of Section 2. T. 10. R. 1. W. containing 34 acres and 2/3 more or less also a part of the S. W. fourth of S. W. quarter of Section 1. T. 10. R. 1. W. bounded and described as follows to wit beginning at the Western 1/2 mile stake thence S. 6° E. 22 poles to a stone thence S. 84° E. 41 poles to a stone



Flagman Joel Burch all sworn by me

White, Gilbert Deputy Surveyor
Monroe County

V. E. Sec 30

The Harman part



The Whitcomb part

State of Indiana
County of Monroe

To the Honorable Pleas Court
of said County

I, the undersigned, being
hereby appointed by said Court to
make partition of the Real Estate
belonging Catharine Layman Wife of
Cyrinus Layman and Christian Alexander
Bt Elizabeth Catharine and Louisa Sumner
Miner Heirs of Joseph Sumner I do
report that after having been duly

sworn & Inspection and Survey of said Premises we have
made partition of the same as follows to wit to said
Catharine Layman the following part of said V. E. Sec 30
of Sec 30, T. 10, R. 2, W. 2, beginning at S. E. corner of said
qr. thence S 82° W 32 poles & 1 link to B Whitcomb poplar
42 inches in diam S 80° E 86 links dist B Whitcomb 12
inches in diam S 82° W 247 links dist thence S 82° W 20 poles
to C Whitcomb poplar 50 inches in diam S 82° E 174 dist
thence S 82° W 146 poles to D W Apple 10 inches in diam
S 80° W 86 links dist thence S 82° W 121 poles 18 links to
E Whitcomb Birch 20 inches in diam S 82° E 39 links dist
B Whitcomb 6 inches in diam S 82° W 88 links dist thence
S 82° E 26 poles to Center of Sec 30 thence S 82° E 161
poles to the place of beginning. And I do award in circuit the

Reservation of 72 Acre in S. E. corner of said 4th 1st road long 18th & 1st Road E. & W. and Exclusive of said reserve contains 12 Acres & 77 poles more or less which is over Opening one third in Value of the Lands Ordered to be partitioned between said parties and to the said them jointly the following part was part of said 18th & 1st of Sec 30 T. 4 N. R. 11 W. beginning at N. E. corner of said 18th & 1st Whitings Beach 12 inches in diam S 72° E 70 links dist Apple 10 inch in diam S 84° W 35 links dist Thins S 12° E 129 poles & 5 links to B Whitings poplar 12 inches in diam S 80° E 26 links dist B Walnut 12 inches in diam S 77° W 239 links dist Thins S 82° W 30 poles to C Whitings poplar 10 inches in diam S 12° E 171 links dist Thins S 82° W 15 poles to D Whitings 10 inches in diam S 50° W 56 links dist Thins S 82° W 121 poles & 15 links to E Whitings Beach 20 inches in diam S 55° E 371 links dist B Walnut 6 inches in diam S 32° W 38 links dist Thins S 82° W 114 poles & 20 links to A 12 mile stake Thins S 72° E 161 poles & 12 links to the place of beginning containing 119 Acres & 12 Rods more or less which are our justly merits the two thirds in Value of Lands Ordered to be partitioned all of which we respectfully Submit

Wm S Walker

Jefferson Wampler } Commissioners
J. S. Butcher

W S Walker } Chain Barren
Jefferson Wampler

Sworn by us

J. S. Butcher J. W. C.



June 1st 1860
Run the survey line and made the in Section 11, Town 10 Range 2 West for Jefferson Wampler Attorney at Law of the Estate of David E. Lot 1 Peccard & J. R. Galloup commenced at the S. E. corner of said Section Whitings Beach 12 inches in diameter S 55° E 38 links dist Beach 20 inches in diam S 54° W 66 links dist Thins S 82° W 110 poles & 15 links Whitings Crab Apple 1 inch in diam S 50° E 201 links dist W Oak 24 inches in diam S 70° W 87 links dist Thins S 82° W 80 poles & 2 links to a Stake Thins S 82° W

100 poles + 5 links Witness tree S. Oak 8 inches in diam
 S 3° 34' 11 links S Oak 12 inches in diam N 69° 34'
 2 1/2 links dist. Chas. Buser & W. S. Walker
 J. S. Vint

J. S. Vint by consent

S. S. Buser & M. C. Surveyor




October the 27th 1860

Ran the following line in Section 25
 Town 7 Range 1 West for James
 Samuel Rano & S. S. Buser Trust as
 the 1st Illinois Groveyard commences at
 the South West corner of the West
 1/2 of the North East 1/4 of Section 25

West 7 poles + 15 links to a rock thence S 52° West 15 poles + 10 links
 to a rock thence S 15° East 7 poles + 15 links to a rock thence S
 East 15 poles + 15 links to the place of beginning

J. S. Adamson & W. S. Buser by consent

S. S. Buser, M. C. Surveyor



October the 29th 30th 31st & November 1st

Ran the following and made the following corners in
 Sections 26, 35 & 36 Town 7 Range 1 West for
 John Ready. Commenced at the Southern 1/2 Mile st.

Corner A witness Beach 10 inches in diameter S 31° E 54 links distant Ran
 S 52° W 50 poles & 11 links to B witness Beach 10 inches in diameter S 41° E
 110 links distant Sweet Gum 24 inches in diameter S 35° E 110 links distant
 them S 32° W 135 poles & 16 links to the center of Salt Creek or C
 witness Elm 10 inches & Maple 10 inches with 3 notches in each they
 stand on the South Bank of said Creek the line passes between them
 then up Salt Creek with its meanders to the N. E. corner of the Redfield
 or Mill property to D. thence S 65° W 12 poles & 12 links to E witness Sycamore
 15 inches S 41° E 19 links distant thence S 42° W 20 poles & 1 witness Elm
 2 inches in diameter East 52 links thence S 75° E 38 poles & 2 links to G
 thence up said Creek about 12 poles to H thence S 73° W 52 poles & 1 link
 to I witness Sycamore 5 inches in diameter S 41° W 222 links distant
 Walnut 10 inches in diameter S 75° W 222 links distant thence S 41° E
 55 poles & 12 links to K witness Beach 8 inches S 42° W 71 links distant
 Beach 8 inches S 10° E 240 links thence S 55° W 80 poles to T witness
 Beach 8 inches S 75° E 107 links distant Beach 15 inches in diameter
 S 41° E 109 links distant thence S 41° W 79 poles & 17 links to A or the place
 of beginning then commenced at K Ran S 41° E 79 poles & 10 links to M
 witness Willow 4 inches in diameter S 41° E 57 links distant
 thence S 55° E 80 poles & 3 links to the Eastern 1/2 mile stake of
 Section 35 or to N witness Beach 25 inches in diameter S 50° E
 20 links distant Beach 25 inches in diameter S 41° E 113 links distant
 thence S 41° E 162 poles & 1 link to O witness Oak 6 inches in diameter
 S 41° W 176 links distant Oak 4 inches in diameter S 41° W 74 links
 distant thence S 41° W 79 poles & 16 links to P witness Dogwood
 8 inches in diameter S 35° W 20 links distant Sassafras 8 inches
 in diameter S 35° E 16 links distant thence S 81° W 81 poles & 20
 links to Q thence S 41° W 7 poles & 11 links to the Edge of Salt
 Creek at an ordinary stage of water thence down said Creek
 to H John Wallon & J. F. Jennings Chas. Baren sworn
 J. S. Buskirk M. C. Surverger

November the 17th 1860

Ran the following line and made the following
 corners in Section 22, T. 10. R. 1 E for J. F. Thompson
 commenced in the center of the Henderson County Road
 where the line splitting the Section North & South
 crosses said Road corner made witness Beach 15 inches
 in diameter S 70° W 40 links distant Beach 10 inches
 in diameter S 41° E 32 1/2 links distant thence S 45° W 16 poles
 corner made witness Hickory 8 inches in diameter S 52° E 6 3/5 links

distant W Oak 15 inches in diameter S 32° E 99 links
 distant then N 85° E 1 pole corner made witness Ironwood
 3 inches in diameter S 30° W 28 links distant Hickory 2 inches
 diameter N 71° W 15½ links distant then S 5° E 12 poles
 + 3 link corner made witness Beach 10 inches in diameter
 N 87½° W 105½ links distant Beach 2 inches in diameter
 N 78° W 97 links distant then S 61° W 2 poles + 8 links
 to the place of beginning J. J. Hendrickson & John
 Hendrickson have Bares sworn for paid \$3.00
 J. S. Buskirk M. C. Surveyor

November the 19th 1860

ran the following line & made the following corner
 in Section 22. T. 10. R. 1. E for the Trustees of the
 Hoerny Creek Church commenced in the center
 of the Hendrickson County Road where the splitting
 line N & S crosses said Road at the S. W. corner
 of School House Lot No 1 running S 45° W 16 poles to
 a rock planted before the S 85° W 4 poles corner made
 Hick 4 inches in diameter corner tree witness Hickory 3 inches
 in diameter N 25° E 8½ links distant then S 5° E 16 poles
 corner made witness B Walnut 3 inches in diameter
 N 79½° W 11 links distant B Walnut 2 inches N 89° E
 25½ links distant then N 85° E 4 poles to the place
 of beginning have Bares John Hendrickson & J. J.
 Hendrickson sworn
 for Gallus J. S. Buskirk M. C. Surveyor

December the 1st 1860

In pursuance to an Order of the Circuit Court of
 Monroe County Indiana made at its July Term
 proceeded to make the following partition of the
 following Real Estate situated in Monroe County
 to wit the South 1/2 of Section 2 Township 7
 Range 2 West to Jonas R. Indaway the following
 tract to wit commenced at the North East corner
 of the above divided Quarter at a rock planted before
 ran S 82° W 40 poles corner made and rock planted
 witness Tree peach tree 1 inch in diameter N 75° W
 20 links distant W Cherry 3 inches in diameter S 80° E
 133 links distant



Thence S 52° E 80 poles corner made and Rock
 planted Witness trees W Oak 30 inches in
 diameter S 89° E 22 links distant W Oak
 25 inches in diameter S 89° W 22 links distant
 Thence S 89° E 40 poles corner made and Rock
 planted Witness trees W Oak 19 inches in diameter
 S 37° E 22 links distant Hickory 22 inches in
 diameter S 51° W 22 links distant
 Thence S 51° W 80 poles to the place of beginning

Containing twenty Acres which in our judgment is one
 seventh the value of lands ordered to be partitioned

S. S. Buskirk

John D. Shipman } Commissioners
 Doctor F. H. Hearn }

Saworn

John D. Shipman

John D. Shipman

John D. Shipman

John D. Shipman

John D. Shipman

John D. Shipman

John D. Shipman

John D. Shipman

John D. Shipman

John D. Shipman

John D. Shipman

John D. Shipman

John D. Shipman

John D. Shipman

John D. Shipman

John D. Shipman

John D. Shipman

John D. Shipman

John D. Shipman

John D. Shipman

John D. Shipman

John D. Shipman

John D. Shipman

John D. Shipman

John D. Shipman

John D. Shipman

John D. Shipman

John D. Shipman

John D. Shipman

December the 24th 1860

Ran the following line and made the following corner in Section
 31 T 10 S R 18 W. The line commenced at S. E.
 corner of the T 10 S R 18 W. Dr. of the same at a corner
 made before then S 89° W 35 poles & 11 links to a corner made
 before then S 89° W 163 poles corner made Witness trees 11
 inches in diameter S 38° E 82 links distant Sugar 12 inches in
 diameter S 67° E 31 links distant Thence S 89° E 31 poles &
 11 links to corner made before then S 51° E 163 poles to
 place of beginning John D. Shipman, Parson Mc Donald & David W. Buskirk
 by witnesses J. S. Buskirk, J. S. Buskirk, J. S. Buskirk

J. S. Buskirk, Monroe County Surveyor



December the 18th 1861
 & January the 1-2 3 4
 & 8th 1861

In pursuance to an
 Order of the Court
 of Monroe County Ind
 proceeded to make
 the following
 Portion of Real
 Estate Between
 Catharine McQuinn

Widow of Joseph McQuinn Deceased & Jacob C. McQuinn
 Joseph S. McQuinn John S. McQuinn Albert M. McQuinn
 Mary V. McQuinn and Laura C. McQuinn Heirs of
 the said Joseph McQuinn Deceased to wit that part
 of Sections 22-23 & 27 Township 8 North of Range
 No. 1 East Enclosed in the following Boundary to
 wit commenced on the Section line 79 poles & 11 links

No 1 West of the N. E. corner of Section 27 Made a corner
 Witness Beach 18 inches in diam S 82° E 21 links dist
 then S 88° W 159 poles & 3 links corner made

No 2 Witness Sugar 10 inches in diam S 80° W 26 links dist
 then B. Ash 5 " " " " S 23° W 20 " "

No 3 then S 81° E 159 poles & 23 links corner made
 Witness Beach 14 inches in diam S 81° W 30 1/2 links dist
 then S 8° W 39 " " "

No 4 then N 88° E 24 poles & 11 links corner made
 Witness B. Ash 8 inches in diam S 66° W 26 links dist
 Beach 10 " " " " N 62° W 64 " " "

No 5 then N 82° E 22 poles corner made
 Witness Hack Berry 18 inches in diam S 68° E 20 links dist
 Beach 8 " " " " S 19° W 30 " " "

No 6 then N 88° E 73 poles corner made Beach 1 inch corner to
 Witness Beach 10 inches in diam N 88° E 34 links dist
 then S 81° E 22 poles corner made

No 7 Witness Beach 3 inches in diam N 85° E 7 links dist
 then S 89° E 15 " " "

W. lutea. Branch sometimes in diam. 1/4" & 9/2" length 12 1/2"

Section 23, P. 8, R. 1, 6

Sec. 19. T. 10 N. 1 E.

Apr. 5, 1860.

Surveyed for R. Campbell
and M. M. Coy in Dec. 19. T. 10 R. 1 E. &
establishes the following corners
Cor. A. N. 1/2 Sec. 10. Oak 4. S. 81 E. 19 1/2

Aug 3. 530 AM 29.

B 11 1836 5 1/2

Beach 10. N 52 W 30.

The N. End of said Sec. is 159.17^{P. 6}

The center line E & W. - 138.16.

The West Sec. line - 325.21

T. S. Brunker M.C. Son
by Woodburn Dept.

Apr. 10 1860

Surveyed in Dec. 32³² T. 10. N. 1. W. and established
the following corners for Wm Wood & L Gillman reg. &c

The S.E. cor. of S.W. 1/4 of S.E. 1/4 with the Blackberry 2. W 19 m. 27 b.


Ulm 6. N 46 E. 30 $\frac{1}{2}$ li.

Elm 6 5112 61 1/2

L. J. Burkh M. G. S.
Z. Las Woodburn Dept

Sec 32. T 8. R. 2 W.

Apr. 1. 1858.



Surveyed in Section 32.
T. 8. R. 2 W for Misses Freese
Cornet &c and established
the following corners viz.
Cor A, $\frac{1}{2}$ m N. Mt. Trees

Sug 14. 585 E 41 6

" 10. E. 25

" B. $\frac{1}{4}$ m N. Bush 10 575 E 6 1/2

Sug 16 N 15 W 13 1/2

" C. 44 East of B. Hick 16 N 85 W 6

" 5 N 78 E 34

" D 19 P. South of C. W. oak 20. 515 E 19

Bush 10. N 18 W 61

" E Sug 12. 586 E 38 1/2

Hick 16. N 31 E 30

" F Bush 12. N 76 W 69 1/2

Sug 12. 565 W 69 1/2

" H 42. 20 1/2 North of E Sug 20. 561 E 24

Hick 6. 568 W 38

" O cent. of Sec Sug 12. 560 W 57 1/2

" 16. N 47 E 73 1/2

" P Sug 20. N 20 W 24


" " W. 24

" S W. oak 24. N 15 W 28

Crab apple 6. 532 W 10 1/2

Wm Umbarger } ch the
Nelson Cornet } sworn

James Woodburn Deft. Surv.



Surveyed in Sec 31. T 10. R. 1 W. &
established the following corners for
Wm Wood Levi Ridge. Melvin Hyneman &
a Stone

Cor A. center of N. End of W. 1/2 of S. E. q. 521.5 W. of E. 1/2 m.

Mt trees Ash 12. 585 W 35. 6

Ash 10. 510 W. 59

" B center of S. End of same 120.3 W. of S. E. cor.

Locust 6. N 2 E. 173 1/2 6

" 4. N 20 E 172

" C cent. of Sec Bush 10. 58 W 12 1/2

" 6 N 41 W 21

" D B. Wal. 16 580 E 85 1/2 B. Wal. 14 N 3 W 99 1/2

" E Sops. 10. N 38 E 18 1/2 Hick 6 553 W. 41


" F W. 1/2 m. Bush 14. 582 W 33. Bush 30 N 8 W 21

" H B. Bean 6. N 14 W 6 W. Elm 12 577 W 34

St. Hanger } ch the
An. Whisnand } sworn
L. D. Duohick M. C. D.
J. L. Woodburn Deft.

Sec 6. T 9. R 1 W.

Aug 23 & 24. 1860



Surveyed in Sec. 6
T. 9. R. 1 W. and estab-
lished the following
corners

Cor C cont, West line

Stk 18. N 31 W 68.6

Mat 18. N 22 W 77.

A from Stk 14. N 77 E 10.

Run back 14. S 12 W 57.

D from B. Mat 6. N 11 E 3 1/4.

Stk 14. S 5 W 57 1/2.

B to 17 1/2 S of N E. cor of Sec.

Mat 12. S 56 E 19.

Stk 8. N 33 W 14 1/2

The length of the lines and owners of
the land are put down in the foregoing Plat.

Wm Woods, ch. he
Levi Bridge sworn

J. S. Buskirk M. C. S.
Jas Woodburn Deft

Dec. 1860.

Surveyed for Thos Carter Sen. Lot No. 70.
(S. E. of the College Campus) in the West half of
Sec. 4. T. 8. R. 1 W. and planted a stone at each of the corners.

J. S. Buskirk M. C. S.
Jas Woodburn Deft

February the 12th 1861

Established the North 1/4 mile stake of Section.
5. T. 9. R. 2. W. 160 poles & 20 links West from the
the N. E. corner of said Section for Jas. Johnson
Witness Beach 20 inches in diam Stk 6 90 links
Do 20 Stk 6 43

J. W. Chambers
Joseph Payne sworn, for pair
J. S. Buskirk M. C. S. Surveyor

February the 12th 1861

Ran the following lines & made the following corners in Section 32. T. 10. R. 2. W. for J. W. Charnick & H. Moore John Moore Sela Figg & J. Copenhaver

Commenced at the Eastern 1/2 mile stake at a stone plank before
Ran S 52° W 201 poles & 13 links corner made Witness
W Oak 36 inches in diam N 25° E 158 links dist
Apple tree 12 S 23° W 190

+ Then S 52° E 160 poles & 6 links corner made Witness
Beach 12 inches in diam N 60° E 72 1/2 links dist
To 10 S 19° W 35

Charnick & Moore }
Sela Figg } sworn


for \$5.50 paid
J. S. Buskirk Monroe County Surveyor

February the 12th 1861

Ran the following line & made following corner in Section 6. T. 9. R. 2. W. for Rufus Coffey commenced at the Eastern 1/2 mile stake Ran S 52° W 270 poles to the Western Section line corner made
Witness W Oak 28 inches in diam at East 81 links dist

Ch B { A. F. Edwards } sworn
J. W. Allen } for paid

J. S. Buskirk M. C. S.

February the 26th 1861

Ran the followin lines & made the following corner for Samuel Peterson in Sec. 7. T. 9. R. 1. E. commenced where the Boundary line crosses the Section line some 6 poles North of the Eastern 1/2 mile stake Ran N 52° W 80 poles made a corner Witness Beach 15 inch in diam N 26° E 16 links dist Hickory 16 inches in diam N 61° W 32 links dist Then S 77° W 80 poles

Then S 52° E 13 poles & 10 links to the Boundary line then S 57° E with said line 98 poles & 4 links to the place of beginning

Samuel Peterson }
Charnick & Moore } sworn
David Young }

for \$3.00 paid \$2.00
J. S. Buskirk M. C. S.

March the 20th 1861

Made the following Survey in Section 5 T. 10. R. 2.
 W. for James W. Alexander & Others commenced at
 the Eastern 1/2 mile post of said Section Ran N⁵² W
 195 poles & 10 links to the N. E. corner of said Section
 Old witness gone new one made Beach 30 inches in diameter
 N 32° W 20 1/2 links dist
 then given names replaced

Chane Baren } Glover & } sworn
 Craven }

J. S. Buskirk. M. C. S.

March the 27th 1861

Ran the following lines & bounds
 in Section 16 T. 7. R. 1 E

for Henry Martin Isaac Smith

James Richard William

Patton Henry Simon & Elias

Abrams Commence at the

N. W. corner at a rock

plan to before Ran N⁵⁵ E 153

poles & 1 link to the Northern

1/2 mile post corner A witness

W Oak 2 inches in diameter

S 31° E 1 1/4 links dist then N 55° E

158 poles & 2 links to B witness

B Oak 12 inches in diameter N 80° W 21 links dist R Oak 25
 inches in diameter N 11° E 10 links dist then S 5° E 321 poles &
 20 links to C witness W Oak 20 inches in diameter S 83° W
 53 links dist then S 85° W 318 poles & 16 links to D witness
 W Oak 12 inches in diameter N 21° E 28 links dist W Oak 22 inches
 in diameter S 25° E 37 links dist then N 95° E 74 poles & 1/2 link
 to E witness W Oak 30 inches in diameter N 13° E 21 links dist W Oak
 25 inches N 52° E 15 links dist then N 85° E 74 poles 1 1/2 links to F witness
 Beach 20 inches in diameter N 21° E 20 links dist Hickory 15 inches in
 diameter S 30° E 37 links dist then N 5° W 320 poles to A then N 55° E
 80 poles to D witness Hickory 5 inches west 12 links dist Hickory in
 in diameter S 35° E 13 links dist then S 5° E 180 poles to H witness
 R Oak 10 inches in diameter East 102 links dist Hickory 6 inches
 in diameter S 55° W 30 links dist corner post at I witness


W Oak 20 inches in diameter. S¹² W 3 links dist W Oak 15 inches in diameter
 S¹² W 13 links dist thence S⁸⁵ W 80 poles & 10 links to I witness Maple 12
 inches in diameter S⁸ E 22 links dist W Oak 15 inches in diameter S¹² E
 32 1/2 links dist thence S⁸ E 50 poles 11 1/2 links to K witness Beech 10 inches in
 diameter S⁸² E 9 links dist Beech 12 inches in diameter S⁸ E 30 links dist
 thence S⁸⁵ E 79 poles & 2 links to L witness W Oak 15 inches in diameter S¹⁰ W
 60 links dist B Oak 10 inches in diameter S⁸³ W 45 links dist then commenced
 at C Run S⁸ E 80 poles & 4 links to M witness W Oak 15 inches in diameter
 S¹ W 63 links dist Chestnut Oak 25 inches in diameter S⁷⁰ E 44 links dist
 thence S⁸⁵ W 77 poles 12 1/2 links to N witness W Oak 10 inches in diameter
 S⁸¹ W 38 links W Oak 4 inches in diameter S⁷² E 28 links dist
 thence S⁸ E 79 poles & 22 links to O witness Hickory 6 inches in diameter
 S¹⁶ W 33 links dist Hickory 4 inches in diameter S⁸³ E 29 1/2 links dist
 then commenced at B Run S⁸ E 80 poles & 5 links to P witness Hickory 6 inches
 in diameter S³⁷ W 39 links dist Chestnut Oak 5 inches in diameter S¹¹ W
 35 1/2 links dist thence S⁸⁵ W 78 poles 22 1/2 links to Q witness B Oak 10 inches
 in diameter S⁸² W 20 links dist R Oak 6 inches in diameter S⁸ E
 6 links dist thence S⁸ W 80 poles & 2 links to R witness Chestnut Oak
 12 inches diameter corner tree William Patten & John H. Marton
 Chanc Barers ordered

J. S. Buskirk. M. C. S.

	Henry Martin	\$7.20 paid
	Isaac Grub	1.50
Fees	William Patten	2.10
	Samson Dickard	2.20 paid
	Harvey Lemon	1.20 paid
	Elias Abrams	1.20 paid

April the 8th 1861

Ran the followin lines & made the following corner
 in Section 33 T. 9. R. 1. E Samuel Rand & John Logan
 commenced at the N W corner of said Section Ran S⁸ E
 79 poles & 21 1/2 links witness Beech 15 inches in diameter
 S⁷⁶ W 24 1/2 links dist W Oak 10 inches in diameter S¹² E
 60 links distant thence S⁸ E 119 poles & 17 1/2 links to stake
 Chanc Barers & W Parham & John Logan by consent
 fees \$ 1.50 75 cts paid by J. S. Buskirk M. C. S.



April the 1st 1961
 Ran the following & made
 the following corners in
 Section 16 Township 10
 North of Range No 1 East
 for Henry Martin
 John J. Sheals & J
 Hendrickson & Elias
 Hardin commenced
 at the N E corner A
 new witness made poplar
 8 inches in diameter N 11 E
 10 links dist poplar 10
 inches in diameter
 S 62 E 41 1/2 links dist
 thens S 52 E 160 poles & 15

links to B witness poplar 10 inches in diameter N 11 W
 31 1/2 links dist Beach 8 inches in diameter S 58 E 10 links
 distant then commenced at the N W corner C witness
 Beach 10 inches in diameter S 62 W 25 1/2 links Beach 12
 inches in diameter S 52 E 68 links distant thens S 52 E
 80 poles & 17 links to D witness 6 Oak 8 inches in diameter
 N 86 W 20 links dist 6 Oak 9 inches in diameter N 10 W
 28 links dist thens S 52 E 80 poles & 17 links to E witness
 thens N 85 E 81 poles & 12 links to F witness Hickory 18 inches
 in diameter N 6 W 12 1/2 links distant W Oak 3 inches in diameter
 S 35 E 58 1/2 links distant thens N 85 E 81 poles & 12 links to G
 witness Beach 10 inches in diameter S 67 W 16 links distant
 B Gum 22 inches in diameter East 31 links distant thens N 85 E
 81 poles & 12 links to H witness R Oak 18 inches in diameter
 N 81 E 10 links distant Beach 12 inches in diameter N 25 W
 30 links distant thens commenced at the N E corner or at A
 N 85 E 80 poles & 12 links to B thens S 52 E 167 poles & 18 links
 to I witness R Oak 18 inches in diameter S 8 W 31 links distant
 Beach 10 inches in diameter N 25 E 48 links distant thens
 S 85 W 216 poles & 17 poles thens N 52 W 79 poles & 12 links to J
 witness Beach 22 inches in diameter N 16 W 18 1/2 links B Gum 28
 inches in diameter N 57 E 6 link distant thens S 85 W 80 poles
 & 6 links to K witness W Oak 10 inches in diameter S 34 W
 18 links distant R Oak 15 inches in diameter N 89 E 12
 links distant then commence at the North 1/2 mile

post or I witness B Walnut 8 inches in diameter N 53° W 80 links
 distant R Oak 3 inches in diameter N 55° E 40 links distant
 thens S 85° W 81 poles to M witness R Oak 2 inches in diameter
 S 50° E 15 links distant R Oak 12 inches in diameter S 92° W 30
 links distant thens S 52° E 80 poles & 6 links to N witness
 C Oak 15 inches in diameter N 75° W 18 links distant C Oak
 15 inches in diameter S 39° W 25½ links distant
 then commenced at the Northern 1/2 mile post ran S 5° E 80 poles
 & 5 links to O witness R Oak 11 inches in diameter S 76° E
 40 links distant C Oaks 8 inches in diameter S 22° E 18 links
 distant thens N 85° E 81 poles & 15 links to P witness B Oak
 6 inches in diameter N 37° W 21 links distant W Oak 12 inches
 in diameter S 21° E 12 links distant

Isaac Peyton }
 John Stoff } sworn
 Chas. Bares }
 David Ruffs }
 John H. Martin }

for Henry Martin \$8-80 paid } J. S. Burkirk M & S
 John J. Sheals „ 1-10
 E. J. Hendrickson „ 3-30 paid
 Elias Hardin „ 1-10

April the 15th 1861

Ran the following lines & made the following
 corner in Section 20 T 10 R 1 E for P J Buckner
 commenced at the N E corner Ran S 85° W 66 poles
 & 13 links witness Black 12 inches in diameter S 1° E
 19½ links distant Do 12 „ „ „ „ N 62° W
 33½ „ „ „ „ thens S 12½° E 266 poles & 12½ links
 to center of Bean blossom thens N 77° E to the
 42 poles to center of said creek again thens up said
 creek to where the Section on the East side of said
 Section crosses said thens with said line to the place
 of begining Chas Bares David Ruffs &

Buckner Hendrickson } sworn

for \$1-00 paid

P J Buckner

	O		N	M
B complete P Robinson	Emanuel	Emanuel	Pleasant	
	Chitwood	Chitwood	Robinson	
E Chitwood	P			
C	H	D	F	
J J Alexander	Emanuel		Pleasant	
B	Chitwood	Hiram	Robinson	
	K	J	I	D
Pleasant	Hiram	Mc Coy		
Robinson	Mc Coy			
A	L			E

April the 10th 1861

Ran the following lines and made the following corners in Section 10. T. 9. R. 1. E. for Emanuel Chitwood Hiram McCoy Pleasant Robinson James J. Alexander & Bery Campbell. Commenced at the S W corner A witness B Walnut 4 inches in diameter N 82° W 60 1/2 links distant Beach 30 inches in diameter S 11° W 11 links distant thence N 62° W 81 poles & 22 links to B witness R Oak 4 inches in diameter N 82° W 10 links distant Hickory 18 inches in diameter N 55° E

47 links distant thence N 62° W 81 poles & 22 links to C witness Beach 18 inches in diameter S 7° E 25 links distant B Walnut 3 inches in diameter N 55° E 13 1/2 links distant thence S 85° E 320 poles to the Eastern 1/2 Mile post to corner made before then S 62° E 82 poles & 12 links to D witness W Oak 3 inches in diameter N 55° W 7 1/2 links distant R Oak 8 inches in diameter S 69° E 41 links distant thence S 61° E 82 poles & 12 links to E then witness Beach 15 inches in diameter S 61° W 10 links distant Beach 10 inches in diameter N 6° W 25 links distant then commenced at the Eastern 1/2 Mile post ran S 85° E 80 poles to F witness Beach 4 inches in diameter S 38° E 18 links distant Sugar 8 inches in diameter N 58° W 3 1/2 links distant thence S 85° W 80 poles to G witness R Oak 4 inches in diameter N 32° E 20 links distant R Oak 3 inches in diameter S 21° W 7 links distant thence S 85° W 80 poles to H witness B Walnut 4 inches in diameter N 61° W 85 links distant W Oak 25 inches in diameter S 7° W 96 links distant then commenced at D ran S 85° W 80 poles & 5 links to I witness Sugar 12 inches in diameter N 82° W 77 links distant Sycamore 6 inches in diameter S 70° E 139 links distant thence S 85° W 80 poles & 5 links to J witness R Oak 5 inches in diameter S 30° W 28 links distant R Oak 4 inches in diameter N 6° E 13 links distant thence S 85° W 80 poles & 5 links to K witness White Walnut 8 inches in diameter S 85° E 83 links distant Sugar 6 inches in diameter S 1° E 78 links distant thence S 62° E 82 poles & 3 links to L witness Beach 15 inches in diameter S 2° E 51 links distant Beach 12 inches in diameter N 43° W 75 links distant then commenced at the corner M witness W Oak 20 inches in diameter S 75° W 12 links distant Hickory 8 inches in diameter S 55° E 5 1/4 links distant thence S 85° W 80 poles & 14 links

to N witness Water Beach 3 inches in diameter N 54° E
20 links distant Sugar 6 inches in diameter S 58° W 35 links
distant thence S 84° W 80 poles & 11 links to the Northern 1/2
Mile post thence S 84° W 81 poles & 3 links to O witness B Oak
12 inches in diameter N 22° E 11 links distant R Oak 10 inches
in diameter East 12 links distant thence S 64° E 109 poles & 6 links
P witness B Walnut 6 inches in diameter N 54° W 50 links distant
B Walnut 3 inches in diameter S 54° E 52 links distant


Chane Basers } Hiram McCoy } sworn J. S. Burks M.C.S.
J. F. Richardson }
for Hiram McCoy \$3-20 paid in full
Pasant Robertson " 30 paid \$1.80 paid in full
Emanuel Whitewood " 5-30 paid ~~5.00~~ in full
J. J. Alexander paid 80

E	P		E
Meajah	Henry Martin	Henry Martin	
	D	R	D
	Collins	Henry Martin	Christopher Vandergoff
H	i	j	K
Jerry Collins	Meajah Collins		
Jerry Collins	Meajah Collins		
	M	L	A

April the 17th 1861
Ran the following lines and
made the following corners
in Section 16, T. 10. R. 1. W.
for Henry Martin Meajah
Collins Coll Malack Collins
Jerry Collins Franklin Brown
& Christopher Vandergoff
Commenced at the South East
corner A Old witness gone new
ones B Walnut 6 inches in
diameter N 52° E 202 links dist
W Oak 36 inches in diam N 54°
58 lbs dist thence N 5° W 80 poles
13 1/2 lbs to B witness Sugar
11 inches in diam N 58° E
21 lbs dist B Walnut 1 inch in diam
80 poles 13 1/2 lbs to C witness Ash 1 inch in diam N 20° W 99 lbs dist
Butternut 10 inches in diam N 87° E 112 1/2 lbs dist thence N 5° W 90 poles
13 1/2 lbs to D witness W Oak 20 inches in diam S 32° E 28 lbs dist
Hickory 21 inches in diam N 35° W 73 lbs dist thence N 5° W 80 poles
13 1/2 lbs to E witness W Oak 30 inches in diam S 68° W 10 lbs dist
Sassfras 6 inches in diam S 54° E 9 lbs dist thence Commenced at
the N W corner F witness R Oak 8 inches in diam S 56° W 20 1/2 lbs
dist W Oak 28 inches diam N 81° E 13 lbs dist

Thence S⁸⁵°E 321 poles & 28 lbs to I witness Beach 4 inches in diam
 S⁸⁵°W 17 lbs det W Oak 28 inches in diam N⁷⁵°E 18½ lbs det
 thence N⁵°W 160 poles & 21½ lbs to H witness ~~Mulberry~~ 3 inches in diam
 S⁸⁷°E 53½ lbs det Mulberry 3 inches in diam S⁶⁷°W 30½ lbs det thence
 N⁸⁵°E 80 poles & 1½ lbs to J witness Beach 12 inches in diam S¹⁶²°W 16½ lbs det
 W Oak 6 inches in diam S³⁵°E 63 lbs det thence N⁸⁵°E 80 poles & 1½ lbs
 to J witness Sugar 12 inches in diam N⁷⁸°W 6 lbs det Beach
 12 inches in diam N²¹°E 30½ lbs det thence N⁸⁵°E 80 poles & 1½ lbs
 to K witness Beach 12 inches in diam N¹¹°W 25 lbs det Beach
 6 inches in diam South 16°W 11 lbs det then commenced
 at L witness Beach 18 inches in diam N⁶²°E 77 lbs det
 B Walnut 3 inches in diam S⁶¹°W 35 lbs det thence S⁸⁵°W 80 poles
 & 19 lbs to M witness W Oak 21 inches in diam East 17 lbs det
 Beach 6 inches in diam S⁸⁴°W 17 lbs det then
 commenced at the Southern ¼ Mill post Ran N⁸⁵°E
 80 poles & 5 lbs to N witness Mulberry 8 inches in diam
 N⁶³°E 70 lbs det Sugar 25 inches in diam N⁵³°W 100 lbs
 det thence N⁵°W 80 poles & 7½ lbs to O witness R Oak
 5 inches in diam N¹°W 5 lbs det Mulberry 2 inches
 in diam N⁸³°E 78 lbs det then commenced at the Northern
 ¼ Mile post Ran S⁸⁵°E 80 poles & 8 links to P witness
 Beach 15 inches in diam S⁸⁵°E 1½ lbs det Dogwood 2 inches
 in diam S⁷⁰°W 2½ lbs det thence S⁵°E 80 poles & 8 lbs to Q
 witness B Ash 6 inches in diam N⁶⁷°E 22 lbs det Elm
 8 inches in diam N³²°E 35 lbs det thence N⁸⁵°E 80 poles &
 22 lbs to R witness W Oak 15 inches in diam N⁴⁸°E 1½ lbs
 det Beach 14 inches in diam S⁷⁶°W 38 lbs det thence N⁸⁵°E
 80 poles & 22 lbs to S witness Beach 15 inches in diam N⁷²°W
 16 lbs det Beach 8 inches in diam S⁸⁸°E 37 lbs det
 Chene Barre John H Martin Christopher Vandergriff & Macajah
 Collier sworn

for Henry Martin	\$1.75	paid	J S Buskirk M L S
Malack Collier	3.56	paid	
Christopher Vandergriff	1.18	paid	
Franklin Brown	1.18	paid	
Macajah Collier	5.73½	paid	\$5.00
Jersey Collier	2.31½	paid	\$2.00



April the 23rd 1861
 Ran the following lines and
 made the following corners in
 Section 33, T. 9, R. 1. E for
 John Logan Samuel Getty
 Samuel Rand Alexander Robertson
 William Robertson James Hash
 Sarah Romans John Mosure &
 David Hunter

Commenced at the Eastern 1/2
 Mile post corner A witness Beach
 6 inches in diam S 73° 76 link dist
 Beach 15 inches in diam S 8° E 86 lbs dist
 thence S 83 1/2° W 79 poles 21 1/2 lbs to B witness
 Beach 10 inches in diam S 55° W 32 lbs
 dist Beach 10 inches in diam N 66° E 15 lbs

dist thence S 83 1/2° W 39 poles & 23 1/2 lbs to witness Beach 5 inches in diam S 12° E 3 1/2 lbs dist
 Sugar 15 inches in diam N 3° W 29 lbs dist thence S 83 1/2° W 39 poles 23 1/2 lbs to D witness
 B Walnut 10 inches in diam S 9° W 79 lbs dist thence S 83 1/2° W 79 poles 21 1/2 lbs to
 E witness B Walnut 8 inches in diam S 16° W 10 lbs dist W Oak 6 inches in diam
 N 47 1/2° E 2 1/2 lbs dist thence S 83 1/2° W 79 poles 21 1/2 lbs to the Western 1/2 Mile post thence
 S 5° E 159 poles 21 lbs to the S W corner E witness W Oak 3 inches in diam
 N 39° W 3 1/4 lbs dist W Walnut 6 inches in diam N 58° E 21 lbs dist thence N 52 1/2° E
 160 poles 12 lbs to D a stone planted in open ground thence N 53 1/2° E 80 poles & 6 lbs
 to H witness Mulberry 2 inches in diam S 77° W 3 1/2 lbs dist Pogwood 3 inches in
 diam S 65° E 21 1/2 lbs dist thence N 53 1/2° E 80 poles & 6 lbs to a Rock planted before
 then commenced on the Section line N 53 1/2° E 80 poles & 6 lbs from the S W
 corner Ran N 5° W 110 poles & 23 lbs to I witness Sycamore 10 inches corner
 tree then commenced at the Southern 1/2 Mile post Ran N 5° W 79 poles 18 lbs
 to J witness R Oak 6 inches in diam S 86° E 13 lbs dist R Oak 8 inches in diam
 N 3° W 24 lbs dist then N 53 1/2° E 80 poles to L witness Beach 12 inches in diam
 S 73 1/2° W 73 lbs dist Poplar 6 inches in diam S 12° W 72 lbs dist then N 47 1/2° E
 80 poles & M witness Beach 15 inches in diam N 9° E 75 1/2 lbs dist Hickory
 1 inch in diam S 81° E 8 lbs dist then commenced at the Northern 1/2 Mile
 post a rock planted before Ran S 5° E 78 poles & 23 lbs to N witness W Oaks
 6 inches in diam S 45° W 29 1/2 lbs dist W Oak 5 inches in diam N 80° E 12 lbs dist
 thence S 83 1/2° W 80 poles & 2 lbs to O witness W Oak 2 inches in diam S 72° W
 33 lbs dist Pogwood 6 inches in diam N 3° W 34 lbs dist then commenced
 at the N E corner P witness Beach 8 inches in diam N 44° W 17 1/2 lbs dist
 Beach 20 inches in diam S 87° W 55 1/2 lbs dist thence S 5° E 80 poles to Q witness
 Beach 18 inches in diam S 5° E 28 lbs dist Beach 5 inches in diam N 58° W 62 lbs dist

thence S 85° W 79 poles & 1 lb to R witness Beach 15 inches in diam
 N 55° W 12 lbs dist Beach 18 inches in diam S 15° W 15 lbs dist thence S 85° W
 39 poles 15 lbs to S witness R Oak 5 inches in diam S 85° W 7 lbs dist
 R Oak 5 inches in diam N 50° E 21 lbs dist then commenced at the
 N E corner Ran S 85° W 79 poles & 12 lbs to T witness Beach
 15 inches in diam S 87° W 28 lbs dist Beach 18 inches in diam East 3/4 lb
 Chas. Bares I W. Parkham John Logan & William Robertson sworn

John Logan \$1.50 paid
 for Samuel Gitty 3.50 paid J. S. Buskirk M. C. S
 Samuel Rand 1.50 paid
 Alexander Robertson 1.50 paid
 William Robertson 1.00 paid
 David Hunter 1.00 paid
 Sarah Romans 1.00 paid
 John Mosure 1.00 paid
 James Flash 1.00 paid

May the 15th 1861

Ran the following lines & made the following corners in
 Section 9. T. 9. R. 1 W. for John Stuffle commenced
 at the N E corner old witness gone new ones made
 Beach 8 inches in diam N 70° W 8 lbs dist

To 10 ... S 15° W 25 ...
 thence S 5° E 100 poles & 7 lbs to the Eastern 1/2 mile post
 thence S 85° W 160 poles & 12 lbs to the center of said Section
 witness Black Berry 10 inches in diam N 35° W 63 lbs dist
 Mul Berry 8 ... S 67° E 90 ...

Chas. Bares } John Stuffle } sworn
 Jacob Stuffle }
 fee \$3.00 paid

J. S. Buskirk M. C. S

State of Indiana
 County of Monroe J S D

Monroe Common Pleas Court We the Commissioners
 Appointed by said Court at April Term 1861 to make
 Partition of the Real Estate of belonging to Lawson
 Oliphant and Others Heirs of Thomas Oliphant Sent late
 of said County and State Dec^r after being duly sworn as
 will appear by an Oath administered on the Warrant of Partition
 delivered to us and here with returned and filed we

proceeded to and did on Thursday the 1st Day of April 1861
 Make Partition of the Lands described in Said Warrant of
 Partition as follows to wit to Elizabeth Oliphant Widow of the
 Deceased the following portion of said Real Estate beginning at a
 point (11) Eleven Rods East and 5th five degrees North of the South
 West corner of the West West fourth of the South West
 quarter of Section (32) thirty two Township (7) North of
 Range (2) two West thens South 6th East (21) twenty one Rods
 (2 1/2) two and a half links to a stake thens West 5th South (91)
 ninety one Rods and (9 1/2) nine and a half links to a stake
 thens North 6th West (21) twenty one Rods (2 1/2) two and a half
 links to a stake thens East 5th North (91) ninety one Rods to the
 place of beginning containing (12) twelve Acres (1/4) four Rods
 and 5 5/8 links being the full and equal one third part in
 Value of the entire quantity of Land described in the Warrant
 of Partition and a part of the South West fourth of the South
 West quarter of Section (32) and a part of the South East
 fourth of the South East quarter of Section (31) all in
 Township 7 N in Range 2 West and the residue of the
 Lands described in the said Warrant of Partition We assigned
 and set off in one Body to the Petitioners which we
 consider to be the two thirds in Value of all the of said
 Lands all of which is respectfully Submitted

John S. Carter
 Burton Simpson } Commissioners
 Pleasant Fosset

August the 1st 1861

Ran the following lines & made the following corners in Section
 thirty five T. 8 R. 2 West for Dyer & Henry Thensley commenced
 at the Eastern 1/2 Mile stake Ran S 86th W 157 poles & 13 links corner
 made Witnesses Beach 18 inches in Diameter S 28th W 31 links distant
 B Walnut 30 inches in diameter S 11 1/2th E 105 1/2 links distant
 thens S 5th E 159 poles 2 1/2 link corner made Witnesses B Walnut
 1 1/2 inches in diameter N 66th E 47 links distant

Chas Barers } Richard Giligan } sworn
 Ely May }

fee \$ 1-00 paid

J. S. Buskirk M. C. S

August the 17th 1861

Ran the following lines in Section 22 Town 10 Range No 1 East for the Trustees of the Honey Creek Church commenced at the N E corner of School House lot No 1 in said Section Town & Range ran N 85° E 5 poles & 12 links corner made and rock planted Witness B Ash 6 inches in Diam S 71½° E 22½ lbs dist thens S 5° E 12 poles & 12 links corner made and rock planted Witness A Oak 10 inches in Diam N 9° E 111 lbs dist thens S 69° W 5 poles & 18½ links to the S. E. corner of said School House lot thens N 5° W 15 poles & 3 links to the place of beginning J. J. Henderson & J. J. Bates have Bars by consent for \$2-50 Donated

S. S. Buskirk. M. C. S.

August the 20th 1861

Ran the following lines in Section (11) Elwin Town (9) Mine Range (13) One East for William Mc Kee David West Jacob Swisher Jun & Jacob Swisher Sen commenced at the N. E. corner of Section 11 Ran S 85° W 81 poles & 6 links Witness Sugar 6 inches in diameter N 13° E 5 links dist Sugar 10 inches in diam S 55° E 21 links dist thens S 6° E 81 poles & 10 links Witness Hickory 15 inches in diam N 75½° E 35½ lbs dist W Oak 30 " " " S 15½° W 19 lbs dist thens S 6° E 81 poles & 10 links Witness B Oak 18 inches in diameter S 58° W 20 lbs dist W Oak 28 inches in diameter N 25° E 65½ lbs dist thens N 6° W 12 poles & 16 links to a stake thens S 85° W 12 poles & 16 links to a stake thens S 76° W 36 poles & 1 links to a stake thens S 6° E 8 poles & 16 links to a stake thens N 84° E 28 poles & 9 links Chan Barers David Swisher & Stephen Dawson sworn } for William Mc Kee \$3-00 paid & exp full

David West " 1-50

Jacob Swisher Jun " 1-00 paid

Jacob Swisher Sen " 1-00 Paid

S. S. Buskirk, M. C. S.

September the 13th 1861

Ran the following line and made the following corners
in Section 3. T. 8. R. 1. E. for Samuel H. Stephens
commenced at center of the N. E. $\frac{1}{4}$ of $\frac{1}{3}$ T. 8. R. 1. E. at rock
ran S 86° W. 158 poles & 20 links corner made Whitneys trees
Bench 5 inches in Diameter N 35° E 2.3 lks dist

Sugar 10 " " " " May 7th 1861 " "

thens No. 488 14 poles & 5 links corner made Wilmers trees

Buck 18 inches in diameter $\text{S } 76\frac{1}{2}^{\circ}$ & 16 lbs dst

80 20 " " " " Feb. 24 11 " "

thens N 82° E 158 poles & 20 links Corner made Wetup Trees

Back 20 inches in diameter N 71° E 24 lbs dot

Do 8 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100 101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153 154 155 156 157 158 159 160 161 162 163 164 165 166 167 168 169 170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227 228 229 230 231 232 233 234 235 236 237 238 239 240 241 242 243 244 245 246 247 248 249 250 251 252 253 254 255 256 257 258 259 260 261 262 263 264 265 266 267 268 269 270 271 272 273 274 275 276 277 278 279 280 281 282 283 284 285 286 287 288 289 290 291 292 293 294 295 296 297 298 299 300 301 302 303 304 305 306 307 308 309 310 311 312 313 314 315 316 317 318 319 320 321 322 323 324 325 326 327 328 329 330 331 332 333 334 335 336 337 338 339 340 341 342 343 344 345 346 347 348 349 350 351 352 353 354 355 356 357 358 359 360 361 362 363 364 365 366 367 368 369 370 371 372 373 374 375 376 377 378 379 380 381 382 383 384 385 386 387 388 389 390 391 392 393 394 395 396 397 398 399 400 401 402 403 404 405 406 407 408 409 410 411 412 413 414 415 416 417 418 419 420 421 422 423 424 425 426 427 428 429 430 431 432 433 434 435 436 437 438 439 440 441 442 443 444 445 446 447 448 449 450 451 452 453 454 455 456 457 458 459 460 461 462 463 464 465 466 467 468 469 470 471 472 473 474 475 476 477 478 479 480 481 482 483 484 485 486 487 488 489 490 491 492 493 494 495 496 497 498 499 500 501 502 503 504 505 506 507 508 509 510 511 512 513 514 515 516 517 518 519 520 521 522 523 524 525 526 527 528 529 530 531 532 533 534 535 536 537 538 539 540 541 542 543 544 545 546 547 548 549 550 551 552 553 554 555 556 557 558 559 560 561 562 563 564 565 566 567 568 569 570 571 572 573 574 575 576 577 578 579 580 581 582 583 584 585 586 587 588 589 590 591 592 593 594 595 596 597 598 599 600 601 602 603 604 605 606 607 608 609 610 611 612 613 614 615 616 617 618 619 620 621 622 623 624 625 626 627 628 629 630 631 632 633 634 635 636 637 638 639 640 641 642 643 644 645 646 647 648 649 650 651 652 653 654 655 656 657 658 659 660 661 662 663 664 665 666 667 668 669 670 671 672 673 674 675 676 677 678 679 680 681 682 683 684 685 686 687 688 689 690 691 692 693 694 695 696 697 698 699 700 701 702 703 704 705 706 707 708 709 710 711 712 713 714 715 716 717 718 719 720 721 722 723 724 725 726 727 728 729 730 731 732 733 734 735 736 737 738 739 740 741 742 743 744 745 746 747 748 749 750 751 752 753 754 755 756 757 758 759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781 782 783 784 785 786 787 788 789 790 791 792 793 794 795 796 797 798 799 800 801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 819 820 821 822 823 824 825 826 827 828 829 830 831 832 833 834 835 836 837 838 839 840 841 842 843 844 845 846 847 848 849 850 851 852 853 854 855 856 857 858 859 860 861 862 863 864 865 866 867 868 869 870 871 872 873 874 875 876 877 878 879 880 881 882 883 884 885 886 887 888 889 890 891 892 893 894 895 896 897 898 899 900 901 902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917 918 919 920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 935 936 937 938 939 940 941 942 943 944 945 946 947 948 949 950 951 952 953 954 955 956 957 958 959 960 961 962 963 964 965 966 967 968 969 970 971 972 973 974 975 976 977 978 979 980 981 982 983 984 985 986 987 988 989 990 991 992 993 994 995 996 997 998 999 1000 1001 1002 1003 1004 1005 1006 1007 1008 1009 1010 1011 1012 1013 1014 1015 1016 1017 1018 1019 1020 1021 1022 1023 1024 1025 1026 1027 1028 1029 1030 1031 1032 1033 1034 1035 1036 1037 1038 1039 1040 1041 1042 1043 104

thens $S_{21}^{\circ} 6$ 17 poles & 5 links to the place of begining

Shane Baxes } Samuel H Stephens } sworn
Henderson A Myers }

for \$3-00 paid \$2-00

J. S. Buskirk M. C. S.

November the 23rd 1861

by an Order of the Circuit Court of Monroe County
Indiana made in cause where in James C Polley is plaintiff
& John A Polley Defendant Made the following Survey
on the line dividing Sections Twenty nine and thirty
two Township No ten North of Rang No One East
Commencing S E corner of 29 & N E corner of 32
Run S 81° W 81 poles & 5 links corner Made & rock planted
witness trees R Oak 3 inches in diameter N 60° W 26½ links
distant Beech 18 inches in diameter S 1½° W 95 links dis-
tance S 81° W 81 poles & 5 links to the ½ Mile post on said
line the above Survey & corner is to supersede a Survey
made by James W Spencer in March 1859 and corner
L made by him at that time

Chancery Barers Joseph L. Polley & James Turner Flag Barer
Joseph Polley sen Marker John A Polley all sworn by
me this 23rd day of November 1861 J. S. Buskirk M. C. S.
fees \$ 2-00 charged with other costs

December the 12th 1861

Ran the following lines and made the following corners in
Section 18, T. 9. R. 1. E for John P. Thompson commenced
at the center of said Section 18 at rock planted before
ran S 85²/₂° W 30 poles & 5 links corner made & rock planted
witness Beech 18 inches in diameter S 80° E 66 links dist
thence S 28° W 19 poles & 21 links corner made & rock planted
witness B Walnut 5 inches in diameter S 38° W 57 links dist
thence S 72° E 27 poles & 21 link corner made & rock planted
witness B Walnut 8 inch in diam S 7° E 95 links distant
thence S 25²/₂° W 16 poles & 2 links corner made & rock planted
witness B Walnut 5 inch in diam S 5° E 13¹/₂ links distant
thence S 66° E 22 poles & 5 links corner made & rock planted
witness Sugartree 30 inch in diam S 9° W 100 links dist

Chas Barers } John P. Thompson } sworn by me this 12th day
 } Clifton J. Thompson }
fee \$3.00 paid \$1.50 } of December 12th 1861
 J. S. Buskirk M. C. Surveyor

January the 1st 2nd 1862

Ran the following lines and made the following corners
in Section 22, T. 10. R. 1. E for John Hendrickson
J. W. Reddle & Benson Green commenced at the Southern
1/2 mile stake witness Trees Beech 20 inches in diam N 63²/₂° E 24
lbs dist Beech 15 inches in diam S 25° W 31¹/₂ lbs dist
thence S 95° W 78 poles & 13 links to a stake thence S 55° W
80 poles & 2 links witness Trees W Oak 4 inches in diam West
13 lbs dist W Oak 10 inches in diam S 38²/₂° W 18 links dist
thence N 5° W 160 poles & 2 links witness W Oak 2 inches in diam
S 50²/₂° W 25²/₂ lbs dist W Oak 2 inches in diam N 87° E 37 lbs dist
thence N 85° E 78 poles & 16 links to stake planted before thence
N 5° W 80 poles & 2 links to the Northern 1/2 mile stake Old witness gone
new ones made B Oak 20 inches in diam N 66° W 28 lbs dist
B Oak 6 inches in diam S 62° W 16 lbs dist

Chas Barers } J. Bates & J. H. Raden } sworn by me this 1st day
January 1862 for John Hendrickson \$2.50
J. W. Reddle \$2.50 paid Benson Green \$1.00
J. S. Buskirk M. C. Surveyor

December the 2nd 1861
 this is to certify that I have this day appointed James
 Woodburn Deputy Surveyor of Monroe County Indiana and
 all Survey made by him will be legal.

I. S. Buskirk M. C. Surveyor
 State of Indiana Monroe County I James Woodburn do solemnly
 swear that I will support the Constitution of the United
 States and of the State of Indiana and I will discharge the
 duties of Deputy Surveyor of Monroe County according to Law
 so help me god

James Woodburn
 Sworn to before me this 2nd day of December 1861
 I. S. Buskirk M. C. Surveyor



July 17 - 1861

Surveyed in Sec 37 R 1 E and established
 the following corners for Robt. Butright James
 Jas. Head & John Hornel 1861

Cor A	hick	3	N 72 E	10 1/2	lb
Section		1	S 65 W	28	..
" B	W Oak	20	N 10 E	30	..
	Do	15	N 11 E	25	..
" C	W Oak	12	N 18 W	97	..
	Elm	12	S 82 E	109	..
" D	Buck	15	N 55 W	29	..
	Do	15	S 65 E	27 1/2	..

Witnesses
 Ambros Mize
 Chas. Basers
 Ira Powers
 sworn

I. S. Buskirk M. C. Surveyor
 James Woodburn Deputy

April the 1st 1861

Established for Hugh McQuiston & William Leroy the East 1/2
 mile stake of Section 20 T 7 R 1 W witness

W Oak	30	S 26 W	7	lb
Sugar	12	N 51 E	15	..

I. S. Buskirk M. C. Surveyor
 James Woodburn Deputy

State of Indiana

County of Monroe Sect

Monroe Common Pleas Court

we the undersigned Commissioners Appointed by said Court at its August Term A.D. 1861 to make partition of the Real Estate Belonging to Nancy Pleasant Thomas Pleasant John Chamber & Mary Louiza Chamber his wife in right of the said Mary Louiza Joseph Rawlins Margaret Elizabeth Pleasant John Franklin Pleasant and Zachary Pleasant big leave to make the following Report in the premises to wit that after receiving the warrant of Partition issued and delivered to us by the Clerk of said Court we were duly sworn as commissioners as will appear by our Oath enclosed on the back of said warrant which is returned and filed herewith that after being sworn we did on the 1st 15th 16th 17th 18th 19th 21st and 22nd Days of October 1861 make Partition of the Lands described in said warrant between the parties aforesaid in the following manner and proportions to wit to Nancy Pleasant as Widow of John Pleasant Deceased & Mother of and Heir of Robert Pleasant the following Described Real Estate Situate in Monroe County to wit a part of the South West Quarter of Section thirty one Town eight North of Range No one West beginning one pole North of the South West corner of the aforesaid Section thence N 52° W 130 poles and twenty four links to a stake thence N 85° E 183 poles & 8 links to center of Clear Creek thence down said Creek with the meanders there of within 1 pole of South line of said Section & thence S 85° W to the place of beginning containing Eighty seven Acres more or less which in our Judgment is Three ninths & five tenths of one ninth in value of all the Lands described in said Warrant of Partition To Mary Louiza Chamber in her own right the following described Real Estate in Monroe County Indiana to wit A part of the South West Quarter of Section thirty one Town eight North of Range No one West beginning at a stone on the North West corner of said Quarter of said Section thence N 85° E one hundred and thirty six poles to the center of Clear Creek thence down the same with the meanders there of until a point twenty seven poles and one link, ^{section} is reached thence S 85° W one hundred and thirty three poles & eight links to a stake thence N 52° W

twenty seven poles & one link to place of beginning containing twenty three Acres Moore or less which in our judgment accords one ninth in value of all the Lands in Monroe County described in said warrant and the one tenth of one ninth in value of all the Lands in Lawrence and Monroe Countys described in said warrant by the sum of one hundred and seventy three Dollars whic sum we adjudge shall be paid in Money by the said ^{Mary} Louiza Chambers to Edwin Bulard Guardian of Margaret Elizabeth John Franklin and Zachariah Pleasant the three Minors in said partition

To Joseph Rawlens as gratee of John Chambers Mary Louiza Chamber the following described Real Estate sitate in Wholly in Lawrence Count Indiana to wit 27 Acres out the North part of West $\frac{1}{2}$ of the South West Quarter of Section the Tow five North Rang one West and all of that part of the East $\frac{1}{2}$ of the South East Quarter of Section four Town and Rang affors said that lays North Salt Creek supposed to contain twenty Acres Moore or less which two tracts of Lands in our judgment ^{are in} Value Equal to the one ninth of all the Lands described in said warrant situate in Lawrence County

To Thomas Pleasant all of the following described Real Estate situate in Lawrence County Indiana to wit a part of Section three & four Town five North Range one West beginning at the ^{North} East corner of the North West Quarter of Section three offore said thence S $\frac{1}{2}$ E 89 poles & 3 links to the center of the Rail Road track thence in a North Westerly direction with the center of the track of said Road 84 poles & 22 links to a stake thence South 88 $\frac{1}{2}$ W 107 poles 12 $\frac{1}{2}$ links to a stake thence N $\frac{1}{2}$ W 68 pole to the Section line thence East with the Section line to the place of beginning containing Eighty two Acres Moore or less and also that said Thomas shall have the right of way along the South side of the R Road as near as practical to the same the said right of way being Over the Lands herein after assigned to Margaret Elizabeth John Franklin and Zachariah Pleasant three of the parties to said Partition and the Lands we assigns to the said Thomas Pleasant in our judgment as equal in value to the one ninth and one tenth of one ninth of all the Lands described in said warrant of Partition

And to Margaret Elizabeth John Franklin and Zachariah Pleasant jointly all of the following Described Real Estate Situate in Lawrence County Indiana to wit a part of Sections three and four Town five North Range one West Beginning at the South East corner of the South West Quarter of said Section three thence West on the dividing line of Sections three & four untill the same strikes Salt Creek thence up said Creek with the meanders thereof to North and South center line of Section four affore said at low water mark on said Creek thence North with said line to the North West corner of the North East Quarter of Section four affore said thence East with the Section line about 150 poles to North West corner of the lands there in before assigned to Thomas Pleasant thence S⁸ E - 68 poles to a stake thence N⁸ E 107 poles & 12¹/₂ links to a stake in the center of the R. Road track thence in a South Easterly direction with the center of the track of said Road 87 poles & 24 link thence S⁸ E about 11 pole to the place of beginning containing about Two hundred & twenty Acres Moor or less which lands are subject to right of way over the same for the use of and benefit of Thomas Pleasant his heirs and assigns the right of way being on the South side of the R Road and as near the track thereof as practical and we further adjudge that the said Margaret Elizabeth John Franklin & Zachariah Pleasant shall receive through Edwin Bulard their Guardian the sum of one hundred & seventy Dollars in money from Mary Louiza Chambers which some of money with the lands affore said subject to the right of way of the said Thomas Pleasant over the same as affore said in our Judgment as in Value equal to the three ninths and three Tenth of one sixth of all the lands described in said Warrant of Partition we ask the Court to decree the said Mary Louiza Chambers pay to the said Margaret Elizabeth John Franklin and Zachariah Pleasant through their Guardian Edwin Bulard the affore said sum of one hundred and seventy three Dollars which sum when so paid will make all of the shares between the parties equal in Value according to the Warrant of partition issued here in and we also ask the Court to confirm this our report of partition between the parties afforesaid all of which is respectfully submitted

we claim for the following services to wit

Isaac S. Buskirk	Count Surveyor 11 Days	\$3 per Day paid	\$33-00
Samuel A. Smith	9 Days	\$1-50	\$13-50
" "	3 " Chain Bar	\$1-50	\$11-50
			\$18-00
Absalom Ketcham	7 Days	\$1-50	\$13-50
" "	3 " Chain Bar	\$1-50	\$11-50
			\$18-00

all of which is respectfully submitted

Absalom Ketcham
 Samuel A. Smith
 Isaac S. Buskirk } Commissioners

Feb the 20th 1862

Ran the following line and made the following corners in Section Eighteen Town Ten Range No one East for J. F. Henderson Trustee of Marion Township Monroe County Indiana beginning at a point 58 poles + 15 links N 38 $\frac{1}{2}$ ° E from the Western $\frac{1}{2}$ mile post of said Section 18. T 10 R. 1. E witness trees Buck 3 inch in diam S 5° W 21 lbs dist thence N 6° W 8 poles stone planted in open ground thence S 85° W 8 poles witness Buck 10 inch in diam S 2° W 19 lbs dist B Sum 6 inch in diam N 50° W 15 lbs dist thence S 6° E 8 poles witness Buck 10 inches in diam N 60° E 2 $\frac{1}{2}$ lbs dist Buck 5 inch in diam S 7° E 11 lbs dist thence N 55° E 8 poles to the place of beginning Chain Barers W. H. Moberly & Harrison Burns & sworn by me this 20th Day of February 1862
 for \$1.00 paid S. S. Buskirk M. C. S.

Feb the 26th 1862

Ran the following line and made the following corners in Section 28. T. 8. R. 1. W. for William Blakely & John Moffit commenced at the Southern $\frac{1}{2}$ mile post Old witness chopped down new one made Sugar 12 inch in diam N 69° W 27 $\frac{1}{2}$ lbs dist thence S 85° W 79 poles + 8 link corner made & stone planted Witness trees Elm 11 inch in diam N 28° E 52 lbs dist Sugar 10 " " N 38 $\frac{1}{2}$ ° W 11 " " Chain Barers William Blakely & David Moffit & sworn by me this 26th Day of Feb 1862
 for \$3.50 paid S. S. Buskirk M. C. S.

March the 3rd 1862

ran the following line & made the following corner in
 Section 18 Town 9 Range No One East for Isaac Gore &
 John P. Thompson beginning at the South East corner
 of said section 18 thence N 5th 78 79 poles & 19 links corner
 made & stone planted witness trees Beech 10 inch in diam
 N 9th 78 15 lbs dist Maple 10 inch in diam S 1st E 62 lbs dist
 Chane Barer Isaac Gore & John P. Thompson } sworn by me this
 3rd day of March 1862 for \$2.00 paid

S. S. Busbirk M & S

1861

Established for Daniel Stout & Alfred Houston the following
 corners in 19th T. 9. R. 1. W.

1 st center of Sec	Witness	Beech 20 inch	S 57 th E	12 lbs
	W Oak	22 "	S 22 th W	59 "
2 nd 1/4 sec 1/2 m	Beech	14 "	S 30 th E	29 1/2 "
	Do	10 "	N 1 st E	12 "
3 rd N 78 of S 1/2 of N 78 qtr	B Oak	8 "	N 50 th E	31 1/2 "
	Hickory	9 "	S 21 st E	10 "
1 st E of S 1/2 of N 78 qtr	Beech	14 "	N 38 th W	32 "
	B Walnut	1 "	S 21 st W	57 1/2 "
5 th S E cor of Sec	W Oak	20 "	N 21 st E	55 1/2 "
	Elm	8 "	N 60 th W	55 "

for Benjamin Neale & John Bangor the South 1/2 mile cor
 of Sec 2. T. 8. R. 2. W. Witness trees W Oak 32 N 20 W 16
 Do 30 N 28 E 23

S. S. Busbirk M & S
 James Woodburn Deputy

State of Indiana
County of Monroe

Monroe County Pleas Court we Isaac S. Busbark, Abraham Ketchum and Samuel A. Smith Commissioners duly appointed by said Court at the December term thereof A.D. 1861 to make partition of the following land belonging to Eliza Flora and others as heirs of Mathew Flora late of said County and State Sec'd by law to make the following report in the premises to wit that after receiving the warrant of partition assigned to us by the Clerk of said Court we were duly sworn as will appear by an oath of Office endorsed on the said warrant which we here with return and file, we proceeded to and did make partition of said lands in the following manner to wit

To Eliza Flora all that part of the North half of the South West quarter of Section (18) Twp. 7 N. Range (1) E. one West bounded and described as follows to wit beginning at a point (20) forty poles N 85° E of the South West corner witness trees Mulberry 15 inches in diameter S 37° E 11 1/2 links distant thence N 5° W 27 poles 12 1/2 links to a corner stone witness tree Wild Cherry 1 inch in diameter N 82° E 8 links distant thence N 85° E 80 poles to a stone planted open ground thence S 5° E 27 poles 12 1/2 links to a stone corner witness tree B. Ash 2 inches in diameter N 87° E 13 links distant poplar 7 inches in diameter N 82° W 62 1/2 links distant thence S 85° W 80 poles to the place of beginning containing 23 acres and 3/4 more or less which in our opinion is Equal in Value to the one third of all the lands described in said warrant of partition

we further report that having understood that the residue of the land described in said warrant would have to be sold by the Administrator of the Estate of said Mathew Flora Sec'd for the purpose of paying the debts and upon examination of the premises we are now satisfied that we could not set off the other parties their shares in said land in severally we therefore set off to them in gross the balance of the lands described in said warrant of partition all of which is respectfully submitted

I. S. Busbark
S. A. Smith
A. Ketchum } Commissioners

I. S. Busbark M. C. S.

State of Indiana } April Term Court of
County of Monroe } Common Pleas 1862

To the Honorable George A. Buskirk
Judge of the Court of Common Pleas the undersigned being being
appointed at the December Term of the Court of Common Pleas
1861 To make partition of the Lands of Moses Crouch Deceased
between the Widow of said Deceased and Minor Heirs of said Deceased
having first been duly Sworn according to Law did then procure
Andrew J. Chandler and James Little as Chain carriers who were duly
Sworn and then commenced said partition 80 poles N 87 1/2° E from the
West 1/2 Mile stake in Section 33. T. 7. R. 1. East witness trees
Beech 6 inches in Diameter N 50° E 16 1/2 lbs dist Beech 1 inch in diam
S 51° E 22 links dist thence N 87 1/2° E 80 poles witness trees Beech 10 inch
in diam S 35° W 20 lbs dist thence N 51° W 80 poles to a stone planted
in open ground thence S 87 1/2° W 160 poles witness trees Sugar 10 inches
in diam S 8° E 35 lbs dist White Walnut 12 inch in diam S 91° W
13 lbs dist thence South with the Section line 10 poles witness trees
Beech 20 inch in diam S 7° E 23 lbs dist Beech 15 inch in diam
N 26° E 65 lbs dist thence N 87 1/2° E 80 poles witness trees Beech 6 inch in
diam S 36° E 30 lbs dist Beech 5 inch in diam S 82 1/2° W 12 lbs dist
thence S 11° E 40 poles the place of beginning containing 60 Acres
then commencing at the Eastern 1/2 Mile Stake of Sec 33 witness
trees Beech 6 inch in diam N 87° W 38 lbs dist Sycamore 8 inch in
diam S 56° E 46 lbs dist thence S 87 1/2° W 80 poles 11 1/2 link witness trees
Beech 12 inch in diam N 87° E 23 lbs dist Beech 10 inch in diam S 30° E
33 lbs dist thence N 51° W 79 poles & 20 lbs witness trees W Oak 20 inch
in diam 19 1/2 lbs dist W Oak 21 inch in diam S 53° E 21 lbs dist
thence in an Easterly direction with the Road running from Bolis Mill
to James Flunier and with the meanders of said Road 50 poles & 15
lbs witness trees Beech 18 inch in diam S 61° W 32 lbs dist White Walnut
9 inch in diam S 50° E 17 lbs dist thence N 51° W 71 poles & 12 lbs
witness trees W Oak 5 inch in diam S 35° W 36 lbs dist W Oak 3
inch in diam N 65° W 39 lbs dist thence N 87 1/2° E 30 poles to the
N.E. corner of said Sec witness trees Beech 12 inch in diam S 22°
W 12 lbs dist Beech 14 inch in diam N 23° W 47 lbs dist thence
South with the Sec line 160 poles the place of beginning which was
set off to the Widow the Residue of said Lands was all left
in in One Body belonging to heirs of said Deceased all of which
we ask may be Approved and Confirmed

S. S. Buskirk }
John Lucas } Commissioner
George Hudman }

State of Indiana)
County of Monroe)

Common Pleas Court }
April Term 1862 }

8th Judicial day April 15th 1862 Present Hon George A
Buskirk Sole Judge Presiding
William H Seisco

vs } Complaint for Partition

Mary Pidgeon Charles H Pidgeon Sarah E Sweton James
R Sweton Mary Ann Todd Elijah Todd Amanda E Seisco Nancy
Jane Seisco Catharine J Seisco John P Seisco Jr James S Seisco
and Susan A Seisco

And now comes the parties by their Attornies and all
comes Isaac S Buskirk and Nathan Hensley two of said Commissioners
and report and acknowledge in open Court their Report of partition
and which is as follows to wit

State of Indiana)
County of Monroe) Set

Monroe County Common Pleas Court

we Isaac S Buskirk Nathan Hensley and Abalom Ketcham
Commissioners duly appointed by said Court at the December
Term there of 1861 to make partition of the Lands belonging
to William H Seisco and others heirs of John P Seisco late of
said County and State Dec^d Make the following report in the
premises to wit

That having received the Warrant of partition issued to us by the
Clerk of said Court we were duly sworn as such Commissioners
as will appear by our oath of Office endorsed on the back of
said Warrant herewith returns after which we proceeded to and did
make partition of said Land by setting off by metes and bounds
to the proper persons the Lands hereinafter described to wit

Mary Pidgeon wife of Charles H Pidgeon) The North East fourth
of the North East quarter of Section (17) seven town also the West
half of the North East quarter of Section (18) eighth town all in
Town (7) seven North of Range (1) one East containing (120)
one hundred and Twenty Acres more or less and also all of
that part of the South East quarter of Section (8) eighth
Town and Range above said bounded and described as

follows to wit commencing at stone the South East of said Section thence N⁵° W 95 poles to stone corner witness tree White Oak 15 inches in diameter S⁶° E 26 links distant Sugar 8 inches diameter N⁵½° W 89 links distant thence South 85° West 159 poles and 3 links to a stone corner witness tree Buck 18 inches diameter S¹½° W 27 links distant Buck 12 inches diameter N⁵½° W 32 links distant thence S⁵° E 95 poles to the Southern ½ mile post stone hitherfore planted thence N⁴⁵° E to the place of beginning containing (95⁵⁰/₁₀₀) ninety five Acres and fifty one hundredths more or less and all situated in the County of Monroe and in our opinion is the full and equal one third in Value of all the Lands belonging to the said heirs described in said warrant of partition

Nancy Jane, Catharine Juliet, John Perry Jr, James Lewis and Susan Alice Deere jointly the South East fourth of the North East quarter the East half and the North West fourth of the South West quarter all in Section (8) eight Town (7) seven North of Range (1) one East containing (200) two hundred Acres more or less and also all that part of the South East quarter of Section Town and Range aforesaid bounded and described as follows to wit commencing at a Stone point 95 poles N⁵° W of the South West East corner of said Section witness tree White Oak 15 inches in diameter S⁶° East 26 links distant Sugar 8 inches in diameter North 5½° West 89 links distant thence N⁵° W to the North East corner of said quarter thence S⁸⁵° W to the center of the Section thence S⁵° E to a Stone corner being 95 poles N⁵° W of the Southern ½ mile post witness tree Buck 12 inches in diameter N⁵½° W 32 links distant Buck 18 inches in diameter S¹½° W 27 links distant thence N⁴⁵° E 159 poles and 3 links to the place of beginning containing (65) Sixty five Acres more or less all situated in Monroe County and State of Indiana all of which Lands in our opinion are in Value equal to ten twenty sevenths of all the Lands belonging to the parties and described in said warrant of partition

William A Deere the South West fourth of the South East quarter of Section (1) one Town (8) of Range (1) four West in Green County State aforesaid and containing (10) forty Acres more or less which in our opinion is equal in Value equal to two twenty sevenths of all the Lands belonging to the said parties and

described in said warrant of partition

Sarah E. Sexton (wife of James R. Sexton) the North East fourth of the North East quarter and (18) eighteen acres off of the North end of the South East fourth of the same quarter Section (1) one Town (8) eight North of Range (1) four West situated in Green County and State aforesaid containing (52) fifty two Acres more or less which in our Opinion is equal in Value to two twenty sevenths of all the Lands belonging to the parties described in said warrant of partition

Mary Ann Todd (wife of Elijah Todd) the South East fourth of the South East quarter and (11) fourteen acres off of the South end of the North East fourth of the same quarter Section (1) one Town (8) eight North Range (1) West situated in Green County and State aforesaid containing (54) fifty four Acres more or less which in our opinion is equal in Value to two twenty sevenths of all the Lands belonging to the parties described in the warrant of partition

Amanda Elin Seisco all of the South East fourth of the North East quarter of Section (1) one Town (8) eight North Range (1) four West except (18) eighteen acres off of the end and also all of the North East fourth of the South East quarter of the same Section Town and Range aforesaid except (11) fourteen acres off of the South end of the two tracts making (31) forty four Acres more or less and all situated in Green County State aforesaid and in our opinion is in Value to two twenty sevenths of all the Lands described in said warrant belonging to said parties

we claim for our services as follows

Isaac S. Buskirk as Commissioner and Surveyor	10 Days per	\$30-00
Absalom Kitcham as	8 ..	\$12-00
Nathan Hensley as	8 ..	12-00
Same as Chas. Davis	3 ..	3-00
Absalom Kitcham as	3 ..	3-00
Henry Bonuff as Marker ..	1 ..	1-00
Charles H. Pidgeon	1 ..	1-00
James R. Sexton	1 ..	1-00

All of which is respectfully Submitted

I. S. Buskirk } Commissioners
Nathan Hensley }

May the 29th 1862

This is to certify that I have this Day appointed Michael Galt
Deputy Surveyor of Monroe County Indiana and all Surveys made
by him will be legal

S S Busbush

the County Surveyor

State of Indiana bounty of Monroe

I Michael Gabriel do solemnly swear that I will support the Constitution of the United States and of the State of Indiana and that I will discharge the duties of Deputy Surveyor of Monroe County Indiana according to Law so help me God

Mike - Gabbert

Sawern to before me this 29th of May 1862

J S Busch

Mr. C. Surryer

September 25th 1862

Made the following Survey in Section 12 Township 7 North
of Range No 2 West for R M Houston & David Padock
Commenced on the Section line about 97 poles South
of the North West corner of said section 12 corner made
and stone planted Witness Trees Lynn 15 inches in diam
S 80° E 51½ lks dist Buck 8 inches in diameter N 61° E
20 lks dist thence N 85° E 70 poles corner made and
Stone planted Witness Trees B Walnut 8 inches in diam
N 20° W 72 lks distant Do 5
S 80° W 75½

\$80 75 75½ " Chas Barer Levi Wright
and George Parham by consent of Parties

The above Survey was made by application of R M Houston the Notaffing Padoch in the following form to wit Mr David Padoch you ar here by Notafur that I will to gether with the County Surveyor proceed on the 25th of September to Survey and Establish all the corners nessary to be Established in that following part of the North West Quarter of Section 12 Township 7 North of Range 2 West begining in the middle of a branch running more or less East about 20 rods South of the N W corner of Section 12 thence South with said Section line 65 poles to a stake thence East 20 poles to a stake thence North to the same corner wher the first corner made thence West up said branch with the meanders thereof to the place of begining this September the 13th 1862 R M Houston) J S Burker M. C. Surveyor for \$2.50 paid

September the 20th 1862

Made the following survey in Section 26, T. 8. R. 2. W. for
P. M. Moberly and Pomanick Bowers commenced at the Eastern
1/2 mile post Ran S 85° W 79 poles + 21 1/2 links corner made & stone
planted Witness Tree Beech 22 inches in diam N 39° W 45 links det
thence S 85° W 79 poles 21 1/2 links corner made and stone planted
Witness Tree Beech 12 inches in diam N 10° E 112 links distant
thence N 31° W 160 poles to the Northern 1/2 mile post

Thomas Rush sen } sworn
Cham Bares } Thomas Rush Jun }

fee \$3.75 paid

J. S. Buskirk

M. C. Surveyor

October the 15th 1862

Ran the following lines & made the following corners in Section 11, Town 9
Range 2 West for James Bratny began at the Eastern 1/2 mile post ran
S 86° W 160 poles + 1 link to the center of the Section Witness Sugar 12 inches
in diameter N 31° E 28 links distant thence N 36° E 53 poles 8 1/2 links corner made
Witness Elm 6 inches in diameter S 73° W 3 links distant thence N 5° W 160 poles
+ 18 links corner made Witness Beech 18 inches in diameter S 12° E 31 link
distant Beech 20 inches in diameter S 88° W 22 links distant Cham Bares
John M. Farmer & James Bratny by consent fee \$1.00 paid \$2.00 paid in full

J. S. Buskirk, M. C. S.

November the 20th 1862

Ran the following lines & made the following corners in Section
36 Township 10 Range one West for Jasper H. Cox & Jackson Lintz
commenced on the Section line 78 poles + 19 links West of the North East
corner of said Section 36. Witness trees Beech 10 inches in diameter
N 19° W 38 links det B. Ash 6 inches in diameter N 55° E 50 links det
thence S 5° E 82 poles + 10 links Witness trees B. Ash 2 inches in diameter
N 89° W 30 links det Beech 6 in diameter S 6° W 204 links det thence
S 5° E 104 poles + 20 links Witness Beech 15 inches in diameter N 77° W
22 links det Beech 18 inches in diameter N 22° E 52 links det thence
S 5° E 82 poles + 10 link to a corner made before

Cham Bares John Martin & W. S. Anderson sworn
fee \$3.50 paid

J. S. Buskirk, M. C. S.

Nov the 21st 1862

Ran the following line & made the following corner in Section 25 Town 10 Rang 1 West for John Martin & William A Anderson commenced at the Eastern 1/2 Mile Stake of Witnesses gone new one made equa distant between the Section corner Buck 19 inches N 78° W 6 links dist Buck 12 inches in diameter S 67° E 25 1/2 links dist thence S 85 1/2° W 79 poles 15 links Witness Water Oak 30 inches in diameter S 42° W 3 1/4 links dist Water Oak 25 inches in diameter N 77° E 68 links dist thence S 5° E 159 poles + 13 links to corner Made before Chas Barre Jackson Huntz & Jasper A Gore sworn fees \$3.50 Martin \$1.50 paid Anderson \$2.25 paid

J S Buskirk M. C. S

December the 16th 1862


Ran the following line & made the following corner in Section 27 T 9 R 1 W for Lankston Brunet & Mathew Robertson commenced at the South East corner Old witness gone new one made Buck 20 inches in Diam S 32° W 17 links dist Sugar 18 inches in Diam S 72° E 29 lks dist thence N 5° W 157 poles + 20 links to the Eastern 1/2 Mile Stake stone planted before Chas Barre Lankston Brunet & Mathew Robertson by consent fees \$1.50 L Brunet \$75 paid M Robertson \$75 paid

J. S. Buskirk M. C. S

December the 23rd 1862

Ran the following lines and made the following corners in Section 20 Township 9 Rang 1 East for John W Galyan and Anna Mefford commenced at the North West corner Ran N 86° E 80 poles corner made & stone planted Witness Lignum 35 inches in diam S 58° E 10 1/2 links Buck 20 inches in diam N 68° W 33 links dist thence S 5° E 238 poles + 23 links corner made & stone planted Witness Buck 15 inches in diam N 45° E 14 links Dogwood 3 inches in diam S 32° E 17 1/2 links dist Chas Barre Anna Mefford & George W Galyan by consent fees \$3.00 J W Galyan \$1.50 paid Anna Mefford \$1.50 paid

J S Buskirk M. C. S



H Sugar 12 N 12 E 17
Walnut 60 N 13 E 62

1862
Surveyed Section 18 T 8 R 2
W and established the following
corners as marked by letters

A Buck 20 N 50 E 15 li
Do 10 N 85 W 9 1/2
B W Oak 3 S 58 W 26
Buck 16 S 39 E 60
C B Walnut 10 East 26
W Oak 10 N 25 W 26
D Buck 12 corner tree
E W Walnut 4 South 22
Do 4 S 25 W 3
F Buck 10 N 6 W 64
Sugar 12 N 52 E 63
O Cherry 18 N 41 W 35

planted a rock at each corner
James Woodburn Deft Surveyor M C

State of Indiana
County of Monroe

Monroe born on Pleas Court we the undersigned
Commissioners appointed by the said Court to make Partition of certain
lands between Elizabeth Morison and the other heirs of John Morison
De^{2d} report to the Court that after receiving the Warrant of Partition
issued to us we were duly sworn as will appear by our Oath which is
indorsed on the back of said warrant and that thereafter we proceeded to
and did make Partition of said lands in accordance and with the direc-
tions contained in said warrant of Partition by setting off to by miles
and bounds to Elizabeth Morison the following part or portion of said lands
to wit a part of the South west fourth of the South East quarter of
Section 27 Town 10 North of Rang 1 East beginning at a stone the North
East corner of said quarter quarter thence S 85° W 39 poles and 15 link
to a stone corner witness trees Buck 25 inches in diameter N 29° E 13
links distant and Dogwood 2 inches in diameter S 6° E 10 1/2 links distant
thence S 5° E 84 poles and 18 link to a stone corner witness trees Sugar tree
13 inches in diameter S 85° W 167 links and a Sycamore 4 inches in diameter
N 73° E 113 links distant thence N 65° E 39 poles and 15 links to a stone corner
witness trees Sycamore 8 inches in diameter N 61° W 23 links distant and Hickory
6 inches in diameter S 61° W 26 links distant and thence N 5° W to the place of

beginning containing 20 Acres more or less situated in Monroe County State of Indiana which in our lands in our opinion are equal in Value to one third of all the lands described in said warrant of Partition.

And to Joseph Spain and Sally Spain in right of of the said Sally Thomas Price and Mary Price his in right of the said Mary George Morrison James Morrison and Jackson Morrison jointly the residue of said lands to wit the North West fourth of the North East quarter of Section 32 Town 10 North of Range 1 East containing 40 Acres more or less and also a part of the South West fourth of the South East quarter of Section 27 Town 10 North of Range 1 East beginning at a stone corner at the North West corner of said quarter quarter thence South to the half mile stake thence East to a stone (corner) 99 poles and 15 links west of the South East corner of said quarter quarter witness trees to said stone (corner) Sugar 13 inches in diameter N⁷⁴W 167 links distant and Sycamore 2 inches in diameter N⁷⁴E 113 links distant thence N⁷⁴W 81 poles and 18 links to a stone (corner) witness trees Beech 25 inches in diameter N⁷⁴E 13 links distant and Dogwood 2 inches in diameter S⁶²E 103 links distant thence S⁷⁴W 39 poles and 15 links to the place of beginning containing 20 Acres more or less which two tracts of land in our opinion are in Value equal to two thirds of all the lands described in said warrant of Partition.

we show to the Court that we were employed and claim for our services which were as follows to wit

Isaac S. Buskirk Surveyor & Commissioner 3 Day @ \$3- per day	\$12-00
James Woodall Commissioner 3 Day @ \$1-50 per Day	\$4-50
and 1 Day asthane Baser	\$1-00
Thomas G. Rader Commissioner 3 Day @ \$1-50 per Day	\$4-50
and 1 Day asthane Baser	\$1-00
	\$5-50

all of which is respectfully submitted for Approval

Isaac S. Buskirk
Thomas G. Rader } Commissioner
James Woodall

September the 22nd 1863 we established the N E corner of Section 27 Town 7 R 1 E witness B Oak 25 inches in diam ^{See map 7 links dist} N⁷⁴W 19 links dist from Henry Treadler S. S. Buskirk M. C. Surveyor

September the 28th 1863

Ran the following line and made the following corners in Section 33, Town 8 Range 1 East for John Rust and Sarah Butcher Thurs commenced at the center of said Section 33 ran N⁸² W 80 poles and 8 links corner made and stone planted Witness tree Buck 20 inches in diameter S⁸⁹ W 213 links dist

Chas. Barren Robert Clark & George A. Hudlin sworn
for { John Rust \$1.50 paid }
 { Sarah Butcher Thurs \$1.50 }

J. S. Buskirk M. A. Surveyor

April the 18th 1863

Surveyed for Hiram Worley the S. W. qr of the N. E. qr of Section 32. T. 10 N. of R. 2. W. and established the N. E. & S. E. corners of the same witness trees for the N. E. cor Sug. 22 in S⁸² W. 21 links

Buck 29. N⁸⁵ W 23 ..

S. E. .. Buck 18. S⁸⁰ W. 65 ..

Do 12. N⁸¹ W 75 ..

James Woodburn Deputy S. M. County

November 17th A D. 1863.

Surveyed for Samuel Judah George Step Robert Straine
John Green Johnston & Samuel Hallingford Section No 31
Township No 7 North of Range No one west.

Length of the line from the South East corner of said
Section No 31 to the South West corner of the same 330
poles & 22 links. New corner made & established at
the Southern half mile post by planting a Stone witness
Tree. White Oak 30 inches diameter $A 77^{\circ} W$ 50 links.
distant White Oak 30 inches diameter $A 15^{\circ} E$ 53 links
distant length of the line from the Southern $\frac{1}{2}$ mile post
of Sec 31 to the Northern $\frac{1}{2}$ mile post 319. poles & 4 links
corner made at the center of the Section by planting a
Stone witness Tree. Made Birch 8 inches diameter $A 86^{\circ} W$
27 links. distant Birch 12 inches diameter $A 33^{\circ} E$ 16 links
distant

length of the line north of the center	159. poles	10 $\frac{1}{2}$ links
length South	160	159. 160 10 $\frac{1}{2}$ links
length East	160	162. " " "
length West	160	172. " 18 "

No of acres by actual Survey in said Section 665 acres
one quarter & 12 poles.

the North east quarter contains	159. acres & 32 poles
the South East quarter contains	162. acres 3 qrs 24 p
the South West quarter contains	168 " 2, " 20 p
the North West quarter contains	174. " 2, " 16 p
	665 " 0 " 20

Chain bearers. William Lips & Squire M Hallingford
Sworn this 17th day of November A D. 1863.

James A. Spencer
M C S.

November 19th A.D. 1863.

ran the following lot of land for the benefit of
Sarilda Polley widow of James C. Polley late of
Monroe County Indiana Decd^d situate in the North
East quarter of the North east quarter of Section No 32.
Township No 10 north of Range No one east Beginning
29 poles & 8 links west of the North east corner of said
Section No 32. at a stone witness tree Black Ash 18 inches
diameter S 35° E 73 1/2 links distant then S 1° E 80 poles
to a stone witness tree red oak 16 inches diameter
N 76 1/2° W 56 links distant then west 50 poles & 13 links
to a stone then north 80 poles to a stone then east
51 poles & 17 1/2 links to the beginning containing 25 acres
and one half

Chain bears. Joseph Polley (Sen) & Joseph C.
Bates by consent of parties. Sarilda Polley & William
C. Brown.

James W. Spencer
Monroe County Surveyor.

November 24th A.D. 1863.

Surveyed for Reuben Clark (Sen) Adam Sheekard William
Shields. Michael Trampers. Hiram Hayless Mizz. & Polley
Barter Section No 31 Township No 8 north of Range No one
East of the 2nd principal Meridian.

length of the line East & west through the center 316 poles & 4 links.
length of the line North & South through the center 320 poles 17 links
corner made 160 poles ^{10 1/2 links} East of the Sth corner of said Section
or at the Southern 1/2 mile post witness tree none made but
planted a stone

length of the line from the Sth corner to the South East
corner 321 poles & 4 links.

length of the line from the North west corner to the South
west corner 324 poles & 24 links.

corner made at the western 1/2 mile post ~~on half~~ by
planting a stone witness tree Beech ¹⁵/₄ inches diameter
S 90° E ³¹/₄ links distant Beech 30 inches diam N 63° W 43 links dist
corner made 80 poles & 6 links north of the South west
corner of said Section No 31.

corner made 77 poles & 3 links South of the Southern half mile post & stone plandit.

corner made at the center of Section 31 T8 R1 E by planting a stone. corner made by planting a stone

corner made by planting a stone East of the center

corner made by planting a stone 80 poles $7\frac{1}{4}$ links east of the

X Southern $\frac{1}{2}$ mile post

length of the line South of the center 159 poles 23 links.

length of the line North of the center 160 poles 21 links

Columan Carter and William Shields.

Chain Bearers: sworn

James H. Spencer

Monroe County Surveyor.

November 30th A D. 1863.

ran the following lot of land for Charles Coor Mary Clarkston & James Sullivan beginning at the North East corner of Section No 25 T10 R1 W stone planted and witness three red oak 12 inches diameter S 67° E 26 links distant then South with the Meridian 77 poles & 9 links ~~intercept~~ it being the intermediate distance between the North East corner of said Section No 25 to the Eastern $\frac{1}{2}$ mile of the same witness three Hickory 3. in diameter N 48° E 40 links dist. then west 78 poles $1\frac{1}{2}$ links to a stake then North 77 poles & 9 links to a stake it being the intermediate distance between the North East corner of said Section No 25 to the Northern $\frac{1}{2}$ mile post of the same then East with the section line 78 poles $1\frac{1}{2}$ links to the beginning.

Chain bearers. Stephen Wilson & Hiram A. Baston
Sworn

James H. Spencer


Monroe County Surveyor

December 2nd AD 1863.

ran the following lot of land for Stephen Wilson in Section No 23 T 10 R. 1. W. Beginning at the South East corner of said Section 23. witness Lins - at the South East cor or place of beginning white oak 18 inches diameter N 60° E 3 1/2 links dist white Oak 18 in diam S 24° W 33 1/2 links dist then west with the Section line 70 poles 21 links to a stake witness Tree White oak 15 inches diam due East 3 1/2 links distant then north 81 poles & 4 1/2 links to a stake then East 70 poles & 9 links to a stake then South 81 poles 4 1/2 links to the beginning.

Wiram L Boston & Charles Corr chain bearers
Sworn

James W Spencer
Monroe County Surveyor



January 13th AD 1864.

ran the following lot of land for L. M. Litchner Philie Robeson C. H. Jackson Christian Cross Henry D. Owens Adeline Gilson & John Payne in Section No 26 Township No 10 north of range No one west.

length of the line from the Eastern 1/2 mile post to the western 1/2 mile post 282 poles & 20 links
length of the line from the S. E. cor to the N. E. cor 320 poles 46 links

Corner made 70 poles 17 1/2 links East of the western 1/2 mile post or at the South West corner of the South East 1/4 of the North West quarter of said Section 26. witness Trees Hogwood 5 inches diameter S 48° E 16 links dist Maple 15 inches diameter N 35° W 20 links dist

length of the line from the north 1/2 mile post to the north west corner 146 poles & 8 links

length of the line from the line from the South West corner of the East half of the North West quarter of said Section No 26 162 poles and 13 links

corner made at the North west corner of the South East $\frac{1}{4}$ of the North West quarter of Section No 26 T 10 R 1. west
witness. Live White oak 6 inches diameter N 65° E 101 links dist

corner made 70 poles west of the Eastern $\frac{1}{2}$ mile post of
Said Section witness Live Birch 6 inches diameter N 57° W
28 poles links dist

corner made at the North East corner of the South west $\frac{1}{4}$ of the
North East quarter of Section No 26 T 10 R 1. west

Benjamin Polley Edward C. Eubank & James Robeson chain
bearers and Joseph Payne marker sworn by me this
January 13th A.D. 1863.

James H. Spencer
Monroe County Surveyor.

Notice — L. M. Litchner A. H. Stiers Friedric Gearni
Joseph Payne Milie L. Robeson Sarah Thomas & John H. Payne
will take notice that I will together with the county Surveyor
of Monroe County and State of Indiana proceed on the 13th day
of January A.D. 1864. to establish the lines and perpetuate all
the corners to my lands. In Section No 26 Township No 10, North
of Range No 1. west it being the S. W. $\frac{1}{4}$ of the N. E. $\frac{1}{4}$ and S. E. $\frac{1}{4}$ of
the N. W. $\frac{1}{4}$ of Said Section and range afore said. and will continue
from day to day until all shall be completed. Said Survey
to begin between the hours of 10 and 4. O'clock of Said day
and to meet on Said day at the house of Milie L. Robeson


December 12th 1863.

Enoch W. Jackson

I hereby certify that the foregoing Notice is a correct copy
as published in the Monroe County democrat a paper
published in Monroe County Indiana. Given under my
hand and Seal of office this 13th day of January 1864

James H. Spencer
Monroe County Surveyor

South

January 26th A.D. 1864.

Surveyed Section No 31 T 7 R 1 W
for Samuel Judah George Stipp
Samuel Trallingford John Green
Johnston & Robert Strain Began
at the North East corner of said
Section then west ^{159.02 ~~160.22~~ links} 167. poles
to the northern 1/2 mile post
then west 178 poles 16 links
to the North west corner of
said Section then South with
the range line 160 poles 23 links
to the western 1/2 mile post
then South 160.22 links to the

western 1/2 mile post
South west corner then East 166 poles 06 links to the
Southern 1/2 mile post. witness Trees. W. Oak 30 inches diam
N 3/4 E 50 1/2 links distant white oak 30 inches diam S 1/4 E 80
West 65 links distant then East 165 poles 02 links to the South
East corner then North 159 poles 17 links to the eastern 1/2 mile
post then North 158 poles 05 links to the Beginning

the following is the Survey of the South East quarter of
said Section No 31. T 7 R 1 W. Beginning at the Eastern
1/2 mile post then South 159 poles 17 links to the South East
corner of said Section No 31. then East 165 poles 02 links to
the Southern 1/2 mile post witness Trees. Misplaced
then South 158 poles 02 links to the center a stone witness trees
also misplaced. then East 162 poles 23 links to the Beginning.

the following is the Survey of the North East quarter of Section
No 31. T 7 R 1 W. Beginning at the Eastern 1/2 mile post
then North 159 poles 20 links to the North East corner of
said Section then west 159 poles 02 links to the Northern
1/2 mile post of said Section then South ¹⁶¹ 161 poles ~~160~~ links
then East ¹⁶² 162 poles ²³ 23 links to the Beginning.

the following is the Survey of the North west quarter
of Section No 31. T 7 R 1 W. Beginning at the Northern
1/2 mile post of said Section. then west ¹⁷⁸ 178 poles ¹⁶ 16 links
to the North west corner of said Section then South
¹⁶⁰ 160 poles ²³ 23 links to the western 1/2 mile post then East

¹⁷⁰ poles ¹⁰ links to the center then north 162 poles
8 1/2 links to the beginning

the following is the survey of the South west quarter of
Section No 31. T⁴ R¹ S. West Beginning at the center of said
Section then west ¹⁷⁰ poles ¹⁰ links to the western 1/2 mile
post of said Section then South ¹⁶⁰ poles ²² links to the
South west corner then East ¹⁶⁶ poles ⁶ links to the South
1/2 mile post withup 2 oaks 30 inches diameter at 3 1/2
50 1/2 links distant 2 oaks 30 inches diameter at 30 1/2
links distant then North 157 poles 10 1/2 links to the Beginning

Content of the South East quarter	163. 2. 06
Content of the South west quarter	170. 2. 37
Content of the North East quarter	161. 1. 24
Content of the North west quarter	177. 2. 10
Total	673. 0. 37

Samuel Bennett & Newton McFadden Chain Bearers - sworn
Sworn by me January 26th 1864.


James H. Spencer
Monroe County Surveyor

State of Indiana Monroe County, January 26th 1864.
We the undersigned bind ourselves to stand to the following
proposition, as follows. We agree that the County Surveyor shall
run out Section 31 and establish corners as follows. first run
around the Section and see what amount amount of land
there is in said Section then run out the Section and give each
man his proportion of land according to what his deed calls for
we pledge our word & honors to stand to the above propositions

Signed Samuel Wallingford
John S. Johnston
George Slipp
Robert M. Straine
Samuel D. Judah

I hereby certify the above to be a true copy of the original
agreement now on file given under my hand & seal of office
this January, 30th 1864.

James H. Spencer M.C.S.



Feb 22 A.D. 1864.

ran for Thomas P Lucas
John East Nicholas Cook,
Trade L Meadows Peter
Whitesell William Anderson
and Thomas Spicer Section
East 23 in Township No Nine
North of Range one West

length of the line North & South
through the center of Sec 23
S 7 R 1 West is 327. poles 13 links

South witness Tree made & stone planted
at the North East corner of Section No 23. Birch 20 inches
diameter S 25° E. 24 links distant white walnut 8 in diam
N 3° W 17 1/2 links distant
length of the line from the South East corner of Section 23. to
the North East corner 324. poles 21 links -

corner made & stone planted at the South East corner of the
North East quarter of Sec 23 witness Tree Black ~~oak~~ Ash
6 in diam N 57 1/2° W. 90 links distant Birch 18 in diameter
N 17° W 101. links distant

new corner made at the eastern 1/2 mile post of Sec 23
witness Black Walnut forked at the ground 20 inches diam
S 36° E 12. links distant Poplar forked at the ground 12 in
diameter N 21° E 50 1/2 links distant

length of the line East & West through the center of Section
23. 323 poles 7 links -

corner made 51 poles 0 1/2 links. South of the Eastern 1/2 mile
post stone planted witness Tree Birch 18 inches diameter
N 88° W. 52 1/2 links distant

length of the line North of the center	D. L.
	163. 13
length of the line South of the center	164. 00
length of the line East of the center	160. 00
length of the line West of the center	163. 09 -

corner made & stone planted at the center of Sec
23. witness Tree Elm 12 inches diam N 87° W 94 links dist.

corner made 82 poles south of the center of section 23 Township No 7. Range one west Stone planted witness tree Logwood 4 inches diam S 85° E $1\frac{1}{2}$ chs dist Birch 10 in diam N 32° W $30\frac{1}{2}$ chs dist.

length of the line from the South $\frac{1}{2}$ mile post of 23 to the South corner of the same 163 poles & links

corner made 81 poles $13\frac{1}{2}$ links East of the South one $\frac{1}{2}$ mile post Birch 20 inches diam N 84° E $25\frac{1}{4}$ chs distant Birch 30 in diam S 85° W 28 chs dist

length of the line from the North East corner of Sec 23 to the South $\frac{1}{2}$ mile post 163 poles 12 links witness tree Birch 15 in diam N 85° E $82\frac{1}{2}$ links distant

length of the line from the South west corner of South East quarter of the South east quarter of Sec 23, 323. Poles 5 links

+ corner made at the N. W. cor of S $\frac{1}{4}$ of S E quarter Stone planted witness tree white walnut 6 in diam N 12° E $6\frac{1}{2}$ links dist white walnut 12 inches diam S 22° E $42\frac{1}{2}$ links distant

corner made 81 poles 16 links East of the South west corner witness white oak 10 in diam S $47\frac{1}{2}^{\circ}$ W $11\frac{1}{4}$ links dist red Oak 3 inches diam N 3° E $23\frac{1}{2}$ links distant

corner made 40 poles 32 links South of the North $\frac{1}{2}$ mile post Elm 4 inches diameter N 85° E 12 links dist Birch 20 in diam N 75° W $70\frac{1}{2}$ chs distant

corner made 81 poles 14 links East of the North west corner of Sec 23. W Oak 30 in diam S $42\frac{1}{2}^{\circ}$ E $73\frac{1}{2}$ chs dist.

corner made 40 poles 22 links South of the North East corner of North west $\frac{1}{4}$ of North west quarter of Sec 23 witness tree Hickory 10 in diam S $78\frac{1}{2}^{\circ}$ E $8\frac{1}{2}$ chs distant witch Hazel 6 inches diam S $83\frac{1}{2}^{\circ}$ W 22 links distant

corner made & Stone planted in open ground at the South East corner of the North west $\frac{1}{4}$ of North west quarter of Sec 23. S $7\frac{1}{2}$ N. West

new corner made & established at the western $\frac{1}{2}$ mile post of Sec 23. S 7 R 1. west Hickory 10 in diam S 63 $^{\circ}$ E 22 links dist white walnut 10 in diam N 73 $^{\circ}$ W 26 chs dist.

Notice

Thomas P Lucas John Coss Nicholas Cook, Trade S Meadows, Peter Whitesell William Anderson & Thomas Spicer will take notice that I will together with the County Surveyor of Monroe County Indiana proceed to run all the lines and establish all the corners necessary to be done in Section No 23. Township No 9 North of Range No one west and to continue from day to day untill all be completed, said survey to begin at 10 o'clock on the 22^d day of February 1864. and to meet at the house of Adam S Evans at the above hour mentioned.

this February 5th 1864.

Adam S. Evans.

Thomas Spicer & John Coss chain bearers & was by me duly sworn this February 22^d A D 1864.

I hereby certify the above notice to be correct copy. Given under my hand & seal this Feb 22^d 1864.

James H Spencer
Monroe County Surveyor

J H Spencer H B S Esq

Feb 20th A D 1864.

ran the following lines and made the following corners in Section No 8 Township No 9 North of Range one East for David Young Milton Coss Thomas Peterson & Lewis Young Began at the North $\frac{1}{2}$ mile post then S 5 $^{\circ}$ E 328 poles
length of the line North of the center " " " 166 poles 16 links
length do " South of " Center " " " 161 " 7 chs

Rock planted & witness lines made at the center of Section 8. Sugar 4 inches diameter S 32 $^{\circ}$ E 48 links distant Sugar 6 in diam S 70 $^{\circ}$ W 52 links dist

corner made 83 poles & links South of the North $\frac{1}{2}$ mile post witness Tree Black walnut 5 in diam S 66 $^{\circ}$ W 56 chs dist.

Jasper Coss & Jackson Peterson chain Bearers & was by me duly sworn this Feb 20th A D 1864

James H Spencer
Monroe County Surveyor

To the honorable board of commissioners for the County of Monroe & State of Indiana the undersigned beg leave to make the following report of the survey of a certain road in said County & State aforesaid Beginning 38 poles & 13 links south with the meanderings of the upper Salem road from where the line crosses said road running from the eastern half mile to the western 1/2 mile post of Section No 7 Township No 7 North of Range No one East running then north $27\frac{1}{2}^{\circ}$ degrees East 8 poles 17 links then $N 32\frac{1}{2}^{\circ} E$ 22 poles 7 links then $N 75^{\circ} E$ 23 poles 5 links then $N 57\frac{1}{2}^{\circ} E$ 28 poles then $N 21^{\circ} W$ 25 poles 12 links then $N 19^{\circ} E$ 9 poles 10 links then $N 60\frac{1}{2}^{\circ} E$ 32 poles then $N 41^{\circ} E$ 18 poles 6 links then $N 15^{\circ} E$ 24 poles 10 links then $N 17^{\circ} E$ 29 poles 10 links then $N 42\frac{1}{2}^{\circ} E$ 12 poles 13 links then $S 87\frac{1}{2}^{\circ} E$ 24 poles then $N 80^{\circ} E$ 44 poles then $N 19^{\circ} E$ 25 poles 10 links then $N 35^{\circ} W$ 8 poles 21 links then $N 6^{\circ} W$ 17 poles then $N 24^{\circ} E$ 30 poles to the South Margin of Salt Creek, at low water side

Then began at the North Margin of said Creek then $N 39^{\circ} W$ 8 poles then $N 10\frac{1}{2}^{\circ} E$ 12 poles intersecting the line running from the northern 1/2 mile post to the southern 1/2 mile post of Section No 3 Township No 7 North of Range No one East then with said line 168 poles intersecting the old Strain Mill road then $N 82^{\circ} W$ 38 poles then $N 73^{\circ} W$ 34 poles 5 links then $N 85^{\circ} W$ 38 poles then $N 88^{\circ} W$ 27 poles then $S 83\frac{1}{2}^{\circ} W$ 15 poles then $S 85\frac{1}{2}^{\circ} W$ 18 poles 17 links then $N 82^{\circ} W$ 40 poles then $S 88^{\circ} W$ 66 poles then $S 88^{\circ} W$ 24 poles intersecting the new Strain Mill road whole distance from the beginning to the point of intersection or Termination Two miles one half & 71 poles and 20 links.

March 1st A.D. 1864

James R. Spencer
Monroe County Surveyor

March 15th A.D. 1864.

ran for Thomas Breedin the following lines in section
no 19. "S. 8 R. 2. west." length of the line from the south
1/2 mile post to the north 1/2 mile post of said section
is 315 poles & 6 links. new corner made at the north
1/2 mile post by planting a stone witness Lewis Beech
20 inches diameter N 65° W, 53 links distant Sugar 15
in diameter N 39° E 61 1/2 links distant

then ran the north west quarter of said section
Beginning at the northern 1/2 miles post then west
with the section line 126 poles 9 links to the Township
or county line then with said line South 153 poles
6 1/2 links then East 126 poles 13 links to the center of
the section then north 153 poles 6 1/2 links to the beginning

William Breedin & John Breedin chain
Bearers by consent of Parties.


James H. Spencer,
Marroce County Surveyor

March 28th A.D. 1864.

Surveyed for Jacob B. Young the following lot of land
it being a part of the south 1/2 of the South west quarter of
section no 35 Town 9 North of range no one west
Beginning at the North East corner of said lot running
thence S 8° E 29 poles & 23 links to a stone then S 85° W
48 poles 17 1/4 links to a stone then N 45° W 34 poles 3 links
then N 85° E 48 poles & 5 links to the beginning containing
9 acres 2 quarters & 30 poles

Jacob B. Young & Leroy Rogers chain Bearers
by consent of parties

James H. Spencer
Marroce County Surveyor



March 22, 1864.

Surveyed for Jacob Trety, William S. Troy, J. H. Sharp, and William Trellens. Section No 2, Township No 10 North of Range No one East, and ran (East) the following lines & made the following corners in said section No 2,

length of the line from the North East corner of said section No 2 to the North west corner of the same 323. poles & 23 links

corner made 80 poles $5\frac{1}{2}$ links west of the North $\frac{1}{2}$ mile post of section No 2 or at letter (B) Stone planted & marked with the initials W E C, W $\frac{1}{2}$, N W $\frac{1}{4}$, S. 2, and witness trees. made poplar 6 inches diameter S 75° E $56\frac{1}{2}$ links distant White oak 20 inches diameter N 58° W. 136. links distant,

length of the line from the South west corner of section No 2. to the South East corner of the same 331. poles and 15. links one half 165 poles 20. links one fourth 82 poles $22\frac{1}{2}$ links.

corner made and stone planted at the South west corner of section No 2, at (E) and marked with the initials S E C S B. witness trees Birch 20 inches diameter S $1\frac{1}{2}^{\circ}$ W. 36. links dist Birch 8 inches diameter N $12\frac{1}{2}^{\circ}$ W $42\frac{1}{2}$ links distant

corner made & stone planted at (G) it being the North East corner of the South west $\frac{1}{4}$ of South East quarter of section No 2. witness trees Birch 15 inches diameter S 6° W. $196\frac{1}{4}$ links distant Black Ash 6 inches diameter S 40° W 156 links distant the letters and figures engraved on the corner stone

corner made at (D) the South East corner of the North west $\frac{1}{4}$ of the South west quarter of section No 2 and stone planted and marked with the initials S E C, N W $\frac{1}{4}$, S W $\frac{1}{4}$ S 2, witness trees Birch 12 inches diameter S 69° E 12. links distant Black Ash 4. inches diam S $82\frac{1}{2}^{\circ}$ W 26 links distant

corner made at (F) the North west corner of South west $\frac{1}{4}$ of South west quarter of section No 2. stone planted & marked N W C S W $\frac{1}{4}$ S. 2 witness trees Black Oak 12 inches diam S 6° E 16 links dist White Oak 12 inches diam N 74° E 40 links dist

corner made at (C) the South West corner of the East 1/2 of A & B
see Sec 2, T10 R1 E, stone planted & marked SWC E 1/2 NW 1/4
S2. with 1/2 Lins Birch 6 inches diameter S 67° E 175 lbs dist
B Walnut 8 inches diameter N 81° E 186 1/2 lbs dist.

corner made at the West 1/2 mile post of Sec No 2.
T10 R1 East stone planted & marked W 1/2 M S 2. See united
states field notes

corner made at H stone planted & marked SWC SE 1/4 SE 1/4 S2
with 1/2 Lins misplaced.

Chain Bearers, Michael Adkins & James Fry, sworn by me
this March ^{25th} 1864.

James H. Spencer
Monroe County Surveyor

Notice of Survey

Notice is hereby given to William S. Fry, J. J. Graham, John
Hubbard, E. Dumont, Martha Campbell, L. B. Gill, A. P. Shortridge
+ J. F. Bates, Elmore Hendricks, Lins, J. J. Hendricks, Abraham
Christy, the Trustees of Marion Township, Reuben Stepp, Squire
Lambertsen, William H. Greele and J. H. Hulford, that I will
on Friday the 25th day of March 1864, together with the County
Surveyor of Monroe County Indiana, proceed to run & relocate
all the lines and establish all the corners necessary to be done
in Sections ^{no} Two three four nine ten and fifteen in Township
No 10 North of Range Number one East and will continue from
day to day until all ^{a shall} be completed and to meet at J. H. Sharps
Law Yard at 9 o'clock on said day.

March 7th 1864.

J. H. Sharps.

See Morgan county gazette, of Saturday March 12th 1864.

Notice of Survey

Notice is hereby given to J. H. Sharp, Lemay J. Bellum, Jacob Kelly
Joshua Pollard, George M. Fry, Robin Adkins, Nancy Smith, & John C. Fry
that I will together with the County Surveyor of Monroe County Indiana
proceed on Monday the 21st day of March 1864, to run relocate and
establish all the lines and corners necessary to be done in Sections
Number Two and three Township Number Ten North of Range Number
one East and will continue from day to day until all be comple-
ted. Said survey to begin between the hours of 12 and 4 o'clock
on said day and to meet at the house of William S. Fry on said
day.

March 5th 1864.

William S. Fry.

April 7th 1864. I hereby certify that the foregoing

advertisements or notices of survey are here copied as taken from the Morgan County Gazette published in the 12, March 1864. one dated March 7th and the other March 3rd 1864.

James H. Spencer
Morgan County Surveyor

W
E

Survey of Sec 24 T9 R1. West

April 11th A.D. 1864.



Surveyed for Thomas Rader
George B. Rader Thomas P. Rader
David Gray John B. Cox John
Robeson Carnel Peterson & Rufus
Woods Hirs Section No 24 Town
Ship No 9 North of Range No one
West.

Length of the line from the
South $\frac{1}{2}$ mile post of said section
No 24 to the northern $\frac{1}{2}$ mile
post of the same 317 poles $7\frac{1}{2}$
links.

Corner made & stone planted at the South $\frac{1}{2}$ mile post
and marked with initials (S $\frac{1}{2}$ S 24) in united states
field notes

Corner made at the North $\frac{1}{2}$ mile of said section & stone planted
and marked with the initials N $\frac{1}{2}$ M. S 24 with a 1/2 inch black
walnut 6 in diam S $1\frac{1}{2}$ E 73 links distant

Length of the line from the North $\frac{1}{2}$ mile post of sec 24 T9 R1. West
to the North West corner of the same 161 poles 8 links.

Corner made in the section line 80 poles 16 $\frac{1}{2}$ links west of the north
 $\frac{1}{2}$ mile post of said sec 24 Stone planted and marked with the
initials NE $\frac{1}{2}$ E. W $\frac{1}{2}$ N. W. S. 24. with 20 lines Hickory 20 inches diam
S 75° E $5\frac{1}{2}$ links distant Birch 16 inches diameter N $51\frac{1}{2}$ E 40 links distant

Corner made 80 poles $7\frac{1}{2}$ links west of the center of section No 24 and
stone planted and marked (NE $\frac{1}{2}$ E. NW $\frac{1}{2}$ S. W $\frac{1}{2}$ S 24) with a 1/2 inch black
walnut 4 inches diameter S 44° E 56 links distant B. Walnut 18 inches
diameter S $34\frac{1}{2}$ E 178 links distant.

Length of the line from a stone standing 80 poles 16 $\frac{1}{2}$ links west
of the North $\frac{1}{2}$ post of sec 24 to its corresponding corner standing
80 poles $7\frac{1}{2}$ links west of the center of sec 24. 160 poles 9 links

corner made at the center of the North west quarter of Section No 24. 1/2 S 1/2 R 1 West and stone planted and marked C. NW 1/4. S 24 witness Trees Beech 24 inches diameter S 85° E 12 1/2 links distant Beech 15 inches diameter N 80° E 1/2 R 64 links distant

corner made 81 poles 6 1/2 links South of the North west corner of Section No 24. & stone planted & marked NWC, SW 1/4, NW 1/4, S 24 witness Trees Beech 15 inches diameter N 72° E 78 links distant Black ash 6 inches diameter N 60° E 89 links distant

corner made & stone planted 81 poles 6 1/2 links North of the South west corner of Sec 24, and marked NWC, S 1/2, SW 1/4 S 24 witness Beech 20 inches diameter S 89° E 52 links distant Dogwood 6 inches diameter N 35° E 68 links distant

corner made at center of Section No 24 and stone planted and marked (C. E. S. 24) witness Trees Beech 24 inches diameter S 89 1/2° E 124 links distant Beech 24 inches diameter S 57 1/2° E 127 links distant

corner made South of the center 79 poles 8 1/3 links stone planted and marked (NE 1/4, C. S 1/2, SW 1/4, S 24) witness Trees Beech 15 inches diam S 40° E 27 1/2 links distant Beech 20 in diam N 9° E 40 1/2 links distant

length of the line from the center of Sec 24 to West 1/2 mile post 160 poles 15 1/2 links

corner made at West 1/2 mile post of Sec 24. stone planted & marked (W 1/2 M. S 24) witness Trees Black Walnut forked at the ground 20 inches diam S 25° E 18 lbs distant poplar forked at the ground 12 inches diameter N 25° E 45 lbs distant

Notice

is hereby given to Samuel Peterson David Gray George B. Rader James H. Spencer Thomas P. Lucas John B. Cost Clementine Ward and Rufus Wards Trees David Rader John Robeson & Thomas Rader that I will together with the county surveyor of Monroe County Indiana on the 11th day of April 1864. proceed to run relocate all the ~~lines~~ corners & establish all the lines necessary to be done in Section No 24 Township No 7 North of range No one work & will continue from day to day until all be completed & to begin at 9 o'clock on said day and to meet at Samuel Petersons & John Charles Saw Mill on said day this March 21st A.D. 1864.


Signed

John B. Cost

I hereby certify the foregoing notice to be a true copy from the original & was duly indorsed & served on all the above named parties this April 11th A.D. 1864.

James H. Spencer

Monroe County Surveyor



March 25th 1864
 Surveyed for J. H. Sharp William
 Fry and ~~XX~~ Sections No 3
 Township No 10 north of Range No
 one east, and ran the following

east lines and made the following corner
 corner made on the ^{field} Egi
 distant between the eastern 1/2 mile
 post of said Section No 3. to the north
 east corner of said Section and
 Stone planted and marked. S E C
 $N\frac{1}{2} NE \frac{1}{2} S 3$ witness Trees white walnut
 8 inches diameter $A 45^{\circ} E 19\frac{1}{2}$ links
 distant Beech 15 inches diameter $S 24\frac{1}{2}^{\circ} E 68$ links distant.

corner made and Stone planted at the South east corner of Section No
 3 T 10 R 1. East and marked $(S E C, S 3)$ witness Trees made Beech 20 in
 diameter $S 1\frac{1}{2}^{\circ} E 36$ links dist Beech 8 inches diameter $A 12\frac{1}{2}^{\circ} E 42\frac{1}{2}$ links dist
 length of the line from the South east corner of Sec 3. T 10 R 1. E. 167 poles.

corner made and Stone planted at the eastern 1/2 mile post of Section No 3.
 and marked $E \frac{1}{2} N S 3$ See written states field notes

corner made at the North 1/2 mile post of. Sec No 3. Stone planted
 and marked $N \frac{1}{2} H S 3$ witness Trees white Oak 6 inches diameter $S 5^{\circ} E$
 14 links distant Beech 10 inches diameter $A 78^{\circ} E 39$ links distant

corner made at the center of the North East quarter of Section 3
 & Stone planted and marked $S W C N \frac{1}{2} N E \frac{1}{2} S 3$ witness Trees
 Black oak 4 inches diameter $A 61^{\circ} E 17\frac{1}{2}$ links distant Black
 oak 6 inches diameter $A 17^{\circ} E 15$ links distant

length of the line from the Eastern 1/2 mile post of Sec 3 To the North East
 corner of same 183 poles 11 links

length of the line from the North east corner of Section No 3 to
 the North west corner of said Section 320 poles
 corner made at North west corner Sec 3 Stone planted and marked
 $N E C S 4$ witness Trees maple 15 in diam $A 88\frac{1}{2}^{\circ} E 18$ links dist Beech 24 in

diameter $87\frac{1}{2}$ & 21 links distant

corner made and stone planted $83\frac{1}{2}$ poles south of the south east corner of Section No 3 T10 R 1 East and marked NWC, SW $\frac{1}{4}$, S2. witness Trees. Black oak 12 inches diam SE $\frac{1}{4}$ 16 links distant white oak 12 inches diameter $87\frac{1}{2}$ & 21 links distant.

James B. Spencer Monroe Co Surveyor

Notice of Survey.

Notice is hereby given to William S. Fry, J. B. Graham John Hubbard C. Demmitt Martha D. Campbell L. B. Hill, A. P. Shortridge J. H. Bates Elmore Hendricks Hirs, L. J. Hendricks Abraham Christy, the Trustees of Marion Township Reuben Stepp, Agness Lamborden, William D. Gruber & J. H. Hulford that I will on Friday the 25th day of March 1864. Together with the County Surveyor of Monroe County Indiana proceed to run & relocate all the lines and establish all the corners necessary to be done in Sections, Two, three, four, nine, ten and fifteen In Township No 10 North of range No one east and will continue from day to day until all shall be completed and to meet at J. H. Sharps Saw yard at 9 o'clock on said day

In Morgan County gazette of Saturday March 12th 1864.

Chain Bearers Stephen H. Hubbard & Signed, J. H. Sharp


Marion Stepp Chain Bearer sworn by me

This March 24th A.D. 1864.

James B. Spencer Monroe Co Surveyor

I hereby certify the foregoing Notice of Survey, Map of Survey & field notes to be a true copy ~~as taken from my books~~ ^{as taken from my books now on file in my office} given under my hand this April 25th 1864

James B. Spencer
Monroe County Surveyor



March 25th A.D. 1864
 Surveyed Section No. 11 Township
 No 10 North of Range No one East
 & ran the following lines and established
 the following corners in said Section
 No 4,

corner made at the North
 East corner of Sec No 4 stone planted
 and marked, N.E.C.S. 4. withup trees
 maple 15 inches diameter A 88 1/2 ft 18
 links dist, Birch 24 inches diam
 A 89 1/2 ft 21 links dist,


length of the line from the North East
 corner of Sec 4. to the North west corner of said Section. 325 poles
 and 5 links,

corner made at the North west corner of Section 4. stone planted &
 marked N.W.C.S. 4 withup trees white oak 8 inches diameter 822⁺ ft
 57 links distant Black. oak. 4 inches diameter A 85⁺ ft 29 1/2 links dist

length of the line from the North west corner of Sec 4 to the South west
 corner of the same 337 poles 12 links no rock set it being a continuation
 of Sharps line

Stephen H. Hubbard and Marion Steep chain Bearers sworn by me
 this March 25th A.D. 1864.

James H. Spencer
 Mayor County Surveyor.



March 26th A.D. 1864

The following is the Survey of Section No 9. Township No 10 North of Range No one east.

Corner made & stone planted at the western $\frac{1}{2}$ mile post of East said Section and marked with the initials. W $\frac{1}{2}$ M C S 9. with 1/2 trees Hickory 4 inches diameter S 66° W 12 links distant Maple 24 inches diameter S 72° E 29 links distant

length of the line from the North west corner of Section No 9 to the

western $\frac{1}{2}$ mile post of said Section 163. poles 10 links.

length of the line from the west $\frac{1}{2}$ mile post of said Section No 9. 320 poles 22 links to the east $\frac{1}{2}$ mile post:

+ Corner made and stone planted & marked E $\frac{1}{2}$ M C S 9 with 1/2 trees. poplar 12 inches diameter S 61° W 16 links distant Sugar 18 inches diameter N 82° E 25 links distant

Corner made and stone planted at the South east corner of the North $\frac{1}{2}$ of 4th north east quarter of Section No 9 and marked S E $\frac{1}{4}$ C. N E $\frac{1}{4}$ S 9 with 1/2 trees white walnut 8 inches diameter N 86° W $7\frac{1}{2}$ links distant Maple 15 inches diameter N 84° E 14 links distant

Corner made and stone planted and marked S W C. N E $\frac{1}{4}$ N E $\frac{1}{4}$ C Section 9 with 1/2 trees Birch 10 inches diameter N 53° E $5\frac{1}{4}$ links distant Birch 4 inches diameter S 28° W $36\frac{1}{2}$ links distant

Corner made at the center of N E $\frac{1}{4}$ of Sec 9. Stone planted & marked N W C. S E $\frac{1}{4}$ S 9 with 1/2 trees Birch 10 in diam S 72° E.

Chain bearers Stephen W Hubbard and Marion Stepp sworn this 26th March 1864

James W Spencer
Monroe County Surveyor

the above was done for J R Sharp and
Rouben Stepp



East corner made at the North $\frac{1}{2}$ mile
post of. Said Section No 10 and stone
planted and marked with the initials
N $\frac{1}{2}$ M. S 10. with $\frac{1}{2}$ Sugar 20 inches
diameter N 82° W 41 $\frac{1}{2}$ links distant
Lickoy 4 inches diam N 82 $\frac{1}{2}$ E 7 $\frac{3}{4}$
links dist.

corner made and stone planted and marked SWC. SE $\frac{1}{4}$ S 10 T 12 N
 Trees Hickory 8 in ches diameter N 60° E 13 $\frac{1}{2}$ links dist Hickory 24
 in ches diam N 65° E 11 links dist

24 inches diameter 868^h 285 lbs dist

Sworn by me March 27th A.D. 1864

Mauro County Surveyor



March 28th A. E. 1864.

The following is the survey of Section No 15 Township No 10 North of range No one East for J. A. Sharp, Squire Hartsock, Chas. Gardin and others

length of the line East and West through the center of Sec 15, 318. poles 32, links

corner made and stone planted and marked N.E.C. NW $\frac{1}{4}$, S.E. $\frac{1}{4}$, S 15, witup

Tree 12 inch 8 inches diameter S 19° W 173 links dist

Bush 18 inches diameter S 70° W 77 links dist

corner made and stone planted, and marked C 3 15, witup Tree S 63° W 11 links dist

Bush 18 inches diam S 80° W 47 lbs distant

length of the line from center of Sec 15 to South $\frac{1}{2}$ mile post 159. poles

stone planted at South $\frac{1}{2}$ mile post Sec 15, and marked S $\frac{1}{2}$ M, C S 15, witup Tree Black Gum 24 inches diameter A 30° W 36 links distant

corner made and stone planted and marked S.W.C. NW $\frac{1}{4}$ S.E. $\frac{1}{4}$, S 15 witup Tree white oak 8 inches diameter A 77° W 11 $\frac{1}{2}$ links dist

Tree 10 A 87° E 33 links distant

corner made and stone planted and marked S.E.C. NW $\frac{1}{4}$, S.E. $\frac{1}{4}$, S 15 witup Tree Black walnut 8 inches diameter S 65° E 17 lbs dist

white walnut forking at the ground 8 inches diameter A 53° W 72 lbs dist

corner made and stone planted 77 poles 18 links East of the west $\frac{1}{2}$ mile post of said Section No 15 and marked S.E.C. S.W. $\frac{1}{4}$, NW $\frac{1}{4}$, S 15 witup Tree Chestnut oak 20 inches diameter S 68° E $\frac{1}{2}$ links distant

corner made at the center of the north west quarter of

of Section No 15 T10 R1 East Stone planted and marked NE, E, SW 1/4
NW 1/4 S 15. witness Tree white Oak 15 inches diameter S 76 1/2° E 21 1/2 links
distant Beech 15 in diam S 45° E 45 1/2 links distant

corner made for the benefit of John Hendricks & John Hubbard
77 poles 7 1/2 links east of the northern 1/2 mile post of Section
No 10 North of Range No one east Stone planted and marked NWC,
NE 1/4, NE 1/4 S 10 witness Tree Hickory 24 inches diameter S 53° E 54 1/2 links
distant to Oak 30 inches diam S 34 1/2° E 45 links dist

length of the line from the north 1/2 post of Section 10 to the north
North East corner of the same 158 poles 15 links

Chain Bearers Stephen M. Hubbard & Marion Stepp sworn
by me this 23rd Dec 1864

James Walpence
Monroe County Surveyor

Notice of Survey


Notice is hereby given to William S. Fry, J. F. Graham, John
Hubbard, E. Sammont, Martha Campbell, H. B. Hill, S. P. Shortridge, J.
H. Bates, Elmore Hendricks, heirs of J. F. Hendricks, Abraham Christy, the
Trustees of Marion Township, Reuben Stepp, Augustus Lamberdeen, William
D. Greelee and J. H. Sulford that I will on Friday the 25th day of
March 1864. Together with the County Surveys of Monroe County
Indiana proceed to run and relocate all the lines and establish all
the corners necessary to be done in Section Two Three Four Nine
Ten and fifteen in Township No 10 North of Range No one East &
will continue from day to day untill all shall be completed and to
meet at J. H. Sharps Saw Yard at 9 o'clock on said day.

March 7th 1864

J. H. Sharp

I hereby certify that the foregoing Notice of Survey is a correct
extract as taken from the Monroe County Gazette of Saturday March
12th 1864

James Walpence
Monroe County Surveyor



Notice of Survey.

John B. Maachery. C. B. Prime Thomas Lucas. Thomas Stephens J. E. White and John Muncott and all others adjoining and interested will take notice, that I will together with the county Surveyor of Monroe County Indiana on the 25th day of April 1864 proceed to run relocate and establish all the lines and corners necessary to be done. In Section No 20, Township No 8 North of Range No 1 East and to continue from day to day untill all be completed. Said Survey to begin at 10 O'clock, A.M. and to meet at the house of John B. Maachery this April 7th A.D. 1864.

John B. Maachery.

I hereby certify that the foregoing notice of Survey is a correct copy as taken from the Bloomington Republican under date of April 7th 1864 a paper published weekly in the Town of Bloomington Monroe County Indiana. Given under my hand and Seal of Office this April 25th A.D. 1864.


James W. Spencer
Monroe County Surveyor

May 12th A.D. 1864.

ran for Cyrus Thompson and Robert Taylor the following line in Section No 33. T9 R. 1 East beginning at a stone 80 poles ~~North~~ South of the North East corner of said Section 33. then running West 160 poles to a stake witness Green Birch 10 inches diameter 150 ft. ~~16~~ 16 1/2 links distant white Elm 10 inches diameter 150 ft. 1/2 7/2 links distant

Chain bearers Cyrus Thompson & Robert Taylor by agreement

James W. Spencer
Monroe County Surveyor



May 23rd A.D. 1864.

The following is the Survey made in Section No 4 Township No 8 north of Range No one East for Lankston Burnett John M. Armstrong & Jef Hendley. Corner planted at the eastern $\frac{1}{2}$ mile post of said Section and marked with the initials E. & M. S. 4.) witness Trees white oak, 12 inches diameter at 26 $\frac{1}{2}$ 20 links distant Black oak 4 inches diameter at 15 $\frac{1}{2}$ to 10 links distant.

length of the line from the Eastern $\frac{1}{2}$ mile post of Sec 4 to the center of said Section 157. poles 19 links

stone planted at center of Section No 4. and marked with the initials (C. S. 4) witness Trees Birch 36 inches diameter at 37 $\frac{1}{2}$ to 28 $\frac{1}{2}$ links distant Birch 15 inches diameter at 37 $\frac{1}{2}$ to 21 lks dist

+ Corner made and stone planted 78 poles 19 links west of the eastern $\frac{1}{2}$ mile post of Sec 4 and marked with the initials S. E. C. W. & N. E. $\frac{1}{4}$ S. 4. No witness Trees made

Corner made 80 poles or equidistant between the North $\frac{1}{2}$ mile post of Sec 4 and the North East Corner of the same Mulberry 8 inches diameter and corner

length of the line from the North East corner of the west $\frac{1}{2}$ of North East quarter of Section No 4 to the South East corner of said west $\frac{1}{2}$ of said North East quarter 160 poles.

Corner made at the North West corner of the North East $\frac{1}{4}$ of N E quarter Sec 4 stone planted and marked N. W. C. N. E. $\frac{1}{4}$ N. E. $\frac{1}{4}$ S. 4. No witness Trees made

chain bearers John M. Armstrong and Hugh Stephens sworn this 23rd day of May 1864

James H. Spencer
Monroe County Surveyor

Notice is hereby Given to John Mc Armstrong Jefferson
 Sunday Andrew Melder & Richard Stephens that I will
 Together with the county Surveyor of Monroe County Indiana pro-
 ceed to run relocate all the lines and corners necessary to be done
 in Section No 4 Township No 3 North of range No one East on
 the 23^d day of May 1864 and will continue from day to day until
 all shall be completed said survey to begin at 10 o'clock on said
 day and to meet at house of said Richard Stephens -
 this May 21st 1864. Lawston Burnett

I hereby certify that the foregoing notice is a true copy
 Given under my hand and Seal of office this May
 23^d 1864.

James H. Spencer
 Monroe County Surveyor

June 8th 1864

the following is the survey of a certain road in Salt Creek Township
 Monroe County Indiana commonly known and designated as the
 deer lick road see county commissioners records pages 70
 + Beginning at a point on the Dearbrough & Bows Mill road &
 near the house of Katharine McQueen running thence S 88° E 83.
 poles 14 links then S 17° E 13 poles 17 links then S 17° E 13 poles
 2 links then S 26½° E 14 poles 13 links then S 27½° E 12 poles 1
 link then S 25½° E 24 poles then South S 31° E 5 poles 12 links
 to the north bank or ~~left~~ margin of the Nashville fork of Salt
 Creek then S 87° E 4 poles across Salt Creek to the South Margin
 of said stream at low water side then N 72° E 5 poles 8 links
 then N 48½° E 4 poles then N 5° E 4 poles then N 59° E 4 poles
 then N 88½° E 4 poles then S 48° E 5 poles 10 links then S 78½° E
 5 poles then S 87° E 9 poles 12 links then S 57½° E 3 poles 5 links
 then S 85° E 64 poles 10 links then S 5½° E 13 poles 5 links then
 S 27½° E 6 poles 16 links then N 86° E 8 poles 14 links then N 76° E
 12 poles 10 links then N 82° E 12 poles 8 links then N 79° E 13 poles
 4 links then N 89½° E 22 poles 6 links then S 76° E 13 poles 12 links
 then S 75° E 12 poles 22 links then N 75° E 6 poles 18 links then S 75° E
 5 poles 12 links then N 75° E 12 poles then S 82° E 4 poles then
 N 65° E 4 poles 23 links then S 67° E 4 poles 19 links then S 73° E
 8 poles then N 77½° E 20 poles 20 links then N 75° E 54 poles
 23 links then N 81½° E 15 poles 4 links then N 79½° E 9 poles
 10 links then N 76½° E 13 poles 14 links then N 66½° E 9 poles

8 links then $N 73^{\circ} \frac{1}{2}^{\circ} W$ 10 poles 20 links then $N 82^{\circ} \frac{1}{2}^{\circ} W$ 15 poles 5 links intersecting the brownstown road. then with said road $N 85^{\circ} \frac{1}{2}^{\circ} W$ 10 poles then $N 84^{\circ} \frac{1}{2}^{\circ} W$ 5 poles 13 links to the sign board on the upper Saline road whole distance 607 poles 20 links

Abraham Bearss John Cillmore & Samuel Cillmore sworn by me this May 8th A.D. 1864

Abraham Chestnut marker & flagman sworn

James H. Spencer

Monroe County Surveyor

June 14th A.D. 1864

The following is the Survey courses and distances of a certain Township road situate in Townships No 7 B. 1. E & Township No 8 North of range one west. known and designated as Perry and Salt creek Townships in Monroe County Indiana and Beginning at a point on the west Margin of the road leading from Michael Champlers horse Mill to Fair Hatt Mills and at the North East corner of Joseph Champler lot of land Deeded to him by Adam Champler running thence $N 57^{\circ} W$ 10 poles 11 links then $N 35^{\circ} W$ 5 poles 22 links then $N 15^{\circ} W$ 13 poles 7 links then $N 21^{\circ} E$ 13 poles 7 links then $N 37^{\circ} W$ 18 poles 18 links then $N 41^{\circ} \frac{1}{2}^{\circ} W$ 17 poles then $N 34^{\circ} \frac{1}{2}^{\circ} W$ 13 poles 12 links $N 43^{\circ} \frac{1}{2}^{\circ} W$ 26 poles 10 links then $N 45^{\circ} W$ 5 poles 17 links then $S 87^{\circ} W$ 10 poles 22 links then $N 64^{\circ} W$ 5 poles 21 links then $N 41^{\circ} \frac{1}{2}^{\circ} W$ 6 poles 18 links then $N 10^{\circ} \frac{1}{2}^{\circ} W$ 8 poles 7 links then $N 33^{\circ} \frac{1}{2}^{\circ} W$ 8 poles then $N 81^{\circ} W$ 4 poles then $S 85^{\circ} W$ 48 poles then $S 56^{\circ} \frac{1}{2}^{\circ} W$ 7 poles 7 links then $S 86^{\circ} \frac{1}{2}^{\circ} W$ 14 poles 20 links then $N 48^{\circ} \frac{1}{2}^{\circ} W$ 6 poles 6 links then $N 1^{\circ} W$ 16 poles then $N 3^{\circ} E$ 25 poles then $N 7^{\circ} \frac{1}{2}^{\circ} W$ 8 poles then $N 28^{\circ} \frac{1}{2}^{\circ} W$ 26 poles then $N 18^{\circ} W$ 8 poles then $N 30^{\circ} W$ 26 poles 20 links then $N 71^{\circ} W$ 34 poles 15 links then $N 3^{\circ} W$ 28 poles 23 links then $N 38^{\circ} \frac{1}{2}^{\circ} W$ 8 poles to a white oak tree then $N 20^{\circ} \frac{1}{2}^{\circ} W$ 8 poles intersecting the Smithville road then with said road $N 18^{\circ} \frac{1}{2}^{\circ} W$ 20 poles then $N 18^{\circ} W$ 7 poles 10 links then $N 85^{\circ} W$ 7 poles then $N 49^{\circ} W$ 8 poles then $S 71^{\circ} W$ 12 poles 12 links then $N 61^{\circ} W$ 4 poles then $N 3^{\circ} \frac{1}{2}^{\circ} E$ 9 poles 13 links then $N 21^{\circ} W$ 13 poles 7 links then $N 24^{\circ} \frac{1}{2}^{\circ} W$ 22 poles 13 links then $S 86^{\circ} W$ 20 poles 23 links then $N 31^{\circ} \frac{1}{2}^{\circ} E$ 28 poles then $N 44^{\circ} \frac{1}{2}^{\circ} W$ 57 poles 15 links to Joseph Adams gate

then N 17° E 25 poles 5 links then N 30° E 35 poles 10 links then
 then N 66° E 21 poles 06 links then S 69° E 31 poles 5 links then
 N 78° E 11 poles 9 links then N 39° E 12 poles 16 links then
 N 85° E 51 poles then N 19° E 8 poles 16 links then N 78° E 85
 poles 4 links then S 86° E 46 poles then N 12° E 16 poles then
 N 78° E 26 poles 10 links then N 4° E 102 poles 20 links. Intersecting
 the County road leading from near John Maffitts to the County
 road running from Moors creek to Bloomington

+ Chain Bearers Joseph Adams & John Livingston sworn
 James Shields ^{flagman} sworn by me this June 14th 1864
 James W. Spencer
 Monroe County Surveyor

whole distance from the beginning point of said road
 to its terminus three miles one half and 22 poles & 4
 links.

Fees of Joseph Adams

for 3 days services	\$ 3.00
James Shields 3 days services	3.00
John Livingston 21 days services	1.00
Total	7.00

Fees County Surveyor.

To one day in locating	\$ 2.50
Making report of survey with field notes	50
attending court one day	1.25
Certificate of Survey	25
20 miles Travel	1.00
	\$ 5.50

James W. Spencer M. C. Surveyor

June 16th A.D. 1864.

ran the following lines and made the following corners for James Davis Jasper Coons and Doctor 4 Coons and David Davis corner made at the north west corner of section No 35 Township No 8 North of range No ~~Two~~ west Stone planted and marked with the letters and figures (N.W.C. 35 witness Live Beech 30 inches diameter S 12 1/2° E. 22 links distant length of the section line from the North west corner of section 35 to the N.E. corner of the same 320 poles 24 1/2 links. corner made at the North 1/2 mile post of said section 35 and Stone planted and marked with the letters & figures N. 1/2 M. S. 35 witness Live Beech 24 inches diameter S 26° E 37 1/2 links distant

Moses Worley & Thomas Rush Chain Bearers. Sworn Eli. May. Flag Bearer & Sworn by me this June 16th 1864.

James W. Spencer
Monroe County Surveyor

Notice is hereby given to Allen Coons Jasper Coons and to all others interested that I will together with the County Surveyor of Monroe County Indiana proceed to run relocate and establish all the lines and corners necessary to be done in Section No 35 Township No 8 North of range No 2 west. and will continue from day to day untill all be completed said survey to begin at 1 o'clock P.M. on the 16th day of June 1864 and to meet at the house of James Davis on said day. this June 4th 1864.

the above notice was returned with signed James Davis.
the following indorsement signed
by Reading on the 4th June 1864

I hereby certify that the foregoing notice and return and indorsement is correct given under my hand and seal of office this June 16th day 1864

James W. Spencer
Monroe County Surveyor

June 17th A D 1864

ran for David Davis and others the following lines in Section No 35 Township No 8 North of Range No 2 West began at the center of said Section No 35 then South on the line running from the center of Section 35 to the Southern 1/2 mile post of the same 135 poles & 15 links planted a stone marked with the letters S W C, with a Live Mulberry 10 inches diameter N $33\frac{1}{2}^{\circ}$ E 66 1/2 links distant then N $70\frac{1}{2}^{\circ}$ E 124 poles to a beech marked with nine hacks, and South East corner to the tract of land now owned, and occupied by David Davis and also North East corner of the lands of John P May Deceased.

+ Samuel Turner and Moses Thrasher chain bearers sworn by me this June 17th 1864.

The above Survey made by the agreement of the parties interested

James W Spencer
Monroe County Surveyor

June 17th A D 1864.

ran the following line for Gasper Woods Samuel Turner and Doctor H Woods began at the Southern 1/2 mile post of Section No 26 Township No 8 North of Range 2 West with a corner made and stone planted and marked with the letters and figured N $1/2$ M S 35 with a Live Beech 24 inches diameter S 26° E 37 1/2 links distant then North 164 poles to a stone planted at the center of said Section No 26. by J S Bushick County Surveyor

James Davis, and Michael Thrasher chain bearers sworn by me this June 17th 1864

The above Survey was done by the agreement of the above named parties

James W Spencer
Monroe County Surveyor

June 27th A D 1864.

Now the following lot of land for John Stipp & Situate in the North west quarter of Section No 29 Township No 7 North of Range No one west & Beginning at a stone standing 35 poles $11\frac{1}{2}$ links South of the North $\frac{1}{2}$ mile post of said Section No 29, then South $17\frac{1}{2}$ poles to a stone then west 13 poles to a stone then North $27\frac{1}{2}$ poles to a stone witness Lee Birch 18 inches diameter $24\frac{1}{2}$ links distant then with the meanderings of the high water mark of Clearcreek to the beginning containing one acre 3 quarters & 27 poles

Chain bearers Chesley, Hainey & Jesse T Hainey sworn by me this June 27th 1864.

James Tralpenier M.C.S

Notice is hereby given to Joseph Chambers & Alexander Chambers that I will together with the County Surveyor of Monroe County Indiana proceed on the 27th day of June 1864 to Survey a certain lot of land Situate in the North west quarter of Section No 29 Township No 7 North of Range No one west said lot of land heretofore sold and conveyed by one William Holmes to Jacob Graybill and conveyed by said Graybill to Michael Heckard & conveyed by said Heckard to Alexander Southland & conveyed by the said ^{Alexander} Southland to Joseph Chambers and will continue from day to day untill all shall be completed and to meet at the house of Joseph Chambers on said lot at 4 o'clock P.M. on said day

this June 15th A D 1864.

Signed John Stipp.

the following are the Indorsements on the back of said Notice Served on Joseph Chambers & Alexander Chambers this June 16th 1864

J. D. Wmney.

I hereby certify the above notice & Indorsement of return to be a correct copy of the original returned to me by J D Wmney on the 27th day of June 1864

James Tralpenier M.C.S


June 28th A.D. 1864

ran the following lot of land for ~~the~~ Jessy S. Hainey
and John Stiepp. Situate in the north west quarter of
Section No 29 Township No 7 north of range No one west
Beginning 52 1/2 poles South of the Northern 1/2 mile post of
Said Section No 29 it being the South East corner of Joseph
Chambers lot at a stone, then South 4 1/2 degrees East 17
poles to a stone witness Tree Beech 20 inches diameter 17 1/2
+ 7 1/2 links dist then west 13 poles to a stone then North 17
poles to a stone the South west corner to Joseph Chambers
lot then East 13 poles to the place of beginning containing
one acre one quarter & 21 poles

Chain bearers. Jessy S. Hainey and Wesley Carr.
Sworn by me this June 28th A.D. 1864

James W. Spencer
Housatonic County Surveyor

North

June 28th A.D. 1864.

Have the following described lots for George Slipp known & designated as Slipp's additions to the Town of Harrodsburg Monroe County Indiana said lots or divisions situate in the North West quarter of Section No 29 Township No Seven North of Range No one West. Lot No one as marked on the map is one hundred & fifty feet East and West and North and South $60\frac{3}{4}$ feet

lot No 2. is 150 feet East and West by $60\frac{3}{4}$ feet North & South

lot No 3. is 150 feet East & West by $60\frac{3}{4}$ feet North and South

lot No 4. " 150 " " & West by $60\frac{3}{4}$ feet " " South

lot No 5. is 150 feet East and West by 58 feet 2 inches North & South

lot No 6. " 174 $\frac{1}{2}$ feet North & South by 75 feet East and West

lot No 7. 174 $\frac{1}{2}$ feet North & South by 75 feet East and West.

lot No 8. is ~~232~~ 232 feet 8 inches North and South by 389 feet 4 inches East and West, and contains $2\frac{1}{7}$ acres.

lot No one contains $7\frac{1}{12}\frac{1}{2}$ feet

lot No 2. " " $7\frac{1}{12}\frac{1}{2}$ feet

lot No 3. " " $7\frac{1}{12}\frac{1}{2}$ feet

lot No 4 contains $7\frac{1}{12}\frac{1}{2}$ feet

lot No 5 contains 8.725 feet

lot No 6. contains 13.087½ feet

lot No 7. contains 13.087½ feet

lot No " 8 contains 90.616½ feet or 2 Two acres and one
Seventh of an acre.

AB one acre contains when reduced to feet 43.566⅞ feet
or 160. poles.

all the alleys as marked on the foregoing plat are 15 feet wide
the street as marked on the plat is fifty feet wide.
The street running on the South side of said plat or lots is
40. feet wide

chain bearers. Jessy T Hainey & Wesley Carr sworn by
me this June 28th A.D. 1864.

James W Spence
Monroe County Surveyor

July 25th A.D. 1864.

The following is the Survey of a certain road in Salt Creek Township Monroe County Indiana Beginning at a point in the upper Salina Road Two chains & 36 links South of David Hays South East corner to his land Situate in Section no 18 Township No 8 North of Range No one East running thence S $5\frac{1}{2}^{\circ}$ E 32 poles then S 58° E 19 poles then S 25° E 28 poles then S 26° E 56 poles 17 links then S 18° W 28 poles then S 7° W 20 poles then S 17° W 8 poles then S 42° W 40 poles 23 links then S 26° W 21 poles then S 3° W 24 poles then S 12° E 16 poles then S 35° E 20 poles then S 4° W 14 poles 5 links then S 57° W 22 poles then S 70° W 8 poles ~~22~~ ^{then} 18 links then S 35° W 7 poles 16 links then S 8° W 8 poles 17 links then S 1° W 10 poles 21 links then S 26° W 8 poles 9 links then S 42° W 10.16^{ch} then S 45° W 13 poles 20 links then S 17° W 7 poles 16 links then S 35° E 13 poles 17 links then S 19° E 25 poles 7 links then S 11° W 10 poles 9 links then S 30° W 7 poles 13 links S 57° W 20 poles 13 links then S 55° W 26 poles 18 links then S 55° W 12 poles then S 89° W 28 poles then S 68° W 13 poles 5 links then S 45° W 13 poles 15 links then S 38° W 12 poles then S 63° W 12 poles then S 77° W 3 poles 15 links then S 32° W 16 poles 18 links then S 1° W 20 poles then S 35° W 20 poles then S 45° W 19 poles then S 59° W 20 poles Intersecting the county road leading from Bloomington to Roules Mill Near the South West corner of Section No Nineteen Township No 8 North of Range No one East Whole distance from the place of Beginning to the final Termination of said road is 728 poles & 2 links or 2 miles one quarter 8 poles & 2 links Chain Bearers Caloway C. Stifford and James Gleason Sworn by me this July 25th A.D. 1864

John Armstrong ~~Star~~ Assessor
James Ellis ~~Blagman~~ Sworn by me this July
25th A.D. 1864

James W. Spencer
Monroe County Surveyor

fees of Surveyor	
To one day in locating	2.50
Attending Court one day	1.25
Making out report with field notes	50
Certificate of Survey	25
16 miles Travel	80
	<u>\$ 5.30</u>

Commissioners Fees.

John Armstrongs Fees.

To one day in procuring Surveys	\$ 1.00
To one day Reviewing	1.00
one day as Assessor	1.00
one day attending Court & reporting	1.00
	<u>4.00</u>

James Hlenois Fees

To one day in locating road	1.00
To one day in chain carrying	1.00
	<u>2.00</u>

Caloway & Meffords Fees.

To one day in locating	1.00
To one day as chairman	1.00
one day attending Court	1.00
	<u>3.00</u>

James Ellis Fees.

To one day as flagman	1.00
-----------------------	------

I hereby certify the foregoing Survey of road & field Notes & Services of Commissioners & Assessor to be correct and True Given under my hand and Seal of office this July 25th A.D. 1864.

James W. Spencer
Monroe County Surveyor

Sept 12th A D 1864

have the following line in Section No 35. T 8 R. 2. West
for David Davis & Jacob B Lowe agent of Robert
Taylor & others Beginning at the center of Section
No 35 then North to the Northern half mile post of the
same witnessed Stone planted at the North $\frac{1}{2}$ mile marked
with the initials & figures N $\frac{1}{2}$ M. S 35 length of the line from
said center to said North $\frac{1}{2}$ mile 160 poles 9 links

+ witness Tree made at the North $\frac{1}{2}$ mile of Sec 35
Beech 24 inches diameter S 26° E 37 $\frac{1}{2}$ links distant

James Davis & Samuel Turner chain Bearers sworn
by me this Sept 12th 1864

James H. Spencer
Monroe County Surveyor

Notice

Is hereby given to Jacob B Lowe agent for Robert
Taylor & others, for the North East quarter of Section
No 35 Township No. Eight North of Range No Two West,
that I will together with the county Surveyor of Monroe
County Indiana proceed to establish the line & corners
beginning at the center of said Section No 35. then run
to the Northern $\frac{1}{2}$ mile post of said Section on the 12th
day of September 1864. and to continue from day to day
until said survey is completed said survey to begin
at 4 o'clock on said day & to meet at the center of
said Section Sept 12th A D 1864.

James H. Spencer M.C.S.

I hereby certify that the foregoing Notice is a
True copy of the original Given under my hand &
Seal of office this Sept 12th A D 1864

James H. Spencer M.C.S.

Sept 13th A.D. 1864

Ran the following line in Sections No 26 & 35 in Township No 8 north of range No 2, west Beginning at the North East corner of Section No 35 & South East corner of Section No 26. running west 160 poles 23 links to the North $\frac{1}{2}$ mile post of said Section No 35 witness One Birch 24 inches diameter S 26° E $37\frac{1}{2}$ links distant length of the line from the East $\frac{1}{2}$ mile of Sec 35 to the West East corner 160 poles & 9 links.

the above Survey made for Samuel Turner & Jacob Lowe agent for Robert Taylor & others

Chain Bearers James Davis & David Davis sworn by me this Sept 13th A.D. 1864

James H. Spencer M.C.S.

Sept 14th A.D. 1864

Ran the following lot of land for Samuel Turner Situate in Section No 26 Township No 8 north of range 2, west Beginning at the North West corner of the South East quarter of said Section No 26. at a stone planted which stands at the center of Section 26. running thence S $8\frac{1}{2}^{\circ}$ E 31 poles 14 links to a stone witness Live Mulberry 4 inches diameter N 41° E $15\frac{1}{2}$ links distant Sugar 18 inches diameter S $46\frac{1}{2}^{\circ}$ E $71\frac{1}{3}$ links distant thence N 78° E 33 poles 15 links to a stone witness Live Black walnut 6 inches diameter N $67\frac{1}{2}^{\circ}$ E 30 links distant thence N 34° W 27 poles 15 links to a stone witness Live White oak 24 inches diameter N $80\frac{1}{2}^{\circ}$ W $43\frac{1}{2}$ links distant thence S 85° W 17 poles 17 links to the Beginning containing (five acres)

James C. Shryver & Joseph East chain bearers sworn by me this Sept 14th 1864.

Doctor F. Coons was present & consenting to said Survey & participating

James H. Spencer M.C.S.

Sept 14th A.D. 1864.

ran for John B. Shipman the following lot of land situate in the South East quarter of Section No 26 Township No 8 north of range No Two west Beginning ^{at a stone standing} at 19 poles & 17 links East of the North west corner of South East quarter of said Section 26 witness Live white Oak 24 inches diameter $N 80^{\circ} E \frac{1}{2}$ to $43 \frac{1}{2}$ links distant running thence $S 35^{\circ} E$ 27 poles 15 links to a stone witness Live Black Walnut 6 inches diameter $N 65^{\circ} E$ 30 links dist thence $N 55^{\circ} E$ to 24 poles 6 links to a stone standing in open ground thence $S 88^{\circ} E$ to 13 poles 4 links to the beginning containing One acre

Lewis G. Shryver & Joseph East chain bearers sworn by me this September 14th 1864.

Doctor F. Morris was present & assisting & participating in the foregoing survey.

James H. Spencer M.C.S.

November 30th A.D. 1864.

Ran the following lot of land off the west side of the North East quarter of Section 34 Township 8 North of range one East for Samuel Butcher. Beginning at the center of said Section 34 at a stone Planted & marked with the initials (C.S. 34) witness Live Birch 8 inches diameter $S 34^{\circ} E$ to $17 \frac{1}{4}$ links dist Birch 10 inches diameter $N 57^{\circ} E$ to $85 \frac{1}{2}$ links dist thence North 160 poles to a stone standing at the North $\frac{1}{2}$ mile post of said Section 34 & marked (N $\frac{1}{2}$ M. S. 34.) witness Live Birch 15 inches diameter $S 82^{\circ} E$ to $17 \frac{1}{2}$ links distant Swamp Ash, 3 inches diameter $S 49^{\circ} E$ 14 links distant thence East 60 poles to a stone marked (N.E.C. of 60 A) witness Live Black Walnut 2 inches diameter $S 27^{\circ} E$ to $11 \frac{1}{2}$ links distant Blue Ash 18 inch diam $N 36^{\circ} E$ 34 links distant thence South 160 poles to a stone marked (S.E.C. of 60 A) witness Live Sycamore 8 inches diameter $N 24^{\circ} E$ to $36 \frac{1}{2}$ links distant Maple 20 inches diameter $S 50^{\circ} E$ to 20 links distant thence West 60 poles to the beginning containing 60 acres.

Chain Bearers Solomon Carter & John Lucas sworn

Nov 30th 1864.

James H. Spencer M.C. Surveyor

Length of the line from A to B to A.C. 60 & 22 poles

Length of the line from center to East $\frac{1}{2}$ mile 157 poles $7 \frac{1}{2}$ links

Lot No 1

December 20th A.D. 1864

Ran the following lot of land for Henry Chitwood & John Armstrong (Jr) in Section No 3 Township Eight Beginning 21 poles & links on the Section line South of the north west corner of said Section running then South 62 poles & links to an red Elm 8 inches in diameter marked with 12 hacks then East 16 poles to a stake witness Trees Beech 18 inches diameter + N 22° E 7. links distant White Oak 20 inches diameter S 47° W 17 1/2 links dist then North West to the Beginning containing 3 acres & 16. poles

John Armstrong and Crute Lamphius chain Bearers by conduct of parties

James H. Spencer
M. C. Surveyor.

it snowed on the 20th Dec 1864.

Lot No 2

December 20th A.D. 1864

Ran the following lot of land for John M. Armstrong and Henry Chitwood in Section No 3 T 8 R. 1. East Began at the N W corner of said Section then East 40 poles to a stake then South 13 poles to a stake then S 71° W 40 poles to a stake standing in the old Columbus road then North 21 poles & 8 links to the beginning Content 4 acres 1 quarter & 6 poles

John M. Armstrong & Crute Lamphius by conduct of parties.

James H. Spencer
M. C. Surveyor

(Lat no 3)

December 20th A.D. 1864.

Run the following lot of land in Section 3 T8 R1. E
for John Armstrong & Henry Chitwood. Beginning 46 poles
and 24 links east of the S.W. cor of the A.T. ~~go~~ one fourth
of the North west quarter of Sec 3. T8 R1. E witness
Syc Beech 24 inches diam N 57 1/2° E 31 links dist poplar
8 inches diameter S 37 1/2° E 12 lbs dist then North west to
the South East corner of lot No 2 then S 71° E 40 poles
to a stone then S E 62 poles ² links to the beginning Content
12 acres.

Henry Chitwood & John M. Armstrong chain Bearers.

James H. Spencer
M. C. Surveysor.

December 21st A.D. 1864.

Run the North and South line of Section 34. T9 R1. E
for Lewis Mosier & Sally Romans. Beginning at the
South 1/2 mile post of said Section then North to the
317 poles 3 links to the Northern 1/2 mile post of said
Section Corner made at the center of said Section
witness Syc Sycamore 36 inches diameter S 20° E 77 lbs
distant Elm 12 inches diam S 65° E 57 1/2 lbs distant
Grate Lamkins & Henry Chitwood chain
bearers by consent of parties

James H. Spencer
M. C. Surveysor.

February 13th A.D. 1865

ran the following line & made the following corner
in section no 35 Township No 8 North of range two
~~west~~ ^{length} for Jacob B. Lowe agent for Robert Taylor and
others length of the line from the center of said section
no 35. to the eastern half mile post of the same 160 poles
17. links. corner established at the East $\frac{1}{2}$ mile post
planted & marked with the initials (E $\frac{1}{2}$ M. S 35) witness
Lee Sugar 20 inches diameter N 41° E 57. links distant
+ Casper Coons. Samuel Turner & James H. Chambers
Chain Bearers. Sworn by me this Feb 13th 1865.

James W. Spencer
Monroe County Surveyor.

Notice is hereby given to David Davis. that I will
together with the county Surveyor of Monroe County Indiana
proceed on the 13th day of February 1865 to run relocate and
establish the line and corner at the center of section no 35
Township no 8 North of range no 2. west & to run the line
from said center to the eastern $\frac{1}{2}$ mile post & also to
establish the eastern $\frac{1}{2}$ mile post of said section and to
meet at the eastern $\frac{1}{2}$ mile post of the same at 3 o'clock
P.M. on said day and to continue from day to day until
all shall be completed
this January 31st 1865

Jacob B. Lowe agent
for Robert Taylor & others

I hereby certify that the foregoing notice is correct given
under my hand & seal this February 14th A.D. 1865
James W. Spencer
Monroe County Surveyor

February 20th A D 1865

Run the following lot of land in Section No 24 Township No 10 North of Range No one west for David Russ & others. Beginning at the easter half mile post of said Section marked with the initials (E 1/2 M.S. 24) witness Lees Elm 10 inches diameter A 71^{ft} to 25 links distant Elm 24 inches diameter S 36° E 43 links distant then west 100 poles to a stone marked N.W.C. 50. a. or acres witness Lees Beech 12 inches diameter A 55^{ft} to 6 links distant thence South 79. poles & 3 links to a stone marked S.W.C. 50. a. or acres witness Lees Beech 20 inches diameter S 22° to 23 lks distant Beech A 49° E 30 links distant then East 100 poles to a stone thence South with the meridian or Section line 80 poles 10 1/4 links to the Beginning containing 50 acres.

Stephen Dallas McCoy & William Smith chain Bearers selected by the Parties & by me sworn, this Feb 20th 1865

James H. Spencer
Monroe County Surveyor.

Notice is hereby given to Joseph Campbell Joseph Frost Charles Burr & Nancy Gallaspy that I will together with the County Surveyor of Monroe County Indiana proceed on Monday the 20th day of February 1865 to run relocate & establish all the lines and corners necessary to be done in Section No 24 Township No 10 North of Range one west and to continue from day to day untill all shall be completed & to meet at the house or residence of David Russ residing on said Section at one O'clock P.M. on the said 20th day of Feb 1865

Signed. David Russ.

I hereby certify the foregoing notice of Survey to be a true copy given under my hand & Seal of office this February 21st 1865

James H. Spencer
Monroe County Surveyor

February 14th A.D. 1865-

Established for Benjamin Owens the South west Corner Section No 18 Township No 9 north of range No one west Stone planted & witness trees White oak 36 inches diameter N 27° E 67 links distant Gum 16 inches diameter S 33° E 89 links distant

James Woodburn Sept Sur

February 14th A.D. 1865-

Established for Alfred Donstow & Daniel Stout for the North west corner of South half of North west quarter of Section No 17 Township No 9 north of range No one west Stone planted and witness trees Black Oak 8 inches diameter N 40° E 31 1/2 links distant Hickory 9 inches diameter S 41° E 60 links distant North East corner of the same Beech 14 inches diameter N 38° W 32 links distant

James Woodburn Sept Sur

March 2 A.D. 1865.

Ran the following line & made the following corners for
George Ketcham agent for
In Section Seven Township No 7 North of range one most New
corner made at the North west corner of said Section stone planted
witness Lices made Sycamore 30 inches diameter N $2\frac{1}{2}^{\circ}$ E $37\frac{1}{2}$ links
distant Sycamore 50 inches diameter S $75\frac{1}{2}^{\circ}$ W. 38 links distant

length of the line from the North west corner of Section No 7
to the South west corner of the same 322 poles & 6 links

corner made and established at the western $\frac{1}{2}$ mile post
of said Section No 7. & stone planted witness Lice Hickory 36 inches
diameter S $13\frac{1}{2}^{\circ}$ E. $21\frac{1}{2}$ links distant

length of the line east and west through the center of said
Section No 7. S 7° R 1 west 335. poles 3 links Departure 31 links

See united states field notes for Eastern $\frac{1}{2}$ mile corner of Section
No 7. Solomon Bosoff & S. C. & W. Butcher chain Bearers & sworn
by me this 2 day of March A.D. 1865.

James H. Spencer
Monroe County Surveyor

March 27th A.D. 1865

Ran the following lines and made the following corners
In Section nine in Township No 10 North of range one west
length of the line from the South east corner of said section
to the South $\frac{1}{2}$ mile post of the same 161. poles 13 $\frac{1}{2}$ links
corner made equidistant between the S.E. cor & South $\frac{1}{2}$
mile post of said section witness Trees poplar 30 inches diam
N 85° W 7 $\frac{1}{4}$ links dist Black Oak 3 inches diam S 86° E
8 $\frac{1}{2}$ links distant then N 5° W 80 poles to a stake witness
Trees Beech 2 inches diameter N 75° W 3 $\frac{1}{2}$ links distant
Poplar 30 inches diameter N 9° E 10 links distant the above
Survey made for the benefit of William Denney & James
Logan Canada

Chain bearers James L Canada & William Denney
by mutual consent

James H. Spencer Notary
County Surveyor.

April 24th A.D. 1865

ran the following lines and made the following corners
in Section No 18 "Sg. B. 1. E. for Robert Alexander Silas Thompson
and William Alexander

length of the line from center of Section 18 to South $\frac{1}{2}$ mile
post of the same 163. poles 15 $\frac{1}{2}$ links.

corner of made at South $\frac{1}{2}$ post & stone planted & marked
with the initials S. J. M. S 18 & N. J. M. S 19 witness Three united
states field notes

length of the line from the N. E. cor. Sec. 19. Sg. B. 1. E. to Eastern $\frac{1}{2}$
mile post of the same 161. poles 83. ^{links} half 80 poles 16 links
corner made 80 poles 14 links. north of N. E. cor. of Sec 19.
stone planted & marked with the initials. S. E. E. N. J. N. E. S 19.
witness Tree Birch 15 inches diameter N. J. E. 26 $\frac{1}{2}$ links distant
white oak 4. inches diameter N. J. O. P. 15 $\frac{1}{2}$ links distant

length of the line from the North $\frac{1}{2}$ mile post of Sec 19. to
the center of said Section 19. 156. poles 17 links. half 78.
poles 9 $\frac{1}{2}$ links.

corner made at the S. W. corner of the North $\frac{1}{2}$ of Section
No 19. & stone planted & marked with the initials. W. A. S. W. N. J.
S. 19. on the north side & on the south side P. D. witness Trees.
White Oak 4. inches diameter S. J. 48 $\frac{1}{2}$ links distant Black
walnut 4 inches diameter N. J. 37 $\frac{1}{2}$ links distant

length of the line from the South west corner of North $\frac{1}{2}$ of Section
No 19. Sg. B. 1. E. to South East corner of the same 161. poles 14 links

also ran the line Beginning at a stone standing on the second
principal Meridian. poles 4 $\frac{1}{2}$ links. South of the North west
corner of Sec 19 Thence North 85° E 52 poles 20 $\frac{1}{2}$ links Thence
N 71° E

To the South west corner of Graham's
raderre

Silas J Thompson & James Alexander Chain Bearers.
by consent of Parties this April 24th A.D. 1865

James W. Spencer
Monroe County Surveyor

May 6th A.D. 1865

Ran the following line and made the following corners in Section No 29 Township No 8 north of range No one west for Hugh Campbell Samuel Smith Armilda Nicholds, Robert Marshall, Beginning at a stone standing at the west half mile post of said section No 29 & marked with the initials W.P. H.C. S. 29. H.C. said stone ^{standing} in open ground then ^{no witness} ^{lies made in consequence} ^{with the} section line 138. poles & 14 links to a stone marked with the initials H.C. S. 29. witness tree Sugar 18 inches diameter 310 ft 5 links distant ^{with the section line} then N 8° E 22. poles & 6 links to a stone at the North west corner of said section No 29 & marked with the initials N.W.C. S. 29 H.C. In united states witness tree 24 inches diameter S 21° W 54 links distant

Chain bearers, Thomas Mather & John S.

Reynolds sworn by me this 6th of May A.D. 1865

The initials H.C. stand for

Hugh Campbell.

James H. Spencer

Monroe County Surveyor

Notice is hereby given to Robert Marshall Samuel A. Smith and Armilda Nicholds, that I will together with the County Surveyor of Monroe County Indiana proceed on the 6th day of May 1865 to Establish the line running from the western 1/2 mile post of section No 29 Township No 8 north of range No one west to the North west corner of said section No 29 & also to perpetuate all the corners standing in said line being three in number and will continue from day to day until all shall be completed said survey to begin at eight o'clock on said 6th day of May 1865, and to meet at the residence of Hugh Campbell on said premises and on said day & at said hour this April 24th 1865

The said Marshall & Smith were present

Hugh Campbell

at survey, the parties all being present said survey was begun at 8 o'clock on said day

I Hugh Campbell, hereby certify

that I did serve the foregoing notice on the above named parties on the 23rd day of April 1865

Hugh Campbell

I hereby certify that the foregoing notice & certificate of service is a true copy as returned to me by Hugh Campbell on the 6th day of May 1865 Given under my hand and seal of office this 6th day of May A.D. 1865

James H. Spencer

Monroe County Surveyor

Oct 2^d A D. 1865

have the following lot of land ^{in Monroe County Indiana} situated in Section No 9 Township No 7 North of Range No One East ^{for Berry Campbell} Beginning 26 poles north of the ^{South line} west half of the North East quarter of said Section Town and range running thence N 57° E 77 poles & 7 links to a stake thence N 37° E 16 poles & 10 links thence N 40° E 22 poles & 4 links thence N 19° E 20 poles thence N 23° E 16 poles 11 links thence N 85° E 77 poles 11 links thence S 33° E 28 poles thence S 38° E 20 poles thence S 22° E 30 poles 13 links thence S 2° E 4 poles thence S 31° E 6 poles thence S 7° E 4 poles thence S 50° E 8 poles thence S 25° E 16 poles thence S 87° E 4 poles thence S 1° E 4 poles thence S 32° E 16 poles thence S 77° E 6 poles 16 links thence S 10° E 5 poles 9 links thence S 68° E 18 poles thence S 37° E 4 poles thence N 76° E 4 poles thence S 56° E 10 poles 17 links to the place of Beginning containing in said Boundary Fifty one acres and 26 poles

Michael Hlemer & Martin Brock Chain Bearers.
Sworn by me this October 2^d A D 1865.

James H. Spencer
Monroe County Surveyor.

October 23rd A.D. 1865

have the following line and perpetuated the following corners for Charles Irwin Hugh Humphries heirs Maddon Irwin John Anderson Benjamin Rogers Rufus Coatsy Alva and Givins & Robert Hask in Township No 8 North of range No one west Beginning ^{at a stone} in the section line standing at the South west corner of the east 1/2 of the South west quarter of Section No 15 Township No 8 North of range one west and marked with the initials S.W.E. 1/2 S.W. 1/4 S. 15 witnesses Lree Sycamore 4 inches diameter N 87° E 105 links distant running thence with the section line 160 poles 21 links to a stone marked with the initials S.E. 1/2 S.W. 1/4 S. 15. witnesses Lree Black walnut 12 inches diameter S 74 1/2° N. 104 links distant

then with the section line 80 poles 21 links to a stone standing at the South east corner of Section 15 & South west corner of Section 14 & marked with the initials S.E. 1/2 S.W. 1/4 S. 15. witnesses Lree Beech 30 inches diameter S 70° E 60 links distant Sugar 18 inches diameter N 10° E 74 links distant thence with the section line East 159 poles 13 links to a stone standing at the South 1/2 mile corner of Section 14 and marked with the initials S 1/2 N.E. S. 14. no witnesses Lrees made in consequence of said stone standing in open ground.

Chain Bearers Rufus Coatsy & Robert Hask sworn by James W. Spencer
 Me this October 23rd A.D. 1865. Monroe County Surveyor

The above survey set aside, see page 129

Notice of Survey

Notice is hereby given to Charles Irwin J. M. Irwin
 Hugh Humphills. Deeds John Anderson Benjamin
 Rogers. Rufus Coatsworth Alexander Girvin & Robert
 Lash that I will together with the County Surveyor
 of Monroe County Indiana proceed on the 25th day of
 October 1865 to establish the line & perpetuate all the
 lines corners standing in the line beginning at the
 South West corner of the East 1/2 of the South West
 quarter of Section 15, Township No 8 North of Range
 No one west and running East to the corner inclusive
 of Sections No 13, 14, 23, & 24, same Township & Range and
 will continue from day to day until all shall
 be completed and to meet at Charles Irwin Mill
 at 11 o'clock on said day. This Oct 10th A.D. 1865

James W. Spencer M.C.S.

I hereby certify that I did serve the within Notice of Survey
 on the within named parties by reading the same in their
 hearing. this 13th day of October 1865.

The foregoing certificate of service B. H. Rogers.
 was endorsed on the back of the
 original Notice as return to me

James W. Spencer M.C.S.

I hereby certify that the foregoing ~~Notice~~ Notice of Survey
 & the endorsement thereon is a true copy as returned to
 me by B. H. Rogers on the 1st day of October A.D. 1865
 Given under my hand and Seal of office this 10th day
 of October A.D. 1865

James W. Spencer M.C.S.



Set aside - See page 129

November 13th A D 1865

Ran the following lot of land for Lewis Sprigg & William Alexander Sitvale in the South west & North west quarters of Section No 18 Township No 9 North of Range No One East Beginning at the Southern 1/2 mile post of Section No 18 then N 85° E 40 poles 22 1/2 links to a stone withup Live Beech 8 inches diameter A 5° N 1/2 link distant Beech 12 inches diameter S 34° E 1/2 best then S 85° E 156 poles 15 links to a stake standing in the E principal Meridian then S 5° E 40 poles 22 1/2 links to a stone then N 85° E 52 poles 20 1/2 links to a stake then A 71° E to the South east corner of the west half of the South west quarter of Section No 18 then A 85° E with the section line 80 poles to the beginning containing forty acres

Witness hands, William Alexander & Lewis Sprigg by agreement this November 13th A D 1865

James H. Spencer
Abbeville County Surveyor

John Mc Ervin et al. Vs. Benjamin Rogers et al.

At a session of the Circuit Court of the County of Monroe in the State of Indiana continued and held at the court house in Bloomington to wit on the 7th day of May 1866 the following proceedings were had to wit

John Mc Ervin et al

Vs

Benjamin Rogers et al

Appeal from Survey

Come now the plaintiffs by their attorneys Louden & McCoy come also the defendants by Buskirk and Broadwell their attorneys and this cause is now submitted to court for trial without intervention of a jury.

The evidence being introduced, and due deliberation had there on, it is adjudged by the court that the Survey made on the 25th day of October 1865 by James M. Spencer County Surveyor of Monroe County Indiana, dividing the lands of Charles Ervin John Mc Ervin, Hugh Hemphills heirs, Alexander Given and Robert Hask, from the lands of Benjamin Rogers, Rufus Coats and John Anderson, in Township No. 8 North Range one West in Monroe County Indiana, is illegal and void for the reason that there was no legal notice of said Survey given to the parties interested.

It is therefore by the court that said Survey be set aside and that the plaintiffs recover of the defendants their costs herein, laid out and expended. And it is further ordered by the court that the clerk send a transcript of the Record of this court to the County Surveyor of Monroe County to be entered as a matter of record by said County Surveyor.

State of Indiana }
County of Monroe S.S. }

George Sheeks

Clerk of the Monroe Circuit Court Certify that the foregoing is true, and full transcript of the order and decree of said Court in the cause therein mentioned as appears of Record in my Office.

Witness my hand and the Seal,
of said Court this 17th day July 1866.
George Sheeks Clerk

John Crane & Others

Run the following lines for John Crane
 Beginning 51 p 6 L West of the South East corner of Section
 (7) Seven Town (7) Seven Range two West, running thence $N 23 \frac{1}{2} W$
 20 p 18 $\frac{1}{2}$ L. thence $N 5 \frac{1}{2} W$ 47 p 24 L to a stake, thence $S 87 W$ 164 p
 to a sand stone, witnessed by a sand stone marked W $N 73 E$ 50 links
 distant, also a Sugar 18 in diameter $S 79 E$ 54 $\frac{1}{2}$ links distant, thence
 $S 6 E$ 70 p 18 $\frac{1}{2}$ links to a stone witnessed by a Sugar 10 inches in
 diameter $S 19 E$ 37 links distant, Gum 30 inches in diameter $S 51 W$
 40 $\frac{1}{2}$ links distant, Thence $N 55 E$ 169 p 3 $\frac{1}{2}$ links to the place of beginning
 containing seventy two acres 11 square poles more or less
 May, 1865

W. S. Alexander
 M. C. S.

Burskirk and Able



Run the following lines
 and established the following
 corners for Martha Able in
 Town ten Section four North
 of Range two West

Beginning at A and
 running 164 East to the section
 line to the half mile stone
 Thence South 42 poles to C
 thence West 164 poles to B
 thence North 42 poles to A
 the place of beginning

Run the following lines for
 Riley Burskirk in Section

four Town ten North of Range two West, Beginning at
 B and running East 164 poles to C, thence South 40 poles
 to D, thence West 164 poles to E, thence North 40 poles
 to B the place

- April 5/67
- A Spanish Oak 18 $N 60 W$ 75 Links
 - Witness Stone $S 68 E$ 10
 - B White Walnut 10 $S 87 \frac{1}{2} W$ 46 $\frac{1}{2}$
 - Witness Stone $N 67 E$ 10 $\frac{1}{2}$
 - C Beech 6 $S 26 \frac{1}{2} W$ 71 $\frac{1}{2}$
 - Witness Stone $N 44 W$ 10
 - D White Oak 25 $N 20 E$ 60
 - Witness Stone $S 3 E$ 10
 - E White Oak $S 80 E$ 61
 - Beech 10 $S 65 \frac{1}{2} W$ 54 $\frac{1}{2}$

Chain Bearers
 Rufus C. Goble
 arkin Sullivan
 Sworn

W. S. Alexander
 M. C. S.

Ben F Adams & Others



Nov 21st 1860.

Ran the following lines for Ben F Adams and others in Township (7) Section Seven, Range two West Beginning at the North West corner of said Section Running East 125 poles 10 1/2 links to the half mile Stake, thence East 160 p 23 links to the North East corner of the section

Thence South 321 poles 10 links to the corner of the section, thence West 160 p 11 1/2 links to B, thence 122 p 12 links to A a corner

A Oak 4 N 9 E 60

B W Oak 10 S 31 W 30

C Beech 12 N 61 E 17 7/8

E Stone N 3 W 7

D Sycamore 3 S 64 E 19

F Stone corner

Witness tree Beech 30 S 26 1/2 E 15

H Stone, witness tree

Beech 12 N 39 W 51

Established corners
in Section 7 T 7
N of R 2 W

W. S. Alexander
M. C. S.

Crapton and Henry

Nov 16 1866.

Ran the following lines for Henry Crapton and Samuel Henry in T Section 35

Beginning at the middle of Sec 35 and running N 5 W 195 p 11 links to a stone, thence West 61 poles to the middle of a hollow, thence S 24 1/2 E 41.12 1/2 thence S 21 E. 19.5 thence S 3 1/2 E 33.17 thence S 9 1/2 E 32, thence S 26 E 31 3/4 thence S 44 E 38.10 to the place of beginning,

W. S. Alexander
M. C. S.

Ran the following line and established the following corners for Mrs. Geo. Randolph and A. Canning, Esq., in S. 31. T. 7. N. R. 1. W.; which line and corners were accepted by said parties.

Commencing on the north line of section, 1 chain 50 links west of interior corner, run at right angles to said line, southward, to a point 36 links north of railroad. (nearest rail being understood). Marked the line by blazing trees standing in the line, and by stakes.

Established a corner at the place of commencement, by planting a stone (in the road) marked S. R. D. and A. C.: witnessed by a tree, W. Oak, 36 in. S. 85. E. 1 ch. 37 l., and by a stone marked W. buried in the line run, 50 links distant from said corner.

Established a corner at the south end of line by planting a stone marked as above; witnessed by the following trees: W. Walnut, 20 in. N. 53 $\frac{1}{4}$ E. 75 $\frac{1}{2}$ l.; Hickory 15 in. N. 25. W. 61 l.


Said parties themselves, and Mrs.

were chain-bearers by agreement.

Survey finished

C. M. Dodd. D. M. C. S.

Plat of Survey in Section 18 & 7 N. R. 1 West, and also in Sec. 18 Town 7 N. R. 1 East in Monroe County and made May 23, 24 & 25 1867 at the request of James Kneally - Lines and Corners established as per plat and field notes -



Established the following Corners to wit:

At K. Original Corner, planted a Sand Stone marked "K & C".

Witnessed by N. Oak 20 m. di. N. 65° E. 4 lks. dist.

" " Buck 5 " S 84° 15' W 4 1/2 " "

" " N. Oak 10 " S 17° 1/2 W 23 1/2 " "

C. Sand Stone, marked "K & C".

Wit. by Buck 18 West 25 lks. dist.

" " Walnut 3 N 16° 1/2 E 24 " "

" " " 4 N 62° 1/2 E 23 " "

" " Logans 8 S 34° 1/2 W 41 " "

I. Original half mile C. W. Hickory 24 m. di. Corner

Wit. by Ironwood 5 1/2 m. di. S 38° 1/4 W 15 1/2 lks. dist.

" " Do. 5 1/2 " N 31° W 33 " "

" " Sugar 15 " N 59° E 37 " "

Over

- D.** *Lime Stone, marked 'C' & 'K'*
 Wit. by Buck 4 in d. S 38 $\frac{1}{4}$ E. 7 $\frac{3}{4}$ lks. dist.
 " " do. 2 " " S 17 $\frac{1}{2}$ E. 15 " "
 " " do. 5 " " S 2 $\frac{1}{2}$ W. 23 " "
 " " do. 3 " " S 25 W. 21 $\frac{1}{4}$ " "
-
- E.** *Sand Stone, marked 'C' & 'K'*
 Wit. by Sand Stone marked 'W' S 4 $\frac{3}{4}$ W. 50 lks. dist.
 " " Buck 5 in d. S 13 $\frac{1}{2}$ E. 55 lks. dist.
-
- F.** *Sand Stone, marked 'K' & 'C'*
 Wit. by Sugar 4 S 29 $\frac{1}{2}$ E. 20 lks. dist.
 " " Buck 16 S 59 $\frac{1}{2}$ W. 45 " "
 " " Ash 5 S 44 W. 23 $\frac{1}{2}$ " "
-
- G.** *Original half mile Cor. - Lime Stone, marked 'K' & 'S'*
 Wit. by Buck 8 S 33 W. 4 lks. dist.
 " " Hickory 12 S 71 E. 16 $\frac{1}{2}$ " "
 " " Buck 14 S 5 W. 33 " "
-
- L.** *Sand Stone marked 'K' 'C' & 'D'*
 Wit. by L. Stone marked 'W' S 4 $\frac{3}{4}$ W. 50 lks. dist.
 " " Ironwood 12 in d. N 18 W. 64 $\frac{1}{2}$ " "

John M. McCay - D. C. S. Mo. Co.
Notary of the foregoing Survey.

Notice is hereby given to Daniel Chambers, John Sherlock, Jacob Chambers, Nancy J. Cope, Albert Davis, Matilda Caze and Nancy J. Cope, Guardians of the minor heirs of Wesley Chambers deceased, that I will, together with the County Surveyor of Monroe County Indiana proceed on Thursday the 23rd day of May 1867 to view, locate and relocate all the lines and corners bounding my lands in Sec. 18 Town 7 N. R. 1 East & in Sec. 13 Town 7 R. 1 W. and to continue from day to day until all shall be completed and to meet at the residence of James Kneally on said lands at 10 O'clock A.M. of said day.

attest. John M. McCay James Kneally
 Notary his mark

I certify that I served the within notice on the within named

persons by reading the same to them in their hearing this
12th day of May 1867 -

Attest J. M. McCoy

James ^{my} Kneally
not

I hereby certify that the foregoing notice and endorsement
thereon is a true copy as returned to me by James Kneally
on the 23rd day of May 1867 -

John M. McCoy D. C. S.

Copy of appointment of Deputy Surveyor for
the foregoing Survey -

Monroe County, State of Indiana
I William S. Alexander County Surveyor of
Monroe County Ind., do hereby appoint John M. McCoy
my deputy to establish all the lines and corners on the
lands of the heirs of David Chambers deceased, in Township
7 N. R. 1 East and 1 West in said County, as set off
to them by a partition made by order of Court of Com. Pleas
Monroe County at its Term 1866 by Commissioners
Peter Carmichael, Richard W. Case and John M. McCoy
appointed for that purpose -

In Witness Whereof I have hereunto set
my hand and seal this 1st day of May
A.D. 1867 -

William S. Alexander
M. C. S.

Survey of Thomas Mullikin & Others

August 19th A.D. 1868

Established & perpetuated the following corners for
Sections 33. & 34 & for Sections 27. 28. 33. & 34 in Township
No 9 North of Range No one West

Corner established & stone planted at the Eastern half mile
& Western half mile post of Sections 33. and 34 T⁹ R¹ W. with
the following letters & figures on said corner stone
E. $\frac{1}{2}$ M. & W. $\frac{1}{2}$ M. S. 33 & 34. T⁹ R¹ W. witness Hickory 12 in diameter S²⁹ N²¹
22 links dist. said witness Tree is the original united states
witness Tree

Corner established and stone planted at the South West Corner
South East corner North East & North West corners of Sections
No 27. 28. 33. & 34 Township No nine North of Range No one
West with the following letters & figures thereon S.W.C. S.E.C.
N.E.C. N.W.C. S 27. 28. 33. & 34. T⁹ R¹ W. the said stone planted in
open ground. the united states witness Tree gone

Corner established and stone planted at the Northern $\frac{1}{2}$ mile
post and Southern $\frac{1}{2}$ mile post of Sections No 28 & 33 Town-
ship No 9 North of Range No one West with the following
letters & figures thereon N $\frac{1}{2}$ M. S $\frac{1}{2}$ M. S 28 & 33. T⁹ R¹ W. said
corner planted in open ground united states witness Tree gone

James H. Spencer
Deft. Surveyor N. C.

The foregoing corner was established in accordance with notice
published in a news paper printed in Bloomington Monroe
County Indiana called the Bloomington Democrat said notice
was published for three successive weeks in said paper said
survey & corner established for William O. Lee Moses Dunn Asher
Sabertow the heirs of James W. Robertson deed Charles Sample
James Harris & Thomas Mullikin

Notice of Survey

Notice is hereby given to William O. Lee Moses Dunn Asher
Sabertow the heirs of James W. Robertson deed Charles Sample
James Harris & (Thomas Mullikin) that I will together

with the county Surveyor or his Deputy of Monroe County Indiana proceed on the 19th day of August 1868, to establish and perpetuate the following corners to wit The Eastern half mile post & Western half mile post of Sections No 33 & 34 also S W corner S E corner A & North East corners & North West corners of Sections No 27, 28, 33, & 34 also Northern $\frac{1}{2}$ mile post and Southern $\frac{1}{2}$ mile post of Sections No 28 & 33. all the above described land is situated in Township No 9 North of Range No 1 West

The said Survey will begin at 9 o'clock A. M. on the 19th day of August A.D. 1868 & will commence at the eastern $\frac{1}{2}$ mile post of said Section 33. Town & Range aforesaid the Survey will continue from day to day till completed

June 20th 1868

Thomas Mullikin

I hereby certify the foregoing Notice of Survey to be a True copy on file in the office of Surveyor of M.C. Given under my hand this August 19th A.D. 1868

James H. Spencer
Deft Surveyor, M.C.

I have bearers in the above Survey James H. Mullikin & Martin Kindell sworn this Aug 19th 1868

For Spencer Deft Sur
M.C.

on the top of each stone have the letters T M with stands for Thomas Mullikin Aug 19th 1868.

For Spencer Deft S


Notice of Survey.

NOTICE is hereby given to William O. Fee, Moses Dunn, Asher Labortow, the heirs of James D. Robertson, deed, Charles Sample and James Farris, that I will, together with the county surveyor or his deputy, of Monroe County, Indiana, proceed on the 19th day of August 1868, to establish and perpetuate the following corners to wit the eastern half mile post, and western half mile post of sections No. 33 and 34 also S. W. corner, S. E. corner, North East corner and S. W. corner of sections No. 27, 28, 33 & 34, also Northern $\frac{1}{2}$ mile post and Southern $\frac{1}{2}$ mile post of sections No. 28 & 33. All the above described land is situated in Township No. 9 North, and of Range No. 1 West.

The said survey will begin at 9 o'clock, A. M., on the 19th day of August A.D. 1868 & will commence at the Eastern $\frac{1}{2}$ mile post of said section 33, town & range aforesaid. The survey will continue from day to day till completed.

THOMAS MULLIKIN

Plot of Survey of $\frac{1}{2}$ Sec. 15, of T. 2, R. 10, S. 10, made for Stephen Sharning and of
 $\frac{1}{2}$ Sec. 15, for James Gambins all in the SW $\frac{1}{4}$ of the NE $\frac{1}{4}$ of Sec. 10 T. 2, R. 10, S. 10.
 R. 1 West. in Kansas Co., Ind. made Nov. 1827. Lines and corners
 established as per plat and field notes, by consent of all parties interested.



At A. { Center of Sec. 10 sand stone marked J.J. and S.F.
 { measured by Bench 10 N 75° E (magnetic) 11 lbs
 " " Do 12 S 34° 36' " 30 "
 " " Do 4 S 78° 36' " 28 "


At B. { Sand stone marked J.J. and S.F.
 { met by Mulling 36 S 59° E (magnetic) 59 lbs
 " " Big Blue 13 S 5° E " 37 "

At all other points of the survey stakes

John Campbell { Chainman
 { Scribe

M. C. S.

Survey of Survey Lot No 73 and East of Same Lot
No 74 in the Town of Birmingham, Ala. Co. Ind.
Survey for John W. McCallough and Corners between latter
A & B established as per plat and field notes parties
interested consenting to the same -



f M A

Time Stone Cor. established as follows. Corner being
in the bed of of Branch, stone is set 42 links $S 85 \frac{1}{2} W$
of true locality for corner, on line A.B., being in the
Northern boundary of Lot 78 -

Sand Corner is returned by four (4) brick lined
855 ft from sand stone 25 ft below dist.

The true point for C_{27} is ^{at A} ^{also} witnessed by four (4) Rock
buried S 4° 20' E. low in cotton for exact boundary line 50 ft. dist.

Surveyed April 13th 1868.

John M. W. Gay
D. C. S. M. C.

First work done by M^r Baskirk who was appointed Surveyor of Monroe County by the Board of County Commissioners on the 5th day of Dec 1869

Seminary) out lot No 45 Bloomington Ind Commenced at a Stone 13 poles South of the N E corner of Seminary out lot No 45 S 8 W 1 West and ran S 42° E 17 poles and 6 links and established Corner A by planting a brick thence S 85½° W 20 poles to corner B then commenced at a post 20 poles west of the N E corner of Seminary out lot No 45 Bloomington Ind ran S 42° E 20 poles and 6 links to corner B set a stone and established witness trees

Corner B witness trees wild cherry 15^{inches} West 3½ links distant

corner A witness wild cherry 15^{inches} S 32° W 18½ links distant

Professor M M Campbell } Chain bearers
and Stephen McPhetridge } Sworn

January the 11th 1870

M^r Baskirk
Surveyor of Monroe County

The above Survey was done in compliance with the following notice which was served and returned in witness whereof I hereunto have set my hand and official seal M^r Baskirk to M. C. S


To Caroline Lango and Charles Lango.

you will take notice that on the 11th day of January 1870 I will proceed to have relocated the line running East and West between you and myself in Seminary out lot No 45 in Perry Township county of Monroe and State of Ind by the Surveyor of said county and you are requested to the present then and there

Bloomington December the 30th 1869

Respectfully
I Will Rogers

Sections 20 & 21 T 9 N R 1 E
 February the 17th 18th 19th 21st 22nd 23rd and 24th 1870 Surveyed for
 Joseph W Galy, Joseph Robison, John F. Robison, J. Richardson, A
 Richardson, C. Stuss, et Mefford, J W Galyan, W H Galyan, J. Cox
 J. Alexander, H. Droll. A. Wheeler J. Cox J. Stevens and
 M J Mead in sections 20 & 21 T 9 N R 1 E East corners
 established and lettered as per plat and field notes below



- A** Lyn 13 N 2° E 63½
 Honey 9 S 88° W 32
- B** Beech 16 S 51½° W 43
 Gum 20 N 26° W 26
- C** Sand Stone marked
 S, C, N, E, 20 witnessed by
 Beech 14 S 70½° W 22¾
 Beech 12 S 12° W 14
- D** Sand Stone marked C, R, on
 the north and J, R, on the South
 witness Beech 18 N 30½° W 95
 Black Walnut 3 N 73½° W 41
- E** Sand Stone marked with
 R on each side witnessed
 by Sugar 20 N 64° E 37½
 Water Beech 6 S 40° E 8

P Sand Stone marked on the
 north with R and South E & R
 witness Beech 15 N 7½° W 32½
 Sugar 14 N 42° E 34

G Sand Stone marked E & S on the
 west and R & S on the east
 witness by Red Oak 7 N 22° W 11
 Red Oak 6 S 46½° W 13½

H Stakes in the bed of the creek
 witness Black Walnut 9 S 63° W 110
 Buckeye 16 S 51° E 110

I Sand Stone marked S, C.
 witness Red Oak 10 S 49½° E 66½
 White Oak 2 S 34° E 29

J Sand Stone marked **E** on the east and **M** & **E** on the west
Witness Red Oak 6 S 86° W 29
Red Oak 7 N 63° W 131

O Sand Stone marked **F** on the east and **R** & **R** on the west
Witness Hickory 5 N 63° W 45
Red Oak 7 N 56½° W 101½

K Sand Stone marked **M** on the west and **S** & **D** on the east
Witness Beech 20 S 81° W 27
Beech 18 N 41° E 43

P Sand Stone marked **R** on the South and **R** & **F** on the north
Witness Beech 12 N 10° E 22½
Red Oak 4 S 2° E 9

L Sand Stone marked **R** & **D** on the north and **S** & **R** on the South
Witness White Oak 12 S 23° E 25
White Oak 11 N 66° W 23

Q Sand Stone marked **R** on the north and **R** & **C** on the South
Witness 20 N 86° W 46½ (Beech)
Maple 24 S 43° E 34½

M Sand Stone marked **E** on the South and **R** & **S** on the north
Witness Poplar 12 N 47° W 41
Red Oak 7 S 12° E 42

R Sand Stone marked "C R" "J R"
"J E R" & "J R" on top of rock
Witness White Oak 39 N 37½° E
Grey Ash 36 N 75° E

N Sand Stone marked **X**
Witness Poplar 15 S 14° E 23
Beech 3 N 26° E 17

S. Oak Hickory 7 inches in diameter
corner tree marked with a notch on
the east and west sides witnessed
by Black Walnut 13 N 32° E 33½
Black Walnut 4 S 9° W 14

Length of line between sections 20 & 21 318 P. 2 links
Length to center of said line 159 P. 1 link

Length of line from **H** to **B** 318 P 1½ links
Length of line from **H** to **J** 79 P 12½ links

Length of line from N½ mile post to S½ mile post Sec 21, 317. 9 P links

The above survey was done in compliance with
the following advertisement which was advertised
in the "Bloomington Progress" a weekly newspaper
published at Bloomington Indiana and which
I hereby certify is a true copy in ^{witness} whereof I hereunto have
set my hand and official seal

M. H. Buskirk M. C. S.
(Turn over)

Notice of Survey

Benton Township Monroe Co Ind
 Notice is hereby given to William Alexander,
 Isaac Cox, R Groll, Geo Richardson, St Richardson
 Abraham Silencer, J Battinghouse, J Cox, J Stevens,
 C Sluss, W H Galyan, J Alexander J Galyan
 Jane Alexander, St Mefford, J Robison, M J Mead,
 That we will together with the County Surveyor
 or his deputy of Monroe County Indiana proceed on the
 17th day of February 1870

To establish and perpetuate all the lines and
 corners necessary to be established in Sections
 20 and 21 situated in T. 9 R. 1 east The said
 Survey will begin at 10 o'clock A.M. on said
 day commencing at the N.W. corner of Sec twenty
 town and range aforesaid, and continue from
 day to day until completed
 this 25th day of February 1870

Joseph D Ealey
 John F Robison

Run the line between Sections 20 and 21 on a
 variation of 5° the rest of the lines about 4 1/2°
 Joseph D Ealey }
 W H Galyan } Chain bearers
 Joseph Robison } Sworn
 John F Robison }

John W Galyan }
 David Richardson } Flag bearers
 George Sluss } Sworn

M H Brookirk
 Surveyor of Monroe Co

T. 1 R. 2. W. Section 2

February The 28th 1870

Surveyed for John H. Whisenand Ernest Wodavek, Jacob Wampler jun, & Wm. Whisman ran the east line of said Section also the northern section line and established the north east corner of said Section



A N.E. corner of Section 2 line Stone marked with a + witnessed by Wild Cherry S. N. 68° E. 10 $\frac{1}{2}$ links White Oak 20 S. 26° E. 127 links

Richland Township Ind Feb 12th 1870

Mr Jacob Wampler, Peter Cowden, Charles Moore, and Wm. Whisman you are hereby notified that on the 28th day of Feb 1870 I will proceed together with the county Surveyor of Monroe County or his deputy to establish and perpetuate the following lines and corners to wit the eastern line of Section 2 T. 1 R. 2. W. also the N.E. corner of said Section and the Northern line of said Section to the Northern $\frac{1}{2}$ mile post which I will also have established Said Survey will commence at 1 o'clock P.M. on said day

John H. Whisenand

The above was served and returned to me

M. H. Baskin
M.C.S.

Isaac Gaskins	}	Chain bearers Sworn
Allen Sims		
Jacob Wampler		
John F. Lunning		

M. H. Baskin
Sur. Monroe Co

Sections 11, 14, 15 & 16 T. 8. R. 1 E.
 March the 7th 10th 16th 19th 21st 25th 29th 30th 1870 Surveyed in
 Sections 11, 14, 15 & 16 T. 8. R. 1 E. for James Goodley Wm Hays
 Laurence Bartlett and others and established corners as per
 plat and field notes below



A D.W. corner 14. Sand Stone marked S.C. 14.
 Witnessed by Sand Stone marked E buried East of corner 2 Poles
 Sand Stone marked S. buried N 5° W 2 Poles

B N.E. corner 14. Sand Stone marked 14. T. 8 R. 1 E.
 Witnessed by B. Oak 20 N 31° W 17
 Black Oak 7 S 54° E 27

C N 1/2 mile post 14. Sand Stone marked +
 Witnessed by B. Oak 20 N 42 1/2° E 37
 B. Oak 6 S 73° W 30

D S.W. corner 11. Sand Stone marked +
 Witnessed by Birch 10 S 85° W 11 marked S.W. C. 11 T. 8 R. 1 E
 W Oak 15 S 64° E 21

E Western $\frac{1}{2}$ mile post 11 Sand Stone marked +
 Witnessed by B. Oak 12 S $64\frac{1}{2}^{\circ}$ W 6
 B. Oak 9 N 63° E 34

F center of Section 11 Sand Stone marked +
 Witnessed by R. Oak 6 N $74\frac{1}{2}^{\circ}$ W 6
 Red Oak 7 S $82\frac{1}{2}^{\circ}$ E $8\frac{1}{2}$

G corner or N of Southern $\frac{1}{2}$ mile post Sand Stone marked +
 Witnessed by Chestnut Oak 3 N 62° E $8\frac{3}{4}$
 Hickory 18 S $27\frac{1}{2}^{\circ}$ E $29\frac{3}{4}$

H corner $80\frac{1}{2}$ ^{P links} west of G. Sand Stone marked +
 Witnessed by Beech 8 N 26° E 17
 Beech 18 S 81° W 25°

I corner $83\frac{1}{2}$ ^{P links} east of E. Sand Stone marked +
 Witnessed by Hickory 4 S 61° W $12\frac{1}{2}$
 Beech 30 N 21° W 30

+ **J** corner $80\frac{1}{2}$ ^{P links} east of S W corner 14. Sand Stone +
 Witnessed by B. Oak 11 N 11° W 45
 Poplar 45 S 71° W 48

K Southern $\frac{1}{2}$ mile post 14 Sand Stone marked +
 Witnessed by Sugar 6 N 56° E 23
 Beech 7 S $72\frac{1}{2}^{\circ}$ W $35\frac{1}{2}$

L corner $85\frac{1}{2}$ ^{P links} N of S $\frac{1}{2}$ mile post Sand Stone marked +
 Witnessed by Beech 9 N 4° E 2
 Beech 7 S 90° W ~~45~~ $50\frac{1}{2}$

M corner $77\frac{1}{2}$ ^{P links} N of S. W corner 14. Sand Stone +
 Witnessed by Elm 13 S 90° W 66
 Beech 10 S 35° E $22\frac{1}{2}$

N
 N corner or east of M Sand Stone marked +
 Witnessed by Hickory 16 N 29° W $10\frac{1}{2}$
 B. Oak 6 S 48° E 22

- O** corner $\frac{1}{2}$ mile west of P Sand Stone marked +
Witnessed by B Oak 10 N 72 W 45
W Oak 25 S 39 W 35
- P** corner $\frac{1}{4}$ mile South of northern $\frac{1}{2}$ mile post 14 Sand Stone marked + witness Hickory 10 corner tree
Red Oak 20 S 43 E 14
- Q** corner 87 1st S of N E corner 14 Sand Stone marked +
Witnessed by Black Oak 8 N 12 $\frac{1}{2}$ W 13 $\frac{1}{2}$
White Oak 6 S 6 E W 2 $\frac{1}{2}$
- R** Northern $\frac{1}{2}$ mile post 11 Sand Stone marked +
Witnessed by Beech 18 S 46 E 23 $\frac{3}{4}$
Beech 5 N 24 E 33 $\frac{1}{2}$
- S** N W corner of Section 11 Sand Stone marked +
Witnessed by Beech 24 S 49 W 39
Beech 8 N 84 W 63
- T** corner halfway between the N W corner and the northern $\frac{1}{2}$ mile post of 11 Sand Stone marked +
Witnessed by Beech 6 N 46 W 88 $\frac{1}{2}$
Sassafras 2 $\frac{1}{2}$ S 2 E 28 $\frac{1}{4}$
- U** S W corner 15 Sand Stone marked S. 6 15
Witnessed by Elm 3 S 3 W 40
Crab Apple 7 N 12 E 115
- V** Southern $\frac{1}{2}$ mile post 15 Sand Stone marked +
Witnessed by Sycamore 40 S. 87 $\frac{1}{2}$ E 48 $\frac{1}{2}$
Beech 10 N 63 W 17
- W** N W corner 15 Sand Stone marked +
Witnessed by W Oak 18 N 32 $\frac{1}{2}$ E 24 $\frac{1}{2}$
W Oak 18 S 25 E 25 $\frac{1}{2}$
- X** corner $\frac{1}{4}$ mile east of 10 Sand Stone marked +
Witnessed by Beech 15 S 31 $\frac{1}{2}$ E 9 $\frac{1}{2}$
Beech 15 N 40 W 40 $\frac{1}{2}$

- Y corner $\frac{1}{4}$ of mile South of 'd' Stand
Witnessed by Beech 2 N 51° W 4
Beech $1\frac{1}{2}$ S 3° E 7
- Z corner at center of Section 15. Sand Stone marked +
Witnessed by willow Cherry 7 S $83\frac{1}{2}^{\circ}$ E 49
Elm 12. N $23\frac{1}{2}^{\circ}$ W 46
- a corner 80 South of N W corner 14. Sand Stone marked G & W
Witnessed by Red Oak 7 N $28\frac{1}{2}^{\circ}$ W $15\frac{1}{2}$
Beech 25. S 22° W 35
- b Northern half mile post 15. Sand Stone marked +
Witnessed by Sugar 18 S 66° E 13.
Sugar 10 N 7° E 23.
- c corner 80. South of Northern $\frac{1}{2}$ mile post of Sec 15 Sand Stone
Witnessed by Gum 30 N 16° E 15.
Beech 8. S 13° W 18
- d corner $\frac{1}{4}$ mile east of center of Section 15. Sand Stone +
Witnessed by Mulberry 6 N 26° E 73
Black Walnut 3. S 13° W — 73
- e corner 82 ^{P links} N of center of Section 16. Sand Stone +
Witnessed by Elm $1\frac{1}{2}$ S 132° W 26 $\frac{1}{2}$
Sycamore $1\frac{1}{2}$ N 65° W 37
- f corner 40 ^P east of 'e' Sand Stone marked +
Witnessed by Sand Stone marked W buried N 24° W 48 $\frac{1}{2}$
Sand Stone marked N buried N 5° E 2 P 21 $\frac{1}{2}$ links

Notice of Survey

Notice is hereby given to John Reed, Mrs. Catharine Drake, heirs of Joshua W. Howes, James Woods, James Stevens, John Stevens, Aquilla Rogers jr, George A. Bushirk, E. B. Fanning, Jefferson Hunsley, Wm Miller & J. Lamkins, heirs of Jefferson Huntington deceased, James Sexton, Henry Martin, Fred Sexton, Benj. Rogers, and all others that may be interested that we will together with the County Surveyor

or his deputy of Monroe County Indiana proceed on the
 7th day of March 1870. To establish and
 perpetuate all the lines and corners necessary to be
 established in Sections (11) eleven (14) fourteen (15)
 fifteen and (16) sixteen Situated in T. 8 R. 1. E.
 The Said Survey will begin at 10 o'clock et M on said
 day commencing at the N.W. corner of Section eleven
 town and Range aforesaid and continue from
 day to day until completed

This 16th day of Feb 1870

James Goodley
 Laurence Bartlett
 Wm Hayes

I hereby certify that the above is a true copy of a
 notice which was published in the Bloomington
 Progress a newspaper published at Bloomington
 Indiana Said notice was published three weeks
 successively witness my hand and official seal
 This 27th day of Feb 1870

M H Buskirk
 Surveyor of Monroe County

Henry Summit
 James Woods
 James Goodley
 James Stevens
 Deaton Sexton
 Wm Hayes
 Jefferson Hambley
 H J Lamkins

Chain bearers
 Sworn

Charles Hess
 James Terrel
 Jefferson Hambley
 Nate Moberly

Flag bearers
 Sworn

M H Buskirk
 Surveyor of Monroe Co

April 1st 1840

Section 25 T 9 R 1 West

Surveyed for Milton Myers, Jasper N Myers
and Elizabeth Buskirk in Sec 25 T 9 R 1 W and Section
30 T 9 R 1 E and established corners as per plat
and field notes below



A corner 64 North of the eastern $\frac{1}{2}$ mile post Section
25 T 9 R 1 W line stone marked +
Witnessed by Black Walnut 12 S 61 $\frac{1}{2}$ ° W 51 $\frac{3}{4}$
Sugar 24 S 58 $\frac{1}{2}$ ° E 96

B corner 38 Poles South of the N E corner of Section 25
T 9 R 1 W sand stone marked +
Witnessed by Hogwood 4 N 21° W 1 $\frac{3}{4}$
Hogwood 3 S 22° E 1 $\frac{3}{4}$

C corner half way between the N W corner and
the western $\frac{1}{2}$ mile post Section 30 T 9 R 1 East line stone
witnessed by peach tree 5 N 45° W 9
Peach tree 4 S 90° E 33 $\frac{1}{2}$

Milton Myers or Winfield B Buskirk chain bears by
consent of parties

M W Buskirk
Dea Howard County

Sec 7 T. 8. R. 1 E

April 18th 1870 Surveyed for Mrs. Mary Ellis and daughter in Section 7. T. 8. R. 1 East and established corners as per plat and field notes below



A corner 40 Poles North of corner 80 Poles East of western 1/2 mile post Sec 7. T. 8. R. 1 E. Sand Stone marked +
Witnessed by Hickory 15 N 7 1/2° E 10 1/2 links distant
Dogwood 3 S 28° E 4 1/4 links distant

B corner 40 Poles North of western 1/2 mile post Sand Stone
Witnessed by Black Ash 15 S 8° W 10 1/2 links distant
Elm 6 S 83° E 10 1/4


The above survey was done for the purpose of dividing the old home stead according to the wish of the parties concerned the being present and agreeing to the same

W. C. McPherson } Chain bearers
J. S. Robinson } Sworn

H. H. Bunker
Surveyor Monroe County

April 19th & 20th 1870 Surveyed in Section 34 T. 7. R. 1. E for Andrew Kinsler, Austin Kinsler, Valentine Kinsler, Christy Kinsler, Jackson Kinsler and others and established corners as per plat and field notes of the opposites gave ten days notice having been given parties interested by Andrew Kinsler which has got misplaced but the parties were all present when the survey was made

1st new witness made at the N.W. corner
Section 34 T. 7. R. 1. E. Maple 9 S 42° E 31



A corner 80 Poles 6 1/4 links east of N.W.
corner of Sec 34 T. 7. R. 1. East Limestone
Witnessed by Black Oak 7 N 54 1/2° E 19
Gum 24 N 68° W 21 1/2.

B Northern 1/2 mile post Sand Stone
Witnessed by Red Oak 3 S 82° W 12
Hickory 12 N 13 1/2° E 29

C corner halfway between
western half mile stake and center
of Section Sand Stone

Witnessed by W Oak 24 S 6 1/2° W 16
Black Oak 7 N 9° W 32

E corner halfway between N 1/2 mile stone
and center of Section Sand Stone

Witnessed by Chestnut 1 N 4 1/2° W 23 1/2
Apple Tree 3 S 56 1/2° E 78

G corner halfway between E 1/4 P Sand Stone

Witnessed by Hickory 9 S 33° W 19
Chestnut 10 S 54° E 68

D corner at center of Section Sand Stone

Witnessed by W Oak 40 S 65° E 45

Hickory 3 N 33° E 21 1/2

F corner halfway between N.E.
corner and 6 1/2 M.S. Sand Stone

Witnessed by Ash 7 S 39° E 15

Hickory 10 N 33° W 19

H corner halfway between
Eastern 1/2 mile and center of
Section Sand Stone

Witnessed by B. Oak 3 S 81° E 61

Red Oak 8 N 35° W 19

Martin Dechard } chain bearers
George Seips } sworn

J. J. Helenburg } flag bearer sworn

H. K. Buschick
Surveyor Monroe County

May 23^d 1880

The following is the Survey of a route for the location of a certain highway in Van Buren Township Monroe County Indiana commencing at the Southern $\frac{1}{2}$ mile Post of Section 28 and the Northern $\frac{1}{2}$ mile Post of Section 33. T. 8 R. 2 West. Witness trees Dogwood 3 inches in diameter S 45° E 13 links distant, Gum 10 inches in diameter N 34° W 34 links distant, Thence N $85\frac{1}{2}^{\circ}$ E 141 P. $1\frac{1}{2}$ links to a stake, Thence S 38° E 4 P. 2 links to a stake, Thence S 81° E 5 P. 5 links to a stake, Thence N 26° E 5 P. 11 links to a stake, Thence N $88\frac{1}{2}^{\circ}$ E 8 P. 5 links to the Section corner of Sections 27, 28, 33, 34. Witness trees Gum 6 inches in diameter S 11° W 18 links distant Poplar 40 inches in diameter S 45° W 20 links distant Thence N $88\frac{1}{2}^{\circ}$ E 160 P. $12\frac{1}{2}$ links to the Southern $\frac{1}{2}$ mile post of Section 27 and the Northern $\frac{1}{2}$ mile post of Section 34. Town and Range as before said Thence N $88\frac{1}{2}^{\circ}$ E 180 P. 10 links to a stake 30 Poles west of the section corner of sections 26, 27, 34 & 35. The length of the entire route being 484 P. and 22 links or one mile one quarter of a mile fifty four rods and twenty two links

A. H. Perring } chain bearers
 Wm. A. Smith } Sworn
 H. B. Campbell } Foreman Sworn

A. H. Siskirk
 Surveyor of Monroe County

Fees

To one day Surveying road	\$2.50
Attending court one day	1.25
Making out Report of Survey with field notes	50
Certificate of Survey	25
24 miles travel	1.20
Total	\$5.70

Commissioners Fees

A. H. Perring - To one day Reviewing Road	\$1.00
as chain bearer	1.00
Making report to court	1.00
Total	\$3.00

Samuel A. Smith - To one day in Reviewing road \$1.00
 as chain bearer 1.00
 Total \$2.00

H. B. Campbell - To one day in Reviewing road \$1.00
 as flag bearer 1.00
 Total \$2.00

as man \$1.00
 Grand Total \$13.70


I hereby certify that the foregoing Survey of Road & field notes and Services of chainmen flagman are correct and true given under my hand and seal of office this 23^d day of May 1870

M. H. Buskirk

Sur. of Monroe Co. Ky

June 24th & 25th 1870

Surveyed in Section 85 T. 9 R. 1 East for Simon Skinner Henderson Myers and others and established corners as per plat and field notes below



A Sand Stone marked +
 Witnessed by W. Oak 25 N 42 1/2° E 28 1/4
 White Walnut 10 S 78° W 17

B Sand Stone marked +
 Witnessed by Birch 10 S 10° E 17
 Birch 18 N 60° E 15 1/2

C Sand Stone marked +
 Witnessed by R. Oak 20 S 31 1/2° E 35
 Hickory 6 S 82 1/2° W 15

The foregoing Survey was made in accordance with the following notice which was published in the Bloomington Progress a weekly newspaper published at Bloomington Ind

Notice of Survey

Notice is hereby given to Henderson Myers Isaac Bollington Wm Sprague John Edlin and all others that may be interested that I will together with the County Surveyor of Monroe County Ind proceed on Friday the 24th day of June 1876 to establish and perpetuate and establish all the lines and corners necessary to be established in Sec 35 T 9 R 1 E Said Survey will begin at 9 o'clock A M on said day commencing at the S W corner of the same and continues from day to day until completed

Simpson S Skirvin
June the 8th 1876

A true copy witness my hand and Seal this
the 30th day of June 1876

W H Buckner
R. C. S.

August the 27th 1870

The following Survey of a road in Van Buren Township was done in compliance with an order from the board of County Commissioners

Commenced at the Eastern 1/2 m of Sec 27 T 8 R 2 W and Western 1/2 mile post of Sec 26 T 8 R 2 W witness trees Hickory 10 S 13 E 11 Iron wood 6 S 31 E 7 running thence N 5 W 159 Poles and 8 1/2 links to corner of Sections 22, 23, 26 & 27. Witness gum 6 N 20 W 21 links dist thence N 5 W a distance of 86 Poles and 26 1/2 links, thence N 18 E a distance of 10 Poles and 2 links to a stake thence N 24 W a distance of 12 Poles to a stake thence N 5 W a distance of 48 Poles and 58 1/2 links to the Eastern 1/2 mile post of Section 22 T 8 R 2 W witness trees Elm 6 S 29 W 6 poplar 10 S 54 E 8 thence S 85 W a distance of 80 Poles to a stake thence N 8 W a distance of 148 Poles and 8 links to a point in the Bloomington Road 10 Poles and 16 links South

of the corner 80 Poles west of the N.E corner of
Section 22 T 8 R 2 E The length of this entire route
being 545 Poles and $22\frac{1}{2}$ links or one mile five furlongs
Twenty five Poles and twenty two and five sixths links surveyed
and marked the entire to this width of 30 feet


Rodriguez Wyllie chain bearers
A. M. Lane } Swann

Samuel Fowler & flag bearer sworn
Thomas Rusk & 1st man

Bedrick Wythe Viewers
Samuel Fowler of
M H Buskirk Road

W. H. Burdick
M. C. D.

October the 17th & 18th 1870
Surveyed in Section 10 T 10 N R 2 W for Edm Staley, Wm
Vouth Eneffas Stines and others and established corners as
per plat and field notes below



A corner at N. W. corner of section
line Stone marked with a +
Witness B. Walnut 10 S 85° W 37
Breck 30 S 4½ W 60

Corner 40 Poles and 16 links South
of W 12 mile post near Stone +
Witness Beech 30 N 14 W 29½
Beech 15 N 74½ W 53

C Western Point just above Stone +
Wilkes Beach 16 S 24° W 7
Beach 18 S 82° E 28

D corner of Polis mouth of W $\frac{1}{2}$ Mil.
 foot line Stone
 Witness Beech 10 S 17 $^{\circ}$ E 47
 Beech 12 S 35 $^{\circ}$ E 74 $\frac{1}{2}$

E corner 80 Poles 44 $\frac{1}{2}$ miles east of corner
81 Poles N of 20 $\frac{1}{2}$ mile post line Stone
Wilner Beech 15 N 60 W 29
Beech 14 S 65 $\frac{1}{2}$ E 82 $\frac{1}{2}$

- F corner 80 Poles $24\frac{3}{4}$ links east of western half mile post line Stone +
Witness Beech 10 N 81 W 76 Oak 25 S $10\frac{1}{2}$ E 64 $\frac{1}{2}$
- G corner 40 Poles $12\frac{3}{4}$ links West of center of section line Stone
Witness W Oak 25 N 57 E 26 $\frac{1}{2}$ Hickory 20 S 72° E 23
- H corner at center of section line Stone +
Witness Beech 15 S 71° W 26 $\frac{1}{2}$ Beech 12 S 22° E 32
- I corner 40 Poles $12\frac{3}{4}$ links east of center of section line Stone +
Witness Beech 25 S 2° W 28 $\frac{3}{4}$ Poplar 25 N $72\frac{1}{2}$ W 13
- J corner 80 Poles $24\frac{3}{4}$ links West of Eastern $\frac{1}{2}$ mile post line Stone +
Witness Beech 12 N $43\frac{1}{2}$ E 41 Beech 15 S 72° W 14 Beech 12 S 78° E 19 $\frac{1}{2}$
- K corner 80 Poles West of S. E. corner of section line Stone +
Witness Hickory 22 N $87\frac{1}{2}$ W 26 $\frac{1}{2}$ Ash 7 S 74° E 10 $\frac{1}{2}$
- + L corner 40 Poles East of Southern $\frac{1}{2}$ mile post Sand Stone +
Witness Hickory 20 N $42\frac{1}{2}$ E 29 W Oak 36 N 60 W 24
- M Southern $\frac{1}{2}$ mile post Sand Stone +
Witness Burr Oak 36 S 22° W 15 Hickory 24 N 81 W 75
- N corner 40 Poles west of Southern $\frac{1}{2}$ mile post Sand Stone
Witness Burr Oak 36 N 29 W 40 Beech 20 S 23 E 23
- O corner 80 Poles East of S W corner of section Sand Stone +
Witness Specumare 1 $\frac{1}{2}$ S $30\frac{1}{2}$ E $17\frac{1}{2}$ Beech 15 East 74
- P corner 40 Poles 16 links South of corner 80 Poles $24\frac{3}{4}$ links E of $W\frac{1}{2}$ on post
line Stone + Witness Beech 16 N 43 E 43 Beech 18 N 19° W 58 $\frac{1}{2}$

Wm P. DeFord } chain bearers
Charles Gork } sworn

Wm South } flag bearer

There was written notice given to the parties interested
by John South which has got misplaced
The above survey was done by direction of commissioners

Thomas Martin, James Gentry & David O Buskirk who were appointed to divide the old Hight farm near Mt. Labor two of which Gentry and Martin were present during said survey

M H Buskirk
Surveyor of Monroe County

November the 1st 1870
Surveyed in Section 9 T. 8 N. R. 1 W
for Wm Turner and William Allen
and established corners as per plat
and field notes below all parties
interested being present
N.E. $\frac{1}{4}$ Sec 9 T. 8 N. R. 1 W Variation $4\frac{1}{2}^{\circ}$



A corner 20 Poles west of NE corner
of Section 9. lime stone +
Witness Wild cherry S $71\frac{1}{2}^{\circ}$ E $50\frac{3}{4}$
Ebm 15' N $30\frac{1}{2}^{\circ}$ E $97\frac{3}{8}$


B corner 20 Poles west of Eastern $\frac{1}{2}$ mile
Post. lime S Stone marked with a cross +
Witness Buck 30 S $44\frac{1}{2}^{\circ}$ E 12 Sugar 15' N 30° W $57\frac{1}{2}$

Wm Turner Sen } chain bearers
Wm Turner Jr } sworn

John Hight } flag bearer

M H Buskirk
M. C. S.

Gave up the books and went out
of office on the 22nd day of Nov 1870
M H Buskirk




Dec 6th 1870
 Surveyed the following lot of land
 in Section 12 & Township 22 N. Range
 10 E. range One west for Joseph
 Chambers Joseph Beck and
 Chas Thompson (Chambers)

Length of the line from the South west
 corner of Section 12 to the
 western half mile East of the same
 100 Poles & 10 links half of said line
 80 Poles & 5 links

Then began at a Stone at the South west Corner of the north west
 One fourth of the South west quarter of Section 12 & Township 22 N. Range
 10 E. 100 Poles then North 40° W. 20 Poles to a Stone witness Trees
 Diameter 6 inches Diameter North 42° E. 32 links dist. Pole
 3 inches diameter South 64° E. 124 links dist. then East 80 Poles to a
 Stone witness Trees Sugar 10 inches diameter South 20° W. 22 1/2 links
 Dist. Sugar 12 inches diameter South 121° W. 16 1/2 links Dist. then
 then South 20 Poles to a Stone witness Trees Sugar 24 inches diameter
 North 77 1/2° E. 31 links dist. then West 20 Poles to the Beginning
 Containing 10 acs

Witness James Alexander Chambers & Samuel
 H. Gerald Sinner


Alexander C. Sinner
 Marshal County Surveyor



December 13th 1869

Surveyed the following lot of land in Section 19 of Township 12.7 North of Range 100 East for T. H. H. & J. B. Chandler John W. H. & others

Length of the line from the South West corner of said Section 19 to the North West of the same 329 Poles & 19 links half of said line 164 Poles & 11 links
 Then began at a stone at the Western half mile Post of Section 19, Town 12.7 Range 100 East witness Trees Poplar 25 inches Diameter S 17 $\frac{1}{2}$ W 26 links Dist 1 Black Oak 30 inches Diameter N 16 $^{\circ}$ E 47 links Dist Thence E 84 Poles & 11 links White Oak 30 inches Diameter N 24 $^{\circ}$ E 21 links Dist White Oak 25 inches Diameter S 18 $^{\circ}$ E 34 links Dist Thence E. to the Center of Section White Oak 12 in Diameter N 70 $^{\circ}$ W 9 links Dist White Oak 14 inches Diameter S 14 $^{\circ}$ W 25 links Dist



Dec 18th 1870
 Surveyed for John A. Acton & Others
 the following Tract of Land
 Situated in Section 18, T. 17 R. 1 E.
 it being the East half of the South
 E 3 west 1/4 quarter of said Section
 Beginning at the South west corner
 of said Section running East 82 Poles
 & 11 links past the trees poplar 22 inch
 Diameter S 27° W 26 links Dist Black
 30 in diam N 160° E 47 links Dist

South then North 50° W 160 Poles to the Center
 of the Section Witness Trees W Oak 12 in diam N 76° W 9 link Dist
 W Oak 15 in diam S 140° W 21 links Dist then South 82° W 82 Poles
 11 links Witness Trees W Oak 22 in diam S 180° E 24 links Dist
 W Oak 30 in diam N 34° E 21 links Dist then S 30° E 160 Poles
 No corner made

Length of the line from the S. W. Corner of Sec 19
 Tow. 7. Rang 1 E 329 Poles & 19 links

Charo Barers Geo. W. Payne & James
 Wells Snoreau John Acton Flag Barer

Alexander C. Spencer
 W. C. S.

W		
Brakes		
Halliburton	Henshaw	

Dec 20. 1870
 Surveyed for Isaac Brakes John
 Halliburton & Commodore Henshaw
 Owners of the following Tract of Land
 Situated in Section 13, Town 1 Range
 One E it being the South West
 1/3 4th of said Section Beginning
 at a Stone at the South West Corner
 of said Section Witness Trees
 5 Oak 20 in Diameter S. 34° W 7 links
 Dist Iron post 6 in Diameter
 N. 7° W 17 links Dist Then E 80°

Witness Trees W Oak 24 in Diameter N 30° W 30 links Dist
 B Oak 6 in Diameter N 35° E 29 links Dist Then E 80° Poles to the
 1/2 mile Post New witness Trees Poplar 8 in Diameter S 31° W 14 links
 Dist Birch 10 in Diameter N 34° E 24 links Dist Then N 40° W 80 Poles
 witness Trees Hickory 8 in Diameter N 6° W 19 links Dist Hickory
 4 in Diameter S 45° E 10 links Dist Then N 50° W 80 Poles to Center of
 Section witness Trees Birch 6 in Diameter N 13° E 37 links Dist
 Dogwood 5 in Diameter S. 37 1/2° E 18 links Dist Then west 80
 Poles witness Trees Birch 18 in Diameter N 51° E 34 links Dist
 Sugar 6 in Diameter S 62° E 39 links Dist Then west 80 Poles
 to the west 1/2 mile Post of said Section New witness trees
 B Oak 24 in Diameter N 31° W 13 links Dist W Oak 15 in Diameter
 S 10° E 14 links Dist Then S. 35° E 160 Poles to the Beginning

Chain Barers


John P. Smith
 John Halliburton

3 Swore

John Halliburton, Chain Barer

Alexander C. Spencer
 W. C. S.

Notice of Survey William Forkington will take notice that I have
 together with the County Surveyor of Monroe County Indiana on this day
 Proceed on the 11. Day of December 1870 To run relocate and establish all the
 lines & corners necessary to be run in Section 13 (3) Meritown Township
 Seven North of Range Four One East and to continue from day to day
 until all shall have been completed and to meet at the Residence of Frederick
 Brakes at 12 o'clock on said day the December 8. 1870 A.D.
 Frederick Brakes & John P. Smith & John Halliburton
 and by Certificate that the foregoing notice is correct
 and my hand to seal this January 5. 1871 A.C. Spencer



January 10th 1841
 Surveyed for
 Benjamin Reynolds & Eneas Shaver
 the following tract of land
 Situated in Section 26. Town 10 Range
 2 west it being a part of the South
 west quarter of said Section
 Beginning at a stone at the South
 west corner of said Section

Running North 30° W 60 Poles
 witness Trees Birch 18 in Diameter N 30° E 20 links Dist
 Birch 24 in Diam S 45° E 43 links Dist Then S 16° E 160 Poles
 witness Trees Elm 4 in Diam S 17° E 110 links Dist
 Then S 45° E 60 Poles to the Southern 1/4 mile Post of said Section
 witness Trees Elm 9 in Diam N 30° E 6 links Dist
 Sugar 14 in Diameter S 60° W 23 links Dist Then west 160 ft
 to the Beginning


Charles Borer James Cordeau
 Morten Langwell Eneas Shaver
 Flag Borer

Alexander C. Spencer
 W. C. S.

[illegible]

February 9th 1871
Surveyed for William Babcock
and Wm. Marsh the following
of land in Section 3. Town 10 R. 1
Begun at the S. E. corner of
Section 3. New witness Trees
18 in Diameter S 70° W 40 1/2 links
Beech 16 in Diameter N 26° E 47 links
Thence south with Section line
155 poles to 31 links witness Trees
Maple 16 in Diameter S 60° W 33 links
B. Walnut 16 in Diam N 46° E 2 1/2 links
Dist Thence S. 25° W 110 To the corner
of said Section 3. witness Trees
10 in Diam S 69° E 42 3/4 links Dist
18 in Diam N 34 1/2° W 48 1/2 links Dist
Thence South 40° E 155 Poles to
To the Southern 1/2 mile Post of said
witness Trees W Oak 20 in Diameter
S 65° E 42 links Dist W Oak 25 in
Diam N 70° W 45 links Dist Thence

North 89° E with the Section line to the Beginning also on
the same time & for the same parties the following lot of land in
Section 3 T 10 R 1 W Beginning at the center of said Sec 3. Witness Trees Hickory
10 in Diam S 69° E 4 1/2 links Dist Hickory 18 in Diam N 38 1/2° W 48 1/2 links
Dist Thence S 46° E 77 Poles & 21 links Witness Trees W Oak 15 in Diam N 32° E
25 links Dist Black Oak 5 in Diam N 5° W 19 1/2 links Dist Thence
S 89° W 80 Poles Witness Trees Birch 18 in Diameter S 65° W 3 link Dist
Birch 30 in Diameter S 80° W 25 1/2 links Dist Thence S 50° E 79 Poles 14 link
Witness Trees Birch 20 in Diam S 52 1/2° E 77 1/2 links Dist Elm 15 in Diam S 60° E
62 links Dist Thence N 89° E with the Section line to the Southern 1/4 mile
of Section 3. Witness Trees W Oak 30 in Diam S 65° E 44 links Dist
White Oak 25 in Diam N 60° W 49 links Dist Thence N 50° W to the Beginning
also on the same time & for the same parties the following lot of land in
Section 10 T 10 R 1 W Beginning at the Southern 1/4 mile Post of said
10 Witness Trees W Oak 20 in Diam S 65° E 44 link Dist W Oak 25 in Diam
Dist Thence S 50° E 81 Poles & 3 links Witness Trees W Oak 15 in Diam
Hickory 15 in Diameter N 6° E 59 1/2 links Dist Thence N 89° E 148 Poles & 18 links
Trees W Oak 30 in S 60° E 23 1/2 links Dist Hickory 4 in Diam N 45° W 16 link Dist Thence
Poles & 3 links to the N corner of 10 section Witness Trees Birch 15 in Diam S 70° W 4
link in Diameter N 26° E 42 links Dist Thence S 89° W with the Section line to the Beginning
Ashley Lucile Lewis Kendrick James Brown Chas Barers George
Alexander C Spencer W C H



March 17th A D 1871

ran the following line for Isaac Adkins
it being the dividing line between the
said Adkins & Peter Bowlingbaker
Beginning at a stone standing at the
South East corner of the North East 1/4
of the South west quarter of section
No 35 Township No 9 North of range
No one west then S 85° to 84 poles
to a stake with a Tree Elm 6 in diam S 82° E 9 1/2
poles dist then N 6° to 80 poles to a stake standing
in the Morgantown state road.

James Tr Spencer
Deft No 6 Surveyor

February 16th 1871

Surveyed for Robert Houston C. S. Co.
 S. D. Polley & Others The following Tract of land Situated in Sec.
 11, T. 10 N. R. 10 W. North of Range One west Commencing at the South
 East Corner of Section 11, T. 10 N. R. 10 W. aforesaid. Witness Trees Beech 12 in
 Diameter N 35° W. 15 links Dist Beech 4 in Diameter S 39° E 33 links Dist
 Thence N 50° W with the Section line to the North E. Corner of Same
 witness Trees wild cherry 4 in Diameter N 30° W 19 links Dist
 white Oak 4 in Diameter S 60° E 19½ links Dist length of said line
 32½ Poles & 3 links half of said line 160 Poles & 14 links

Thence Begin at the
 Eastern half mile Post of Section 11 T. 10 N. R. 10 W. witness Trees Beech
 28 in Diameter N 29° E 18½ links Dist Sugar 20 in Diameter N 60° E 30½
 Dist Thence S 25° W to the Center of said Section witness Trees white Oak
 28 in Diameter N 65° E 38 links Dist white Oak 20 in Diameter S 45° E 48 links
 Thence S 40° E 80 Poles & 7 links witness Trees white Oak 20 in Diameter
 47½ Dist white Oak 18 in Diameter S 33° W 24½ Dist Thence S 3° E 50 Poles & 7½
 To the S. half mile Post of said Section Thence N 85° E 138 Poles & 19½ links
 To the place of Beginning
 +

Land Subord.
 Thomas Hubbard
 Abraham Martin Flayman
 August Augustus
 Thomas F. Lufford
 Chas. Bowers Sworn
 Alexander C. Spicer M. C.

February 16th 1871

Run the following lot for Abraham Martin & Susan
 Martin Situated in the North East ¼ of Section 11 T. 10 N. R. 10 W. One
 Commencing at the Center of said Section 11, T. 10 N. R. 10 W. aforesaid. Thence
 N 85° E to a Stake Thence N 38° E 13 Poles & 13 links To a Stake witness Trees
 white Oak 28 in Diameter S 40° E 36 links Dist white Oak 30 in Diameter N 72° E
 21½ Dist Thence N 10° W 33 Poles & 13½ links To a Stake witness Trees Beech Tree 4 in
 Diameter S 15° E 5½ Dist Beech Tree 4 in Diameter S 40° W 52 links Dist Thence S 85° W
 13 Poles & 13 links to a Stake Thence S 40° E 33 Poles & 13 links to the Beginning
 Then Begin at the North west corner of said lot Thence N 50° W 46 Poles & 13½
 To a Stake Thence N 55° E 9 Poles & 19½ links To a Stake Thence S 40° E 46 Poles & 13½
 To a Stake Thence S 85° W To the Place of Beginning

S. D. Polley Flayman
 Thomas F. Lufford
 Bedford
 Chas. Bowers
 Sworn


Alexander C. Spicer M. C.

February 24th 1871

Surveyed the following Tract of Land for Grace
 Hacker Situated in Section 16, Township 16, 10. North of Range One
 West at being the South East One fourth of the South West quarter of Section
 1 Tow 10 Range aforesaid. Commencing at the South West Corner of said
 Section with 10 Poles with Cherry 4 in Diameter, N 30° E 18 Links Dist
 White Oak 4 in Diameter S 60° E 19 1/2 Links Dist Thence N 89° E
 with the Section line 80 Poles to a Stake, then North 89° E 80 Poles to the
 Southern half mile Post. Then with 10 Poles with Beech 10 in Diameter S 13° W
 21 Links Dist Poplar 30 in Diameter N 1° E 11 Links Dist Thence N 40° W
 80 Poles to a Stone witness Trees Sugar 4 in Diameter N 30° W 22 1/2 Dist
 Sugar 4 in Diameter S 10° W 30 Links Dist Thence S 85° W 80 Poles to a
 Stone witness Trees Sugar 20 in Diameter N 31° W 4 Links Dist Beech
 6 in Diameter S 75° E 13 Links Dist Thence S 45° E 80 Poles to a Stake at
 the Place of Beginning

Jonathan Sulford, Surveyor { Grace Hacker }
 Bethelina Herne, { John Bowers Swann }

Alexander C. Spence W. C. S.



March 14th 1871
Surveyed for James Lincome and
Thos. J. Cline the following Tract
Land Situated in Section 34 Town
No 10 North of No One East and Estab-
lished Corners as per plat & field notes.

Commenced at the South E Corner
of the N. W. One fourth of the
West quarter. Stone planted within
Tree Bush 4 in Diameter N 20° E
8 links Dist Sassafras 3 in Diam
S 53° E 73 links Dist.

Thence North 50° W. 52 R. & 13 links to a Stake Thence S 38° W 52 R 7 1/2
To a Stake withup Tree Dogwood 5 in Diam S 50° E 3 L Oak Bush 6 in Diam
N 16° W 28 Dist

Thence N 84° E. 42 R & 18 links to the place of Beginning
Tract Being a part of the N. W. One fourth of the S. W. quarter.

Also at the
Same time & for the same parties the following lot of land in Section
34 Town 10 R. 1 E Beginning at a Stake 37 Rods South of the
N. E. Corner of the N. W. quarter of the South W. quarter

Thence S 38° W 10 Rods to a Stake Thence N 30° W 74 Rods to a Stake

Thence N 38° E 58 R & 12 links corner made withup Tree

Bush 12 in Diameter S 30° E 32 links Dist Poplar 10 in Diameter S 73° E 36 1/2

Dist Thence S 50° E to the place of Beginning Said Tract Being a part

of the N. W. One fourth of the S. W. quarter & also a part of the S. W.

One fourth of the N. W. quarter

Thomas J. Cline Surveyor

John Armstrong }
William Lee } Chas. Bond
By Consent

Alexander C. Spencer

W. C. S.

March 16th 1871

Run the following lines & established the following corners for A.B. Galyan Sallie Stephens & John A. Polley situated in Section 19 Township No. 9 Range One E. Commencing at the N.E. corner of Section 19 T9 Range One E. on said witness trees Black Hickory 8 in. diam S 70° W 21 links Dist 1/2 in diam N 30° E 61 lin Dist Thence S 40° E with the Section line to the S.E. corner of same. New witness trees Black Oak 12 in S 39° E 98 lin Dist Black Oak 4 in N 14° W 18 1/2 links Dist length of the line 316 Poles 22 links

Corner made stone planted 78 Poles & 4 1/2 lin North of the S.E. corner of S 19 T9 R 1 E witness trees Black Oak 8 in N 12° W 132

Black Oak 10 in S 50° W 14 1/2 links Dist Corner 78 Poles & 7 1/2 links west of the S.E. of Section 19. Stone planted witness trees white Oak 8 in S 37° W 107 1/2 lin Dist white Oak 8 in N 56° E 130 links Dist

John A. Polley Flagman

(George G. Sluss) Chain Barren
(Nathus Burk) Sworn

March 2nd 1871

Alexander C. Spencer M.C.S.
Notice is hereby given to W.D. Adams Sallie Stephens & Ben Galyan that I will On the 16th Day of March 1871 To gether with the County Surveyor or his Deputy Proceed to Run Re-survey & Establish all lines & Corners Hereby to be Run in Section 19 Town 9 R 1 E said Survey to Commence at 10 o'clock A.M. and to meet at the N.E. corner of said Section To be Continued from Day to Day untill Completed

I here certify that the foregoing notice is a true copy given under my hand and Seal of Office this April 4 1871

A.C. Spencer M.C.S.

March 20th 1871

Ran the following lines for Peter Jinneman Jacob Meyers & John
Meyers Began at the S.E. corner of Section 7 & ran a line N 10° W north of
the one west of trees Birch 20 in Diameter S 36° W 18 f Dist
Birch 6 in S 87° E 16 f
Thence S 30° E with the Section line to the S.E. corner of same. Witness
Trees Sugar 20 in Diameter N 47° W 7 f Dist
Birch 14 in S 36° E 12 f Dist

x Post witness Trees Maple 6 in S 79° W 7 f
White Oak 14 in S 42° E 3 f

Thence S 85° W 240 Poles
to Stone witness Sand. Stone Bared N 30° E 26 links Dist
Sand. Stone Bared S 30° W 17 links Dist

Obediah Pitman Chapman (Absalom Walz) Chas. Brown
Jacob Blocher) Sworn
Alexander Spencer M.C.S.

North

Stone 1/2 A	29. 14	B	19. 13 1/2	19. 13 1/2	19. 13 1/2	19. 13 1/2	C	East 53. 24 D
post	No 5	No 4	No 3	No 2	Lot No 1	Lot No 1	Summings	
	North	North	North	North	North	North	Summings	
	Stone division	Stone Division	Stone Division	Stone Division	Stone Division	Stone Division	division	
							East	
	No. 5	No 4	No 3	No 2	Lot No 1			
	South	Stone division	South	South	South			
	Stone division	South	Stone division	Stone division	Stone Division			
	29. 14	F 19. 13 1/2	19. 13 1/2	19. 13 1/2	19. 13 1/2		52. 11	H
			South					

April 5th 1871 Surveyed the following described lots of land. Situate in Section No (35) thirty five Township No 9 North of Range No One west of the 2^d principal Meridian it being the North half of the South west quarter of said Section No 35 Town and Range aforesaid for Peter Bolimbaker Isaac Adkins William Millin William Bushker David Hunter Thomas Howard & Aaron Prose Beginning at A a stone standing at the western 1/2 mile post of said Section No 35 running thence N 85° E 29 poles 14 links to B stone planted and marked with the initials W.M. P.B. S. 35 witness Tree Elm 8 inches diameter S 85° W 148 links distant then N 85° E 78 poles & 4 links to C stone planted and marked with the initials I.A. P.B. S. 35 witness Tree Sycamore 14 inches diameter N 72° E 45 links distant then N 85° E 53. poles & 24 links to ^{ED} the center of said Section 35 stone planted at the center and marked with the initials C.S. S. 35 witness Tree Black walnut 8 inches diameter N 67° W 111 1/2 links distant Black walnut 12 inches diameter N 79° W 174 1/2 links distant then began at E it being the South west corner of the North 1/2 of said Section stone planted at E witness Tree Beech 15 inches diameter S 80° E 17 links distant then N 85° E 29. poles 14 links to F stone planted not marked only with a cross witness Tree Walnut 8 inches diameter S 35° E 7 1/4 links distant then N 85° E 78. poles 4 links to C stone planted and marked with the initials I.A. P.B. S. 35 witness Tree Grey Ash 1 inch diameter S 68° W 88 1/2 links distant then North 88° degrees East 52 poles & 11 links to a stone standing at the South East corner of Isaac Adkins lot witness Tree Beech 15 inches diameter N 25° W 9 links distant

Turn over

corner made at the North West corner of Thomas Howards lot & North East corner of Peter Bollinbakers lot Taken out of the South 1/2 of South West quarter of Section No 35 T9 R1 West some planted & marked with the initials JY. with a Tree poplar 2 inches diameter S 49 1/2 E 37 links distant

corner made at the North East corner of Aaron Roses lot and North West corner of Peter Bollinbakers lot stone planted & marked with the initials JY. with a Tree Black walnut looking at the ground 12 inches diameter S 84 1/2 E 72 1/2 links distant

Length of the line from the western 1/2 mile post of Sec 35 T9 R1 West to the East 1/2 mile post of the same 321 poles 23 links

X Length of the line from western 1/2 mile to Center of said Section 160 poles 24 links.

Length of line from S to corner of the North 1/2 of S 1/2 of Sec 35 to South East Cor of same 160.14 links.

Alexander C. Spencer

Notice of Survey

Monroe County Surveyor

Isaac Atkins William Millin Aaron Rose William Bushkirk Nathaniel Browning Thomas Howard Jacob Patton Robert Patton

David Hunter & Benjamin Rogers heirs will take notice that I will together with the County Surveyor of Monroe County or his Deputy proceed on the 5th day of April 1871 to run relocate and establish all the lines & corners necessary to be done in the South half of Section No 35 thirty five Township No 9 nine North of Range No one West and to continue from day to day until all shall be completed and to meet at the dwelling house of Peter Bollinbaker at 9 o'clock on said day this March 20th 1871

Served on the within named

parties by copy.

Peter Bollinbaker

I hereby certify the foregoing notice to be a true copy of the original now on file in my office given under my hand and seal of office this April 5th 1871

Alexander C. Spencer
Monroe County Surveyor

March 28th 1871

Surveyed for John Dorney James Fry Henry Willing
James M. Runk & K. Sharp & Others the following lines & Established the
following corners in Section No. 2 Township No. 10 North of Range
No. 10 East Commencing at the North E. Corner witness trees
Hickory 14 in Diameter S 30° E 21 links Dist

Thence S 85° W with the Section
line 160 Poles to the N ½ mile post witness trees Sugar 15 in Diam S 77° E 14 ½ links Dist

Thence S 40° E 346 Poles & 10 link to the S ½ mile post of the same witness trees
Beech 20 in Diameter N 64° E 22 ½ links Dist
W Oak 12 in Diameter N 89° E 24 ½ links Dist

Then Began at the W ½ mile Post
Ran North 84° E 324 Poles to the E ½ mile Post of same Corner Established
at Center of Section Stone faulted marked & witness trees
W gum 10 in Diam S 20° E 16 ½ links Dist
Syr 20 in Diam N 55° W 20 ½ links Dist

Corner made 81 Poles E of Center
witness trees W Oak 20 in Diameter N 48° E 12 ½ links Dist

W Oak 20 in Diameter S 30° W 8 links Dist
Thence North 50° W 93 Poles & 20 links Stone faulted witness trees
Beech 20 in Diameter S 33 ½° E 63 links Dist
Ironwood 6 in Diameter S 11° W 16 ½ links Dist

Corner made 82 Poles & 19 links
witness trees Beech 12 in Diameter S 27 ½° W 16 links Dist
Poplar 15 in Diam S 71 ½° W 32 links Dist
Corner 82 Poles & 19 links E of Center witness trees B. Oak 30 in Diameter N 65° E 23 l Dist
B. Oak 20 in Diameter N 36° W 4 ½ links Dist

A. C. Speer Esq. Meenas County Surveyor
Also at the same time and for Robert Taylor & John Dorney the following
lot of land situated in the North West quarter of Section No. 2 Township
No. 10 North of Range One East Commencing at the Center of said Section Thence
North 50° W 106 Poles Stone planted witness trees Beech 15 in Diam S 40° W 26 l Dist

Beech 8 in Diameter S 88° E 13 links Dist
Thence S 85° W 27 Poles to a stone witness trees Beech 15 in Diameter S 46° E 32 link Dist
Beech 20 in Diam N 21° E 53 link Dist
Thence S 40° E 106 Poles to a stone witness trees Beech 30 in Diameter S 34° E 26 ½ l Dist
W Oak 20 in Diam N 23° E 47 l Dist

Thence North 84° E 27 Poles to the place of Beginning

A. C. Speer M. C. S.

Notice of Survey

Benny McCound John R. Adams Robert Taylor & M. McCound James R. Jones M. J. Michael Warrisan Hearn & Williams & Joseph R. Sharp
 Resident and Non Resident Land Owners are hereby notified that the
 County Surveyor of Monroe County Ind. or his Deputy will be employed
 and be present on Thursday the 22nd Day of March 1871 to Run Re locate and
 establish all the lines and corners necessary to be run in Section Number 2 Town
 Number 10 North range Number 1 East and will continue from Day to Day
 untill all shall be Completed said Survey to begin at 9 O Clock A.M. On said
 Day and to meet at the Dwelling House of the Undersigned

March the 1st 1871.

John Downey

I hereby Certify that the foregoing Notice of Survey is a Correct extract
 as taken from the Martinsville Gazette of March the 1st 1871

A. C. Spencer M.C.S.

South

12	11	10	9	8	7	6	5	4	3	2	1
13	14	15	16	17	18	19	20	21	22	23	24
				alley	3 feet wide						
36	35	34	33	32	31	30	29	28	27	26	25
37	38	39	40	41	42	43	44	45	46	47	48
				alley	3 feet wide						
60	59	58	57	56	55	54	53	52	51	50	49
61	62	63	64	65	66	67	68	69	70	71	72
				alley	3 feet wide						
84	83	82	81	80	79	78	77	76	75	74	73
85	86	87	88	89	90	91	92	93	94	95	96
				alley	3 feet wide						
108	107	106	105	104	103	102	101	100	99	98	97
109	110	111	112	113	114	115	116	117	118	119	120
				alley	3 feet wide						
132	131	130	129	128	127	126	125	124	123	122	121
133	134	135	136	137	138	139	140	141	142	143	144
				alley	3 feet wide						
156	155	154	153	152	151	150	149	148	147	146	145
157	158	159	160	161	162	163	164	165	166	167	168
				alley	3 feet wide						
180	179	178	177	176	175	174	173	172	171	170	169

East

South

August 29th 1870

Surveyed for the united Presbyterian Church the above described lots situate in the South West quarter of Section No 32 Township No 9 North of Range No 1 East and on an out lot No 4 heretofore owned by the union associate reformed church but now owned by the united Presbyterian church. Said lots begins 16 rods 19 links West of the North East corner of said lot No 4 running to the N E corner of lot No (1) one as appears on the above plat. All of said lots are (16) sixteen feet North & South & 20 feet East & West all the alleys are (3) three feet wide & the street running North and South through the center of said lots is 10 feet wide.

James W. Spencer
Sept 16th 1870



June the 6th 1871
 Run the following lines & Established
 the following corners for William
 Smith of W Butcher J. A Strain
 Thomas C. Jones Butchers heirs
 & others in Section No 19 Town No
 Range No One West Beginning at
 the North East corner of said Sect
 No 19 Town & Range above said
 Witness trees Beech 20 inches in
 Diameter S 63° W 15 links Distance
 then witness tree W Oak 20 inches

South Diameter N 25° W 23 1/2 links Dist

the Section line 160 Poles to the N 1/2 mile Post in the Mill Run
 Witness trees Bur Oak 20 inches in Diameter S 47° W 138 1/2 Dist

+ Syccamore 20 inches Diameter S 60° W 110 links Dist
 Thence West with the Section line 178 Poles & 5 links to the North
 West corner of same Stone planted marked + Witness tree
 Sugar 20 inches Diameter N 12° E 60 links Dist

Eastern 1/2 mile post Witness tree Mulberry 1 inch in Diameter
 North 20° W 58 1/2 links Dist

Thence S 85° W 160 Poles to the Center of
 Section Stone planted Witness trees Cherry 6 inches Diameter
 N 37° E 3 links Dist Cherry 5 inches Diameter N 66° W 18 links Dist
 Thence S 85° W 178 Poles & 4 1/2 links to the N 1/2 mile Post of same
 Stone planted Witness trees Beech 20 inches Diameter N 10° E 18 links Dist

Beech 17 inches Diameter S 12° E 39 links Dist
 Then began at the 1/2 mile Post Running thence N 10° E 3 1/4 Poles & 60 links
 to the N 1/2 mile Post of same

Also at the same time and for George Smith
 & Butchers heirs Run the following tract of land situated in the
 South East One fourth of the North West quarter of Section 19 Township No 19 Range One West of 2nd principal meridian
 Commencing at the Center of said Section 19 Town & Range above said
 Run the line S 85° W 5 Poles & 22 links Stone planted Witness tree apple
 6 in Diameter N 43° E 54 links Dist
 Thence N 10° W 84 Poles to a Stake Witness tree Beech 15 inches Diam S 20° E 38 links
 Dist
 Thence N 84° E 5 Poles & 22 links Witness
 trees Ash 7 inches in Diameter S 14° W 43 1/2 links Dist

Ash 15 inches Diameter S 75° W 70 hds. Distance
 there is S 40° E with the
 Splitting line 34 poles to the place of Beginning.

(J & Hazel } Chaunce Borman
 (T. C. S. W. Butcher } Sworn
 Robert Sharp Hayman
 Alexander C. Spencer M.C.S.

Notice of Survey

Lucinda Edington formerly Lucinda Butcher Isaac Edington
 her husband Adaline Rutch formerly Adaline Butcher and Nelson
 Rutch her husband heirs of Daniel Butcher late of Monroe County
 Deceased and to all the unknown heirs of the said Butcher will
 Take Notice that I will together with the County Surveyor of
 Monroe County Indiana or his Deputy proceed on the 6th Day of
 June 1871 to run and relocate establish and perpetuate all the
 lines and corners necessary to be done in Section No 19 Monroe
 Township No (7) seven North of Range No One West and to
 Continue from Day to Day until all shall be completed
 and to meet at the Dwelling house of George Smiths
 Residing on said Section nineteen and to meet at 8 O Clock
 A.M. On said Day. This May the 3rd 1871
 George Smith

I hereby Certify the foregoing Notice to be a true
 Copy of the Original now on file in my Office
 Given Under my hand and Seal of Office This June 10th 1871

Alexander C. Spencer M.C.S.

September the 18th 1871

Run the following lines and Establish the following corners for John B. Cox Wm. L. of James Murphy Wm. Robertson + Others in Section No. 28 Township No. 9 mine North of Range No. One East of the 2nd principal Meridian Commenced at the South East corner of Section 28. Tower and Range above said. Witness trees Beech 11 inches Diameter North $87^{\circ} E$ 1 links Dist

Then e with the Section line 160 Poles & $13\frac{3}{4}$ links to the Eastern $\frac{1}{2}$ mile post. New witness trees Beech 24 inches Diameter $S 83^{\circ} W$ 3 links Dist Sassafras 3 inches Diameter $N 13^{\circ} W$ 64 links Dist

Then e $N 4^{\circ} W$ with the Section line 160 Poles & $13\frac{1}{2}$ links to the North East corner of same New witness trees Beech 18 inches Diameter $N 16^{\circ} E$ 26 links Dist W Walnut 3 inches $S 8^{\circ} W$ 29 links Dist Then began at the Eastern $\frac{1}{2}$ mile post Then e $S 81^{\circ} W$ 79 Poles & $4\frac{1}{2}$ links Stone planted witness trees

White walnut 8 inches Diameter $S 31^{\circ} W$ $37\frac{3}{4}$ links Dist B Oak 10 inches Diameter $N 31^{\circ} W$ 45 links Dist Then e $S 84^{\circ} W$ 79 Poles $4\frac{1}{2}$ links to the Center of said Section

Then e $S 4^{\circ} E$ 78 Poles $13\frac{1}{2}$ links Stone planted witness trees Beech 15 inches Diameter $S 9^{\circ} W$ 13 links Dist

Beech 12 inches Diameter $S 83^{\circ} E$ $44\frac{1}{2}$ links Dist

80 Poles & 11 links Stone planted witness trees

Then e $N 84^{\circ} E$ W Oak 20 inches Diameter $S 60^{\circ} W$ 34 links Dist

W Oak 4 inches Diameter $S 66^{\circ} E$ $66\frac{3}{4}$ links Dist

George B Rider Surveyor

Jacob Richardson } Chain
 J. C. Freeman } Borne
 Daniel Robertson } Scribe

Alexander C. Spencer M.C.S.

Oct 25th A D 1871

ran a lot for the church of Christ situate in the
 Town of Ellettsville Monroe County Indiana Began at
 the North West corner of said lot which stands 32 feet
 in a South East direction from the North East corner
 of lot No 61 in sharps division then S $37\frac{1}{2}^{\circ}$ W 8 poles
 to a stone then S 54° E 8 poles then N $37\frac{1}{2}^{\circ}$ E 8 poles
 then N 54° W 8 poles to the Beginning containing 64
 poles

James W. Spencer
 Sept 8 1860

November the 20th 1871

Surveyed for James M. Goodman
Delila Baker & Seth Goodman their following
Tract of Land Situated in Section No 36 Township
No 8 Range No 2 West of the 2nd principal Meridian
Commencing at a Stone at the ~~center~~ ^{intersection} 1/2 Mile Post of Sect.
No 36 Town & Range afore said Thence N 41° W 160 Poles to 30 links
to the North West Corner of same New Witness Tree
made Thorn Bush 3 inches Diameter S 46 1/2° W 39 links Dist
Thence N 84 1/2° E 160 Poles to
Links to the North 1/2 Mile Post of same

Then Began 80 Poles & 2 links
West of the Northern 1/2 Mile Post at a Stone marked x
Witness Tree Elm 10 inches Diameter S 72° W 36 1/2 links Dist
Thence S 4 1/2° E 160 Poles & 43 1/2 links Corner Established Stone planted
Witness trees Hickory 30 inches Diameter N 66° W 40 links Dist
Sugar 15 inches " " S 36 1/2° E 31 links
Then began at a Stone planted 80 Poles & 7 1/2 links North of the
Western 1/2 Mile post Witness Trees Beech 14 in Diameter N 44 1/2° E 13 links Dist
Sugar 15 " " S 39° E 22
Thence North 84 1/2° E 80 Poles & 2 links Corner Established
Stone planted Witness Trees B Walnut 20 in Diameter S 39 1/2° W 34 links Dist
B Walnut 30 inches S 33 1/2° E 41 1/2 links Dist

James M. Goodman
Stage Boxes

(William Sprunt, Chauncy Borers
Elyas Chambers) By Consent

Alexander C. Spencer, W. C. S.

November the 24th 1871

Surveyed for George Hudson Ephraim DeCar
Austin DeCar & others the following Tract of Land Situated
in Section No 34 Township No 6 North of Range One West of the
2nd principal Meridian Beginning 80 Poles West of the South East
Corner of Section No 34 Town & Range afore said at a Stake Witness
Tree Beech 20 inches Diameter S 89° E 4 1/2 links Dist
Beech 12 inches " " N 77° E 20 " " " "
Thence S 84° W 80 Poles to the SE 1/2 Mile Post of same
New witness trees Beech 20 inches Diameter S 17° W 39 Links Dist
Beech 20 inches " " N 20° W 37 " " "
Thence S 84° W 80 Poles to a Stake

Witness tree W Oak 3 inches Diameter N 44° W 46 links Dist
 Thence N 40° W 80 Poles to a Stake Witness tree Sycamore
 Stump 15 inches Diameter North 9 links Dist
 Thence N 85° E 80 Poles to Stake Witness trees Beech 19 inches Diameter
 N 37° E 14½ links Dist Beech 10 inches Diameter
 N 75° W 41 links Dist

Thence N 85° E 80 Poles to a Stake
 Witness trees Beech 20 inches Diameter S 72½° E 31 links Dist
 Beech 18 S 34° W 15½
 Thence 80 Poles to the Place of Beginning said Tract Being
 the South West One fourth of the South East quarter
 and South East One fourth of the South West quarter

{ Agustin Decard } { Henry Meekers } Chas Bowers
 { Eliza Bower } { Joseph S Steward } Sworn

Alexander C. Spencer
 Monroe County Surveyor

November the 27th 1871

Survey. The following lines and
 Established the following Corners for George Hudson
 Acres land Drew Acton Oliver McGlothlen & Others
 Situated in Section No 20 Township No 7 North of Range
 One East of the 2 Principal Meridian Beginning at the
 Western ½ mile Post of Section No 20 Town 8 Range
 above said. Witness trees Hickory 5 in S 60° E 10 links Dist.
 Thence N 85° E 80 Poles Stone planted witness trees
 B Walnut 15 inches Diameter N 87° E 183½ links Dist
 Thence N 85° E 80 Poles & 8 links to the Center of Section
 20 Town 7 R 1 E. Witness trees W Oak 20 in Diam S 48½° W 10½ links
 W Oak 20 S 11½° W 48½

Thence N 85° E 80 Poles & 8 links Stone planted
 Witness trees Sugar 12 in Diam S 37° E 17 links Dist
 W Oak 4 S 61° E 21 links

Then Begin at the Eastern ½ mile Post of same Range
 S 5° E 49 Poles & 19 links Stone planted Witness trees
 W Oak 4 inches Diam S 48° W 27 links Dist
 W Oak 6 N 21° E 14

Thence S 85° W 160 Poles & 16 Links Stone Planted

Witness trees W. Oak 30 inches Diameter N 74° W. 48 links Dist
W. Oak 30 361° W 43½
Corner Established 80 Poles & 8 links West of the North ½
Mile Post Witness trees Beech 8 in Diameter S 48° E. 23½ links Dist
Corner Established 80 Poles & 8 links East of the N ½ Mile Post
Witness tree Beech 10 inches S 40° W. 19 links Dist
Length of line West of Center 160 Poles & 16 Links
Length of line East of Center 160 " & 16 "
Length of line North of Center 161 Poles & 11 links
Length of line South of Center 154 Poles & 14 links

(Charles Adams Hay) (Thomas Allin) Chase Bonney
Borer Sworee (Robert Caze) Sworee

Alexander C. Spencer
Monroe County Surveyor

December 8th 1871

Surveyed for J. R. Sharp the following
lines and Established the following Centers Situation
Section No. 8 Township No. 6 North of Range One East of
of the 2nd principal Meridian

Planted and Marked with the Initials N W C N E S E
 Witness Trees Beech 7 inches Diam S E W 18 links Dist
 W Oak 4 inches " " N 86° W 27
 Thence N 4° W 80 Poles Stone plant and marked with
 the Initials N W C S E 1/4 S 5 Witness Trees

W. Oak 12 inches Diameter S 51° E. 1 lin 30
 W. Oak 6 " " " " S 46° W 14 lin
 There are N 88° E 80 Pbs + 7. Links Stone planted, marked
 With the initials N E C S E 7 S 5
 Witness trees Hickory 10 inches Diameter N 54° E 21 lin 30
 Hickory 25 " " " " S 83° W 12 " "

{ A C Stacker } { Thomas L Phillips } Chase Bros.
 { Day, Brewer } { Constant Romney } Sworn

Alexander C. Spencer
Marine Engineer Surveyor

January 2nd 1872.

Run the following line and Establish
the following Corners for Dominic Bower Joseph
Hough Abraham May Junr Abraham May Junr
William May Doctor Hoons & Tolbert Rush Situate
in Section No (26) Twenty Six Township No (8) Eight
North of Range No (2) West of the 2nd Principal
Meridian Beginning at the North west Corner of
Section No (26) Twenty Six Town and Range afore said
Witness Trees Sum 6 inches Diameter N 20° W 31 link Dist
W. Oak 24 N 42½° W 37½

Thence East 160 Poles to the North ½ mile Post of same
Stone planted marked x (Witness Trees

B. Oak 6 inches Diameter S 32° E. 8 link Dist
New witness made W. Oak 4 " " " " N 70° W. 18

Thence East 79 Poles & 14 links Stone Planted marked
+ witness Tree B. Walnut 1 inch Diameter S 80° E 14 link Dist

Thence East 79 Poles & 14 links to the North East Corner of
Same Stone planted New witnesses Trees

W. Oak 30 inches Diameter N 4½° W 67½ links Dist

Mulberry 6 " " " " N 34½° E 51½

Thomas Rush) Shay Bower (Silas Chambers) Chanc Bearers
Sworn (Eli Boreff) Sworn

Alexander C. Spencer
Monroe County Surveyor

Notice of Survey State of Indiana 33
Monroe County

To Joseph Hough Abraham May Junr Abraham May Junr
William May Doctor Hoons & Tolbert Rush you the same
you & Each of you are hereby notified that I shall proceed on the
2 day of January 1872 to have Alexander Spencer the Surveyor of said
County in said State to run such lines & to establish relocate and
perpetuate such Corners of sixty acres of land of the west half of the
North east quarter of Section No (26) Twenty Six in Township No (8) Eight North of
Range No (2) two west now owned by the inflexible and situate in said
County & State as will define the lines & Corners of said tract of land from the lands
owned by you separately adjoining from my land thence to said Surveyor to meet on the aforesaid
tract of land at which time & place you are notified to attend at 12 O'clock M of said day
Dominic Bower) I hereby certify the foregoing Notice to be a true Copy of the
Original now on file in my Office this 4 day of January 1872

Alexander C. Spencer M. C. S.

Survey of Section No 14 T₉ R₁ WestFeb 23^d A.D. 1872

Surveyed Section No 14 Township No 9 north of Range No 1 one meet for Archibald Gleason William Burk & Nancy Tr Spencer Rachel Paul William Bangh William Bramage & James Rogers, & ran the following lines & made the following corners

new witness tree made at the North East corner of Sec 14 White oak 6 inches diameter S 71° to N $13\frac{1}{2}$ links distant

new witness tree made at the South $\frac{1}{2}$ mile post of Section 14 To oak 12 in diam N 45° to S $4\frac{1}{2}$ links dist Birch 8 in diam N 7° to S 16 links distant

length of the line from the South $\frac{1}{2}$ post of Sec No 14 To the Northern $\frac{1}{2}$ mile post of the same 323 poles & 8 links

new corner made at the North $\frac{1}{2}$ mile post of Stone planted & marked with the initials N₁₄ S₁₄ the witness tree Sycamore 3 inches diameter N 45° to S 18 links distant.

length of the line from the N E cor of Sec 14 to the North West corner of the same 325 poles

new corner made at the N W cor of said Sec No 14 witness tree 2 oak 12 in diam N 45° to S $4\frac{1}{2}$ links dist Birch

corner made & stone planted 8 $\frac{1}{4}$ poles north of the center of Section No 14 & marked with cross on a solid rock. witness Red oak 4 inches diameter N $7\frac{1}{2}$ to S $14\frac{1}{2}$ links distant

Length of the line from the North West corner of Sec 14 To the S W corner of the same 322 poles & 8 links half the distance 161 poles & 4 links

new witness tree made at the Eastern $\frac{1}{2}$ mile post of Sec 14 poplar 5 in diam N $82\frac{1}{2}$ to S 12 links distant Elm 4 inches diameter N $4\frac{1}{2}$ to S 20 links distant

corner made 80 poles 14 $\frac{1}{2}$ links north of the western half mile post of said Section No 14 witness tree Maple 2 in diam N $27\frac{1}{2}$ to S 7 $\frac{1}{2}$ links dist

corner made west of center 82 poles 5 links witness tree Hickory 4 inches diameter N $61\frac{1}{2}$ to S $50\frac{1}{2}$ links distant

length of the line north & south through the center of the North west quarter of Section No 14. 161 poles & 8 links

Survey of Section No 14. T₉ R. 1. West Continued

corner and witness trees made $8\frac{1}{4}$ poles west of the north $\frac{1}{2}$ mile post of Section 14. T₉ R. 1. West Elm 8 in diam S $36\frac{1}{2}^{\circ}$ to one chain or 100 links

Length of the line East of the center of R to go Sec 14.	80.12 $\frac{1}{4}$
Length West of Center	80.08
Length South of Center	80.00
Length North of Center	81.08

Length of the line East of the center of Sec 14 T ₉ R. 1. W.	162.19
Length West of the center	164.10
Length North of the center	162.03
Length South of the center	161.00

corner made at center of said Section 14 & stone planted & marked with the initials C. S. 14 witness trees sugar 4 in diam N 45° to $41\frac{1}{2}$ links distant Buck 6 inches diam S 15° E 42 links dist

corner made at center of R to go Sec 14 & stone planted Buck 10 in diam S 33° to 43 links distant

James Burke & Joseph L Johnston } A to Spencer
Chain Bearers by Consent of Parties } Monroe County Surveyor

This February 12th 1872.

William Bangh Rachel Paul William Ramage Henry Golpitt and Joseph L Johnston Gentlemen you are hereby notified that we the undersigned will with the County Surveyor on the 23rd day of February 1872 commencing at the $\frac{1}{4}$ Section on the South line of Section (14) Township (9) Range 1 West then and there to locate such lines and ~~locate~~ Establish such corners as is necessary to be done in such said Section

Subscribed by William Ramage	Archibold H. L. L. L.
by Copy Joseph L Johnston subscribed	Nancy H. Spencer
by Copy Rachel Paul Subscribed by Copy	James M. Rogers
Henry Golpitt Subscribed by Copy	
William Bangh Subscribed by Copy	
Arch. H. L. L. L.	March 5 th 1872

I hereby certify this foregoing notice to be a true copy of the notice served on the above named parties Given under my hand & Seal of office this March 5th 1872

A to Spencer M. C. S.

February 20th 1872

Run the following Section
line for Henry Rorher & Margaret Kempf Mill Situate
Between Section Nos (21) and (22) Township No (8) eight
North of Range No (1) One west of the 2nd principal meridian
Beginning at the North east corner of Section No (21) twenty
and the North west of Section No (22) twenty two new witness
trees B. walnut 4 inches diameter S 36° E 93 links Dist
+ then S 42° E 198 Poles + 3 links to the western $\frac{1}{2}$ mile post of
Section (22) + the Eastern mile post of Section (21) New witness trees
Hackberry 12 inches Diameter S 43° E 16 $\frac{1}{2}$ links Dist
Sugar 15 " " " " S 67° W 47 $\frac{1}{2}$ " " " "

{ John Gracraft } { Robert Irvin } Chas Brown
{ Flag Beover Swore } { John L Anderson } Swore

Alexander C. Spencer
Monroe County Surveyor

March the 6 1872

Run the following line for Aaron David
and William Thompson Situate in Section No (33)
Thirty three Township No (10) ~~North~~ North of Range One East
Commencing at the North East corner of Section No (33)
+ Town Ship and Range aforesaid. Witness Tree Beech 18 inches
Diameter N 60° E 14 links Dist then South 84° west 163 Poles
and 5 links to the North $\frac{1}{2}$ mile post of same witness trees
White Oak 18 inches Diameter N 71° W 21 links Dist
W Oak 12 inches diameter S 7° E 19 " " " "

William Kelley } { John M. Harris } Chas Brown
Flag Beover } { Aaron David } by Consent

March 12th 1872

Ran the following lines and Established the following corners for John Bourke Henry J. E. Colpitts James McBride Jonathan Braum & Others Situate in section No (1) eleven Township No (9) nine North of Range (1) One west of the 2nd principal Meridian

Beginning at the South $\frac{1}{2}$ mile post at a stone marked with Initials S & M S 11 Town & Range fore said witness tree
Sycamore 3 in Diameter N 41° E. 18 links Dist
Then N 41° W. 324 Poles + $1\frac{1}{2}$ links to the North $\frac{1}{2}$ mile post of same
Then began at the East $\frac{1}{2}$ mile post of section No (1) at a stone planted marked with the initials E & M S 11 witness trees

Sycor 6 inches Diameter N 70° W 28 $\frac{1}{2}$ links Dist

Beech 24 " " " " S 57° W. 14

Thence west 321 Poles 18 links

to the western $\frac{1}{2}$ mile post of section No (10) witness tree

Beech 18 inches Diameter N 54° W. $1\frac{1}{2}$ links Dist corner made and

stone planted at center of section No (1) witness tree

B Oak 8 inches Diameter S $20\frac{1}{2}^{\circ}$ E. 62 links Dist

corner made 80 Poles + $12\frac{1}{2}$ links North of center section No (1) witness tree

Beech 10 inches Diameter N 70° W. 100 links Dist Thence East 159 Poles

+ $20\frac{1}{2}$ links to a stone witness tree apple tree 12 inches Dia N 85° W. 14 links Dist

corner made 80 Poles + 10 links west of the East $\frac{1}{2}$ mile post of section No (1)

witness tree Beech 8 inches Diameter S $41\frac{1}{2}^{\circ}$ W. $30\frac{1}{2}$ links Dist

corner made 81 Poles + $13\frac{1}{4}$ links North of the S $\frac{1}{2}$ mile post of section No (11)

witness trees B Oak 10 inches Dia N 81° W 14 links Dist

W Oak 18 " " " " S $64\frac{1}{2}^{\circ}$ E. $21\frac{1}{2}$ " " " " Thence East

18 Poles + 22 links stone planted witness trees

B Oak 5 inches Diameter S $13\frac{1}{2}^{\circ}$ E. 13 links Dist

B Oak 5 " " " " N 22° W 20

corner made 80 poles 15 $\frac{1}{2}$ links west of the South East corner

of section No (1) witness tree W Oak 20 inches Diameter S $20\frac{1}{2}^{\circ}$ W 13 links Dist

length of line South of center 163 Poles + $1\frac{1}{2}$ links

length of line North of center 161 Poles

length of line East of center 160 Poles + 20 links

length of line west of center 160 Poles + 23 links

(Silbert, T. Paul) Chas. Beavers

(Henry J. E. Colpitts) (James Bourke) Sweeney

(Edgar Beaver Sweeney) Alexander C. Spencer M. C. S

Notice of Survey.

Stephen Fleming, Henry Colpitts, Rachel Paul
 Mr Standen, James McBride Jonathan Braugher
 Mrs Lewis Mrs Goder will take notice that
 I will on Tuesday the 12th day of March 1872 proceed
 with the County Surveyor of Monroe County or his
 Deputy to Run relate and establish all the lines &
 Corners necessary to be done in section No 10 eleven town
 No 9 nine north of Range One west and will continue from
 Day to day untill all shall be completed and to meet at
 the south $\frac{1}{2}$ mile post of said Section at 9 O'clock on
 said day served by Copy on the within named
 This March 1st 1872

William Bouwke
Alexander C. Spencer M.C.

I hereby Certify that the foregoing notice is correct
as given under my hand and seal of Office this March
the 18th 1872

Alexander C. Spencer. M.C.S.



March the 19th 1872

Ran the following
 lines and established the following
 corners for Steward Osgood being
 L Briskirk & others situated
 in sections Nos 15 fifteen & section
 (14) fourteen township No (10) ten
 North of range No (2) two west
 of the 2nd principal meridian

Commencing at the South $\frac{1}{2}$ mile post of Section No (15) fifteen
 Seven & range of said ^{new} witness trees walnut 48 inches Diam
 N 44° W 54 links dist Birch 20 inches Diam N 60½° E 46 link dist
 Thence East with the section line 160 Poles + 6½ links to the
 South East Corner of same thence North 68 Poles 2½ links to
 a Stake thence west 160 Poles + 6½ links to a Stake thence
 south 68 Poles + 5½ links to the place of beginning said tract of
 land being a part of the south East quarter of Section (15) Fifteen
 then began at the South $\frac{1}{2}$ mile post of Section (15)
 witness trees as aforesaid thence west (30) Poles stone planted
 witness trees Birch 30 inches Diameter N 42½° E 35 links Dist
 Birch 20 inches Diam N 60½° E 46 links Dist

thence North 68 Poles $2\frac{1}{2}$ links Stone placed
where trees Hickory 6 inches Diameter N 130 E 178 links Dist
thence East (30) Poles to a stake thence South to the face of
Beginning said tract being a part of the South East One $\frac{1}{4}$ part
of the South west quarter ^{Section 44} They began at the South East

Corner of Section (14) Fifteen and the South west Corner of Section
(14) Fifteen thence East with the Section line 80 Poles 5 trees
planted with trees Beech 12 inches N 10° E 94 links Dist

Beech 12 inches N 55° W 38 Dist ash 4 inches S 37° E 16½ lugs Dist
thence North 68 Poles 2½ lugs store flanted naturally trees

Beginning said tract being a part of the south west one fourth of
 (west & by quarter) section (14) fourth

E R Gobel } Hay Receiver { Thomas Wampeter } Chan Receiver
Sweeney } Joseph Payne } Sweeney

Notice of Survey George Buskirk you will take notice
that On Tuesday March the 19th 1872 the County Surveyor
of Monroe County Indiana will proceed to survey the
lines and establish Corners between the lands of Simeon York
George Buskirk and Howard G. Osgood same County
March the 6th 1872

H. G. Osgood

Alexander C. Spencer M.C.S.

I here by Certify the foregoing Notice to be a true
Copy of the Original now on file in my Office
this the 28th Day of March 1872

Alexander C. Spencer
Monroe County Surveyor

April 3rd 1872


Run the following line in Section 21 T 10 R 1. E. for
the benefit of Marion Stepp John Johnston & Washington
Riddle length of the line from the ^{North} East Corner of
Section 21. To the western half mile post of same 163 poles
19 links corner stone at Western 1/2 mile marked W. 1/2 M. S 21

length of the line from the west 1/2 mile post of Sec 21
to the Eastern 1/2 mile of same 323. poles 7 links

Thomas Smith & James Riddle
Chain Bearers sworn this April 3rd 1872

James H. Spencer
Sept M. C. S.

North



April 2^d A.D. 1872
 ran for Joshua Stepp & Marion
 Stepp the following described
 lots of land in Section No 17
 Township No 10 North of Range
 No one east

Corner Made at the South East
 Cor of said Section 17 stone planted
 and marked C. 16. 17. 20 & 21

Witness Tree White oak 5 inches
 diameter S 32° W 50 1/2 links distant

length of the line from the North East Corner of Section 17
 to the South East Corner of the same 325 poles & 17 links

length of the line from the South East Corner of Section No 17
 to the South half Mile post of the same 160 poles wanting
 3 links

Corner made 80 poles west of South East Corner of 17
 stone planted and marked S. Tr. C. S. E. gr S. 17 witness Tr.
 oak 24 in diam N 67° E 6 1/2 links dist Gum 10 in diam
 N 67° W 14 1/2 links distant

Corner made at the Eastern 1/2 mile post of Section No 17
 stone planted & marked E. 1/2 M. S. 17. witness Trees Tr. Oak
 15 inches diameter N 75° W 28 1/2 links distant

Distance from the center of South East gr of Sec No 17 to the N Tr Cor of
 the E 1/2 S E gr Sec 17. 80 poles 12 1/2 links

Corner made at the center of S. E. gr Sec 17. Stone planted
 & marked C. S. E. gr. S. 17. witness Trees Tr. Oak 15 inch diam
 S 67 1/2 E. 25 lbs dist Tr 15 in diam S 25° W 28 1/2 lbs dist

Corner made North of S E Cor Sec 17. marked N. E. C. S. E. 1/4 S. 17
 no witness Trees made

length of the line from the center of Sec 17. to E 1/2 mile post
 166 poles

Thomas Smith & James P. Murphy

Chain Bearers sworn this 2^d day of April 1872

James W. Spencer S. 16, 17, 20

April 9th 1872

ran for the benefit of Charles Miller the following
lot of land situate in the East half of the South west
quarter of Section No 34 Thirty four Township No Eight
North of Range No one West Beginning at the Southern
half mile post of said Section No 34, running
from thence N 41° E to 72 poles to the center of Range
creek from thence up said creek S 79° E to 12 poles
to 5 links cornering on a mulberry tree then S 32° E
to 32 poles then S 40° E to 16 poles then S 29° E to 39 poles to 9
links to the line dividing Townships No 7 & 8 Range No
1 West then N 84° E to with said Township line 63 poles
to 18 links to the Beginning containing Seventeen acres
(2) two quarters & 25 poles

James Trappner

Sept 26 6 Surveyor

April the 29th 1872.

Ran the following lines and
Established the following corners for Henry Morton David
Morton James Morton A. J. Payne Gamel Payne A. J. Payne
and others situate in Section No (23) Twenty two Township
No (8) Eight Range (1) One East Beginning at the East $\frac{1}{2}$ mile
Post of Line No (23) Town and Range above said new witness
tree Stickons 15 in S 165° W 34 links Dist thence North 47°
81 Poles 12 links Stone planted witness trees Beech 12 inches
Diameter S 115° W 13 links Dist thence west 19 Poles $6\frac{1}{2}$ links
to a tree planted witness tree B. Oak 10 inches Diameter N 60° W
22 $\frac{1}{2}$ links Dist thence west 237 Poles 18 $\frac{3}{4}$ links to the west
Section line of said Section No (23) Stone planted witness tree
them 10 inches S 215° E 118 links Dist Corner Established
at the South west corner of the South East $\frac{1}{4}$ of the South East
quarter of Sec 22 T 8 R 1 E witness tree Beech 18 inches Diam
N 15° W 22 $\frac{1}{2}$ links Dist

A. J. Payne } Hugenon John Morton } Ebenezer
Swore } Abraham Chestnut } Swore

Also at the same time and for John Morton & for James J. Dodds
Ran the following tracts of land situated in Section No (23)
Twenty two Township (8) Eight Range (1) One East
Beginning at a stake 24 Poles south of the $\frac{1}{2}$ mile post of 3

Section No. (22) Town and Range of said there
 South 40 E 54 Poles to the North west Corner of the South
 west $\frac{1}{4}$ of the South west quarter of said Section (22) witness
 trees Birch 30 in S 50 W 13 $\frac{1}{2}$ links Dist to Oak 6 inches
 S 84 E 17 links Dist thence N 89 E. 39 Poles 15 links to a
 Stake thence Back to the place of Beginning said Tract
 Being a part of the North west $\frac{1}{4}$ of the South west quarter
 of said Section No. (22) T 8 R 1 E then Begin at a Stake
 39 Poles & 15 links East of the North west Corner of
 the South west $\frac{1}{4}$ of the South west quarter and the South
 Corner of the North west $\frac{1}{4}$ of the South west quarter
 thence N 89 E. 39 Poles 15 links to a Stake then a
 South 40 E. 54 Poles to a Stake witness tree Stick on
 4 inches N 14 E 22 $\frac{1}{2}$ links Dist thence Back to the place
 of Beginning said Tract Being a part of the South
 west $\frac{1}{4}$ of the South west quarter of Section No. 22. T 8
 Range One East

Benjamin Chestnut (John Morton) Chas. Beeson
 Silaseman (Abraham Chestnut) Swore
 A. C. Spencer M. C. S.

Notice of Survey

Notice is hereby given to the undersigned
 Morton Daniel Morton & James Morton that we
 A. C. Payne James Payne A. J. Sampkins William L. Linn
 James L. Dodds James C. Sexton Abraham Chestnut
 and John Morton will proceed together with the County
 Surveyor on the 29th Day of April 1872. to run all the lines
 and to establish all the corners necessary to be done in section
 No. (22) Town (8) Range. No One East and to continue from
 Day to Day until all shall be completed and to meet
 at the Dwelling house of James Paynes at 8 O'clock
 on said day March the 30 1872.

I hereby Certify that the foregoing Notice is a correct copy
 as published in the Robinson Democrat a paper
 published in Monroe County Indiana given under my
 hand and seal of Office this May the 7 1872.

Alexander C. Spencer
 Monroe County Surveyor

May 8th A.D. 1872

Surveyed for Jesse Remolds the following lot of land Situate in the South west quarter of Section No 26 T 10 R 2 west Beginning 48 poles 4 links South of the western half mile post of said Section No 26 Town and range aforesaid running thence N 85° E 61 poles 17 1/4 links then S 5° E 51 poles 22 links then S 85° W 61 poles 17 1/4 links then N 5° W 51 poles 22 links to the Beginning containing (20) Twenty acres.

John H. Gilman
Joseph W. Houston
Chain bearers

James H. Spencer
Deft No 6 Surveyor

May the 14th 1872

Ran the following lines and Established the following Corners for John G. Chambers and William Miller Situated in Section No 30 Township No 7 North of range One East Beginning at the South west corner of said Section No 30 Town & Range aforesaid witness Tree Beech 6 inches Diameter N 46° E 5 links Dist Beech 6 inches N 61° W 14

thence N 4° W with the Meridian 316 Poles + 19 links to the North west corner of the same New witness trees Sugar 10 inches S 80° E 51 links Dist W. Oak 38 inches N 30° W 39 links

Corner Established at the western 1/2 mile post of Section No 30 Stone planted marked with the initials W & M S 30 T 7.1 E

Witnesses line Stone Rock planted N 70° W 21 links Dist

Line Stone Rock planted S 70° E 27 links

Corner Established 80 Poles west of Center witness Tree Hickory 6 inches N 40° W 7 1/2 links Dist

John Smith } Chain Bearers
John Cracraft } Surveyor

John G. Chambers Flagman

Alexander C. Spencer
Marroe County Surveyor

May 24th 1872

ran the following described lot of land for School purposes in Marion Township Monroe County Indiana it being a part of the west 1/2 half of the North East quarter of Section No (10) Ten Township No (10) Ten north of range No one East Beginning at the South west corner of said lot witness Lices Hickory 4 inches diameter N 46° E 2 1/2 links distant then N 16° E 8 poles 23 1/2 links witness Hickory 5 inches diameter S 77 1/2° E 36 links distant then S 74° E 8 poles 23 1/2 links witness White Oak 30 inches diameter S 34 1/2° W 29 links distant then S 45° W 8 poles 23 1/2 witness Sycamore 3 inches diam N 58° W 3 1/2 link distant then S 74° W 8 poles 23 1/2 links to the Beginning containing 80 poles or one half acre

Marion Stepp & Johnston

Subscribed chain Bearers

James W. Spencer

Deft Surveyor Monroe County

May the 14th 1872

Surveyed the following Tract of land for Margaret McCormas Situate in Section No (17) Seventeen Township No (7) Seven Range (1) One East of the 2nd Principal Meridian commencing at the North 1/2 mile post of Section No 17 Town and Range afore said New witness tree Hickory 4 inches in Diameter N 44° E 27 1/2 links Distant

Thence S 40° E 160 Poles to the Center of said Section No 17 witness tree Beech 18 inches N 76° E 40 links Dist Thence S 84° W 79 Poles & 17 links witness Tree Hickory 22 inches Dia N 61° E 31 links Dist Thence N 45° W 80 Poles to a Stake witness Tree W Walnut 4 inches Diam S 73° E 22 links Thence N 84° E 79 Poles 17 links to a Stone Thence S 80° E 80 Poles with the Split in of line to the Center of Section No 17 said Tract being the South East 1/4 of the North west quarter of Section 17

John McPike } Chain Bearers

D. D. Midkiff } Sworn

Sampson DeKord } Flagman

Alexander C. Spencer
Monroe County Surveyor

May the 16th 1872

Run the following Tract of land for Margaret McCommas situated in Section No 17 Township No 7 North of Range One East Commencing at the north west corner of the North East One fourth of the South west quarter of Section No 10 Town and Range aforesaid Witness trees W Oak 14 inch 37+ W 23 hickory 13 .. N 85th E 18 ..

Thence North 84th East 80 Poles to a Stake
Thence South 50 East 80 Poles to a Stake
Thence South 85th West 80 Poles to a Stake
Thence North 50 West to the place of Beginning
Said tract being the North East One fourth of the South west quarter of Section No 17

Francis Burroughs (John McPike Chas Beorn
W. D. McKiff Sworn
Sergeant

Alexander C Spencer
Monroe County Surveyor

June 4th 1872

Surveyed the following lot for School purposes for J R May Trustee of Vanburen Township No 8 R 2 West for the benefit of J L Eaton by agreement of all the parties interested in Sections No 21 Township No 8 Range ^{Two} West Beginning at the East ^{South East} 1/2 mile post of said Section No 21 Then north 160 poles to the Southern 1/2 mile post of said Sec 21. Town & range aforesaid. Said school house lot Begins 17 poles north of the said Southern 1/2 mile post then North 16 poles then East 5 poles then South 16 poles then West 5 poles to the place of Beginning containing 80 poles or one half acre

Said lot situated in the South East quarter of said Section No 21 Alfred Thrasher & William Butcher

claim bearers

Michael Thrasher Sworn

A C Spencer M C S

By J. M. Spencer Supt Survey

June the 7th 1872

Run the following lines and established the following corners for John Howard and Wm Ranard and new Bears and others situated in Section No (20) Twenty Townships No (9) nine North of Range No (2) two west of the 2nd principal Meridian Commencing at the South East corner of Section No (20) Twenty Town and Range afore said New witness Trees Poplar 10 inches Diameter S 48° E 60½ links Distant Hickory 15 inches .. N 63° W 65½ links ..

Thence west 324 Poles + 14 links to the South west corner of same New witness Trees Gum 18 inches Diameter N 48° W 23 links Dist Sugar 12 .. N 51° E 66½

Thence North 324 Poles + 16½ links to the North west corner of Section No 20. Stone planted Marked + witness Sand Stone planted S 59½° W 10½ links Distant line Stone planted N 59½° E 10½ ..

Corner Established at the ¼ mile post of Section No 20 Stone planted witnesses Sand Stone planted S 49° W 13 links Dist Sand Stone .. N 81½° E 12 ..

Thence East to the East ½ mile post of said Section No 20 witness Tree Hickory 9 inches N 37° W 40

Corner Established 81 Poles 4½ links North of the South west corner of Section No 20 T 9 R 2 W Stone planted witnesses Sand Stone planted N 50° W 9 link Dist Sand Stone .. S 50° E 11

Charles W Howard { Wm Hansford } Chas Beavers
Flagman { Benjamin Clay } Sworn
Alexander C Spencer
Monroe County Surveyor

also at the same time and for Wm Ranard the following Tract of land situated in Section No 20 Twenty Townships No 9 nine North of Range 2 west Beginning at a stake 81 Poles 3½ links East of the South west corner of said Section No 20 Thence N 50° W 40 Poles to a stake Thence North 85° E 40 Poles to a stake Thence South 50° East 40 Poles to a stake Thence South 85° W 40 Poles to the place of Beginning said Tract Being a

Charles W Howard Floyd Beener
Wm Stansford & Isaac N Rumble Chas Beeners
Sworn in by me this June the 7 1877 Alexander C Spencer
Monroe County Survey

June the 20th 1872

following lines and Estab-
lished the following corners as
perpet and Field notes for
John Ayres and Sons
Galvan Plumber and Ellen Foster
George F. Fess and Others
Situated in Section No 20
Township No 7 Seven Range
Two East of the 2nd principal
Meridian Beginning at a Sta-
tion 80 Poles North of the South

Male post of Section No 20 Twenty Low n and Run
Afore Said at A Thence North 80 Poles to the Center of S
Section No 20 at B Stone planted marked x Witneps S
W Oak 24 inches N 73° E 20 links
W Oak 10 N 40½° E 25
to C Stone planted Witneps Lines Birch 24 inches Diam

South 46° W 26 links Distant Birch 10 inches Diameter
North $31\frac{1}{2}^{\circ}$ W 19 links

Thence $S 85^{\circ}$ W 39 Poles & 18 links
to the western $\frac{1}{2}$ mile post of Section No 20 at D then witness
Trees C Oak 12 inches Diameter $N 15^{\circ}$ W 39 links Dist
C Oak 12 .. $S 9\frac{1}{2}^{\circ}$ W 27

Thence $S 55^{\circ}$ E 80 Poles to E Stone planted witness Trees
B Gum 12 inches Diameter $N 10^{\circ}$ W 2 links Dist
W Oak 30 .. $N 84\frac{1}{2}^{\circ}$ W 24

Thence $N 85^{\circ}$ E 39 Poles & 18 links to F witness Trees
W Oak 20 inches Diameter $S 62\frac{1}{2}^{\circ}$ E 17 links Dist
W Oak 3 .. $N 22\frac{1}{2}^{\circ}$ E 7

Calvan Hunicut Stage Driver

Joseph Crosson Jacob Safford Chas Beavers Survey
by me this the 20th Day of June A.D. 1872.

Alexander C. Spencer
Monroe County Surveyor

Notice of Survey

George A Buskirk James Blake
Daniel Brock Ezekiel Demers Mary East Ellen Foster
George F. Fess William Lawson will take notice that I
I will on the 20th Day of June 1872 proceed to run and
Relocate all the lines and establish all the corners necessary
to be done in Section No (20) Twenty Township No (7) seven
North of Range No (2) two East and to continue from Day to Day
until all shall be completed said survey to begin on the said
20th Day of June 1872 at 8 O'clock on said Day and to meet
at the South East Corner of said section This the 13th Day
May 1872

John Ayres

I here by Certify that the foregoing notice is a
Correct Copy as published in the Bloomington
weekly Democrat a paper Published in Monroe
County, Indiana, since under my hand and seal of
Office This the 10 Day of July 1872

Alexander C. Spencer
Monroe County Surveyor


June the 22nd 1872

Ran the following lines
and Established the following Corners for Mary Page
W. S. Carr John I. Bender and Robert Strane Situated
in section No (8) Eight Township No (7) seven Range
No (1) One East of the 2nd principal Meridian R. D. Range
at the Eastern $\frac{1}{2}$ mile post of Section No (8) Eight
and Range afor said Stone planted New white Trees
Beech 18 inches Diameter N $22\frac{1}{2}^{\circ}$ W 39 links Dist
Beech 15 " " S $31\frac{1}{2}^{\circ}$ W 50
Thence N 5° W 80 Poles & $9\frac{1}{2}$ links Stone planted White Trees
Beech 12 inches Diameter S 22° E $17\frac{1}{2}$ links Dist
Beech 10 " " S 60° W 36
Thence S 85° W 80 Poles Stone planted white Trees
Beech 10 inches Diameter S 54° W 22 links Dist
Hickory 6 inches N 15° W 20
Thence S 4° E 80 Poles $9\frac{1}{2}$ links Stone planted White Trees
+ B. Walnut 4 inches Diameter N 79° W 47 links Dist
Thence N 83° E 80 Poles to the East $\frac{1}{2}$ mile post of Section
No (8) Eight to the place of Beginning
John P. Bisco Sheriff Recorder
John McBike W. S. Carr Chas Beavers Sworn by me

Alexander C. Spencer M.C.S.
also at the same time and for W. S. Carr Ran the following
and planted the following Corner situated in section No (9)
Township No (7) North of Range (1) One East Commencing at
The W $\frac{1}{2}$ mile post of Section No (9) Town and Range as above
mentioned Running thence N 83° E Stone planted White Trees
Oak 12 in S 51° W 19 links Dist to Oak 18 in N 51° E 14 links Dist
John P. Bisco Sheriff Recorder } John McBike } Chas Beavers
W. S. Carr } Sworn

Alexander C. Spencer M.C.S.

Malinda
Dennig



July 10th 1872

ran the following described lot for ^{Samuel} ~~David~~ Hendrick it being a part of out lot no 13 west of Bloomington Beginning at the South west corner of said no 13. running then $N 84\frac{1}{2}^{\circ} E$ 149 feet then $N 4\frac{1}{2}^{\circ} W$ 190 feet then $S 84\frac{1}{2}^{\circ} W$ 149 feet then $S 4\frac{1}{2}^{\circ} E$ 190 feet to the Beginning

also ran at same time for Pleasant Moberly part of out lot no 13 west of Bloomington described as follows. Beginning at South west corner of said lot then $N 4\frac{1}{2}^{\circ} E$ 120 feet then $N 4\frac{1}{2}^{\circ} W$ 189 feet then $S 84\frac{1}{2}^{\circ} W$ 120 feet then $S 4\frac{1}{2}^{\circ} E$ 189 feet to the Beginning.

also ran at same time for Pleasant Moberly part of out lot no 13 west of Bloomington as the above map Beginning at the South west corner of said lot then $N 84\frac{1}{2}^{\circ} E$ 49 feet then $S 4\frac{1}{2}^{\circ} E$ 23 feet then $S 84\frac{1}{2}^{\circ} W$ 49 feet then $N 4\frac{1}{2}^{\circ} W$ 23 feet to the Beginning.

also ran at same time for Malinda Dennig part of out lot 13. west of Bloomington Beginning at South west corner of said part lot then $N 84\frac{1}{2}^{\circ} E$ 167 feet then $S 4\frac{1}{2}^{\circ} E$ 120 feet then $S 84\frac{1}{2}^{\circ} W$ 167 feet then $N 4\frac{1}{2}^{\circ} W$ 120 feet to the Beginning.

Chain Bearers Sworn
Thomas Barclay

James H. Spencer
Deft M. C. Surveyor

Notice of Survey

Malinda Dennig John H. Cathcart Samuel Hendrick and Cornelius Harrington will take notice that I will together with the County Surveyor or his Deputy of Monroe County State of Indiana proceed on the

10th day of July 1872 to run relocate & establish all

all the lines and corners necessary to be done on out lot no 13 west of Bloomington and to continue from day to day until all shall be completed and to meet at 10 o'clock

This from 27th of 1872 signed

the survey is a true copy of the original

Pleasant M. Moberly

James H. Spencer Deft M. C.

July the 6 1872


Surveyed for Joseph
 M. How the following lines (and) Established the
 following Corner Beginning 25 Poles East of the 3rd
 1/4 mile post of section No 29 Township 19 North
 No 9 mile north of Range No (1) One East Stone planted
 Witness Trees W Oak 25 inches Diameter N 87° E 25 links
 Stickors 8 S 70° E 16
 Thence north 5° W 160 Poles Stone planted Witness
 W Oak 10 inches S 41° 30' E 24 links Dist
 W Oak 8 N 70° W 13 1/2

Andrew Parker Hays Borer } Hugh Stephens
 Bearers Sworn to me this July the 12th 1872
 A. B. Galtman & Leane

Alexander C. Spence Cir
 Monroe County Surveyor



North

August 10th 1872.

ran the above described lot for John L. Bathurst situated in
 out lot No 13, west of Bloomington Beginning at a stone standing
 at the South west corner of said lot then $N 4\frac{1}{2}^{\circ} W$ 166 feet to a
 stone then $N 84\frac{1}{2}^{\circ} E$ 49 feet to a stone then $N 5\frac{1}{2}^{\circ} W$ 23 feet then $N 84\frac{1}{2}^{\circ} E$
 56 feet to a stone then $S 4\frac{1}{2}^{\circ} E$ 187 feet to a stone then $S 84\frac{1}{2}^{\circ} W$ 108
 feet to the Beginning

also ran at same time & on said 10th day of
 August 1872 for John Milie the above described out lot No 13
 west of Bloomington Beginning at a stone standing at the South
 west corner of said lot No 13 then $N 4\frac{1}{2}^{\circ} W$ 175 feet to a stone
 then $N 84\frac{1}{2}^{\circ} E$ 66 feet to a stone then $S 4\frac{1}{2}^{\circ} E$ 175 feet to a stone
 then $S 84\frac{1}{2}^{\circ} W$ 66 feet to the Beginning

also ran at same time & day above referred to the above
 described lot for William Langford situated in out lot No 13
 west of Bloomington Beginning at a stone standing at the South
 west corner of said lot No 13 then $N 4\frac{1}{2}^{\circ} W$ 175 feet to a stone
 then $N 84\frac{1}{2}^{\circ} E$ 66 feet to a stone then $S 4\frac{1}{2}^{\circ} E$ 175 feet to a stone
 then $S 84\frac{1}{2}^{\circ} W$ 66 feet to the Beginning

also ran at same time & day above referred to for Mrs. Bunsell part
 of out lot No 13, west of Bloomington as above described Beginning
 at a stone 132 feet west of the North East corner of said lot No 13, then $S 84\frac{1}{2}^{\circ} W$
 132 feet to a stone then $S 4\frac{1}{2}^{\circ} E$ 132 feet to a stone then $N 84\frac{1}{2}^{\circ} E$ 132 feet
 then $N 4\frac{1}{2}^{\circ} E$ 132 feet to the Beginning

(over)

also ran at same time and place & on the said 10th day of August 1872 for Mary Cathcart the following described lot situated in lot No 13 west of Bloomington Beginning at a stone standing at the N E corner of said part lot of 13. as appears on the foregoing map on page No 205 then S $4\frac{1}{2}^{\circ}$ E 145 feet to a stone then S $84\frac{1}{2}^{\circ}$ W 45 feet to a stone then S $4\frac{1}{2}^{\circ}$ W 145 feet to a stone then S $84\frac{1}{2}^{\circ}$ E 45 feet to the Beginning

Chains bearers James Craig
Thomas Pauley sworn this 10th
day of August 1872.

James W. Spencer
Supt. No. 6 Surveyor

Notice of Survey

John Cathcart John L. Trilie William Douglas William Miller Mrs. Bousell Mary Cathcart Cornelius Harrington Jimmie Pauley & Eli P. Farmer will take notice that I will together with the County Surveyor or his Deputy of Monroe County State of Indiana proceed on the 8th day of August 1872 to re-locate and establish all the lines and corners necessary to be done on our lot No 13 west of Bloomington & to continue from day to day until all shall be completed and to meet at 10 o'clock on said 8th day of August 1872 and to meet at our lot No 13 west of Bloomington Indiana
July 29th 1872.

John L. Trilie

I hereby certify the foregoing notice of survey to be a true copy of the original as returned to me and so certified on the parties therein named on the 8th day of August 1872

James W. Spencer
Supt. No. 6. Surveyor

August 13th 1872

Surveyed for Mather McPhetridge & S J Shaw the following lot of land situated in Section No 3 Township No 8 North of Range No One West of 2^d principal Meridian out lot No 127 commencing at the North West Corner of said lot at a stone thence S 47° E 32 poles 12 $\frac{1}{2}$ links to a stone no witness trees made thence N 85° E 39 poles 10 links to a stone no witness trees made containing 8 light acres.

William M Sample }
 Samuel H Sample }

Alexander C Spencer
 Monroe County Surveyor

Chain Bearers by consent of parties.

Mather McPhetridge & S J Shaw Flag Bearers

September 24th A D 1872


ran the following lines & made the following corners in Sections Nos 26 & 27 in Township No 7 North of Range No One West for A H Chambers David Leckard Calvin Young Sarah Linnient & others Beginning 40 poles East of the North West corner of Section 26 Town and Range aforesaid said corner established witness trees
 N Oak 30 inches diameter S 48° E 78 links distant Sugar 20 inches diameter S 44° E 126 links distant then S 47° E 243 poles & 14 links witness trees poplar 4 inches diameter S 80° E 18 links distant Gum 2 inches diameter S 85° E 33 links distant then S 85° E 80 poles to a stake witness trees Beech 15 inches diameter N 45° E 23 lks dist Beech 15 inches diameter N 27° E 23 lks dist Corner made at the South East corner of the North West one fourth of the North West quarter witness trees B Oak 24 inches diameter S 14° E ~~22~~ 22 links B Ash 6 inches diam N 28° E 3 links thence West 80 poles to a stake witness trees Red Oak 4 inches diam S 11° E 35 links dist Elm 24 in diam S 66° E 63 lks dist corner established at the South East corner of the North West one fourth of the North West quarter of Section No 26 witness trees Beech 12 inches diameter S 35° E 25 lks dist Beech 12 inches diameter S 31° E 26 lks dist

A H Chambers } Chain Bearers
 Anthony Leckard } Sworn
 J M Richardson } Flag Bearer

Alexander C Spencer
 Monroe County Surveyor



6
 8
 9
 10
 11
 12
 13
 14
 15
 16
 17
 18
 19
 20
 21
 22
 23
 24
 25
 26
 27
 28
 29
 30
 31
 32
 33
 34
 35
 36
 37
 38
 39
 40
 41
 42
 43
 44
 45
 46
 47
 48
 49
 50
 51
 52
 53
 54
 55
 56
 57
 58
 59
 60
 61
 62
 63
 64
 65
 66
 67
 68
 69
 70
 71
 72
 73
 74
 75
 76
 77
 78
 79
 80
 81
 82
 83
 84
 85
 86
 87
 88
 89
 90
 91
 92
 93
 94
 95
 96
 97
 98
 99
 100



Surveyed for George W. Hardin March 16th 1873 in
 Section 32 Town 8th Range 1st N. two lots of ground
 A, B, C, & 40 Rods square in the North west
 quarter of said section and D, E, F, G, H
 commencing on the sec line west side of section
 at D, thence South 44 Rods to E, thence S 12° E
 8 Rods & 39 Links to F, a large red oak, thence
 along the East side of public Highway South 33½° E
 64 Rods to G, thence S 53½° E, 4 Rods & 13 Links to
 corner H, thence North 108 Rods & 16 Links to corner
 C, thence west 40 Rods to D place of beginning
 containing 20.29 acres also run a line
 from a point 9 feet East of D South 44 Rods
 thence west 9 feet to the County road at
 cor E, which contains 0.15 acres off the above described
 tract

Cor B	witnessed by	Ash 25" S. 21° W	Dist 26 Links
		Poplar 25" S 37° E	" 80 "
Cor C	"	Hickory 16" S 41° E	" 10 "
		Buck 20" S 16½° W	" 22 "
Cor E	"	Poplar 18" S 61° E	" 15 "
		H. Oak 30" N 33° E	" 43 "
Cor G	"	Buck 16" N 18° E	" 15 "
		B. Oak 24" S 55° E	" 22 "

At D corners had been located and rocks set by former
 surveys and they were points given me to locate the
 section line from which to make this survey

Mr Bowles Chain man
 Seward Swann


W. W. C. only
 Monroe County Surveyor

Surveyed the following lines & established the following corners in Section No. 8, T¹⁰ N. R. 1. E. for John Myannis John Steff & others commencing on the 7th April 1873 and at the half mile post on the East side said section found at this corner a stone planted but only one of the old witness trees standing Beech 16 in S 21° E. 65 L. Made a new witness Beech 6 in N 78° E. 65 L. Ran thence North to N. E. cor of said sec. 40.18 ch found only one original witness tree standing Beech 28 in in S. bearing S 57½° W. 23 L. Made a new witness ~~standing~~ Beech 12 in bearing S 37° E. 23 L. from stone planted for sec. corner adjourned to meet on the 8th commencing on the 8th inst at said sec corner ran thence west 39.88 ch to N. West corner on the Meridian ^{perpetuated} ~~established~~ the corner by new witness Poplar 45 in N 34° W. 21½ L. old witness standing Beech 24 in S 1° E. 11 L. The line last named has some trees, which seems to have the old marks much like the original surveyors marks. Made a corner on this line equidistant from the sec corners being 19.84 chains from either the N. E. or the N. W. corner Ran thence South on the Meridian to S. W. corner 40.64 ch thence East to the place of beginning 39.92 ch distant making a corner on the midway point 19.96 ch from the ^{sec} corners witness by Beech 24 in S 85° W. 19 Beech 10 in N 21½° W. 36 L. The last line runs with a variation of about 5° 30'

John Nalls } Chainman
Edwin Brooks } Sworn by me
John Steff

H. W. Bentley
M. C. Surveyor

Sec 8. T₁₀ North Range 1 East





Surveyed the following lines and established the following corners for Millon Morse and J. H. Lawson on the 10th April 1873 Commenced at the

S. E. Sec 8 T₁₀ N. R. 1. E. ran north 40.65 ch to Half mile Post. Thence west 40 ch Thence North 40.50 ch to half

mile Post on north side at G. Established cor at G by driving a stake and making 2 witness trees Butternut 5 in N 85° E. 44 L. Beech 20 in N 8° W. 44 L.

Made corner at I B. out 16 in S 31½° W 23 Links N. Oak 18 in N 81° E 30½ L. Ran line from I to F made corner at F by driving a stake Ran from I. South to I and made a corner - witness Beech 14 Hollow ~~tree~~ in S 11° W. 9 L. Beech 10. N 42° E. 20 L. Drove a stake at corner E and F and for want of time did not make any witnesses to those corners





On the 17th 418th April 1873 Surveyed
lines and established corners in sec
11. Town 10 North of Range 1 west
as follows: Commenced at the
South East cor of said section and
made new witness to said corner
wit: Hickory 4 in S 32° W. 52 Links Dist
Beech 26 in S 29° W Dist 15 Links
Thence west with variation of 2 1/2°

70 1/2 Rods to the 1/2 sec corner witness taken Beech 24 in
S 23° E. 113 1/2 L. N. Oak 22 in S 22° W 117 Links Thence
same course 70 1/2 Rods to 1/4 sec cor. witness taken Hickory
3 in S 34 1/2° E. 21 1/2 L. - Sassafras 4 in S 18° E. 63 L continue
same course 70 1/2 R. to 1/2 sec cor witness taken Mulberry
6 in S 81° E. 24 L - N. Oak 30 in S 7 1/2° E. 81 L. same
course 70 1/2 R. to S. W. cor of section

Commencing again at S. E. cor of section ran
North 323 R + 16 1/4 L to N. E. cor of sec coming back
on the line established 1/2 sec cor. 78 R + 22 3/4 L from the
South East sec cor witness; Gum 18 in S 38° W. 19 L.
N. Oak 5 in S 62° E. 29 L Thence west 70 1/2 R parallel
with the South side of section made a corner witness
Beech 20 in S 10 1/2° W. 64 L Beech 8 in S 82 1/2° E 228 L. Thence
west same course 70 1/2 R Made corner witness Beech
12 in S 10 R. 5 L. Beech 10 in S 55° E. 10 L Thence South
80 R + 22 3/4 L to the half mile post on South sec line
North & South lines ran with variation of 4° 5'

Survey made for E. Knight-

Paully

Houston

Chairman { John N. Millton
Thomas F. Fulford

Campbell and Charles Corr
by agreement of parties

Sworn & me on the 17th April 1873

Notice of Survey

Notice is hereby given to John G. Chambers Daniel
Chambers Julia Graycraft - William Ead - William
J. Hardin - William M. Cicco - Martin Stuart
Jackson H. Clendenin and James Clendenin that I will
together with the County Surveyor of Monroe County
State of Indiana, or his Deputy, proceed on the 5th
day of May 1873 to run, relocate and establish
all the lines & corners necessary to be done in section
Thirty, Town No. 7, North, Range No. 1, East in
said County and to continue from day to day until
shall be completed, and to meet at the dwelling
house of William Miller at one o'clock on said day
this the 3rd day of April 1873 - Signed
William Miller

Said notice was duly returned to me W. H. Hardy
Monroe County Surveyor on the 5th day of May 1873 endorsed
as follows; served on the within named parties & reading on
the before the 22nd April 1873

The following notice to non-residents - was published in the
Bloomington Democrat in three successive issues of said
weekly paper



April 4th 1873 Surveyed for Alfred Thacker and
others, part of the section lines of sec No. 29 T. 8. N. and
Range 2 West: Commencing at South West corner of the
said section; found the corner and old witness trees: one
of the trees was dead and down, took new witness B. Oak
6 in S 53 E. 107 Links old witness Poplar 50 in. A 21 W 25 E.
thence North with line 3° 50' 319 Rods & 7 Links to A. L. corner
Old witness trees gone - found the roots of one of old witness
trees, the old corner had been perpetuated by the County
Surveyor and new witness trees taken in Nov. 1859
B. Oak S 52° 33' E. B. Oak 16 in A 17 West 93 Links

Corner at the Half mile Post was established in the centre of line
 equidistant from the section corners witness trees Pecanore 8 in
 N. 79° E. 57 1/2 Links N. Oak 28 in N. 81 West 217 Links. Also established
 the 1/4 mile corner equidistant from the half mile corner and the
 North west corner; witness trees N. Oak 9 in S. 74 W. 49 Links B. Oak
 4 in S. 40 E. 84 Links Commencing again at the North west corner
 of said section thence East on sec line to the north half mile
 post, distance 159 Rods & 20 Links, found one of the old witness
 trees down - took in its place new witness N. Oak 18 in S. 9 West
 45 Links N. Oak 18 in N. 25 West. 11 Links This survey was made
 by consent of parties and the parties so far as known are Thrasher
 - Fowler - Smith - Baker - Keller and Walker
 R. W. Baker Chain Bearers Sworn by me on 4th April 1873
 George Sanders

W. Menley
 M. C. Surveyor



August 26th 1873
 Surveyed for Lewis Weiner and
 others whose names appear on the
 Plat the following lines and estab-
 lished the following corners in sec-
 tion 34 Township 10 North of Range
 1 west. South section line is
 321 Rods and 15 Lks. West section
 line 322 R + 12 Lks - East section
 line 320 R + 20 Lks North sec
 line 324 R + 24 Lks Centre line
 North and South 322 R + 16 Lks
 Centre line East + West 323 R + 11 Lks
 The East + West sec lines have

a variation of 4° The north + south line on the west side 4 3/4°
 North + South on the East side has a variation of about 4 1/2°
 The letters on the above Plat designate the corners established
 S. Cicamore 3 in S on S 48° E 43 1/2 Lks distant -

	Water Oak 3 " " A 77 1/2 " 112 " "	
X E	N. Oak 24 in A 12 E 43 Lks	
	N. Oak 36 " S 70 W 11 "	
W	Sugar 24 " N 74 1/2 E 26 "	
	Walnut 24 " S 83 1/2 W 20 1/2 "	
E	Mulberry 14 " N 45 1/4 W 21 1/2 "	Crossing of the Boundary line + sec line
	Beech 12 " S 37 E 75 "	37 Rods west of North 1/2 mile Post -
H	Maple 3 " S 44 1/2 E 37 "	
	Hickory 3 " A 39 W 33 "	
I	Walnut 12 " A 28 1/2 W 57 "	
	Elm 24 " S 56 W 77 "	
C	Hickory 26 " S 9° E 36 "	
	Hickory 25 " N 7° W 12 "	
P	Poplar 15 " S 70° W 29 1/4 "	
	N. Oak 26 " S 63° W 70 1/2 "	
L	N. Oak 2 " S 39° W 39 "	N.E. corner of S. S. Buskerk's land
	N. Oak 2 " S 8° E 57 "	
R	Beech 5 " S 22° W 31 "	
	Beech 14 " East 52 "	
V	Butternut 3 " S 75° W 11 "	
	N. Oak 20 " N 19° E 44 "	
S	Corner made by planting a rock in the centre of the North West cor	
	Blue Ash 20 in S on N 27° W 26 Lks distant -	
	Beech 8 " N 31 E 33 "	
L	Beech 10 " West 10 "	
	Beech 12 " N 30° W 42 "	on the Boundary line 26 Rods + 5 1/2
		South of the North 1/2 mile Post

M.	Ash 10 in	S 56° W	11 Lks distant	
	Buck 6 "	N 45° W	31 1/2 " "	
C	Buck 6 "	N 68° W	34 " "	{ 45 Rods north of the East & West centre line
	Buck 10 "	N 15° E	43 1/2 " "	{ and 80 Rods & 21 Lks west of East sec. line
N	Buck 10 "	N 18° W	13 1/2 " "	{ This corner is on the boundary line 80 Lks
	Buck 8 "	N 68° E	28 " "	{ South of the centre of the S.E. 1/4 of sec.
W	Thornbush 7 "	S 87° W	63 " "	
	Poplar 3 "	N 8° E	26 " "	
B	Hickory 18 "	S 25° E	40 1/2 " "	{ For the boundary line 80 Rods west of the
	Elm 12 "	S 54° W	47 " "	{ 1/2 cor of sec. 3. Blomington Township


Thomas Gillaspie?

Joseph Rollins } Chain Bearers sworn by H. W. C. Surveyor
M. C. Surveyor

Notice of Survey

Notice is hereby given to David Buckler, Thomas Gallaspie Elizabeth Rhine Mrs Creager (widow) William Creager Rhoddy Rollins Stephen Monahan Daniel Rollins, William Rawlins, and Joseph Rawlins; that I together with the County Surveyor of Monroe County, Indiana, will proceed on the Twenty first day of August 1873 to Survey and locate the lines and corners necessary to be run and established in section Number 34 Township No 10 North Range No 1 west in Monroe County State of Indiana Said named parties are notified to meet at the Dwelling House of Lewis Weimer on said day at one o'clock P. M.

Lewis Weimer



July 31st & Aug 1st 1878 Ran the following lines and established the following corners in Section 85 Township 8 North of Range 2 West for David, David, Hendrick, May, Kasper Baker & others.

Commenced at the Eastern 2 mile post & ran $N 4\frac{1}{2}^{\circ} W$ a distance of 159 P & 18 links to the N. E. corner where there was a stone planted before, thence $S 85\frac{1}{2}^{\circ} W$ 161 Poles to the N. 2 mile post where there was a stone planted

before, commenced again at the East 2 mile post and ran $S 85\frac{1}{2}^{\circ} W$ to center of Section a distance of 159 Poles & 23 $\frac{1}{2}$ links where there was a stone planted before, ~~then~~ established a corner (A) 65 Poles East of center of Section witnessed by Birch 26 inches in diameter $N 35^{\circ} W$ 29 $\frac{1}{2}$ links distant. Black walnut 24 inches in diameter $N 71^{\circ} E$ 6 Poles 9 $\frac{1}{2}$ links distant. From thence ran $N 43^{\circ} W$ a distance of 160 Poles to a stake in the northern section line. Then commencing at a stake in the northern section line at a point 53 Poles 3 $\frac{1}{2}$ links west of the N. E. corner of Section ran $S 4\frac{1}{2}^{\circ} E$ a distance of 129 Poles 18 links and established a corner (B) Stone planted and witness made Elm 10 inches in diameter $N 86^{\circ} W$ 32 links distant, Elm 12 inches in diameter $S 43^{\circ} W$ 3 P 7 $\frac{1}{2}$ links distant. Also commenced at the S. E. corner of section and ran $S 85\frac{1}{2}^{\circ} W$ 37 Poles and established corner (C) Stone planted and witness made White Oak 36 inches in diameter $N 35^{\circ} W$ 42 links distant Birch 16 $N 32^{\circ} E$ 42 links

Feb 22nd 1881

A. M. Lane & Chain bearers
Charles Chambers } Sworn

Allen Chambers & flagman Sworn

Reestablished corner at C witness 107 Poles west of corner Birch 10 inches $N 35^{\circ} W$ 67 Poles Birch 15 $N 75^{\circ} W$ 110 Poles
James Scott & flagman Sworn

All the parties interested in the above Survey were present when the Survey began and were willing to have the Surveying done

M. H. Baskin
Deputy Surveyor of M. C.

September 30th 1873

Surveyed the following lines and established the following corners in section 19 T 8 North Range 1 west for W.C. Bowling and James Annenmon. Began at a stone said to be the North 1/2 mile Post of said section 19 thence west via $4\frac{1}{2}^{\circ}$ via 86 Rods & 22 Lks to the N.W. cor of section made a corner and took the following witnesses Sugar 30 in 5m west 5 Lks Ash 20 in 5m South 5 Lks thence South via $4\frac{1}{2}^{\circ}$ 161 R & 2 L measured back on same line 43 R & 21 Lks made corner witness Beech 16 in N 65° E. 27 Lks Beech north 31° W 41 L drove a stake 29 R & 11 L South of the N.W. cor of section went back to the place of beginning ran South 29 R & 11 Lks and drove a stake thence South 88 Rods & 13 1/2 Lks made a corner witness B Gum 8 in 5m North 61° E 7 Lks Survey made by consent of parties Ezra Perring and Edward Bowling Chain Bearers Sworn by me

W. H. en by
M. C. Surveyor

March 31st 1873

Ran the following lines and established the following
Corners for Rodrick Rawlins Wm. Rawlins Daniel Rawlins Lewis Wm
and Others situated in Section No 35 36 Township No 40 Twp North of
Range One west Requiring at the South west Corner of Section No 35 36
and Range above said New witness Trees Box Elder 3 inches diameter N 77° E
3 1/2 links Dist Thence North 50° W 160 Poles 12 1/2 links to the western 1/2 mile post of
said witness Trees standing Thence North 160 Poles + 22 1/2 links to the North west of
New witness Trees Cherry Clinches N 56° E 29 links Dist

B. Walnut 10 .. S 45° W 85 1/2

North 1/2 mile post Established of Section No 35 New witness Trees

W. Oak 5 inches N 77° E 72 links Dist

Corner Established 71 Poles 6 1/4 links East of the North west Corner of Section No 35

Witness Trees Birch 4 inches North 25° E 15 1/4 links Dist

W. Oak 5 .. South 5 1/2° E 33 1/2

Corner Established at Center of said Section No 35 witness trees Birch 20 in S 10° E 15 1/2 links

W. Oak 2 1/2 inches N 69° E 30 1/2 links Dist

Corner Established 79 Poles + 10 links South of the Center of said Section No 35

Witness Trees Maple 12 inches N 12° E 8 3/4 links Dist

+ B. Oak 12 .. S 56° E 26

Corner Established 80 Poles 6 1/2 links North of the South west Corner of Section No 35

Said Stone planted marked & witness trees Sugar 20 in N 12° W 14 1/2 links Dist

Corner Established 80 Poles 11 1/2 links South of the North west Corner of Section No 35

Witness Trees Birch 10 inches N 12° W 27 1/2 links Dist

W. Oak 1 .. S 76° E 5 Thence East 70 Poles 7 links to a stake

witness trees B. Ash 3 1/2 inches S 57° W 11 1/2 links Dist

W. Oak 2 .. N 1/2° W 8 Corner Established 80 Poles 27 1/2 links

South of the North 1/2 mile post of Section No 35 witness trees B. Oak 2 1/2 in N 16° E 9 links Dist

W. Oak 4 .. S 40° W 8 1/2


East 1/2 mile post Established of Section No 35 New witness trees W. Oak 2 1/2 in South 57° E 10 1/2 links

Chas Beers Daniel Rawlins Rodrick Rawlins John Reynolds Joseph Rawlins } known

Alexander C. Spencer Sept M. C. S.

Notice of Emory Daniel Rawlins Wm. Rawlins Joseph Rawlins Wm. Wmmer Jonathan
Braman Stephen Merriam Wm. Crager you will take notice that I will proceed on the 31st
Day of March 1873 to Run Relocate and Establish all the lines and Corners necessary to be run
in Section No 35 36 Township No 40 Twp North of Range One west and to meet at the
present dwelling house of Rodrick Rawlins and to continue from Day to Day until all shall be
Completed this the 5th Day of March 1873

I hereby Certify that the foregoing notice is a correct Extract as handed
to me
Rodrick Rawlins
Alexander C. Spencer Sept M. C. S.



Surveyed the following lines and perpetuated the following corners for —
John Rush

and others in

section 29 Town 8 north Range 1 East
commencing at the South East corner of
said section on the first day of December
1873. Owing to the inclemency of the weather

and the parties not being ready I adjourned to the 16th day of December
at which time we met again at the said South East corner of said sec
29 and proceeded to make the survey Joseph Butcher and David Wampler
being sworn as chain bearers. Commencing at the said South East corner of
section ran north with a view of $3\frac{3}{4}^{\circ}$ 80.75 ch to North East corner of section
thence west 4° via 80.25 ch; thence South via 4° to South west cor of section; thence
East via 4° 80.39 ch to place of beginning

Witness taken to cor A. B. oak 5 in S 87° E 13 Lks Hickory S 50° E 8 Lks Dist

" " " " B. 20.17 ch north of sec corner Span Oak 18 in S 20° W 107 Lks Dist
Elm 10 in S 20° E 107 Lks Dist

Corner C. 40.37 $\frac{1}{2}$ ch span ground old witness gone new corner made by
planting stable south pine log swelling 222 Lks Dist in the roots of a Gum
Stump south side of same

Corner D. one old witness standing S 50° W 29 Lks Dist
new witness Beech 24 in N $8\frac{1}{2}^{\circ}$ W 18 Lks Dist

Cor E. north to m Post old witness gone Hollow Beech marked $\frac{1}{4}$ S. G. T.

Witness taken Beech 12 in N 28° E 26 Lks Elm 12 in S 23° W 28 $\frac{1}{2}$ Lks

Cor F. N.W. cor of sec Beech 15 in S $50\frac{1}{2}^{\circ}$ W 24 $\frac{1}{2}$ Lks Hollow Beech 12 in N 40° E, 13 Lks

Cor G. old witness standing N. O. 20 in S 5° W 18 Lks Hickory 5 in S 46° W 11 $\frac{1}{2}$ Lks

Cor H. witness taken Beech 12 in N 56° W 30 Lks Beech 12 in S $71\frac{1}{2}^{\circ}$ E 60 Lks

To centre of sec 40.30 ch west of East 1 $\frac{1}{2}$ mile Post Beech 12 in S 6° W 14 Lks

N. O. 18 in S 32° W 54 Lks

W. W. W. W.
M. C. Surveyor

Established corner ^(To sec 24 & 36) for William Shields and others on the Meridian
 Line Town 8 north Range 1 west near the edge of branch
 witness taken Cicamore 6 in $N 10^{\circ} W 48^{\circ} Lk$ Elm 4 in $N 43^{\circ} W 75^{\circ} Lk$ Dist
 The sec corner of 30 & 31 which lie on the East side of the Meridian
 is in the branch 18 Links north of the corner above described
 The above corner was established on the 19th day of December 1873
 by agreement of parties

W. H. C. only
 M. C. Surveyor

Survey made Oct 1st 1873 for Shook and others
 in sec 16 T 10 N R 1 west Commenced at south 1/2
 mile post at a stone planted - Run south 40.02 ch to centre
 of section - Commenced again at the west 1/2 mile post in
 said section Run a west through the section Dist 37.42 ch
 made corner in centre witness 15 Walnut 11 in $S 77^{\circ} W 52^{\circ} Lk$ 13 Walnut
 1 in $S 66^{\circ} W 73^{\circ} Lk$ Lawrence Kelley and Christopher Gray chain
 bearers
 W. H. C. only
 M. C. Surveyor

Surveyed for E. Kelley and Christopher Gray & others Oct 9th 1873
 in sec 8 T 10 N R 1 west commenced at south west corner of
 said section Run north with view of 37 1/2 to the supposed north west
 corner of said sec Dist 317 R Established the west 1/2 mile corner
 with 2 in west 4 Lk Walnut 2 in $N 52^{\circ} W 11^{\circ} Lk$
 made corner 71 R 4 Lk South of 1/2 mile corner witness
 branch 24 in $N 18^{\circ} E 55^{\circ} Lk$ branch 20 in $N 67^{\circ} W 48^{\circ} Lk$ adjusted
 by agreement of parties indefinitely until we might have on the
 survey to finish the work on which we had with chain bearers
 W. H. C. only
 M. C. Surveyor

Met with the parties Christopher Henry L. Kelley, Haley, at the
 the first 1/4 mile corner of Sec 4, T 10 N, R 12 W on the
 24th day of January 1874. To complete the survey, commenced on the
 2nd of Oct 1873. Christopher Henry and Joseph H. Line Chainmen
 shown by me before commencing the survey, commenced at said
 1/4 mile corner on north line 3 1/4 rods. It made a new corner on
 road north of the stone placed as a corner by the Township which was
 set by a mistake. Said corner stone was situated and is not read
 fence west via 5' 8" 31 R 4 31 1/4 Lk to corner in creek. Corner made
 on west side of creek 5 R 4 31 1/4 Lk East of the true corner. Distance
 S 40° 15' South 1 Lk 12 inch S 73° 45' W 18 Lk. Then west
 1 R 4 31 1/4 Lk. South corner 5 R 4 31 1/4 Lk. Centre of creek between back 16 in
 2 Lk. 16 Lk. back 10 in 4 R 5 2 45 Lk. January 24th Commenced at
 with 1/4 mile post of said sec. Jones Line and Joseph H. Line Chainmen
 only shown in view. Went through the section to said 1/4 mile post and
 327 R 4 12 Lk with via 5' 8" established corner in centre of section
 back 3 in 11 W 47 Lk. N. Bull Shump 40 in S 87° 45' W 60 Lk.
 Corner 81 R 4 31 Lk east of centre. Ciccone 12 in S 81° 6' 45 Lk.
 back 12 in S 2° E 45 Lk. Corner established 80 Rods south of center
 N. 1/4 30 in S 84° E 31 Lk. N. 1/4 20 in S 41° E 40 Lk. Commenced at
 S. corner of sec. 3 on the south section line and found the south
 1/4 mile corner out of line about 35 Lk to the north which will
 make the first 1/4 mile line running north too short. This survey was
 made by agreement of parties all being present while the survey was
 being made.

W. H. Bailey
 M. Co. Surveyor

Surveyed for Dr. Holtzman March 11th 1874. Tract of land lying
 south of R Road in the S. 1/4 of T. 10 N. of R. 12 W. of sec 31. T. 10 N. R. 12 W.
 South west corner established in open ground 17 R 4 5 Lk to north
 R Road track - S. 2. cor 4 R 4 15 Lk. South of R Road track
 East of west line on south side 80 R. Blazed through.

Dr. Holtzman and J. M. Holtzman Chainmen duly sworn
 by me.

W. H. Bailey
 Monroe Co. Surveyor

[illegible]

April 13th 1874
 are the following lines in
 Section 29 T10 S1. W for
 the benefit of Thomas Gastkins
 Henry Whisenand W. Gastkins
 & J. Mceneely & Gastkins Mary
 Ann Langwell.

Length of the East and West
line of said Sec 29. 320 poles
corner made to poles west


X of the Eastern $\frac{1}{2}$ mile post stone planted in open ground. Stone planted at Center of Sec 29 & marked with the Initials C. S. 29. Witness Sugar 12 inches diam N 18° $\frac{1}{2}$ 36 lks dist Buck 30 in diam S 5° $\frac{1}{2}$ 23 lks dist New corner made at the Western $\frac{1}{2}$ mile post of Sec 29 marked with the Initials W $\frac{1}{2}$ M. S. 29. Witness Logwood 4 in diam S 89° $\frac{1}{2}$ 14 $\frac{1}{2}$ lks dist Buck 24 in diameter S 54° E 28 lks dist

Chas. Brarers, Hosea Gaskins

A J. McNesly Sworn

James H. Spencer
Supt Surrey N. B.

Sec 11 T8 N. R. 1. East



Commenced the survey of sec 11 Town 8 N. R. 1. E in pursuance to notice at the S.E. cor of said section Abraham Eddy and William R Hays being sworn as chain bearers, ~~met~~ on the 18th November 1873, Owing to the inclemency of the weather adjourned to meet at the same place on the following day the 19th inst. Ran from said corner east via of 1° E 80.00 ch missed sec cor stone 450 ch North Owing to the continued inclemency of the weather we again adjourned by agreement

of parties present to 21st April 1874 met again at the North West cor of said sec on the 21st April 1874 and proceeded with the survey Robert Robison and L Bartlett being sworn as chain bearers Ran east from said corner to the North East corner found the dist 80.40 ch and the bearing of the line over 6° South of a true east and west line Found the North N side corner 95 links two paces east from the centre of the line 22nd A Bartlett sworn as chain bearers

Established the following corners referring to the letters on the above plat

- X C Stake set for cor witness W. Walnut 12 in S 16° W 20 L W. Walnut 4 in N 11° W 70 LKs
- A Set stone cor witness Isaac 4 in S 86° W 13 L Isaac 4 in S 24° E 11 LKs
- M Set sand stone cor witness B. Oak 6 in S 11° W 21 LKs B. Oak 8 in N 50° W 21 LKs
- N Set stone between two Ravines W. O. 15 in S 85° W 8 LKs R. Oak 15 in N 68° W 19 LKs
- O Moved cor stone set by Buck 12 1/2 links south witness B. O. 6 in N 10° W 37 LKs B. O. 7 in S 47° E 30 L
- S Set stone for corner witness B. O. 9 in S 11° W 96 LKs B. Oak 5 in S 85° E 21 LKs
- H Perpetuated the East N side cor by planting a stone witnessed by Buck 9 in S 11° W 24 L old witness standing W. O. N 30° E
- I Set stone cor 20 ch south of 8 1/2 in cor witness Sugar 20 in S 88° E 32 LKs Buck 12 in S 1° E 60 LKs
- G Changed centre corner 2 Rods south set stone witnessed by B. O. 7 in S 79° W 26 LKs W. O. 8 in S 60° E 30 LKs
- F Corner made in creek 79 Rods south of N 1/2 in cor Stake set on bank one Rod north of true corner said stake witnessed by Elm S 88° W 35 L Cinnamon 40 in S 40° W 18 LKs
- P Set cor on the North sec line 40 R east of NW sec cor witness the stone set by Mr Womplars House 106 1/2 LKs east Mulberry 10 in S 65° W 37 LKs
- B Set stone cor witnessed
- E Set stone cor witnessed
- K Set stone witnessed W. O. 24 in S 69° E 19 L Hickory 5 in N 48° W 29 L

Sec 11 T 8 N R 1 East

L moved the stone cor 1960 ft south of centre of sec witness Hickory 8 in S 72° W 25
Hickory 18 in N 3° E 31 LKs

Plat and Survey of Sec 32 T. 8. N. R. 1 E and Sec 5 T. 7. N. R. 1 E.

The following Survey was made and corners established in sec 32 T 8 N R 1 E and sec 5 T 7 N R 1 E for J. M. McPherson and others which was commenced on the 18th day of May 1874 and continued from day to day until finished on the 23rd of said month. Commenced at the corner of sec 32 at 1 o'clock PM

Ruben Clarke and George Pate sworn as Chain bearers and Stephen Fleming as Hogman sworn ran south 61° 21' E 31 and 32 with a via of 1 1/2° East 80.56 ch. Missed the cor of sec 5 46.27 N R 1 E 3.61 ch west corrected back establishing the sec corner 3.50 ch west of the said cor of sec 5 46 and the half mile cor 40.45 ch North, found one of the old witnesses

South sec line 80.11 ch East line 80.00 ch centre line East and West 78.77 ch West line of sec 5 is 86.77 ch and runs with a via of about 4° 30' South line 80.25 ch East line 86.00 ch via about 4° 20'

The following corners were established designated by the figures in the above plat.

- No 1 witness W. O. 10 in South 48 LKs B. Oak 5 in N 89° W - 8 LKs
- " 2 " B. Oak 14 in N 78° E - 42 LKs - B. Walnut 5 in S 12° E - 24 1/2 LKs
- " 3 Set Sand Stone Witness Buck Stump original witness tree 561° E
- " 4 Sand Stone witness B. Walnut 14 in S 11° E - 18 L -
- " 5 B. Walnut 10 in N 81° E - 5 L - Buck 24 in S 16° W - 6 3/4 LKs
- " 6 Sand Stone witness B. Walnut 6 in S 46° W - 22 L - B. Walnut 4 in S 9° E - 25 LKs
- " 7 " " " B. Oak 14 in N 50° W - 4 LKs - B. Oak 16 in S 37° E - 45 1/2 LKs
- " 8 " " " Span oak 4 in S 83° E - 32 L - Buck 4 in S 37° E - 47 1/2 L
- " 9 " " " Elm 30 in South 28 L
- " 11 Witness Buck 16 in S 78° E - 20 L - W. Oak 16 in S 14° W - 34 L
- 12
- 13 Span Oak 14 in S 14° W - 19 L - Span O. 6 in N 19° W - 25 L
- 15

- 16
17
18 cor to sec 5 & 6 old witness Buck 16 in $N 1^\circ E$ 21 L - Buck 8 in $S 21^\circ E$ - 4 LK
19 Sugar 18 in $S 58^\circ E$ - 2 LKs - Hickory 2 in $N 23^\circ W$ - 2 LKs
20
21
22 Maple 10 in $N 51^\circ W$ - 30 - Maple 15 in $S 70^\circ W$ - 44 L
23 Buck 3 in $S 39^\circ E$ - 35 L - Elm 10 in $N 42^\circ W$ - 15 LKs
24 Buck 14 in $N 45^\circ W$ - 10 L - Buck 10 in $S 61^\circ E$ - 10 LKs
25
26 Buck 6 in $S 12^\circ W$ - 12 L - Buck 6 in $N 41^\circ E$ - 18 L
27 Set Stake for cor in open ground 40.12 ch west of East 4th corner
28 Buck 12 in $N 28^\circ E$ - 48 L - ~~Buck~~ 10 in $S 78^\circ E$ - 44 ⁶² LK
29 Set Stake for $\frac{1}{4}$ mile cor 29 L East and 20 L North from old stone corner
30 Sugar 24 in $S 58^\circ W$ - 2 LKs - Sycamore 24 in $N 46^\circ E$ - 22 LKs
31 Elm 5 in $N 44^\circ E$ - 28 L - Sugar 6 in $S 46^\circ E$ - 50 L
32 Hickory 4 in $S 81^\circ W$ 21 L - Gum 18 in $N 72^\circ W$ - 33 L
33 S.W. cor of sec 6 old witness, standing now witness, Buck 24 in $S 77^\circ E$ - 43 L
34 Maple 24 in $S 39^\circ E$ - 30 L - Maple $N 16^\circ W$ - 45 L
35 Buck 18 in $N 34^\circ E$ - 28 L - Buck 18 in $S 77^\circ E$ - 34 LKs
36 20.00 ch North of S.W. cor corner the first 40 in the creek

To Whom It May Concern

Monroe Co. Surveyor

The following notice or copy of same is on file in the office of the County Surveyor
Notice is hereby given to James Baxter John Flutwood Dr S Lucas Abner May Adam Vamplet Joseph Vamplet Madison Stephenson Andrew Chandler Joseph Butcher Robert Mc Strain George Strain Frank Burgoon owner of land in section 32 Town 8 N R 1 East and Sec 15 in T 7 N R 1 East: that I together with the Surveyor of Monroe County Indiana will proceed on the 18th day of May 1874 to survey all the lines necessary to establish all the corners or perpetuate the same to the lands of Jacobella M McPherson and all other corners necessary to be established or perpetuated in the said sections. Said survey will commence at the North west corner of said section 32 at 1 o'clock P.M. on said day and will continue from day to day until completed. The above named parties are notified and requested to attend and be present at the said time and place else the survey will

be made in their absence this May 4th 1874
 Daniel H. McPherson

I Thomas H. Harbin certify that the
 The following Certificate & affidavit - appears on
 the back of the same paper

I Thomas H. Harbin certify that the within notice
 was duly served on all the parties named within
 by reading the same to each one of them and in their presence
 and hearing on the 6th day of May 1874

Thomas H. Harbin
 The above certificate was subscribed and sworn to
 by the said Thomas H. Harbin before me H. H. Surveys
 of Monroe County Indiana May the 18th 1874
 H. H. Surveys
 Monroe County Surveyor

June the 9th 1874 - Surveyed for William Gwinn Robert
 And and others in sec 7. T 8 North Range 2 west - The following
 lines and established the following corners. Found the N.E. cor
 of section by tracing the old marked sec lines both ways
 Thence from said cor South 79.90 ch. Established corner back
 on said line 19.92 ch South of N.E. sec cor witness Back 12 in 53° E
 46 Lk - Sugar 12 in N 47° E - 39 L. Thence west via 47° 10' 20.00 ch
 Set sand stone in the line for cor - took witnesses B. Walnut 6 in
 S 51° E - 52 L - B. Walnut 8 in N 63° E - 42 L
 E. R. Rice and Henry Bloom Chain bearers sworn

H. H. Surveys
 M. Co. Surveyor

July the 3rd 1874 Surveyed the lines and reestablished the
 above recorded corners in sec 7. T 8 North R two west
 which were established June 9th 1874 incorrectly by
 mistake in measurement of some of the lines.
 By agreement of parties a new survey is made

William Gwinn and Robert Reed being present and commencing at the North East corner of said section 26 May used Nathan L Rice being sworn, acting as chain bearers: ran South 61-20 7 and 8. 80.00 ch to the South East cor of said section. Returned on the line and established a corner 20.00 ch South of N.E. cor set a Sand Stone & took the following witnesses Beech 12 in $81^{\circ}E$ 89 Lk - Sugar 14 in $56^{\circ}E$ - 31 Lk. Thence ran west 61-20 ch to the land of the said Mr Gwinn and Robert Reed 20.00 ch and established a corner by setting a Sand Stone witnessed by B. Walnut 6 in $53^{\circ}W$ - 85 Lk. B Walnut 10 in $88^{\circ}E$ - 82 Lk. This survey is made as a correction of that made on the 9th day of June of the same premises, by the consent of the interested parties

H. W. only
M. O. Surveyor

Survey made this the 10th day of September 1874 for John Stepp S. Hall W. H. Hall. Joseph Adams David Finley and others Commencing at the East 1/2 mile post on said section George Finley and W. H. Hall being sworn as Chain bearers Thence north via 4° 42.16 ch to north sec line and drove 2 imp. stakes. Adjourned for the day to meet on the morning of the 11th inst at the North 1/2 m cor of 2d section We met at the 2d time & place and owing to the absence of W. H. Hall one of the chain bearers William Beapler was duly sworn as one of the chain bearers From the said North 1/2 mile corner we proceeded East 38.84 ch and established the N.E. section corner by driving a stake and taking the following witnesses Beech 20 in $N 15^{\circ}E$ - 18 L. W. O. 20 in $N 25^{\circ}W$ 52 L. Established the 1/2 sec corner midway on the said line & took the witnesses W. O. 20 in $S 34^{\circ}E$ 32 L - W. O. 18 in $N 70^{\circ}E$ 33 L Thence South 26.00 ch to south side of Public road went to dinner - Thence from public road South 41.30 ch to center of section. Ran the line from S.E. cor to center of section 40.50 ch Established the 1/2 sec corner at the crossing of the last line named with the north & south line above named Took the following witnesses to said corner Hickory 15 in $S 42^{\circ}W$ 26 L - Hickory 16 in $N 75^{\circ}E$ 21 Lk. All the above named parties and others interested in section 26 Town Range above named were duly and legally notified of the above survey as appears from the return made which is on file in my office

H. W. only Minor Co Surveyor

Sec No 5 T10 North R1, East
County Line




Surveyed for Joseph Fried December the 5th
1874 the following lines and established the
following corners in section 5 T10 North R1, E.
Nicholas Loving and James Wall sworn as
Chain bearers commenced at corner stone
A.E. cor of section Ran west with via 7
4th 101.25 ch missed stone corner 1312482

(Sec 6) Jonathan L. Hacks sworn as Flag bearers
Commenced at the S.E. cor
found the old witness trees Ran west
(via) 4th on sec line 39.85 ch to south

to the corner set new corner witness Buck 15 in 531st W 324th L
B. Walnut 3 in N 69° E - 8th Ls Thence north 2000 ch set corner
witness B.O. 15 in 527° W 14th L N.O. 20 in 548° E - 20th Ls Thence
north 4000 ch to center of section 5 set stone corner witness
Hickory 10 in N 68° W 15 L - Buck 12 in 531st W - 11th Ls Thence north
4053 ch made corner witness Hickory 12 in 558° W - 56th Ls
Dog wood 3 in N 27° E - 52th Ls Thence west 39.95 ch set a stake
for the S.W. cor of Mr. Fried's land witness dead B.O. N 8° E - 79th L
B.O. 28 in (dead) N 74° W 37 Ls Thence south on west side of
Fried's land 40.53 ch to S.W. cor of same witness Buck 15 in 531st E
7 Ls Buck 12 in 530° W 21 Ls Thence south 1000 ch to the
S.E. cor of Mr. Fried's 20 acre tract Thence cor set witness Buck 6 in
N 20° E - 3rd Ls Buck 12 in 520° W - 22 Ls Mr. Wall sworn as
one of the Chain bearers in place of James Wall Went back
to the last corner made at the center of the S.E. quarter and Ran
west 2000 ch to the section line set corner witness B.O. 15 in
548° E - 15 Ls B.O. 15 in N 75° W - 18 Ls

Henry H. Early
Monroe County Surveyor

Sec 26



Survey made for E. P. Farmer
 Samuel Johnson, Alexander Robinson,
 William Mayfield, Stephens and
 others was made by the consent
 of the parties ~~was~~ ~~on~~ of the
 following lines in sections 26
 and 36, all in Town 9 north
 Range 2 west was commenced
 on the 11th day of December 1874
 continuing to the evening of the
 12th December adjourned to the
 16th of same month and continued
 to the 17th same month establishing

the following corners referring to the above plat and letters to
 designate the same. Found the original witness to corner C
 the North 1/2 mile post of sec 36 planted a stone & took new
 witness trees 1/2 Oak 36 in S 77° W - 37 L - Sugar 3 in N 3° E - 34 L
 Ran the line North & South through the centre of sec 36. Dist
 80.10 ch. Course 5° from the magnetic course. Established the
 centre corner D 40.05 ch. from the 1/2 mile corners north
 and south. Planted a stone witness Hickory 18 in S 41° E - 34 L
 Sassafras 8 in S 62° W - 17 L. Corner E 20.21 ch. west stone plan-
 ted witness. Thence north to sec line made corner square
 distant between the 1/2 mile post and the A & N sec cor being
 20.16 ch. from either planted stone witness. 1/2 Oak 30 in S 20° W
 70 L. Went back south 20.01 1/2 ch. to cor F set stone
 witness Hickory 10 in N 54° E - 37 L. Oak 10 in N 3° W - 25 L
 Thence west 20.16 ch. to sec line at cor G. set stone witness
 Hickory 8 in N 43° E - 27 L. Elm 3 in S 61° W - 14 L
 Stone corner at A. A. & N sec cor perpetuated by setting new
 stone and witness Pine tree 10 in S 19° W - 22 L. S. E corner
 of foundation of dwelling N 2° W - 37 L.

Morning of 17th commenced at the East 1/2 mile post of sec No. 26
 Ran through the section west 80.50 ch. via 3 3/4 set cor on line
 120 Rods & 18 L. west of East 1/2 mile post at cor O. Witness Cherry
 57 1/2 in W - 26 L. Set cor at N 21 Rods & 3 L. further west
 on same line no witness trees taken. Set cor stone at No. 20.12 ch.
 East of West 1/2 mile post witness B Walnut 2 in N 62° E - 35 L
 Poplar 28 in N 62° W - 60 L. Line run on South side of section
 via 3 3/4. Dist 80.80 ch. made cor A west of S. E sec corner
 35.35 ch. witness Iron wood 8 in N 58° E - 24 L. Back 12 in S 81° E - 61 L.

Continuation of Survey of sec 26 T9N R2W

Made corner on South sec line equidistant between South 1/2 mile post and the S.W. cor corner donated by L. Wither. Hick 16 in N 28° E 23 Lk. N. Oak 30 in S 11° E - 43 Lk. Made corner at S. 30 30 ft west of sec cor set stone within Buck 15 in S 44° W - 28 Lk. N Oak 4 in S 72° E 37 1/2 Lk. Horam Pauly and John B. Field sworn as Chain bearers. R. S. Chase was also sworn and took the place of John B. Field in the afternoon of the first day 10th Dec. All the parties named were present and consenting to the survey.

H. H. Hensley
M.C. Surveyor


Survey for M. Sumner and Maggie Seals of Elliptoville La on January the 27th 1875 of a Tract of ground adjoining the town of Elliptoville La in sec 10 T10 N R2W commencing at the South East corner of Lot No (14) fourteen in said town of Elliptoville running thence S 27° E. 37 Rods to a stake set in edge of Spring Branch thence across Jacks the creek called Jacks Defeat at right angles to the former line with bearing North 63° East 134 Rods thence down the North East bank of said creek N 28° W 10 Rods thence N 22 1/4° W 10 Rods to the main street of Elliptoville at the North East Stone corner post of foundation of a building erected by said M. Sumner thence along south side of Main st N 48° W - 17 Rods to said Lot No (14) thence along said S 42° W 132 feet to the place of beginning James Wilson and Rattray Stewart sworn by me as Chain bearers this January 30th 1875

Henry Hensley
Monroe Co Surveyor

January 22 1875 Surveyed for Horvorn Rogers and others Part of out Lot number 13 west of Bloomington 5th Range and T6 Hensley being sworn as Chain bearer we commenced 210 feet west of the South East corner of said Lot 13 - thence west 66 feet to the S.W. cor of the Lot owned by Mr Hardin. The corners of which I was required to locate At this point I had a Stone set in the S.W. cor witness taken Maple 8 in diam bearing East-Sist - 43 Links - thence North 132 feet to the N.W. corner witness taken to this corner with N.E. cor of stone foundation of dwelling bears N 79° W Sist - 18 Links Apple tree N 44° E - 5 Links The other two corners of lot designated only by driving a stake This January 30th 1875

H. Hensley
M.C. Surveyor

Sec 17 T8 N R 18

This January 25th 1875

Survey made for Lucy & Vint John Knight
William O Jacobs James & Sudds Butcher
Williams and others in section No. 17
T8 N R1 East Commencing 19th day of
January 1875 continued to the evening of
21st of said month adjourned to the
25th of said month Commenced again
on the 26th and continued to the 28th
during which time I ran the following
lines and established the following

corners reference being made to the above plat and
letters designating corners of same The west sec line measures
9069 ch bearing 5° variation East sec line bearing about
43 $\frac{1}{4}$ ° via East & west lines 4 $\frac{1}{2}$ ° via except the north line
which is about 4 $\frac{1}{4}$ ° via Line through the centre north
and south 79.50 ch centre line East & west 81.30 ch

Cor A found one of the old witnesses White Oak
Took new witness B.C. 10 in N 87° E - 35 LK Old
witness N.O. 16 in S 1° E - 52 LK

I. R.O. A 34° W - 10 LK - B.C. 18 in S 7° W - 22 LK (old witness)

G. Black O. 557° E - 37 LK - Hickory 3 in S 26° E - 43 LK

F. B.O. 10 in N 79° W - 18 L - B.C. 24 in S 26° E - 34 L

H. Hickory 3 in N 67° E - 16 L - B.O. 10 in N 64° W - 40 L

N. Let stone witness B.O. 10 in N 59° E - 35 L - B.O. 8 in N 12° W - 33 L

B. Let stone witness B.C. 10 in N 34° W - 21 L - Sugar 14 in S 26° E - 41 L

Jan 25th South sec line measured 81.50 ch

L. Cor stone set 20.37 ch west of SE sec cor witness

B.C. 24 in S 74° W - 22 L - R.O. 6 in N 16° E - 27 L

P. South 1/2 m stone set witness B.C. 20 in S 53° E - 13 L

B.C. 10 in S 59° W - 39 LK

K corner made 18.75 ch south of centre witness B.O. 8 in S 32° E - 22 L

B.C. 12 in N 4° W - 38 L

Corner midway bet west & m cor of S W sec cor witness B.C. 10 in

N 50° W - 27 - B.C. 16 in North - 34 LK

S.W. sec cor Sugar 2 in North 2 L B.C. 10 in S 67° E - 32 L

B.C. 6 in S 60° E - 16 L B.C. 6 in S 22° W - 18 L

B.C. 20 in N 51° E - 10 L - B.C. 12 in S 52° W - 27 LK

B.O. 14 in N 54° W - 13 L - B.C. 14 in South 17 LK

Harry McColla and James Empson sworn as chain bearers
the first day second day Joseph Shultz sworn to same in place
of Harry McColla On the 25th January Wm O Jacobs sworn to
same in place of James Empson Harry McColla
Monroe Co Surveyor

The following Notice was served on the parties and is on file in my office

Notice of Survey

Notice is hereby given to John Knight William O Jacobs Lucy Ann Vint Joseph Shields Valentine Swartz and J Wilkison, that I together with the County Surveyor of Monroe County Indiana or his Deputy will proceed on the 19th day of January 1875 to survey all the lines necessary to locate & establish or perpetuate all the section and quarter section corners of section 17 Town 8 North Range 1 East in said County, said survey to commence at the North West corner of said section at one o'clock P.M. on said day; the said named parties are requested to be present at said time & place else the survey will be made in their absence

Lucy A Vint
James Elger

I James Elger of Monroe County State of Indiana hereby certify, that the within notice was duly served on all the within named parties & reading the same in each ones presence and hearing between the 1st day and the 9th day of January 1875

The above named James Elger being duly sworn by me Henry Henry a County Surveyor of said County upon his oath says the above certificate is true

Henry Henry

Also the following notice to non residents was published three successive weeks in a weekly paper called the Bloomington Progress

Notice of Survey.
Notice is hereby given to all concerned that the County Surveyor of Monroe County Indiana or his Deputy will on the 19th day of January 1875 run all the lines necessary to establish or perpetuate all the section, quarter section and quarter quarter section corners of section 17, town 8 North Range 1 East in said County. Said survey will commence on said day at 1 o'clock P.M. at the N.W. corner of said section and continue from day to day until finished. All parties concerned are notified to appear at said time and place, else the survey will be made in their absence.
Dec. 23 1874
LUCY A. VINT

Henry Henry
M. Co Surveyor

Section 1 & 2 Town 10 N. R. 1 West



Survey of sec^s one & two
in ~~the~~ Town 10 N. R. 1 West
for the Petrosas Horvics
Hackes Fulford & others
in pursuance to notice
commenced at the N.W.
Cor of said section one
on the 26th day of April
1875 and continued from

day to day until the 1st day of May following when we adjourned to meet on the
10th following at which time we met & proceeded with the sur-
vey until finished. When we organized for the work on the
26th ap^l John E. Martin and George H. Anderson were sworn
as Chain bearers by consent of parties. During the progress of the
work Jonathan H. Fulford was sworn as Chain bearer in place of Martin by the
consent of parties present. The section lines north boundary of sec 1 & 2 above
named on the north boundary of Monroe county runs with a via from the middle
East 3° 20' north Length of line north of sec 1. 77.60 ch. North South
lines run with via of 4° 35'. Section line bet sec 1 & 2 South 39.6502
to the N.W. Post, and to the S.W. sec corner 79.86 ch. East line of
sec 1. 88.66 ch. South line of section 1. 78.25 ch. Distance
through the centre of sec 2 North & South 80.08 ch. North side
of section 2. 76.12 ch. The following is the corners established referring
to the numbers in figures on the above plat. ^{to each corner} Bearing of witness lines given.

- No. 1. N.E. cor sec 1 B. oak 5 in N 10° W - 16 Links -
- 2 Elm 5 in S 63° W - 105 L - Oak 5 in - S 49° W - 102 Links
- 3 Elm 16 in sec 1. Willow 16 in S 23° W - 7 Lk Willow 12 in N 70° W - 8 Lk
- 4 Hickory 6 in N 63° E - 18 L - B oak 6 in S 65° W - 27 Lk
- 5 S.E. sec cor Buck 24 in N 55° E - 33 - B. oak 14 in S 38° E - 31
- 6 Buck 15 in S 86° E - 29 Lk Buck 4 in N 65° W - 22 Lk
- 7 Iron wood in corner Blue Oak 10 in N 34° W - 7 Lk - Buck 6 in S 34° E - 26 Lk
- 8 19.62 ch west of E. sec cor B. oak 5 in S 42° W - 13 Lk - Hickory 3 in S 22° W - 13 Lk
- 9 Elm 3 in N 86° W - 109 Lk Elm 2 in N 78° W - 102 Lk
- 11 North W. Post Willow 4 in N 3° W - 18 Lk - Sycamore 8 in N 85° E - 143 Lk, Oak Bank
- 12 Buck 12 in S 22° E - 12 L - Elm 10 in S 57° W - 21 Lk
- 13 Sugar 4 in S 29° W - 2 L - Sugar 3 in N 75° W - 4 Lk
- 14 Buck 24 in S 10° E - 12 L - Sugar 5 in N 34° E - 40 Lk
- 15 South W. cor Buck 5 in S 19° W - 7 L - Buck 10 in N 45° E - 11 Lk
- 16 N. oak 36 in S 65° E - 25 L - B. oak 5 in N 28° W - 25 L
- 17 Oak 5 in S 87° E - 11 Lk - Poplar 10 in N 42° E - 9 Lk
- 18 B. Walnut 2 in N 10° W - 37 Lk - B. Walnut 2 in S 28° E - 31 Lk

- No. 19 B. Oak 4 in N 66 $\frac{3}{4}$ W - 15 L - B. Oak 4 in N 41 $\frac{1}{2}$ E - 15 L $\frac{1}{2}$
 20 Buck 16 in North 33 L $\frac{1}{2}$ - N Walnut 18 in N 47 $\frac{1}{2}$ W - 47 L - Sycamore 6 L $\frac{1}{2}$
 21 N.W. sec cor Buck 24 in S 59 $\frac{1}{2}$ W - 21 L - Hickory 5 in S 49 $\frac{1}{2}$ E - 70 L $\frac{1}{2}$
 22 B. Walnut 3 in North 22 L $\frac{1}{2}$ - Water buck 2 in S 53 $\frac{1}{2}$ E - 8 L $\frac{1}{2}$
 23 Sweet H. M. post sec 1. Old witness Buck 12 in N 37 $\frac{1}{2}$ E - 12 L - Ash 1 in S 18 $\frac{1}{2}$ W - 32 L
 25 S.W. sec cor B. Oak 10 in N 22 $\frac{1}{2}$ E - 37 L - N Oak 4 in N 53 $\frac{1}{2}$ E - 12 L $\frac{1}{2}$
 26 733 ch west from E. N. M. cor sec 2. Elm 4 in South 15 L $\frac{1}{2}$ - Elm 3 in N 57 $\frac{1}{2}$ W - 18 L
 27 L. the field 733 ch west of sec line
 28 Buck 15 in S 72 $\frac{1}{2}$ W - 41 L - Sugar 12 in N 50 $\frac{1}{2}$ E - 28 L $\frac{1}{2}$
 29 Buck 15 in S 71 $\frac{1}{2}$ W - 19 L - N Buck 2 in - N 11 $\frac{1}{2}$ E - 4 L
 30 B. Oak 18 in N 75 $\frac{1}{2}$ E - 14 L $\frac{1}{2}$
 31 B. Oak 5 in in corner witnessed by Buck 30 in from bearing N 83 $\frac{1}{2}$ W - 30 L $\frac{1}{2}$
 X 32 838 ch East of N.W. cor Buck 28 in S 19 $\frac{1}{2}$ E - 13 L $\frac{1}{2}$ - Buck 15 in N 69 $\frac{1}{2}$ W - 27 L $\frac{1}{2}$
 33 North M. cor N. Walnut 10 in S 65 $\frac{1}{2}$ E - 19 L $\frac{1}{2}$ - N. Oak 6 in N 57 $\frac{1}{2}$ E - 11 L
 34 Buck 14 in S 4 $\frac{1}{2}$ E - 9 L $\frac{1}{2}$ - Sugar 14 in East 69 L $\frac{1}{2}$
 35 Maple 20 in N 41 $\frac{1}{2}$ E - 32 L - Buck 12 in S 41 $\frac{1}{2}$ E - 43 L $\frac{1}{2}$

The following Notice of the above noted Survey ~~is~~ was properly returned and is on file in the Office of the Monroe County Surveyor


Notice of Survey

Notice is hereby given to Martha Peters, Christopher Peters, Godhard Peters, Balam Peters, Jesse Peters, John Peters, Robert Horvoss, Isaac Hackler, Jesse Williams, Lucy Horvoss, William Whitwell, John W. Stines, Fredrick Hackler, James Bailey, H. Telford, Robert Houston, Clifford Peterson, Joseph Godsey, John Martin & Mr. Brooks; That I will proceed on the 25th day of April 1875 with the County Surveyor of Monroe County Louisiana to run all the lines necessary to establish all the corners necessary to be made to the lands of the heirs of Samuel Peters late of said County, said parties are all notified to meet the County Surveyor at the residence of Martha Peters on said day at the hour of 9 o'clock at which time & place the said survey will commence and continue from day to day until finished, and if the said parties fail to appear the survey will be made in their absence March 6th - 1875

Signed - Henry Peter

The above notice duly returned and on file

N. H. Henry
M. C. Surveyor



Survey was made of Section Three
 Town 7 N. Range 2 west for
 Peter Ballinger John Ballinger and
 others commencing on the 18th May 1875
 and continued from day to day until
 finished on the 23rd May following
 The north sec line is 78.30 ch long and
 course $4^{\circ}10'$ from the Middle South
 line 78.80 ch via from middle 4°
 East sec line 79.84 ch course South 5° East
 West sec line 79.50 ch course " $4^{\circ}50'$ "

In designating corners established reference is made to the
 above plat & letters. Original witnesses found at the following corners
 S. L. V. X. L. O. At O the supposed tree had fallen.

The following corners were established & witnesses taken

- A Cherry 3 in $N 75^{\circ} E - 67$ Lk - B. Walnut 522 E - 25 Lk
 B B. Walnut 5 in $S 67^{\circ} W - 58$ Lk - R. Oak 20 in $N 24^{\circ} E - 204$ Lk
 C B. Walnut 10 in $S 74^{\circ} E - 54$ Lk - B. Walnut 10 in $S 2^{\circ} E - 45$ Lk
 D Old witness Oak 24 in East - 23 L - Water O. 12 in $S 42^{\circ} W - 112$ L via 5°
 E R. Oak 24 in $S 20^{\circ} E - 65$ L - R. Oak 8 in $N 22^{\circ} W - 50$ L
 F B. Walnut 2 in $S 76^{\circ} W - 83$ L - Poplar 14 in $S 86^{\circ} E - 196$ L
 G Buck 28 in $N 21^{\circ} E - 25$ L - Sugar 15 in $S 79^{\circ} W - 61$ L
 H Sugar 24 in $S 83^{\circ} W - 67$ - Sugar 18 in $N 18^{\circ} W - 66$ L
 I 57 Lk north of centre line B. Walnut 2 in $N 46^{\circ} W - 58$ L - B. Walnut 2 in $S 18^{\circ} W - 108$ L
 K 51 " north of same centre line B. O. 5 in $N 46^{\circ} W - 22$ L - Hickory 6 in $S 24^{\circ} E - 84$ L
 L White Walnut Gum 8 in $S 60^{\circ} W - 17$ L - W. O. 6 in $S 66^{\circ} E - 50$ L
 M W. O. 3 in $S 16^{\circ} E - 17$ L - Hickory 3 in $N 56^{\circ} W - 42$ L
 N Sugar 6 in $N 66^{\circ} E - 58$ L - Buck 28 in $N 74^{\circ} W - 110$ L
 O Elm Post Sugar 24 in $N 57^{\circ} E - 73$ L - Buck 24 in $S 64^{\circ} W - 10$ L
 P Buck 15 in East - 3 L - Sugar 20 in $N 18^{\circ} E - 20$ L
 Q Sugar 2 in South - 52 Lk
 R Hickory 16 in $N 65^{\circ} E - 14$ L - Buck 12 in $S 22^{\circ} W - 6$ L
 S Persimmon 3 in $N 63^{\circ} E - 131$ L - Buck 20 in $N 48^{\circ} E - 200$ L
 T Buck 16 in $S 26^{\circ} W - 17$ L - Buck 22 in $N 25^{\circ} W - 31$ L
 U Hickory 8 in $S 19^{\circ} E - 31$ L - Hickory 10 in $N 73^{\circ} E - 87$ Poplar 20 in $N 42^{\circ} W - 58$
 V Hickory 6 in $N 49^{\circ} E - 56$ L - B. Gum 8 in $S 67^{\circ} E - 49$ L
 X Jonathan ~~Shresha~~ & E. J. Morgan sworn as Chain bearers.
 Y Buck 15 in $N 58^{\circ} W - 52$ L Buck 10 in $N 34^{\circ} E - 50$ L
 Z With Morgan. Sworn as Flag bearer S. E. Bowers sworn as Chain bearers
 Centre between Y & Z Gum 26 in North - 17 Lk - Hickory 18 in $S 27^{\circ} W - 7$ L
 Centre between R & X Buck 12 in $S 67^{\circ} W - 66$ L - Hickory 10 in $S 10^{\circ} W - 58$ L
 Buck 22 in $N 37^{\circ} E - 77$ L

W. Henry, M. C. Surveyor

(over)

The following Notice is a true copy of a Notice on file in my office and all the parties mentioned therein except Selia Smith were present consenting to the Survey made in pursuance to said Notice. H. H. Hensley, M.C. Surveyor

Notice of Survey
Notice is hereby given to Selia Smith John Ballinger John Boons Sidney Smith Peter Bowers Samuel May and J May that the county Surveyor of Monroe county and I May will proceed on the 18th day of May 1875 to survey all the lines necessary to establish a perpetual all the section quarter section and all other corners necessary to be perpetuated in section three (3) Township Seven (7) north Range two (2) west in said county. Said parties are notified to meet said surveyor at the North East corner of said section at one o'clock on said day. After the survey will be made in their absence (signed) Peter Ballinger

Notice came to hand May the 3rd 1875 served on Selia Smith, Samuel May, John Ballinger J May Sidney Smith same day by reading and on Peter Bowers by reading on the 4th day of May 1875 served on John Boons by copy on the 4th day of May 1875. The within notice was served by me the undersigned at the time and manner above mentioned May the 4th 1875
E. J. Morgan

In pursuance to Notice served in due form on the parties Surveyed for John Williams Robert Cowdree S.B. Wood and others on the 8th day of June 1875 The following lines for section 26 Town 10 north Range 2 west commenced at the N.E. cor of said section Ran South 44° 00' 40.00 to East 42 m cor Ran the line from the centre of sec 25 in above named town & Range to centre of sec 26 and found the course to be 3° 17' from the magnetic bearing Dist 80.00 ch perpetuated the East 42 m cor; witness Birch 14 in 545° W 36 L - Buck 12 in 324° W - 25 L - Sugar 15 in 49° E - 57 L Commenced on the morning of 8th June on East sec line 72 South of N.E. sec cor ran west 40 Rods set a stake measured thence north & set a stake perpetuated Ran toward the N.E. sec corner west 80 R + 14 L to cor stone via 3° set a corner at the average distance being 40 R and 4 L west of said N.E. cor of section witness Elm 12 in 583° W - 49 L - Sycamore 6 in 40° W - 16 L H. H. Hensley M.C. Surveyor

Survey made for B. Owen & Stout & McPart's on the 14th day of June 1875, all the parties being present and consenting. Samuel Woodall and George W. Jones being sworn as Chain bearers we commenced at South East corner of section 18 Town 8 north Range one west, thence north (via 4 $\frac{1}{2}$ °) to N.E. sec cor dist 80.07 ch missed the sec cor 75 links west corrected back and made a corner 60.05 ch north of S.E. sec corner witness Water Buck 8 in S 42° W - 39 Lks. - Hackberry 18 in N 88° W - 145 Lks

+ Corrected the line back to the beginning found the East $\frac{1}{4}$ mile cor old witnesses which located the said corner 46 links South of the centre of the line which would have required the removal of the first corner above mentioned 23 links South, but as the parties were only interested in the correct location of section line we did not go back to ~~reset~~ relocate the corner.

W. Henley
Monroe Co. Surveyor -

In Pursuance to notice duly served on the parties interested I commenced the survey of section two in Town Seven North Range two west from 2nd line ^{Aug 11th 1875} Murchison and continued from day to day until finished on the 18th Commencing at the N.W. sec corner already established ran East on Township line with a via of 4° North 79.73 chains Ran the East sec line length 77.12 ch and via 4 $\frac{1}{2}$ ° Centre line E & West 79.33 ch Centre line N & S 78.57 ch via 5° Established the East $\frac{1}{4}$ m cor 160 Rods North of the S.E. sec corner wit: B. Oak 5 in N 62° E & 66 Lks B. Oak 5 in Hickory 3 in N 50° E - 9 Links Ash 4 in N 45° W - 18 links Found one of the old witnesses to N.E. sec corner took new wit: Pin Oak 24 in N 16° W - 50 Lks - B. Oak 2 in S 23 $\frac{1}{2}$ ° E - 59 Lks Made corner at av distance between N.E. sec cor and North $\frac{1}{4}$ m cor wit: Ash 4 in S 39 $\frac{1}{2}$ ° W - 54 links Hickory 4 in S 50 $\frac{1}{2}$ ° E - 69 links Established North $\frac{1}{4}$ m corner at av dist Sugar 3 in S 27° E - 133 Lks B. Walnut 8 in N 28° W - distance lost but supposed to be 35 or 40 L Established corner even distance between N $\frac{1}{4}$ m corner and the N.W. sec corner wit: B. Oak 5 in N 62° E - 66 Lks B. Oak 8 in N 68 $\frac{3}{4}$ ° W - 79 $\frac{1}{2}$ links Established centre corner of section wit: Buck 28 in S 70° W - 52 L - B. Oak 8 in N 38° E - 83 Lks Corner at east of centre at av dist 61 $\frac{1}{4}$ m cor & centre corner wit: Buck 10 in S 40 $\frac{1}{2}$ ° E - 31 $\frac{1}{2}$ Lks Buck 13 in N 6° E - 48 Links
(Continued on Page 245)

Morse	Morse	Morse	Jack
			Leeds
	M	M	
	Morse	Morse	
	Morse	M	Jack
		Morse	Leeds
	M	M	James
	Morse	Morse	Morse

April 28th 1875

ran for the benefit of the widow and heirs of Milton Braman
Deceased also Josiah Morse & his wife Jack Leeds & James Burns
Section 36 T¹⁰ R 1 West

Length of the line from the South west corner of said Section
36 to the N¹/₂ cor of the same 325 poles & 9 links half 162
poles 17 links New witness & stone planted North 8 in diam
S 50° to 4 1/2 lbs dist Birch 24 in diam S 67° to 26 links dist

Length of the line from the N¹/₂ cor to the N¹/₂ cor 321 poles
& 9 links half 160. 17 1/2

Length of the line from the S¹/₂ cor of S E 1/4 of S E 1/4
of Sec 36 T¹⁰ R 1. West 324 poles 9 links half 167 poles 4 1/2 lbs
one fourth 84 poles 4 1/2 lbs 3/4 250 poles 17 1/2 links

Cor made at the N¹/₂ cor of S E 1/4 of N E 1/4 of said Section
No 36 stone planted and marked with the initials W. H. S. 36
S¹/₂ cor of S E 1/4 of S E 1/4 of Sec 36 Birch 6 in diam S 53° to
34 lbs dist Birch 9 lbs 12 in diam S 67° to 11 lbs dist

Length of the line from the S E 1/4 cor of S E 1/4 of S E 1/4
to the N E 1/4 of N E 1/4 to the N E 1/4 of Sec 36 325 poles & 1 link
Departure 40 links

corner made at the West 1/2 mile of said Sec 36 stone planted
and marked with the initials W. H. S. 36 witness trees 7
oak 24 in diam S 69° to 81 lbs dist Gum 4 inches diam
S 67° to 17 lbs dist

Cor made & stone planted at the N¹/₂ cor of S E 1/4 of N E 1/4
marked with the initials W. H. S. 36 witness poplar 20 in diam
S 35° to 55 1/2 lbs dist

James H. Spencer
Deft Surveyor No Co

chain Bearers James Braman
& Edward B Jackson Sworn

The following is additional to the survey of section No 36
 T10 R 1. west for the widow Hairs & others of William Brown
 deceased & others holding in said section 36

Corner made 162 1/2 poles north of the South East cor of S 1/4 of
 of S 1/4 of Sec 36 T10 R 1. west stone planted & marked S. 1/4
 from the starting point witness Black ash 8 inches diam
 N 88 1/2 E 18 1/2 chs dist Black ash 8 in diam N 50 to 32 chs dist
 Witness Trees Made at the S 1/4 cor of Sec 36
 Hickory 22 in diam S 65 to 17 chs dist Black oak 12 in diam
 S 15 1/2 E 48 1/2 chs dist

James W. Spencer
 Deft Monroe Co Surveyor

(Continued from Page 243)

Established corner west of centre at a dist 64 west 1/2 m cor
 and centre cor wit: S. 1/4 of 14 in N 25 E - 5 links S. 1/4 of 14 in N 84 E - 46 1/2 links
 P. Ballinger and E. J. Morgan were sworn as Chain bearers and
 Samuel Bowers sworn as Flagbearer and as such they served
 during the progress of the survey The following parties to the
 survey were present and consenting Stephen J. May, W. P. Homer
 Ely Bowers, Lomine Bower, John Tate and Henry May
 Bloomington Ind Aug the 19th 1875

Henry Hensley
 M. C. Surveyor

The following notice of the above survey is on file in
 the office of the County Surveyor of Monroe County Ind

Notice of Survey
 Notice is hereby given to Charlotte May Wm P. Homer, Archibald Lane
 Eli Bowers, Cedar Smith, Elizabeth Luter, Levi Wright, David Wright
 Eliza Morgan, J. L. Morgan, David Wright (son), Lomine Bower and
 Henry May and John Wright that the County Surveyor of
 Monroe County State of Indiana will proceed on the 16th day of
 August 1875 to survey all the lands necessary to be run to
 establish all of the section, quarter section and
 quarter-quarter section corners in section two Township
 seven N of Range two west. Said survey will commence
 at the North West corner of said section at 10 o'clock on said day
 and will continue from day to day until finished The above
 named parties and all others interested are notified to meet the sur-
 veyor at said time and place else the survey will be made in their absence
 August the 3rd 1875
 Stephen J. May

Written on the back of the paper containing the original
Notice of which the foregoing is a correct copy is the following

I hereby certify the within Notice was duly served by me on
all the parties whose names appear and embraced in the same
by reading the same in the presence and within the hearing
of each on the 4th day of August 1875

Stephen J May

The above is a true copy of Notice of return

16 March,

M. C. Surveyor

Sept 3rd 1875

In pursuance to notice duly served on the
parties interested I commenced the survey of section
18 T⁹ north R. 1. west on the 30th day of August 1875
and at the S.E. corner of said section continuing to
and completing the survey on 31st day Perpetuated the S.E.
sec corner took the following witnesses: Sugar 18 in S 31¹/₂° E - 40 L
Sugar 18 in East - 21 L Sugar 10 in west 14¹/₂ L the dist.
Perpetuated East 1/4 cor. corner with Sugar 16 in S 7° E - 19 L Sugar 12 in
S 48° E - 14 L - Sugar 11 in S 18¹/₂° E - 42 L. 20.24 ch north of
x 87¹/₂ mile cor set quarter-quarter cor wit: Hackberry 18 in N 80¹/₂° W
148 Ls - Water buck 10 in S 72° E - 28 L - Pin oak 18 in S 55° E - 60 L
Aug 31st From S.W. sec corner ran north via 4th west 79.47 ch missed
the N.W. sec cor 267 Ls to the east Established the west 1/4 cor
corner wit: Hickory 14 in S 31° W - 23 L - Poplar 13 in N 57° E - 8 L
Poplar 12 in N 87° E - 14 L Established the centre corner
wit: B. Walnut 10 in N 11° E - 12 L - Mulberry 6 in S 81° W - 27¹/₂ L
B. Walnut 10 in N 16° E - 26 L Ran from centre corner north
via 3¹/₂ L & 39.94 ch missed the supposed north 1/4 cor 32 L, East
went back & set the corner centre of north half wit: Blue ash
26 in S 37° E - 57 L - Hackberry 20 in S 81° E - 137 L - B. Walnut 40 in
N 61° E - 8 L. Perpetuated N.W. sec cor wit: Poplar 14 in S 8° E
5 L - Sugar 12 in N 9° E - 47 L - Buck 18 in N 57¹/₂° E - 28 Ls
The other of this survey is on file in the Surveyors office &
Marion county. G. M. Jones and J. M. Woodruff were
sworn as Chain bearers and acted as such in the survey

H. H. Farley

M. C. Surveyor


Notice of the above survey duly served and

and properly returned is on file in the office
of the County Surveyor of Monroe County Ind
H. H. Early
M. C. Surveyor

January 11th 1876

Survey made in Sections 26 and 27 of T10 N. 11
E. East in pursuance to Notice duly served on the parties inter-
ested and returned, which is now on file in my office —
establishing and perpetuating the corners and running the
lines as follows to wit: Commencing at the west 1/4 mile
post of said section 27 on the 20th day of December 1875
thence South (via 4th) 40.00 chains set stake for the supposed
Supposed S.W. sec corner. December 21st commenced at the
North 1/4 m cor perpetuated the same by wit: Buck 24 in N 67th E
23 links Buck 6 in S 23th E - 23 links Thence South 4th 25th - 80.50th
to the South 1/4 mile post: perpetuated the corner at said point
witness White Walnut - 20 in N 75th E - 37 Lk. Old witness still
standing Thence East (via 3rd) 37.71 ch to the S.E. sec cor
x Sec 22nd commenced at the East 1/4 mile corner perpet-
uated the same wit: B. Oak 8 in N 19th E - 31 Lk, B. Oak 5 in S 25th W - 37th
Old witnesses dead and dying Thence South (via 4th E) 160 Rods
Midway the sec cor 24 Links End perpetuated said S.E. sec cor wit:
B. Oak 12 in S 65th W - 37 Lk - White Walnut - 8 in South 59 Links
thence back on correction 20.00 ch set stake in open land
thence from the East 1/4 mile post - ran west with (via 3rd) 78.48 ch
to the west 1/4 m cor perpetuated said corner wit Buck 12 in N 2th E - 52
Lk 8 in S 84th W - 36 Lk - thence back on correction made corner in
centre of section wit: B. Oak 12 in S 60th E - 12 Lk - B. Walnut 6 in S 52th W
45th Lk Made cor East of centre at average distance wit Sugar
14 in N 1th W - 30th Lk 20.10 in S 3th E - 32 Lk Then thence from
the last cor south 20.00 ch thence east 10.00 ch thence south
20.44 ch to the South sec line at this point - made the correction
and established corner equidistant between the S.E. sec cor
(over to Page 282)

Sec 1. T. 7. N. R. 2. W.

September 10th 1875

In pursuance to Notice I surveyed the following lines and made the following corners for D. Bauer A Ketchum and others in section one in Town 7 North Range 2 west of 2nd principal Meridian commencing on 4th September and continuing from day to day until the 6th Sep 1875 Commencing at the S.W. sec corner of said section —

E. J. Morgan and C. B. Fredway were sworn as claim bearers and Peter Ballinger sworn as flag bearer. Ran thence East 80.16 ch to N.E. sec cor via about 3° 50' east thence ^{west} with via of 4 1/4" ran to S.E. sec cor 77.30 ch thence ^{west} via 4° 80.31 ch to S.W. sec cor Planted stone for the South 1/4 m corner took witnesses Elm 1 in from N 41° W - 7 1/2 Links Stone buried S 40° W - 7 Links Set stone for corner 59 Rods west of South 1/4 m corner witnesses; Lime stones planted South 8 links and North 8 links Established east half mile corner with Sugar 18 in S 87° W - 43 L - Wigger head stone firm in the earth S 82° E - 22 Links Established centre cor Planted a stone with Buck 28 in N 33° E - 21 L - in the tree - S 43° W - 40 L Established in 59 Rods west of centre corner with Buck 9 in N 19° W 9 1/2 L - Buck 18 in S 51° E - 25 L Established in 80 Rods East of west 1/4 m cor Buck 12 in N 45° W - 17 L Buck 8 in S 85° E - 24 L Established corner for D. Bauer 74 R + 14 L east of west 1/4 m cor Sugar tree in corner 16 in from within Sugar 16 in N 34° E - 106 L Buck 8 in N 76° E - 60 L Established in on Town line 88 R East of ^{sec} cor with Buck 16 in South 11 Ls Buck 16 in N 11° E - 47 Ls Thence from the last mentioned corner South via 4 1/4" East 86 Rods + 33 Ls South set a cor with Sugar 20 in S 68° W - 32 L N. 0. 14 in N 4° W - 105 L Set corner 12 Rods East of the last one named with Sugar 12 in N 4° E - 16 L - Buck 12 in N 49° W - 32 L From a corner established 74 R + 14 L East of west 1/4 m Post ran South 19° W - 16 Rods made cor with Elm 14 in N 23° W - 110 L - Stone buried N 19° E - 12 1/2 L Thence N 44° W - to east + west line dividing the section made corner with Cherry 10 in N 87° E - 9 L - Stone buried

N 19° E - 12 1/2 Lks Set corner for 66 Rods west of the
 centre corner with Buck 9 in N 48° W - 25 L Buck 9 in
 N 72° W - 35 1/2 Lks Thence run south 24 R planted corner
 with Buck 12 in N 52° W - 33 1/2 L - cross cut in lime stone
 Rock N 43 1/2° E - 8 1/2 Lks Thence west 40 Rods planted
 corner stone with recd of one lime stone planted east
 12 L and lime stone planted north 12 Lks Thence
 North 24 R to 1/4 m line corner stone planted with
 Cherry 9 in East 17 L - Cherry 9 in N 16° E - 19 L
 Sept 16th - 1875

T. B. Healey

M. C. Surveyor

Copy of notice of the foregoing survey is on
 file in the office of the County Surveyor of Mendocino
 County Cal



8 in 588°E - 69 Lk

the NW sec corner 1477½ ch on the east bank of Salt creek being 6 Rods east of the true corner - the true corner being in the creek near the west side witness taken water 12 in 8 in 226°E - 30 L cypress 4 in 514°E - 20 L

thence east from the NW cor 42,34 ch to Section corner Established the cor in the centre of north side of 1/4 sec 92 witness Buck 4 in 220°E - 15 L Poplar 8 in 580°W - 16 L Ran the line N & S through the centre of section dist 78,88 ch via 41°50' Established centre cor wit N.O. 5 in 183°E - 67 L N.O. 28 in South 77 L Established the corner

midway between 4th m post and the centre corner wit: Hickory 12 in South 6 L Hickory 12 in 165°E - 10 L

Made the corner midway bet centre and west 1/4 m cor wit: B. Walnut 4 in 178°W - 15 L B. Walnut 5 in 123°W 31 L Made the corner in the centre of NW 1/4 quarter wit:

Buck 16 in East 1 L Buck 8 in 580°W - 28 L Made corner in the centre of west half of NW 1/4

wit: Buck 8 in 81°W - 127 L Poplar 12 in 512°W - 127 L William Myers and Thomas Allen sworn as chain bearers

Due notice of the above survey was served on the parties interested ten days before it was commenced The copy and as shown of the copy and return of same now on file in my office

This Nov 18th 1875

To W. H. Bentley
M. C. Surveyor

In pursuance to notice commenced the survey of section 18 T7N R1E. on the 8th day of Nov 1875 and completed the same on the 9th of said month commenced at the N.W. corner of said section Ran south via 41° to west 1/2 mile post Distance 39,55 ch Established the NW sec cor within Elm 10 in 551°W - 50 L Poplar

Established the corner south of the NW sec corner 1477½ ch on the east bank of Salt creek being 6 Rods east of the true corner - the true corner being in the creek near the west side witness taken

water 12 in 8 in 226°E - 30 L cypress 4 in 514°E - 20 L

thence east from the NW cor 42,34 ch to Section corner Established the cor in the centre of north side of 1/4 sec 92

witness Buck 4 in 220°E - 15 L Poplar 8 in 580°W - 16 L Ran the line N & S through the centre of section dist 78,88 ch via 41°50' Established centre cor wit N.O. 5 in

183°E - 67 L N.O. 28 in South 77 L Established the corner midway between 4th m post and the centre corner wit:

Hickory 12 in South 6 L Hickory 12 in 165°E - 10 L Made the corner midway bet centre and west 1/4 m cor

wit: B. Walnut 4 in 178°W - 15 L B. Walnut 5 in 123°W 31 L Made the corner in the centre of NW 1/4 quarter wit:

Buck 16 in East 1 L Buck 8 in 580°W - 28 L Made corner in the centre of west half of NW 1/4

wit: Buck 8 in 81°W - 127 L Poplar 12 in 512°W - 127 L William Myers and Thomas Allen sworn as chain bearers

Due notice of the above survey was served on the parties interested ten days before it was commenced The copy and as shown of the copy and return of same now on file in my office

This Nov 18th 1875

To W. H. Bentley
M. C. Surveyor

December 31st 1875

Survey made for James Lucas Joseph Lucas John Scott and others was commenced 27th day of December 1875 and finished on the 28th Dec 1875 in sections 23, 24, 25 & 26 Town 7 North R. 1 west Perpetual section corner of sections 23, 24, 25 & 26 wit: Buck 18 in S 46° W - 57 Lk White Oak 3 in S 58° E - 45 Lk. Then ran east 1995 ch made corner wit: B. Oak 12 in N 29° E - 57 Lk B. Oak 10 in N 15° E - 78 Lk. Thence ran north (via 4° west) 60.00 ch made Lark corner wit: Swamp Oak 28 in S 29° E - 32 Lk Burr Oak 12 in N 57° E - 32 Lk. Traced the sec line through between secs 23 & 24 Dist 7980 ch Ran the line between secs 25 & 26 from the sec cor South 2000 ch to a stake in the Swamp The above named parties were present and consenting to the survey Joseph Chastain and Stephen Young were sworn as Chain bearers and acted as such

W. H. Hurd
Monroe County Surveyor

Survey made for Mayfield and Whisman on the 15th day of March 1876 as follows to wit: Commencing at the East 1/4 mile post of section three (3) S. 1, R. 1, west. Thence North 4044 ch to the N.E. sec corner Thence west (via 34°) 4024 ch to the North 1/4 mile post Thence South (via 4°) 40.12 ch missed the corner to the west 17 Lk. Corrected back and established a corner 60 Rods and 5 Lk. North of the center corner of the section Took witnesses: Buck 28 in S 80° E - 53 Lk B. Walnut 10 in N 37° W - 32 Lk. Thence east on the line dividing the lands of the above named parties to the first line run on the east side of the section and made a corner at the average distance allowing 100 acres more or less on the north side and 60 acres more or less on the south side of the N.E. 1/4 of said section Took the following witnesses to the corner Oak 12 in S 88° W - 42 Lk William Macnaman and Pleasant Mott sworn as Chain bearers

W. H. Hurd
W. C. Surveyor

(From page 247) survey of sec 26 & 27 T10N R1E

and the south $\frac{1}{4}$ m. cor. of sec 27 with $\frac{1}{2}$ to about $\frac{3}{4}$ in S65°W
 7 $\frac{1}{2}$ lbs. - White walnut 6 in S66°W - 28 $\frac{1}{2}$ lbs. Corrected back made
 the $\frac{1}{4}$ mile corner at average distance north with $\frac{1}{2}$ inch S60°E - 2 $\frac{1}{2}$ lbs.
 Logwood 3 in S14°E - 18 $\frac{1}{2}$ lbs. Thence back East 40 Rods made corner
 with Red oak 5 in S48°E - 35 $\frac{1}{2}$ lbs. Red oak 5 in S25°E - 14 $\frac{1}{2}$ lbs.
 Commenced at the S.E. cor. of sec 27. Ran East on the
 South side of sec 26 (via 14 $\frac{1}{2}$) struck the many of the old line blazes
 but missed the S.E. cor. of sec 26. 124 Rods North Distance
 81.45 ch. Corrected back and made the South $\frac{1}{4}$ mile cor.
 with Red oak 12 in S84°W - 23 $\frac{1}{2}$ lbs. Red oak 12 in S71°E - 46 $\frac{1}{2}$ lbs.
 Thence North 80 Rods adjourned until Jan 3rd
 Commenced Jan 3rd at the W. p. m. cor. of sec 26. Ran East
 (via 3rd) 81.04 ch. found the west $\frac{1}{4}$ m. cor. and an old witness
 corner established previously too far South 35 Rods. Established
 the corner in center of sec 26 with Hickory 3 in S44°W - 10 $\frac{1}{2}$ lbs.
 Hickory 3 in S82°E - 25 $\frac{1}{2}$ lbs. Jan 4th Made corner South of center
 120.50 ch. Poplar 5 in in the west. Sugar 12 in S80°E - 23 $\frac{1}{2}$ lbs.
 Red oak 9 in S44°W - 34 $\frac{1}{2}$ lbs. Thence West 20.26 ch. made
 the W. p. m. cor. with Red oak 5 in S81°W - 60 $\frac{1}{2}$ lbs. - Red oak 4 in S19°E - 106 $\frac{1}{2}$ lbs.
 Made corner on the South sec line at average distance between
 S $\frac{1}{4}$ m. cor. and S.W. sec cor. with Red oak 6 in S52°W - 13 $\frac{1}{2}$ lbs. Red oak
 5 in S46°W - 30 $\frac{1}{2}$ lbs. Made W. p. m. corner West of center with
 Red oak 6 in S11°W - 14 $\frac{1}{2}$ lbs. - Hickory 3 in S46°E - 41 $\frac{1}{2}$ lbs.
 Commenced at the $\frac{1}{4}$ mile corner at 26 & 27. Ran North 79.76 ch.
 to the N.W. sec cor. perpetuated said cor. with Old wit-
 16 Rods 19 in S51°W - 8 $\frac{1}{2}$ lbs. - Red oak 3 in S72°W - 11 $\frac{1}{2}$ lbs. Red oak
 2 in S57°E - 6 $\frac{1}{2}$ lbs. - Made $\frac{1}{4}$ m. cor. South of N.W. sec cor.
 with Red oak 5 in S63 $\frac{3}{4}$ °W - 6 $\frac{1}{2}$ lbs. - Sassafras 4 in S26°E - 7 $\frac{1}{2}$ lbs.
 Thence East 20.40 ch. to $\frac{1}{4}$ m. cor. with Red oak 8 in S66°W - 10 $\frac{1}{2}$ lbs.
 Sugar 7 in S57°E - 28 $\frac{1}{2}$ lbs. J. J. Bates, Clerk, Sworn
 by Raider and Hugh McColony (Chamberlain) Sworn at
 the commencement of the survey. The following parties
 interested in the survey were all present and consenting
 Thomas J. Raider, Hugh McColony, Robert Pryor, J. J. Bates,
 Isaac Glenn, Levi Pryor and Joseph McColony.

Henry C. Cullis
 Monroe Co. Surveyor

Survey in Section 31 T. 9, R. 1, E. for Harvey Smith
 Ren Smith and David Hunter, performed on the 4th day
 of March 1876 commenced at a stone heretofore established
 80 Poles North of S.W. corner of said section and ran N 8° W
 159 Poles 2 links. To stone corner heretofore established, established
 a corner at western $\frac{1}{2}$ mile. Post by consent of parties they
 being present and agreeing to the same witnessed by Red Oak
 30 inches in diameter To 40° E 26 links distant, also white Oak
 8 inches in diameter N 48° W 195 links (old witness trees gone)
 Chain bearers Ren Smith & Wm Smith. Slaughter Harvey Smith


M. C. Baskirk Deputy

August The 28th 1876

Met according to previous notice duly served according
 to law in M. Blain, Hugh Sample Mrs Gardner & Thacker
 William Foster William Turner William Moore and William
 at the North East corner of section 17 Town 8 North Range 2 West
 and made the following survey. Ran west (via 4° 20')
 77.85 ch missed the N.W. sec corner 158 links to the south
 Went back and corrected and established the north half
 mile post by setting a stake witnessed by Mulberry 8 in 43 Poles
 9 links Sugar 12 in N 81° E - 35 S Thence south (via 4° 20')
 20.00 ch established corner wit: Dogwood 4 in N 47° E - 45 S
 Sugar 10 in N 81° E - 12 S Milton C. Jones and
 Isaac F. Elder Chain bearers Sworn Notice on file
 in the Surveyors Office this the 28th day of August 1876

W. C. Baskirk
 M. C. Surveyor

Section 2, T. 1. N. R. 10. W.



be persuaded to notice — in the presence and with the consent of the following parties interested James Dickard, Arvine Todd Joseph L. Harrison and Arnold Todd I. Commenced the survey of section two town seven north range one east of the second prime meridian at the east half mile post on the


20th day of March 1876 at One o'clock P.M. and continued from day to day until the survey was finished as follows commenced at the said east 1/2 mile corner ran west (true) to the west 1/2 mile corner distance 78.55 ch. South side of section 77.50 ch. west side 82.00 ch. Established the following

corners referring to the above plat by the letters

- A. Set stone for south 1/2 mile corner with iron nail 510°W-11E distance 45°E
 B. 1/2 mile 1/2 mile corner with iron nail 542°E-137°W distance 12 in 432°W-8 Links
 C. 100 rods north of south 1/2 mile corner with iron nail 541°E-137°W distance 10 in 521°W-10 L
 D. on East boundary salt creek with water bucket 2 in 516°W-24 L - Stake with 431°E-10 L
 E. with bucket 10 in 485°E-27 L - Stake with 432°W-10 L Stake with 511°E-2 L
 F. Stone corner with stone planted 10 Links East and another stone 10 Links North
 G. Center corner with stone set for corner and stone planted for 10 Links East 710 Links
 H. Center of 1/2 mile square stone planted for corner 4 stones buried 10 Links west 110 Links East
 John Martin and James Dickard sworn as Chain bearers

To Henry
 11.6 Surveyor

Dec 24 1876 of 21 East



In accordance with a notice published for this route in the Bloomington Times a public newspaper published in Bloomington Ind. I proceeded on the 27th 28th 29th of March and the 3^d of April 1876 to establish and perpetuate the following lines and corners for Jacob Richardson, Rachel ~~the wife~~ zero Charles Miller, Jane Brown, Adam Stephens and others unknown, in Section 24 T. 7. N. R. 1. E. Commencing at the S. E. corner of said section (A) Stone planted and witnessed by White Oak 30 N 22° W 306 Black Oak 20 N 81° E 11 links Ran S 88° W

322 Poles and 2 links to a stone previously planted at S. W. cor. (B) new witnesses made Wild cherry 10 N 54° E 9 Poles 8 1/2 links Black Walnut 3 1/2 S 58° E 3 Poles 2 1/2 links Ran N 46° W 311 Poles 4 links to Stone heretofore planted found witness trees still standing Established corner at (C) limestone witness Hickory 3 N 24° E 6 1/2, Black Walnut 6 W 73° E 24. Also at (D) sandstone witnessed by Hickory 2 1/2 N 28° W 3 1/2 White Oak 24 S 43° W 41. Ran N 86° E 322 Poles 4 links Established corner (E) sandstone witness White Oak 22 N 31° W 28 1/2, White Oak 30 N 3° E 11 links Also at (F) sandstone witnessed by poplar 15 S 41° W 29 Hickory 8 S 88° E 28 Then commenced at S 1/2 on p. and ran N 46° W 316 Poles to N 1/2 m. p. established corner at (G) sandstone witnessed by Birch 20 S 84° E 9 Poles 4 links Birch 12 S 71° E 12 Poles 7 1/2 links. also perpetuated corner heretofore established at center of 251 (H) limestone witnessed by Elm 14 S 20° E 56 links sycamore 24 S 4° W 5 Poles Also established corner 5 Poles 10 1/2 links north of the N. E. corner of the S. E. 1/4 of the 2^d W. gr. in accordance with a deed given to John Stevens by Jacob Romans in Aug 1831. (I) sandstone witnessed by Black Walnut 3 S 7° W 45 Black Walnut 4 N 88° W 9 Poles 8 links. Corner established at (J) sandstone witnessed by Apple 10 N 8° E 60 1/2 links Mulberry 4 S 67° W 5 Poles 12 links Established corner 14 Poles 12 1/2 links north of (J) at (K) in accordance with deed heretofore referred to limestone witnessed by Elm 36 N 70° W 24 1/2 links Honeylocust 6 S 33° W 35 1/2 links Blackberry 36 N 84° E 4 Poles 4 links. Established corner at (L) sandstone witnessed by Birch 18 S 77° E 18 1/2 links Birch 20 S 63° W 28 1/2 links

Also at the same time made the following survey for Richard L. Stephens and others as trustees of the Abundant creek Baptist church commencing at a Stone 25 Poles east of the S. W. corner of the N. W. 1/4 of the N. E. gr. of Sec 24 T. 7. N. R. 1. E. and running east 9 Poles to a Stone thence south 10 Poles to a Stone thence west 9 Poles to a Stone thence north 10 Poles to place of beginning said grounds having been deeded by Jacob Romans to said church for a building lot. I hereby certify that the following is a true

copy of Notice of said survey (copied from *Bloomington Times*)

Notice is hereby given to Charles Keller and all other nonresidents or others interested, that on the 27th day of March 1876 I will proceed together with the county Surveyor or his deputy, to run and establish all the lines and corners necessary to be established in Section 34, Township 7 Range 1 East commencing at the S.E. corner of said section at 10 o'clock A.M. of said day and continue from day to day until completed.

This 10th day of March 1876

Jacob Richardson

Chain bearers W. H. Stephenson }
S. B. Cruise } Flagman
Jacob Richardson }

The above survey was done by authority of the county Surveyor by

M. H. Baskirk Deputy

+

Also on December 22nd 1876 ran the following lines and made the following corners in same Section 34 T. 7. R. 1. E. ran from stake halfway between N. 1/2 m p and N. E. corner and ran South 51° N. P 13 the and established corner (M) at half distance sand stone witness Beech 12 S 70° E 15' gum 20 S 18° E 45'. Established corner in the center of the N. E. gr sand stone, witness B Walnut 7 S 3° W 53 the Elm 6 S 4° E 82 the


See plat of survey on page 255

Wm Robertson } chain
Thomas Weddle } bearers

Jacob Richardson } flagman

M. H. Baskirk & M. C. S.

Section 35 T. 10. N. R. 1. E. 1. East



Commenced the survey of section 35 T. 10. N. R. 1. E. on the 20th day of April 1876 and continued from day to day until finished in presence of notice served on the parties interested a copy of which notice is on file in the Surveyors Office. Ran the west section line (via 4th) length 80.85 ch South line being the Township line from true east line (3⁴) length 80.62 ch East line (via 4th) length 81.24 ch Centre line North & South 80.80 ch

Established the east half mile corner by planting sand stone wit: Birch 30 in 526°E - 14 Lbs. Birch 20 in 575°E - 18 Lbs. Established the S.E. cor. wit: Birch 14 in 555°E - 20 Lbs. Ironwood 3 in 447°W - 15 Lbs. South 1/2 mile cor. wit: Elm 475°E - 64 Lbs. Birch 24 in 561°W - 148 Lbs. Established corner in the centre of south side of S.E. q. Water 0.2 in 583°W - 20 Lbs. Water 0.2 in 110°W - 60 Lbs. Established cor. in centre of S.E. q. wit: Ciccamore 10 in 411°W - 37 Lbs. - Elm 6 in 428°E - 55 Lbs. Established cor. in centre of South half of section wit: Apple tree 12 in 542°W - 5 Lbs. Hackberry 20 in 565°E - 67 Lbs. Established corner in centre of section wit: M.D. 3 in 52°E - 8 Lbs. M.D. 3 in 137°W - 15 Lbs. Also ran out mill lot and established the corner in the presence and by the consent and direction of Mr. Henry and Sanville parties interested to wit: Commencing at the established corner in the centre of south half of section marked (A), thence west 8.91 chains, thence north 112 chains to the beginning point of mill lot, established by planting a stone, witnessed by Quakeress 10 in 542°E - 104 Lbs. thence north 48°E across the creek - 19 R. to east corner, stone planted wit: Ciccamore 25 in 534°E - 78 Lbs. - Ciccamore 2 in 462°W - 75 Lbs. thence 447°W - 19 R. to the north corner in the edge of the creek wit: Maple 12 in 576°E - 12 Lbs. thence S 41°W - 18 R. to the west corner. Set stone cor. wit: Elm 6 in 444°E - 106 Lbs. thence South 45°E 1.8 Rods to the place of beginning containing two acres.

Thomas Rarden and James Whitwood sworn as chain bearers. Isaac A. Whitwood sworn as chain bearer in place of James Whitwood.

W. H. Conley
M. C. Surveyor

Surveyed for James Alexander May the 15th 1876 the following
 in Section 8 and 9 in Town 10 N R 1 W. A. J. Hyatt and
 Thomas Mitchell being sworn as Chain bearers. Commenced
 east of the south west corner of Section 10 N. 7. Ran north with
 via 45° west 40 R to a stake set. Back 18m. S 27° E - 24 L Back 4m
 S 31 1/2° W - 34 L thence north 140 R from the point of beginning to a
 stake stone set for memorandum corner with back 14m. N 51° W - 15 L
 M. O. 14m S 55° W - 24 L thence west 30 R to a stake commenced
 on 16th at the S. corner of Sec 9 Ran north with a via 7 1/2° west
 40 R set temporary corner with iron wood 3m S 71 1/2° E - 1 L M. O. 18m
 N 72° W - 35 L thence north 140 R to the ~~west~~ supposed west
 1/2 mile post. 45 R to the south of the north line ran the day before
 and 35 R to east of the stake set. Set a trap corner on the line
 last ran which follows the line of old marked trees through
 with iron wood 4m S 51° E - 8 L - M. back 14m S 52° E - 22 L
 Henry Hensley
 M. C. Sawyer


Survey for Ephrus and John Wright both being
 present and consenting. was made on the 18th day of May
 1876. C. J. Logan and C. B. Creadaway sworn as Chain bearers
 Commenced at the south west corner of Section 10 in Town
 7 N R 2 west Ran east 63 Rods made a corner stone
 with stone buried in the ground 10 L north and also 10 L south
 Ran thence south to the line dividing the section east and west
 at a point 63 rods east of the west 1/2 mile post. Set a corner
 stone ~~with~~ back south 24 Rods by planting a stone and with
 45 stones buried in the ground 10 L east and 10 L west
 Henry Hensley
 M. C. Sawyer

Surveyed a lot of ground for Frank Hensley near Collettsville
 May 17 1876. Commenced at the supposed west 1/2 mile cor
 of Sec 3. S 7° North R 2 west Ran east along the road
 36 Rods to a stake thence south 17 R 42 L thence west
 parallel with the first line 36 R to the east line of the section
 thence north along said sec line 36 R to the place of beginning
 containing 4 acres
 H. Hensley
 M. C. Sawyer

In pursuance to notice to the parties interested William Chambers, Miranda Chambers and H.H. Hill, I surveyed the following line and established the following corners on the 26th and 27th of September 1876 in sections 22 and 27 in Town Seven North and Range One west. The said H.H. Hill and William Chambers being present and consenting. John P. Harrell and A. J. Strain were sworn as claim-bearers and acted as such.

Commenced on the said 26th day of Sept at the west 1/4 mile corner of section 22. Ran South to the south ~~west~~ section corner found the variation ~~about~~ ^{west} ~~14°~~ ^{14°} east of magnetic course. Ran South from said sec corner 40 Rods and established a corner witnessd by Mulberry tree 40th E-39th S. Swamp-oak 1 in N.W. - 1 Link. Thence East 40 Rods to a Stake set for a corner. Thence North 40 Rods to section line corner established by planting a stone wit by two marked. Commenced again at the S.W. sec corner ran South 80 Rods. Planted a stone for a corner wit by a Swamp oak 3 in N 34° W - 34th S. Swamp oak 3 in N 7° E - 36th S. Thence North with 4th S. 80 Rods planted a stone for corner in cornfield thence north 76th W - 137 Links to an oak bush 2 in S. Thence N 36° W - 57th S. to a Black walnut 3 in S. marked. Thence north 24° W 8 R and 14th S. Links thence N 25° W - 8 R & 18th S. Thence N 23th W - 10 Rods thence N 12° W 5 R and 11th S. Thence N 20° W - 7 R & 20th S. to a sugar tree 14 in S. Thence N 16° W - 9 R & 11th S. Thence N 2th W - 9 & 10th S. Thence N 13° W 11 R & 21th S. to a B. Walnut 4 in S. in line thence N 7th W - 7 R and 19th S. to a stake on the east and west line dividing sec 22. Thence from said line N 7° W - 9 R & 22th S. Thence N 22° W - 25 R & 7th S. Thence N 30° W - 8 R & 10th S. Thence N 38° W - 8 R & 21th S. Thence N 32° W 19 R & 19th S. Thence N 44° W - 44 Links to corner stone planted witness N. Oak 3 in S 46° E - 13th S. Water Bush 2 in N 35° E - 8th S. Thence west 20 Rods to the west sec line set stone corner wit N. Oak 28 in S 51th E - 8th S. Thence South 66 R and 10th S. to the west half mile corner the place of beginning.

J. H. Hendley
M. C. Surveyor



Survey in Section 23, T. 10 N, R. 1, E
Recorded in Dec 1875

Surveyed for M. T. Lener, Levi Rizer, J. J. Bates and others
in Section 23 T. 10 N. R. 1, E all the parties being present
and consenting. Commencing at the South west corner of Sec. 23
on the 24th day of November 1875. Ran thence North (variation $4\frac{1}{2}^\circ$)
80.76 chains missed the N.W. Section corner 70 links to the west
Thence east in supposed Section line (variation $3\frac{1}{2}^\circ$) 82.77 chains
missed N.E. Sec cor 68 links to the north - Nov 23rd commenced
at the South west Sec corner ran East (variation $3\frac{1}{2}^\circ$) 81.89 ch
established the S.E. corner by planting a stone and
took the following witness trees B. Oak 18 in Diameter
S $69\frac{1}{2}^\circ$ W $4\frac{1}{2}$ links B. Oak 10 inches in Diameter N 69° W 32 lks
Thence North (variation 4°) 80, 18 missed Sec corner 123 links
to the west Established this N.E. Sec corner in county line
Set Stone witnessed by B. Oak 10 inches west 31 links
B. Oak 12 inches S 61° W 133 links, Corrected back west in Sec
line one fourth distance and Set Stone for corner⁽³⁾ witness
B. Oak 10 inches S $22\frac{1}{2}^\circ$ E $15\frac{1}{2}$ links Hickory 8 in N 22° E 22 lks
Northern $\frac{1}{2}$ mile corn Stone planted⁽⁴⁾ witness Beech 10 inches N
 26° W 23 links Beech 10 inches S $86\frac{1}{2}^\circ$ E 24 links


Met on the 26th of Nov
made a g. g. r. corner at a fourth distance north of S.W. Sec. cor
Set Stone⁽⁵⁾ witness W Oak, 15 inches N 34° E 16 links Sugar 10 inches
S 61° W 19 $\frac{1}{2}$ links, Made the first g. g. r. corner east of the N.W.
Sec corner by driving a stake⁽⁶⁾ ran north 40 rods made
corner⁽⁷⁾ for L. Lener and Newton Set Stone witness Hickory
14 inches N 30° E 24 links Hickory 12 inches N $22\frac{1}{2}^\circ$ W 18 links
Thence west 48 rods made corner⁽⁸⁾ witness^{Beech} 24 inches N 41° E
44 links Beech 16 inches S $11\frac{1}{2}^\circ$ E 45 links. Thence back with the
Section line 40 Poles and made a corner⁽⁹⁾ witness Hawth 12 in
N 73° E 80 links W. Walnut 5 inches South 9 links. Set a Stone
for N.W. section corner⁽¹⁰⁾ witness Elm 4 inches S 86° E 113.
cycamore 18 inches S 49° W 81 links (variation 4°)
Commenced at N $\frac{1}{2}$ or. g. r. ran South (variation $3^\circ 25'$)

80.46 ch missed $\frac{1}{2}$ m. p. 44 links East, corrected back
 set first gr gr at average distance¹¹ witness cherry 14 in S $78^{\circ} E$
 19 $\frac{1}{2}$ links Thence west 20.45 ch set corner¹² witness W Oak 14 inches
 N $82^{\circ} 10' 2$ links W Oak 14 inches S $66^{\circ} E$ 27 links Thence back
 East same distance east of the centre line dividing the section
 to the center of S.E. quarter made corner¹³ witness B Oak 8 in
 N $48^{\circ} W$ 20 links Hickory 4 inches S $32^{\circ} E$ 18 links Thence east
 to section line, made corner¹⁴ witness R. Oak 18 inches N $76^{\circ} E$
 31 links Dogwood 2 inches S $76^{\circ} W$ 15 links, Made $E\frac{1}{2}$ m corner¹⁵
 witness Ash 8 inches N $34^{\circ} W$ 26 $\frac{1}{2}$ links, Beech 16 inches S $52^{\circ} W$ 22 $\frac{1}{2}$ links
 Thence west one fourth across the section, made corner¹⁶ witness
 Hickory Hickory 10 inches west 32 links W Oak - N $82^{\circ} E$ 28 links
 center corner¹⁷ witness Beech 10 inches N $51^{\circ} W$ 10 $\frac{1}{2}$ links
 Beech 6 inches N $48^{\circ} E$ 51 $\frac{1}{2}$ links gr gr see cor west of center
 witness Hickory 8 inches S $54^{\circ} W$ 19 links Beech 12 inches South
 12 links

Robert Pryor & } chain
 Levi Pryor } bears sworn

Thomas J. Bates } flagman
 } sworn

H. Kenley
 S. S., M., E.



Survey of Sec. 26, T. 8, R. 1, E

Feb 19th 20th 21st & 22nd 1877

Commenced at the S.W. corner
 of section 26, T. 8, R. 1, E and ran
 N 42° west a distance of 320 Poles
 and 19 links missed N.W. corner

13 $\frac{1}{4}$ links to the east established N.W. corner (A) by planting sandstone
 witness Beech 20 N $48^{\circ} E$ 13 Beech 15 S $9^{\circ} W$ 34 corrected back and
 set stone one fourth distance South of N.W. corner (B) witnessed
 by Elm 4 N $25^{\circ} W$ 117 lb, Black walnut 3 S $81^{\circ} E$ 162 lbs, set stone
 at western $\frac{1}{2}$ mile post (C) witnessed by Red Oak 7 S $58^{\circ} E$ 13 $\frac{1}{2}$ lbs,
 Red Oak 6 S $15^{\circ} E$ 17 lbs, set stone at half distance between western
 $\frac{1}{2}$ mile post and S.W. corner (D) witnessed by Sugar 18 N $40^{\circ} 7\frac{1}{2}$ lbs
 Hickory 20 S $24^{\circ} E$ 23 links. made new witnesses at S.W.
 corner W Oak 14 corner tree (E) witnessed by W Oak 12 N $82^{\circ} E$ 24

W Oak 6 S 4 1/2 W 4 1/2 commenced at S W corner ran S 89° E 321 P 2 1/2 lks
 To S. E. corner corrected back found one of the original witness trees
 at S 1/2 on p. established corner (F) set stone witnessed by Beech 14
 N 61 W 14 Beech 24 N 75° E 24, corner (G) half distance between S W cor
 and S 1/2 on p. Stone planted witnessed by Red Oak 2 S 50° E 5 1/2 lks
 Beech 15 N 46° W 6 1/2 lks, Commenced at N W corner and ran S 89° E
 328 P 4 lks corrected and marked back and set stone (H) at N 1/2 on
 witnessed by Beech 24 S 38° W 8 lks White Walnut 2 N 87° E 3 lks also set
 Stone at corner (I) half distance between N W corner and N 1/2 on p.
 witness Hickory 24 S 42° E 23 1/2 Beech 18 N 86° W 6 1/2 lks. Commenced at S 1/2
 on p. and ran N 3 1/2° W 316 P 19 lks to N 1/2 on foot, corrected and
 marked back and set stone and established corner (J) one fourth distance
 South of N 1/2 on p. witness Beech 12 North 3 1/2 lks Red Oak 8 S 12° E 32 1/2 lks
 Planted Stone at center of section (K) marked cen 26 T. 8. R. 1 E witness
 red oak 3 S 31° W 2 1/4 W Oak 2 1/2 N 32° E 40 lks. Set stone at half distance
 between S 1/2 on p. and center of section (L) witness Beech 24 S 85° W 29 1/4
 Beech 12 S 3° E 14. Ran from thence N 89° W 165 P 18 lks to corner (D) and
 set stone at half distance (M) witness Beech 18 S 19° W 4 lks White Walnut
 4 N 67° E 25 lks. Commenced at center of section and ran N 49° W to
 western 1/2 on p. corrected and marked back and set corner (N) at half
 distance and stone witness Sugar 16 S 6° W 26 1/2 R. Oak 2 S 70° E 10
 Ran line E & W through center of the N W gr and set stone in the
 center of the same (O) witness Chestnut Oak 6 N 18° E 14 1/2 lks Chestnut Oak
 6 N 36° W 15 1/2 lks

The above survey was made in compliance with a notice published
 in the "Republican Progress" a weekly newspaper published in Bloomington
 monroe county Ind. said notice having been published three weeks of
 which the following is a true copy

Notice of Survey


Notice is hereby given to all parties interested, that I will proceed
 together with the county surveyor or his deputy on Monday February
 19th 1877 to perpetuate and establish all the lines and
 corners necessary to be established in section 26 T. 8. R. 1 East. All
 persons interested in said survey are hereby requested to meet at
 the residence of John Salmore at 2 o'clock P. M. of said day else the
 survey will proceed in their absence, Survey to continue from day until completed

Jun 31st 77

John Salmore

The chain carriers of the above survey were Abe Chestnut and J. J. Hollowell
 Flagman John S. Hanson - all sworn

M. H. Buckirk M. C. D.



Survey of Section 5 T. 9. N.
Range 1 East
commencing on
Feb 27th & 28th 1877 and
completed march 19th 20th 21st 1877


For David Barrow J. J. Pearson
Gammel Peterson, J. S. Harless
and L. Halver parties interested
all being present and consenting to
said Survey except Gammel

Peterson and he having sent word that he was willing for the
Survey to proceed. Commenced at S.W. corner found the
original witness tree set stone (A) marked S.W.C. S.T. 9. R. 1. E. and made new witness Beech 30
N 33° W 15' Beech 24 S 82½° E 39 lks Ran N 6° W 322 Poles 11 lks
established N.W. corner (B) sand stone witness white oak 10 S 40° E 15 lks
Beech 18 N 35° E 34 lks. Ran N 85° E 116 Poles 21 lks to corner heretofore
established. Thence S 6° E 164 Poles to corner heretofore established (C) made new
witness Beech 10 N 77° W Beech 10 N 30° E 23½. made new witnesses at N.E. corner
(D) Hickory 10 S 28° W 15' Beech 30 N 74° E 40 lks. corrected and marked
back to place of beginning set stone (E) marked W. 2. M. P. S. T. 9. at western ½ on post witness
Poplar 12 N 73° W 114 lks B. Walnut 6 N 38° W 109½ lks. Commenced at P.W.
corner ran S 86° E 318 Poles 5 lks and hit corner original witness tree
still standing set stone (F) witness Red Oak 16 N 24° E 6 Ash 6 S 34° W 56½ lks
new witnesses made at S ½ on p. (G) Black walnut 6 N 77° E 31 lks B. Oak
7 S 23° E 24 lks corner established and stone set (H) half distance
between S ½ on p. and S.W. corner witness Elm 8 S 69° E 21 lks Beech
14 N 24° E 15. Then adjourned to meet at 10 o'clock at M. march 19th to
complete the survey march 19th corrected North section line established N ½ on p. by
planting stone (I) marked N ½ M. P. S. T. 9. R. 1. E. witness red oak 18 N 75° W 18½ lks W. oak
6 S 70½° W 15 lks Ran from N ½ on p. S 6° 324 Poles 4½ lks to S ½ on p. Then commenced
at S ½ on p. ran S 85° W 321 P. 2 lks established corner at center of section by
correcting east and west lines and setting stone (J) where the lines crossed
marked Cen. S. T. 9. R. 1. E. witnessed by Beech 8 N 79° W 10 Beech 12 N 44° E 21
Established corner at half distance between center of section and N ½ on p. (K)
Sandstone witnessed by poplar 36 N 67° E 39 lks W. Walnut 6 N 82° 20½ lks
Ran a line for Joseph Harless, and Lawrence Halver commencing at a point in the
center of the lane 5 Poles 1½ lks South of the S.W. corner of the N.E. ¼ of the N.E.
qr Section 5 T. 9. N. 1. E. and ran S 31° E 85 Poles 11 lks to a stake established
corner at half distance between center of section and S ½ on p. (L) stone marked

B & P witnessed by Beech 8 S 7° W 15½ lks Beech 18 N 54° E 30 lks run from thence S 6° E 162 Poles 12 lks to corner at (H) corrected back and set stakes every 40 Poles

L Calver & } chain bearers
J S Harris } sworn
Wm Calver (flagman sworn)

M H Buskirk M, L, S.



Survey of Section, T. 1. Y. R. 1. E
March 5th 1877

For Joseph Adams, Stephen Deckard
Wilson Clark, James Licoe and others
commencing at S W corner at 11 o'clock
A. M. march 5th 1877, ran N 4½° W
82 Poles 20 lks to corner heretofore established
Thence north 4½° W 162 Poles 6½ lks to

corner heretofore established. Thence N 4½° W 82.10 to N W station
corner. Thence South 85½° E 164 Poles 12 lks to N ½ on post
found one of the original witness trees still standing. Thence
S 5° E 32 Poles 10 lks. Established corners as per plot
above and field notes below

- A = Hickory 24 N 42° E 47 lks White oak 2 S 80° W 8½ lks
- B = Swamp oak 4 N 79° W 15 lks, Beech 18 S 48° E 9 lks
- C = Ash 18 S 47° E 3¼ lks Beech 18 N 12° W 21 lks
- D = Beech 8 S 15° W 16½ lks Beech 18 N 54° W 15½ lks, Beech 6 S 80° W 24½
- E = Sycamore (N 38° E 10½ lks, Apple tree 10 S 23° E 25½ lks, Apple tree 10 N 89° W

Corner at E comes right, Salt creek Set stone 6 rods west of true corner and
took witness trees from there. Set stone at the following corners heretofore
established

- a Hickory 12 N 88° E 21 lks Hickory 10 S 30° W 14 lks
- b Hickory 10 N 22° W 8 lks, Black oak 11 S 20½° E 19 lks

The above survey was done in compliance with the following Notice
Notice of Survey

Notice is hereby given to all parties interested that I will proceed on
march the 6th together with the county surveyor or his deputy, to relocate
and perpetuate all the lines and corners necessary to be established in
Section T. 1. Y. R. 1. E. All parties interested in said survey are requested
to call at the residence of Ambrose Mize at 10 o'clock A. M. of said day
else the survey will proceed in your absence. Survey to

continue from day to day until completed
 April 14th 74

Joseph Adams

Copied from the Republican Progress a newspaper published in
 Bloomington Monroe County Ind said notice having been published
 three successive weeks in said paper

M. H. Buskirk M. C. S.

The following chairman and flagman were sworn during
 the survey by consent of parties

James Sisco

Isaac J. Wampler

John Adams

Wilford Adams


Chair

bearers sworn

Stephen Deckard
 J. M. Knight

flagman
 sworn

M. H. Buskirk M. C. S.



Survey of Sections 16 & 17 T. 9
 R. 1 W. March 12th 13th & 14th
 1874

For John Blair, Thomas Blair
 Ben Owens, John Parks
 Albert ~~Parks~~ ~~Stout~~

Commenced at S $\frac{1}{2}$ m p 17 and ran S 86° E 161 Poles 12 $\frac{1}{2}$ lks to S. E.
 section corner Thence S 86° E 160 Poles 6 $\frac{3}{4}$ lks. to S $\frac{1}{2}$ m p of section 14
 T. 9. R. 1. W. corrected back and set corner. limestone (A) witness Black walnut
 13' S 73° E 32 $\frac{1}{2}$ lks. E. m p of N 32° E 49 $\frac{1}{2}$. From Thence N 4° W 160 P 4 lks to corner
 heretofore established. Then commenced at S $\frac{1}{2}$ m p section 14 ran N 4° W
 317 Poles 19 $\frac{1}{4}$ lks to N $\frac{1}{2}$ m p heretofore established. Then commenced at S E
 corner of section 17 T. 9. R. 1. W. and ran N 4° W 117 P 22 lks to E $\frac{1}{2}$ m p
 found one of the original witness trees still standing. Thence S 86° W 321 Poles
 16 lks to western $\frac{1}{2}$ m p heretofore established drove stake in the center
 of the section of 17 where the two lines running from East to west $\frac{1}{2}$ m p and
 from North to South $\frac{1}{2}$ m p cross. Then commenced at S W corner of 17 and
 ran S 86° E 161 Poles 17 lks to S $\frac{1}{2}$ m p of the same established corners
 in the above survey as per plat above and field notes below

- B Stone heretofore set original witnesses much decayed and new ones made (S E m p 17)
 Black walnut 1 N 53° W 28 $\frac{1}{2}$ lks. Red oak 1 S 41° W 6
- C Eastern $\frac{1}{2}$ m p 17 set limestone marked with +
 witness Black Walnut 10 S 25° E 141 $\frac{1}{2}$ lks. Burdock 30 S 31° W 8 lks


- D Corner 120 Poles east of center of section limestone mark with +
 Witness Birch 12 S 77° W 180 lks Ash 4 N 79½ E 144½ lks
- E Corner established 120 Poles E of S ½ m p sec 17 limestone marked with +
 Witness poplar 7 N 21° E 41½ poplar 6 S 85½ E 91½ lks
- F Established corner for John Blair and Ben Owens 83 Poles 4¼ lks north of corner
 120 Poles East of S ½ m p of 17 limestone marked with +
 Witness Birch 20 N 20° E 15 Sugar 12 S 6° W 46½
- G Established corner for John Parkis and Dan Stout 53 Poles 8½ lks N of corner
 120 poles East of S ½ m p of 17, came right in the branch impossible to make a
 corner stone stand set a sand stone 2 Poles west of true corner. +
 witness to said stone Birch 18 N 82 W 16¼ lks Birch 22 S 74 E 77 lks
- H Stone set at 80 Poles E of W ½ m p 16, 18, 19, 1, W marked with +
 new witness Elm 34 S 70 E 20
- I Established corner at S ½ m p set stone marked with a +
 witness Birch 18 S 76 E 64 lks Black walnut 12 N 46½ W 61 lks
- J Set limestone witness Birch 14 S 34° W 22 lks Birch 12 S 34 E 28½ lks
- K Established corner 53 Poles 8½ lks N of S ½ m p of section 17
 Stone set witness Elm 34 N 22 W 61 Black walnut 3 S 47½ W 28½ lks
- + Robert Patton } chain bearer } John W Baugh
 Jacob Patton } sworn } flagman sworn

The above survey was done in accordance with the following notice which was served on the parties named 10 days before the day the survey commenced

Notice is hereby given to Daniel Stout and John Parkis that we will proceed together with the county surveyor or his deputy on the 12th day of March 1877 to relocate and perpetuate all the lines and corners necessary to be established in Sections 16 & 17 T 9 N R 1 W commencing at the Southern ¼ mile post of Section 17 Town and range aforesaid at 10 o'clock A.M. of said day you are requested to be there at said time and place else the survey will proceed in your absence

John Blair
 B I Owens

Mc H. Bunker to Surveyor of Monroe Co



Survey of Section 9, T. 8. R. 1. E

March 26th 27th 1897For C. C. Mofford, Pleasant
Moberly, John Huntington
and others

Commenced at the S.W. corner one of the original witness trees still standing and stone planted, ran from thence $N 85^{\circ} E$ 319 Poles $1\frac{1}{2}$ lks to S.E. corner heretofore established. Then commenced at the N.E. corner original witness tree down but stump still there. Set Stone (A) and took new witnesses sycamore & $S 23^{\circ} W$ 63 $\frac{1}{2}$ lks Vascara 2 $S 72^{\circ} W$ 35 $\frac{1}{2}$ lks. Thence $S 85^{\circ} W$ 159 Poles 22 lks. Then commenced at S.W. corner and ran $N 6^{\circ} W$ 169 Poles 9 lks and intersected E & W line on the north established N.W. corner (B) by planting stone witness red oak 18 $N 66^{\circ} W$ 24 lks Black oak 24 $S 18^{\circ} W$ 24 $\frac{1}{2}$ lks. corrected and blazed western section line and set stone at W $\frac{1}{2}$ on p. (C) witness Hickory 10 $S 82^{\circ} E$ 16 lks Ironwood 3 $S 34^{\circ} W$ 7 lks. established corner and set stone (D) 82 Poles 8 lks north of S.W. corner. witness red oak 6 $S 74^{\circ} E$ 58 lks Ash 8 $N 34^{\circ} E$ 54 lks. Commenced at S $\frac{1}{2}$ on p. and ran $N 6^{\circ} W$ 163 Poles 15 $\frac{1}{2}$ lks to N $\frac{1}{2}$ on p. established N $\frac{1}{2}$ on p. (E) Black oak 8. corner trees marked with a notch on all four sides established corner 81 Poles and 10 links South of N $\frac{1}{2}$ on p. (F) witness White Walnut 4 $S 82^{\circ} W$ 10 lks red oak 20 $N 32^{\circ} E$ 37 lks. Established corner and set stone at center of section (G) witness white walnut 6 $S 76^{\circ} W$ 72 lks Elm 8 $S 45^{\circ} W$ 9 lks. corner at half distance between center of section and western $\frac{1}{2}$ on p. (H) witness white oak 80 $N 61^{\circ} E$ 11 lks red oak 6 $N 72^{\circ} W$ 32 lks.

John Huntington	} chain bears	Pleasant Moberly	} flagman
Jacob Patton		Thomas Lampkins	
C. C. Mofford			
		} sworn	
By consent of parties			

M. H. Boskirk M. C. S.

The above Survey was done in compliance with a notice published in the Republican Progress in Bloomington Ind of which the following is a true copy

Notice of Survey

Notice is hereby given To all nonresidents and all others interested that I will proceed on Monday, March the 26th 1897 Together with

The county Surveyor of Monroe county or his deputy, to run and establish all the lines and corners necessary to be established in Section 9 T 8 N, R. 1, E. commencing at the S W corner, at 10 o'clock A. M. of said day. All parties interested are requested to be present at said time and place, else the survey will proceed in their absence. Survey to continue from day to day until completed March the 7th 77

Pleasant Mobley


April the 27th 1877

Surveyed in Section 28 T 9 R 1 East for George W Lamphino, heirs of Adam Stephens and heirs of Isaac Bollinghouse commenced at the N $\frac{1}{2}$ m. p. of said Section and ran west 84 $\frac{1}{2}$ ° 139 Poles & 12 links to N W corner of said section Then commenced on Section line between Sections 14 & 15, and ran S 50° E with said Section line until lines crossed. established corner and set stone witness by Hackory 6 S 41° E 14 poles & 7 N 11 W 31. Also ran from thence S 50° E 160 Poles to Western $\frac{1}{2}$ m p. The above survey was done by the consent of the parties interested,

Lewis Mosier }
James Bollinghouse } Chairman sworn

Geo. W Lamphino } flagman sworn

M. H. Buskirk
M. C. S.



Survey of Section 19 T 8 N R 1 E for Simeon May, John K Anderson Wm Baxter David Shields, R B Foster and others, on Dec the 17th 18th 21st & 22nd 1877 ran all round the section and divided it up and established corners as per plat and field notes A sand stone witness by white oak 1055 E 15 $\frac{1}{2}$ links Hackory N 15 E 7 $\frac{1}{2}$ links gum 150 N W 50 E

- B Sandstone witness Birch 10 S 82° E 15 lks Birch 30 N 80° W 47 lks
 C Sandstone witness Black oak 4 S 4° E 18 lks white oak 24 N 8° W 7 lks
 D Sandstone witness Sugar 6 N 3° W 27 lks white oak 5 S 14° W 25 1/2 lks
 E Sandstone witness Birch 20 N 12° W 30 lks Maple 15 N 34° E 19 lks
 F Sandstone witness Birch 20 N 27° E 34 lks Birch 15 S 44° E 6 lks
 G Sandstone witness white oak 15 S 85° W 17 white oak 15 S 44° E 9 lks
 H Limestone parties agreeing to put up a rock witness post 10 S 7° W 29 1/2 Sassafras 7 N 46° W 31 lks
 I Sandstone witness white walnut 5 S 27° E 8 lks white walnut 4 N 71° W 5 1/2 lks
 J Sandstone witness cypress 5 S 35° W 26 Black oak 5 N 64° E 40 1/2 lks
 K Sandstone witness white oak 20 N 61° E 27 1/2 Black oak 4 S 62° W 4 lks
 L Sandstone witness Birch 8 S 47° E 36 lks gum 24 N 59° W 19 lks
 M Sandstone witness white oak 24 N 3° E 23 lks gum 18 S 84° E 133 lks
 N Sandstone witness Ash 4 S 42° E 31 lks white walnut 10 N 70° W 18 lks
 O Sandstone witness White oak 18 N 84° W 11 Red oak 7 S 16° E 6 1/2 "

The above Survey was done in compliance with a notice which was published three weeks successively in the Bloomington Courier, a weekly newspaper published in Bloomington Monroe County Ind of which the following is a true copy

Notice of Survey

Notice is hereby given to all nonresidents and all others interested, that I will proceed together with the county Surveyor or his deputy on Monday the 17th day of December 1877 to run and locate all the lines and corners necessary to be run in Section 19 Township 8 north, of R 1 E commencing at the S.W. corner of said section at 10 o'clock A.M. of said day and continuing from day to day until completed

Nov 24th 1877

Simoon May

During the above Survey the following were sworn as chainmen by consent of parties John H. Anderson Wm Baxter and David Shields the following sworn as flagman by consent of parties Simoon May and David Shields

M. H. Buskirk
S. M. C.

See the 19th 1877

Run the following lines and ~~run~~
Established the following corners in Section 8 T4 R 1 E for
John W. Mepike James L. Seiscot John P. Seiscot Elihu
Sistrup and others commenced at S W corner and
ran N 3° W 15° Poles and 22 lks to western half mile post
found original witness trees still standing from thence
N 53° E 319 Poles and 3 lks to Eastern half mile post stone planted
heretofore and witness trees standing then commenced at S ½ m p.
stone heretofore set and ran N 5° W 15° S P 24 lks to center of
of Section Established corner at half distance between 20 ½ m
p. and S W corner witness Burr oak 33 N 77° E 35 lks
Acash 15 N 8° W 40 ½ lks distant also set stone and
took new witness trees at corner half distance between
S W corner and S ½ m p. by consent of parties interested
White oak 15 S 79° E 32 lks distant Sugar 10 N 74° W 40 lks
John W. Mepike } Chain bearers
James L. Seiscot } Sworn

John P. Seiscot flagman sworn

The above survey was made in compliance with a
notice published in the Bloomington Courier a weekly
newspaper published in Bloomington Monroe County Ind
which was published three weeks successively and of which
the following is a true copy

Notice of Survey


Notice is hereby given to all non-residents and all others
interested that we will proceed together with the county surveyor
or his deputy on Wednesday the 19th day of December 1877
to run and locate all the lines and corners necessary
to be run in Section 8 Township 4 Range one East
commencing at 10 o'clock a.m. of said day and
continue from day to day until completed

Signed

Nov 24th 1877

John W. Mepike
John P. Seiscot
Elihu Sistrup
James Seiscot

M. H. B. M. Kirk Surveyor of Monroe County



See the 18th 1874.

In pursuance with written notice properly served on the parties interested a certified copy of which notice is on file in the office of the county Surveyor of Monroe County I commenced the Survey of Section 29 T4 N, of Range 2 West commencing at the N.W. corner of said section and continued

from day to day until all the necessary lines were run and corners established or perpetuated. The following corners were established or perpetuated reference being had to the above plat and letters

O Stone set witness taken red oak 10 S 81° E 30 lks

Hickory 6 in N 42° W 19 "

K Black oak 5 in N 50° W 17 lks White oak S 34° W 36 "

L White 15 in corner tree Merit by White oak 15 in North 26 "

Q White oak 4 in S 29° W 20 lks R oak 7 in East 23 1/2 "

E Hickory 3 in S 87° E 11 lks Hickory 2 in S 38° W 13 "

B Hickory 8 in N 70° W 4 lks Ash 6 in S 80° E 30 "

C Butternut 8 in N 77° E 26 lks B oak 3 in S 27° E 47. "

D Chest oak 6 in S 34° E 4 lks White oak 6 in N 12° E 9 "

F white oak 12 in west 38 lks B oak 8 N 64 1/2° E 30 "

R white oak 18 in N 68° W 14 lks Buck 8 in N 85° E 7 "

P Chest oak 14 in N 21° E 20 lks poplar 28 S 46° E 14 "

H Maple 4 in N 23° E 3 lks R oak 4 in S 69 1/2° E 12 "

G Hickory 16 in S 33° E 18 lks Buck 18 in N 59° W 15 1/2 "

N white oak 6 N 43 1/2° W 17 1/2 lks Black walnut 12 in S 46° W 15 1/2 "

I B oak 24 in S 67° E 18 lks B oak 5 in S 33° W 13 "

James Robertson and Daniel Lutes were sworn as chain bearers and Calvin Honeycut sworn as flagman C. F. Ross, Mr. Grider, Lewis Edwards, William Norman, Jacob Defoul were all present and consenting to the Survey


M. H. Buskirk, M. C. S.

By H. Kenley Deputy

Survey made February the 20th 1848
 for James Clark, Sarah Kniskour, Margaret
 Kellenbury, and John Smith, in Section 33 T 9 N R
 1 E said parties being present and consenting
 meeting at the S. W. Section corner in pursuance
 to former notice. Hephziah Matthews and William
 Seipes were selected by the parties interested and by
 me sworn as chain bearers and A J Kellenbury
 sworn as flag man commencing at said S. W. section
 corner we ran east in section line 320 poles to S E corner
 went back in line made S $\frac{1}{2}$ mile corner witnessed by
 Ironwood 8 in S 77° E 24 lks Beech 14 in S 20° E 22 lks
 80 rods west from S $\frac{1}{2}$ m p made corner witnessed
 by White oak 6 in N 30° W 10. White oak 12 in S 40° W 28 lks
 Thence ran N 40° W 80 rods made corner witness
 red oak 10 in S 78° W 26. Red oak 10 in S 48° E 11 lks
 Thence east 80 rods made corner witness Butternut 6 in
 S 64° E 8 lks Red oak 6 in N 12° W 25 $\frac{1}{2}$ lks
 Witness trees taken with compass set to a variation
 of 4°

H Kenly
 Sept M. 1848

Section 27 T 9 N R 1 E



March 13th 1848
 Surveyed in Section 27 T 9
 N. R. 1 E for Bertice Freeman
 J. C. Freeman, James
 Collinghouse, John B. Boy,
 Jonathan Richeson, Wm A. Sab,
 and others and established
 corners as per plat reference
 being had to letters below

I. S $\frac{1}{2}$ m p. Sand Stone witness tree Elm 7 S 84° E 5 lks
 " " Sycamore 8 N 33° W 112
 A. N. E. corner Sand Stone wit tree White oak 18 N 3° E 37 lks
 " " Red oak 3 S 31° W 40
 K N W corner of N 82° of N E gr " Black oak 15 S 72° E 31
 " " G N 12° W 20

- B $N\frac{1}{2}$ on post stone set with trees Birch 15 $N 47^{\circ} W 29$ lks
 " " " " Maple 10 $N 6^{\circ} E 8$ "
 C N.W. corner N.E. gr. of NW gr. " " Sassafras 10 $S 23^{\circ} W 33$ "
 " " " " Birch 30 $N 33^{\circ} W 32\frac{1}{2}$ "
 F Center of Section " " White oak 6 $N 7\frac{1}{2} W 32$ "
 " " " " Black oak 8 $S 60^{\circ} E 30$ "
 E S.W. cor of S.E. gr of NW gr " " White oak 30 $N 86^{\circ} W 15$ "
 " " " " Red oak 5 $S 72\frac{1}{2} E 1\frac{1}{2}$ "
 D S.W. cor of N.E. gr of NW gr " " Birch 10 $S 34^{\circ} E 14\frac{1}{2}$ "
 " " " " Maple 12 $N 47^{\circ} W 12$ "
 G N.W. cor of S.W. gr of S.E. gr " " Elm 12 $N 11^{\circ} E 19$ "
 " " " " Red oak 4 $S 36^{\circ} W 21$ "
 H S.E. cor of NW gr of S.E. gr " " Hackberry 18 $N 51^{\circ} W 148$ "
 " " " " Black walnut 12 $N 8\frac{1}{2} E 321$ "
 J S.W. cor of N.E. gr of N.E. gr " " Black oak 7 $N 11^{\circ} E 42$ "
 " " " " " 12 forked at ground $S 4\frac{1}{2} E 9$ "

Established corner in center of Section by crossing line running from $S\frac{1}{2}$ on p. to $N\frac{1}{2}$ on p. and line running from $E\frac{1}{2}$ on p. to $W\frac{1}{2}$ on p.

Length of line North of center	157	Pole	1 lks
" " " South " "	157	"	19
" " " East " "	162	"	6
" " " West " "	162	"	4

The parties to the above Survey were all notified of said Survey ten days previous to the time of commencing. John O. Richeson and Jesse Necham were sworn as chainbearers and Marion Freeman and Pleasant Weddle as flagbearers all by consent of parties interested.

M. H. Baskirk M., C., S.

March 19th 1848


Survey in Section 8 T 9 R 1 W for Thomas J. Owens, Daniel Stout & Andrew Johnson. Established the S.W. corner of said Section by planting limestone marked with the No. 7, 8, 14, & 18, witness by sugar 20 $N 58\frac{1}{2} W 17$ lks also by stone $S 36\frac{1}{2} W 21$ marked (S. O.) stone $S 60^{\circ} E 13$ marked (S. E.) Established corner and set stone marked (O. W.) on the north side said stone should be 25 rods E of S.W. cor of Sec 8 but the ground being unfavorable we set it $\frac{1}{2}$ rods east of the true corner witness sugar 10 $N 24^{\circ} W 28$ lks. Wood 18 $N 70^{\circ} W 21$ lks.

Sugar 10 N 69° E 39. M. The parties to the above survey were served with written notice of said survey 10 days before time of commencing a copy of which is returned and on file in the surveyors office

Robert Patton } chain bearers
 & Jacob Patton } sworn

John W. Baugh } flagman sworn
 M. W. Baskirk M. C. S.

Sec 26 T 8 N R 2 W



Survey made for Doctor Koons, Wm. May, Shaws, and others in Section 26 T 8 N of Range 2 west on the 25th day of March 1878 commenced pursuant to notice at 8 o'clock at the S W section corner of said section

James H. Carter and Joel H. Eaton sworn as chain bearers and George

W. May sworn as flagman. The following corners were established or perpetuated reference being had to the letters and plat.

- A Set limestone and took wit ~~the~~ limestone planted in the ground bearing from the corner stone N 40 1/2° E 37 1/2°
- B Set Stone wit tree B Walnut 5' N 34° W 80 "
- C Took witness for corner B. Walnut 3' N 69° E 20 "
- D Set Stone witness Sugar 20 S 60° W 81 1/2 "
- F Set Stone witness B Walnut 8 in S 66° E 19 "
- E Set Stone witness Ash 4 in N 74° E 73 "
- G Took witness for old corner B. Walnut 6 in N 77° W 83 "

Elm 9 in S 68° E 52 "


The above witness trees were taken with an allowance for the variation of the needle of 4' Written notice was duly served on all the parties interested more than 10 days before the survey was made. A copy of notice duly returned is on file in the Surveyors office of Monroe Co. Ind. H. Henly Deft.

April the 2nd 1878

Ran the western section line of section 23 T 9 R 1 E for George Lampkins and James Bollinghouse Established the western $\frac{1}{2}$ m. p. Set Stone witnessed by Hickory $N 38^{\circ} W 43$ lks White oak 18 in $S 2^{\circ} E 57$ Also established corner halfway between $W \frac{1}{2}$ m p and NW corner Set Stone witnessed by red oak 8 $N 48^{\circ} W 30$ lks R. oak 6 $N 76^{\circ} W 14$ lks distant

George Lampkins } chain bearers
James Bollinghouse } sworn
App Richardson } flagman sworn

M H Buskirk, M, C, S,



April 3rd and 4th 1878

Surveyed in sections 27 & 28 Town 10 Range 1 East for Wm Curry, Mrs Johnson, Charles Bates and there and established the following corners reference being had to plat and letters accompanying A corner at half distance between NW corner and $N \frac{1}{2}$ m p of Sec 28 T 10

Range 1 East witness trees Elm 6 $S 6^{\circ} W 1$ lk

White walnut 8 $N 64^{\circ} E 36$ lks

B cor half distance between $N \frac{1}{2}$ m p and NE cor of 27 T 10 R 1 East

Witness trees Wild cherry 15 $S 31 \frac{1}{2}^{\circ} E 114 \frac{1}{2}$ Mulberry 6 $S 80 \frac{1}{2}^{\circ} W 114 \frac{1}{2}$ lks

C S W cor of NE qrs of N E qrs Sec 29 wit trees White oak 6 $S 80 \frac{1}{2}^{\circ} E 27 \frac{1}{2}$ lks

" " White oak 12 $N 25^{\circ} W 65$ "

D S W cor of S E qrs of N E qrs Sec 29 wit trees red oak 9 $N 19^{\circ} W 16$ "

" " Town 10 $S 15^{\circ} E 46$ "

E S E cor of NW qrs of NW qrs Sec 28 wit trees hick 24 in $S 6 \frac{1}{2}^{\circ} W 16 \frac{1}{2}$ lks

" " White oak 3 $S 5^{\circ} W 28$ "

" " Dogwood 3 $N 22^{\circ} E 2$ "

The parties to the above Survey were given 10 days written notice and were also present and consented to said survey During said Survey W. C. Black, Charles Bates, Yaddock Pelly, and Robert Hendrickson were sworn as chain bearers and Thomas Grubel and Thomas McGinnis were sworn as flagman

M. H. Buskirk, M, C, S,

March — 1878

Ran the following lines and established the following corners in Section No 10 T 9 R 1 West Commenced at the Eastern half mile post and ran $S 4\frac{1}{2}^{\circ} E 161$ Poles 18 links to the South east corner established corner half distance between $E \frac{1}{2}$ on S and S E corner Set Stone witness by a well of water $S 9^{\circ} W 18$ Poles and 1 link distant

Charles Meadows & John W. Cleverger chainbearers, James Oakley Flagman all sworn


N. H. Buskirk M. C. S.

Sept 9th 1878

Surveyed the following lines and made the following corners in sections 4 & 10 T 7 R 2 W for John Hoons widow Thrasher and others commencing at corner heretofore established 79 Poles 14½ links north of the South east corner of Section No 4 T 7 R 2 West and ran $S 4\frac{1}{2}^{\circ} E 79$ Poles 14½ links to the corner of Sections 3, 4, 9, & 10. found one of the original witness trees still standing but dead made new witness trees Black gum 10 inches in diameter $S 70^{\circ} E 49\frac{1}{2}$ links distant Hickory 8 inches in diameter $N 74^{\circ} E 36$ links Thence $S 4^{\circ} 30' E$ a distance of about 79 Poles 18½ links to a corner heretofore established one witness tree gone new ones made as follows white oak 18 inches in diameter $S 65^{\circ} W 19$ links distant white oak 20 inches in diameter $N 83^{\circ} E 61\frac{1}{2}$ links distant Thence $S 4^{\circ} 30' E 80$ Poles to the western $\frac{1}{2}$ m p of Section 10 one of the original witness trees still standing made new witness trees Sassafras 12 $S 88\frac{1}{2}^{\circ} E 16$ links distant poplar 12 $S 10^{\circ} W 16$ " " "

John Hoons and Joseph Thrashers chainbearers by consent of parties they being present and consenting to said survey

N. H. Buskirk M. C. S.



Survey made of Section
29 of Range Two
West April 2nd 1878
Commenced at the S E corner
of said Section Isaac Kunkle
and Joseph Freeman sworn
as chain bearers

South line of section measured
80.30 chains center line East &
West 80.29 ch made the
following corners referring to the

letters in the above plat

perpetuated the S W sec corner set stone witnessed by
Sugar 24 inches in diameter N 33° W 40 links distant
Stone planted in the ground west 8 links distant

Poplar 18 inches in diameter N 28° W 47 " "

Beech 16 " " " S 73° W 44 " "

Beech 26 " " " N 10° E 69 " "

Beech 24 " " " S 73° E 85 " "

Sugar 15 " " " East 26 " "

Poplar 4 " " " S 82° W 25 " "

Set Stone for corner and witnessed by Stone planted in
the ground 10 links west and one 10 links South

B. Walnut 20 inches in diameter S 79° W 10 lks distant

Poplar 24 " " " S 74° E 76 " "

Went back to S E sec corner ran north to E 1/2 cor 40.45 ch

Sugar 16 inches in diameter N 76° W 17 lks distant

Stone set 10 links east

Made a corner in the center of north side of N E qr of
S W qr B, Walnut 8 inches in diameter N 79° E 12 lks
and bearing from the corner north 27 links is a
firm rock marked as a witness

Made a corner 20.07 ch west of the E 1/2 corner Stone set
for corner and Stone witness 10 links north and 10
links South

S E of Mrs Brown's land witness Hickory 26
inches in diameter S 37° E 8 1/2 lks dist Elm 8 "

" " " N 15° W 49 1/2 " "


Sugar 12 inches in diameter N 69° E 23 lks dist

Set Stone corner and witnessed by Stone planted

20 links west and 20 links east

The parties interested were duly notified
more than ten days before the survey was
commenced by written notices read in
their hearing and presence a copy of said
notice returned and properly certified to is on
file in the office of the County Surveyor

H. Henley
Deft M C S



November 15th 1878

Ran the following
lines and made the
following corners in Section
No 36 T 8 R 4 west for
James Alexander James
Chandler & others
commenced at a stone heretofore
planted 80 poles east of the
N W corner of said section

and ran S $4\frac{1}{2}^{\circ}$ East 159 poles 24 to a stone heretofore set
thence N 86° E 238 poles 19 links to the Eastern $\frac{1}{2}$ mile post
Established corner at half distance between the center of the sec
and the $\frac{1}{2}$ mile post (A) witness Red oak 6 inches in diameter
S 15° E 13 links distant Black oak 24 inches in diameter N 75° W 14 links
distant thence N $4\frac{1}{2}^{\circ}$ W 163 poles 8 links to stone heretofore set
Established corner at (B) witness White oak 36 inches in diameter
S 72° E 18 links distant Hickory 8 inches in diameter S 17° W 19
links distant thence S 86° W to (C) and established a corner
witness Elm 8 inches in diameter S 45° E $8\frac{1}{2}$ links distant Sugar 10
inches in diameter N 24° E 10 links distant

Loyd Keith and John Holder chainbearers sworn Jeptaniah
Chandler flagman sworn

The parties interested being present and consenting to the survey

M. H. Baskirk
Deft Sur of M C S

February the 8th 1879

Ran the following lines and established the following corners in Section No 8. T 7 R 2 W for Peter Ballenger and Sidney Smith, commencing at the North West corner of the N W qr of the N W 1/4 of said section at a corner heretofore established witness Red oak 24 S S 20 1/2 E 65 Red oak 8 N 22 W 50 lks and ran South 4° E 58 Poles 18 links thence N 86° E 9 P 2 links to the edge of the Spencer road, and established a corner witnessed by red oak 2 N 24° W 14 lks B. walnut 6 S 30° E 11 lks thence N 1/2 E 58 Poles — links and established corner witnessed by gum 20 inches in diameter N 21° E 7 1/2 links Sam 20 N 11 W 1/2 32 1/2 lks thence N 86° W 14 Poles 12 1/2 links to the place of beginning containing 2 1/2 acres

John Hoone

Samuel E Bowers

Chainbearers sworn

George May

Flagman sworn

M H Baerth

The above Survey was made in compliance with the following notice which was duly served and returned and is now on file in the County surveyors office of Monroe County Ind

Notice of Survey Jan 29th 1879

Mr Sidney Smith you are hereby notified that I will proceed together with the County Surveyor of Monroe County Ind or his Deputy on Saturday the 8th day of February 1879 to run and locate the lines and corners necessary to find my land in the S W qr of the N W qr of Section 8 T 7 R 2 W commencing at the N W corner of said qr at 8 o'clock A M of said day you are requested to be present at said time and place else the Survey will proceed in your absence

Peter Ballenger

A true copy M H Baerth, S. S. M. C.

This is to certify that I have deputized M H Baerth to Survey

in section 56 T 8 R 2 west as my deputy also in
 section 5 T 7 R 2 W and all surveys made by him
 in said sections ~~by him~~ is hereby sanctioned by
 me Geo. W. Cantray
 Surveyor of Monroe Co.

Surveyed for J. T. Rice and M. G. Morris
 north line of Section 9 T 8 N R 2 west
 on the 18th day of February 1879 James A. Sanders
 and James E. Bafford were sworn as Chain bearers
 and acted as such in the survey. I traced the line
 East & West on the north of sec 8 and section 9
 also ~~the~~ surveyed the line from the west 1/4 mile cor
 of section 9 north to the west 1/4 mile cor of section 4
 The length of line on the west side of the N.W. 1/4
 of sec 9 is 40.13 chains and runs with a
 variation from the magnetic bearing ($3\frac{3}{4}^{\circ}$)
 Perpetuated the North west sec corner by planting
 a lime stone; witness taken Hickory 12 in diam
 $S 5\frac{1}{4}^{\circ} W - 125$ links B. Oak 9 in $N 55\frac{3}{4}^{\circ} E - 177$ links
 Parties both present and consenting
 February 21st 1879

H. Henry
 Dep. M. C. Surveyor

Survey made for M. Mathers and Campbell
 on the 20th February 1879 The parties being present
 and consenting; James Mathers and R. M. Denton
 being sworn and acting as Chain bearers.
 Surveyed and staked out the line dividing
 the east and west half of the North East
 quarter of section 32 Town 8 N R 1 west
 The old corner stone at the south end of said
 line being found in the proper place
 Feb 21st 1879

H. Henry
 Dep. M. C. Surveyor

April 4th 1877

Surveyed for John Stipp & George Kinley
in Sec 21 Town Eight (8) North Range one (1) West
Monroe County Indiana. Corners lettered below A. B.
established as per plat and field notes later
present and consenting to same.



at A { Sand Stone planted marked +
with by a 18 in diameter
N 60° E 3 1/2 lines distant
Sugar 16 N 6° E 76


at B { Sand Stone planted marked +
with by a 18 in diameter
B. Walnut 12 due West 77 lines
Sugar 6 N 7° W 153 lines

P. K. Anderson { Chain }
H. C. Rhorer { Beavers }
Geo. Kinley. Thysman by consent

Geo. H. Varnoy
M. C. S.

April 15th 1877

Surveyed in Sec 21 Town (7) North Range one (1) East
Monroe County Ind. for Wm. H. Lucas. Embrose Meade
David Spindle and others corners lettered below a. b. c. d. established
as per plat and field notes



at a { Sand Stone marked with a +
with by B. Walnut 12 S 56 1/2° E 31 lines
do 2 1/2 N 30° E 42 1/2

at b { Sand Stone marked with a +
with by Poplar 3 1/2 S 10° W 42 lines
Beech 14 N 38° W 36 lines

at c { Sand Stone marked with a +
with by Black Gum 12 N 79° W 17 1/2
Black Gum 12 N 78° E 23

at d { Sand Stone marked with a +
with by Beech 13 S 87° E 20
do 8 N 40° E 31

Geo. H. Varnoy
M. C. S.

This Survey was made in compliance with the following notice:

Notice of Survey

Notice is hereby Given to David Shields, Wilson Clark, Ambrose Mice, Wampler & others that I will proceed together with the County Surveyor on the 15th of April 1877 to run locate and establish all the lines and corners necessary in Sec 17th Town 22nd North Range one East and to meet at the North 1/2 mile Stake of Sec 7th Town and Range aforesaid. April 7th 1877
H. R. Lucas


I hereby certify that the foregoing notice is a true copy of the original on

Geo. W. Canby
M. C. S.

Aug 28th 29th 30th Sep 1st 2nd 3rd 4th 1877

Surveyed for Daniel Baker, John Hupp
A. J. McPike and others in S. E. 14th 15th Township 10 North
Range one East corners lettered below A. B. C. D. E. as per plat
and field notes

Sec 15 North Sec 14



W. H. Robinson
and W. H. Sims
Chain carriers
Sworn

East

W. Milton
Flagman
Sworn

Over

at a { a sand stone planted marked with a + witnessed by
 a Red Oak 15 inches in diameter North 80 West 28 links dist
 a Maple 8 " " South 1/2 East 31 1/2 " " " " Magnetic North

at B { a sand stone planted marked with a + witnessed by
 a Black Oak 13 inches in diameter South 19 1/2 East 13 1/2 links
 do 5 " " " South 37 East 17 1/2 " " " " Magnetic North

at C { a sand stone marked with a + witnessed by
 a Beech 25 inches in diameter South 57 W 45 1/2 links dist
 Black Walnut 6 S 33 E 54

at d { a sand stone planted marked with a + witnessed by
 an Ash 14 S 6 E 10 1/2 links dist.
 Elm 13 N 13 1/2 E 36 1/2 " " " " Magnetic North

at E { a sand stone planted marked with a + witnessed by
 a Beech 18 N 3 1/2 E 28 1/2 links dist
 Dogwood 4 S 84 W 9 1/2 " " " " Magnetic North Geo W. Cannoy
 M. C. S.

The above survey was made in compliance with
 the following notice Aug 18th 1878.

Notice of Survey

Notice is hereby given to Martha Carroll, John Hufsch, Sarah McPike, John Smith, Dennis Kendrick, J. I. Polley, C. C. Carr, Thomas, W. Brown, Malachi Collier, Francis Brown, Samuel P. Brown & J. M. Carroll, that I will proceed together with the County Surveyor or his deputy to run, locate and establish all the lines and corners necessary in sections fourteen and fifteen (14 & 15) Town ten (10) North, Range one (11) west on the 3rd of August 1878, between the hours of eight and twelve A. M. Said survey will continue from day to day until completed, said parties to meet at the residence of John Hufsch.

Daniel Baker
 for Henry Garner
 I hereby certify that the above is a true copy of the original one now on file in my office.

Geo W. Cannoy
 M. C.

Sep 2nd 1877

Survey made for Sarah C. Lucas & others on the second day of September 1877 of the lines bounding the land of the said Sarah C. Lucas in the west half of the North West quarter of Section thirty-three (33) Town nine (9) North Range (1) West commencing at the South West corner of said quarter section running thence North 37 Rods and 1/2 links to the South West corner of said land of Sarah C. Lucas Perpetuated said corner by planting a lime stone on the Public road even with the surface of the ground. Thence North 36 Rods and 16 links to the North West corner Perpetuated said corner by planting a lime stone for a witness a Lime Stone 33 links east from the true corner. Thence East 26 Rods and 3 links to the North East corner at which stands a Sugar tree 18 inches in diameter. Witness taken and marked a Sugar tree bearing N 27° W - 12 links distant. John Beckman and James Clerk sworn as Chain bearers.

A. Henley
Deputy Monroe County
Surveyor

Surveyor's Fees for Corners and 4 lines	\$4.00
Chain bearers fees	1.50
Sheriff's Fees for Notice	3.50

The above Survey was made in compliance with the following notice.

State of Indiana
Monroe County Sd

Notice is hereby given to Asher Laborter Wallace Hight & Emily Hight, Elmer Black and W. C. Black Martha A. Buckirk and John Blair owners of land adjoining the following described real estate in the County of Monroe & State of Indiana to wit: Part of the West half of the North West quarter of Section 33 Town (9) North Range (1) West beginning at a point on the west section line of said quarter 37 poles 1/2 links North of South West corner of said North West quarter running thence North 36 poles and 16 links thence East 26 poles and 3 links thence South 36 poles and 16 links thence ^{west} 26 poles and 3 links

to the place of beginning. That I will together
with the County Surveyor of Monroe County Indiana
or his Deputy proceed on Tuesday the 2nd day of September
1877 to run, establish, relocate, and perpetuate all the
lines and corners around said tract of land and
to continue from day to day until the same shall
be completed. Said Survey will begin at 8 O'clock
A. M. of said 2nd of September 1877
Aug 22nd 1877

Sarah C. Lucas

Served this Notice and all the within named
parties or Dependents by Reading to and within
their hearing. This Aug 23rd 1877

Exp
Wilage \$.60
Service 2.80
Return 1.0
\$3 50

W. M. Alexander
Sheriff Monroe
Co Ind

by Leon Davis Deputy

I hereby Certify that the above is a true copy
of the original Notice now on file with the
Surveyor

H. Henry
Dep. M. C. S.

Blomington Ind Aug 30th 1877

I hereby Authorize and empower Henry Henry
of Blomington Ind, to act as My Deputy
Surveyor to Survey for me the lines within
the west half of the South west quarter of
Sec 33 Town 1 North Range 11 West in Monroe County
Indiana and establish the corners in the same


W. W. Vanway
M. C. S.

I, Henry Henry do solemnly swear that I will
perform the duties of Deputy Surveyor
in the above according to law
Aug 30th 1877

Henry Henry

Subscribed and Sworn to before me this
day August 30th 1877

Geo. W. Vannoy
Monroe County
Surgeon



Section 26. Town 8 North
Range 1 East

Sep 3rd, 9th, 10th & 11th 1877
Surveyed in Sec 26. T. 8 N. R. 1 E and established
corners as per plat and field notes
accompanying.

at S.E. cor of Sec 26 made new witness trees
Cor A { White Oak 30 N 52 $\frac{1}{2}$ ° E 41 3/4' Ls
Gum 21 S 38° E 76 $\frac{1}{2}$ "

at N.E. cor of Sec 26 made new witness trees
Cor B { Beech 24 N 58° E 44 3/4' Ls
do 20 S 32° E 31 "

established N 1/2 mile post of Sec 26
Cor C { Ash 7 S 12 $\frac{1}{2}$ ° E 7 1/2' Ls
Hickory 8 N 5° E 25 "

at W. cor of N.E. qd of N.W. qd of Sec 26
Cor D { White Oak 7 N 70° E 7 1/2' Ls
Red Oak 7 N 2° W 11 $\frac{1}{2}$ "

at N.E. cor of S 1/2 of S.E. qd of Sec 26
Cor E { Gum 30 N 26° E 15' Ls
White Oak 18 S 58° E 27 "

S 1/2 M.P. of Sec 26
 Cor F { Birch 6 N 30° E 23 lbs
 do 10 S 82° W 40 "
 Cor G { N.W. cor of S 1/2 of S.E. 1/4
 Ash 7 N 44° W 6 lbs
 Sugar 12 S 63° E 23 "
 Cor H { center of Sec 26
 Sugar 12 S 56° W 22 lbs
 do 24 S 69° E 62 "
 Cor I { White Oak 18 N 18° E 23 1/2 lbs
 do 20 N 71 1/2° W 21 "
 Cor J { Red Oak 6 N 8 1/2° W 2 1/2 lbs
 do 6 N 86° E 11 1/2 "
 Cor K { White Oak 20 N 48° E 53 lbs
 Sassafras 7 S 23 1/2° W 37 1/2 "
 Cor L { Red Oak 15 N 34° W 25 lbs
 do 5 S 63° W 18 "
 Cor M { Walnut 15 S 71° W 240 lbs
 Sycamore 10 N 35° E 160 "

Also at the same time made new witness trees
 at the E 1/2 M.P. of Sec 23 S. 1/2 N. R. 1. E Red Oak
 3 inches in Diameter S 8 1/2° W 13 1/2 lbs Birch 10 N 35° E 34 lbs
 During said survey the following persons were
 sworn as chainmen. Gilbert Cooper,
 James Beltinghouse, John C. Richardson
 Joseph Emphson & Geo. Hash. And the following
 as flymen. J. C. Foreman, Wm P. Spriggs and
 Frank Conard.

The above survey was made in compliance with
 the following Notice published in the Republican
 Progress, a weekly newspaper published at
 Bloomington, Monroe County Ind.

Notice of Survey.
 NOTICE is hereby given to all non residents and others interested, that I will proceed, on
 Wednesday, September 2d, 1879,
 together with the County Surveyor or his Deputy, to run and establish all the lines and corners necessary to be established in section 20, town 9, range 1 east. Survey to commence at 10 o'clock A. M. of said day. All parties interested are requested to be present at the said time and place, else the survey will proceed in their absence. Survey to continue from day to day until completed.
 FRANKLIN CONARD.
 August 13, 1879.

M. H. Buskirk
 D. B. McE.

September 1st 1879
 State of Ind. Monroe Co. I M. H. Buskirk do solemnly
 swear that I will support the Constitution of the United
 States and of the State of Indiana and that I will perform
 the duties of Deputy Surveyor of Monroe Co. Indiana, according
 to law to the best of knowledge and ability. So help me God
 M. H. Buskirk
 Subscribed and sworn to before me this Sept 1st 1879
 Geo. W. Vannoy
 Notary Public



Oct 31st Nov 1st 2nd 8th 1877

Surveyed in Dec 11 37 N R 1 W
for S. W. Miller. W. J. Shields.
Volentine Deekard, and W. Phillips
and others. and established
the following corners, reference
being had to plat and
letters accompanying

A corner midway between East $\frac{1}{2}$ slide and North East sea corner
witnessed by S Beech 14 N 81 E 19 $\frac{1}{2}$ links dist
C Beech 20 S 79 W 62 links dist

B corner center of North East quarter
witnessed by { Beech 12 S 48 E 37½ links dist
{ Beech 14 N 82½ W 39 "

† Corner midway between East's mile stake and center of Sec
witnessed by { Buck 7 N 78 W 24 links dist
Sassafras 12 N 35 E 1 link "

Corner midway between North $\frac{1}{2}$ mile stake and center of sec
witnessed by { Beech 7 N 88 E 22 links 1st
{ Beech 5 S 48 W 29 $\frac{2}{3}$ "

Geo H Ranney

Ms. C. S.

Nov 12th 1879

Ran the following lines and made the following corners in Section 8 T 9 N R 1 W for J. G. Ward and others. Commenced at a corner heretofore established at the center of said Sec 8 T 9 N R 1 W and ran N 5° W 160 poles then commenced at the N.E. corner of said Section and ran S 86° W 160 poles. established the North ½ post of said Section witnessed by a maple 13 inches in diameter N 7° E 11 ½ links dist and a maple 28 inches in diameter S 33° W 42 links dist also established a corner 80 poles East of N ½ M.P. witness Gum 12 inches S 61° E 22 links dist and a maple 14 inches in diameter N 48° E 20 lbs dist

(O. R. Wiley) chain Bearers
J. G. Ward by consent of Parties
John Wiley flagman

M. H. Buskirk
Dept. M. C. S.

Nov 13th 1879

Ran the following lines for James Junkin and Stephen Fleming in Sec 10 T 9 N R 1 W. beginning at a stone heretofore established midway between the N ½ M.P. and the center of said Sec thence South 4 ½° E 240 poles and 6 links to the S ½ M.P. of said Sec. Then began at S.E. corner of said Sec. then ran west with the Sect line ^{west} 320 poles and 10 links to the S.W. Sec. corner. Placed the line two corners established. stakes driven at the corners.

(John S. Brown) Chain Bearers
(H. W. Barnett) Sworn
(C. A. Junkin, Flagman)

Parties Present consenting

Geo W. Danney
M. C. S.

Nov 22nd 1877


Surveyed the following tract of land for
 C. A. Junkin and James Junkin in Sec. 16
 Town 2 North, Range 1 West and bounded as
 follows "To wit". Beginning at the South East corner
 of the South west quarter of said section thence
 west with the Sec line (120) one hundred and twenty
 poles to a stake in the Martinsville State road
 Thence North with said Road (20) poles and (15) links to
 a stake standing in the road thence East
 (116) poles to a stake thence South (20) poles
 to the place of beginning. Containing 14 acres
 and $\frac{3}{4}$ of an acre.

John S. Brown) chain Bearers)
 David Junkin)
 C. A. Junkin & Blagman } by Consent of Parties

Geo. H. Manning
 A. C. S.

December the 4th & 5th 1877

Surveyed in Sec. 23. T. 2 N. R. 1 East for
 George Haskin and others and established corners
 as per plat and field notes below.



North
 S. W. corner of $6\frac{1}{2}$ of N. W. quarter
 A) Red Oak 7.3 51° 22' lbs
 Hickory 7.3 37° W 20"

center of section
 B) Red Oak 6 N 87° W 16 1/2 lbs
 White Oak 20 S 41° W 33 "

Corner 60 poles 24 lbs North of S. E. corner
 C) White Oak 8 3 40 W distance omitted
 Black Oak 4 N 86 E 12 lbs

Corner 60 poles north of S. E. Sec. corner
 D) Black Oak 7 N 12 E 21 1/2 lbs
 Do 6 N 24° W 10 1/2

- E 1/2 M.P. Sec 2 (old government entries)*
- A { *Buck 16 S 30 E 31 lbs*
Buck 18 S 31 W 31 "
- B { *N.E. corner of Sec 2*
Red Oak 8 S 87 1/2 E 34 1/2 lbs
Sycamore 3 N 77 W 17 1/2 "
- E { *S.W. cor. of W 1/2 of N.W. pr.*
Red Oak 7 S 71 E 17 1/2 lbs
Do 8 S 4 W 21 "
- G { *N.W. corner of the 1/2 of W 1/2 of N.W. pr.*
Hickory 18 N 33 E 14 lbs
Do 24 S 22 W 23 "
- H { *N.E. M.P. of Sec 2*
White Walnut 8 S 13 W 1 1/2
W. Oak 30 N 62 1/2 E 31
- I { *N.W. corner of N.E. 1/2 of N.E. pr.*
Red Oak 6 S 4 E 21
W. Oak 30 S 72 W 15
- J { *S.W. corner of N.E. 1/2 of N.E. pr.*
W. Oak 24 S 25 W 4 1/2
Do 18 S 72 E 44
- K { *S.W. corner of N.W. 1/2 of N.E. pr.*
Pine wood 4 N 34 1/2 W 13
Hickory 6 S 45 1/2 W 16

The above Survey was done by the consent
of the parties interested.
During said Survey the following persons
were sworn

Thomas Breedlove
J. L. Skirvin } Chairman
Nathan Moberly }
S. S. Skirvin }
Greenbay Cruse }
M. H. Buskirk
L. M. C. S.

December 31st 1877 & Jan 1st 1880

Surveyed for Wm H Galvan, C Sluss Wm C Parks
Emmanuel Myers and others in Sec 20 T39 N R1 E commencing
at the South-West corner of Sec 20 Town 9 North
Range 1 East at a corner heretofore established
then ran with the section line east thirty nine
poles (39) and 22 $\frac{3}{4}$ links corner made & stone planted
marked with a + witnessed by Sycamore 11 S 45 E 318 $\frac{1}{4}$ links
Black walnut 4 S 2 W 224 " "

thence east with the Sec. line 39 poles and 22 $\frac{3}{4}$ links
corner made & stone planted ^{marked with a +} witnessed by
a Black walnut 2 inches in diameter South 63 $\frac{1}{2}$ East
100 links dot and a Black Walnut $\frac{1}{2}$ inches in diameter
South 70 $^{\circ}$ West 65 $\frac{1}{4}$ links dot thence east with the section
line to 79 poles and 20 $\frac{3}{4}$ links to the South $\frac{1}{2}$ corner of
Sec 20 it being established heretofore corner made and
stone planted marked with a + 11 poles and 12 links
west of South $\frac{1}{2}$ N. R of Sec 20 witnessed by Sycamore 8 S 71 E 553
N E line 3 N 65 E 80 $\frac{1}{2}$

+ this line ran on a variation of about 4 $\frac{1}{2}$

A. B. Galvan) Chairman by consent Sworn
Wm C Parks)
G. S. Sluss Flagman Sworn by consent
Geo. W. Vanroy
M. C. S.

The above Survey was made in compliance
with the following notice


Notice is hereby given to
Killian Doyle, Lavina Richeson, Joseph A. Robertson
Russel Asher, Catherine Sluss, Wm H Galvan
Wm C Parks and John W. Galvan that I will
proceed together with the County Surveyor
to run locate, establish and perpetuate all
lines and corners necessary in Sec 20 Town 9 North
Range 1 East on the 31st day of December 1877
Said Survey to continue from day to day until
completed and to meet at the house of
Emmanuel Myers said Survey to commence between
the hours of 8 & 12 A M of said day
this Dec 20th 1877
Emmanuel Myers

I hereby certify that the foregoing is a correct copy
of the original notice now on file in my office

Geo. W. Bangor
M. C. S.

Jan 6th & 7th 1880

Surveyed for Chas. Cox, Mike Burk, Killian Doll,
and Larina Richardson in Sec 17 T 9 N R 1 E and established
corners as per plat and field notes below



corner A { Beech 19 S 54 1/2° E 37 1/2 lks.
witnessed by { do 12 N 18 1/2° E 24 1/2 "

corner B { Black Oak 8 S 64° E 8 lks.
witnessed by { White Oak 8 N 28° E 21 1/2 "

corner C { Beech 30 S 30° E 7 1/3 lks.
witnessed by { White Oak 2 1/2 N 48° E 15 1/3 "

corner D { Beech 13 S 87° E 43 lks.
witnessed by { Dogwood 3 S 1° E 8 1/2 "

a stone planted before, made new witness trees { White Oak 4 S 25° E 31 1/3 lks.
Beech 24 S 48° W 11 lks


The above survey was made by consent of all the parties
interested.

Killian Doll) Oath bearers Sworn
Chas. Cox) by consent

Mike Burk was sworn as flagman by consent

Geo. W. Bangor
M. C. S.

Survey of a part of Sec 33 T 8 N R 1 E. commenced on the 22nd of December 1877. R.A. Wright and C.A. Carter sworn as chainbearers. The North & South lines run with a var. of about 2° from the magnetic course and the East & West lines run with a var. of 3 1/4°. The following diagram shows the Section Surveyed and the Letters will be referred to represent the corners perpetuated.



H { Butternut 8 S 85° E 22 lbs
Sassafras 4 S 75° W 22 "

K { Beech 16 N 50° E 25 lbs
Dogwood 6 N 72° W 43 "

L { W. Oak 10 N 60° E 53 lbs
B Oak 8 S 58° W 67 "

M { B Oak 12 S 73° W 8 lbs
Hickory 10 N 78° E 24 "

A { B. Oak 8 S 4° W 42 lbs
do 3 S 70° W 29 1/2 "

B { Hickory 2 S 86° W 5 "
do 3 S 18° E 9 "

C { Beech 10 S 65° E 53 "
Sugar 12 S 12° W 48 "

D {

E { Dogwood 4 - 87° W 4 lbs
Sugar 8 S 10° E 30 "

F { Beech 12 S 43° W 46 "
W. Oak 1 S 51 1/2° E 16 1/2 "

G { Set 8 lbs East & 15 lbs North of old corner
B Oak 3 S 33° E 4 1/2 lbs
W. Oak 3 N 15° W 3 "

N { Sycamore 4 N 48° W 14 lbs
B. Oak 4 S 62° E 15 "

O { Ash 6 S 85° W 34 lbs
B. Oak 6 S 60° E 14 "

P { Beech 15 S 40° W 16 1/2 lbs
W. Oak 12 N 32° E 39 "

Q { B. Oak 24 East 60 lbs
Elm 3 S 56° E 24 "

All the witnesses were properly marked, and sand stones put as the corners. The Survey was made in pursuance to legal notice given to all the interested parties at least ten days before. The written notice served was properly returned and is now on file in the Surveyors office.

H. Henley, Deput.
Surveyor M.C.

Oct 1879

Survey for Mrs. Gentry & Others in Section 15 S 10 N. R 2 W.
 Thomas Wagnolia & George Bowman sworn as chain
 bearers. The East Side of Sec 15 measured 318 poles.
 Run from the supposed center of Section, 38.68 chains
 to North Sec. line. Went back to center of North half
 of Said Section. Run East 240 rds. to center of North half
 of Section 14. made a temporary corner, witnessed by
 Elm 30 inches in diameter North $27^{\circ} 6' 28''$ E 28 Lks and a Beech
 South $35^{\circ} W 35'$. Went back to the East Section line of
 Section 15 made corner. Witnessed by Elm 20.34 $34^{\circ} 58'$
 Dr Osgood and other interested parties being present
 and consenting.

H. Henley
 Dept C. S. M. C.

Survey Oct 29th 1879 for J. Bowman and
 others in Section 10 S 10 N. R 2 West commencing
 at the center of the N. W. qrs of Sect 10 ran East
 (with a bias of 4°) made corner at the starting point
 witness tree 12 inches in diameter East 25 Lks distant
 Greenwood 2 N $65^{\circ} W 16'$ - thence East 44 rds to corner.
 thence East 80 rds to corner witnessed by Beech
 4 S $56^{\circ} W 12'$ - Beech 3 - S $16\frac{1}{2}' W 11'$ - thence South
 81 rds and 6 Lks to corner. Witnessed by Beech 16 - S $52^{\circ} W 4'$
 W. Walnut $1\frac{1}{2}$ N $43^{\circ} E 6\frac{1}{2}'$ Lks. corrected line back
 made corner 44 Rds East of starting point
 witnessed by Greenwood 2 S $33^{\circ} E 28\frac{1}{2}'$ L W. Oak 2 N $48^{\circ} E 32'$
 thence North $18^{\circ} W$ 46 rds to a stone. thence North
 $81^{\circ} W$ 32 rds. thence South $5\frac{1}{2}$ Rds to first
 beginning point. parties interested being present
 and consenting

H. Henley
 D. S. M. C.

Dec 7th 1879

Survey for David Baker and Martin Bulford and others in Section 11 Town 10 North R1 West all parties being present and consenting by consent of parties Henry Garner and G. H. Bulford were sworn as chain bearers. Commenced at the N.E. corner of Section 11. ran West (with a bias of 80) to N.W. Sec corner. length of line 69.94 chains. East Sec. line 320 rods and 13 1/2 Lks. October 10th commenced at N 1/2 M.C. of Sec 11. A. Smith and Jasper Hubbard sworn as chain bearers to complete the Survey took witness trees. Red Oak 6 S 69° W 14 1/2 L Red Oak 8 N 15° W 35 1/2 L thence South 19.98 chains made corner. Witnessed by Red Oak 4 S 75° E 4 1/2 L Red Oak 4 S 27° W 4 L thence South 19.98 chains made corner. Witnessed by B. Oak 10 S 2 1/2° W 4 1/2 L Red Oak 14 N 88° W 28 L thence East to the East 1/2 M. Corner. made corner witnessed by Beech 30 ~~77~~ North 12 Lks. Walnut 6 N 38° W 38 L thence North 20.03 chains made corner Witnessed by Mulberry 8 S 7° E 37 L and B. Oak 12 N 2 1/2° W 38 L


H Henly
D. M. C. S

Survey made for Thomas J. Brown and E. J. Baker on the 20th of November 1879 in Sections 10 & 11 Town 10 North Range 1 West as follows commencing at the West 1/2 M.C. of Sec 10 ran East (bias allowed 3 1/2) through Sections 10 & 11. missed the East 1/2 M.C. of Sec 11. 30 Links corrected back and made corner of South line of N.W. corner of Sec 11 Witnessed by Hickory 6 S 65° E 2 1/2 L and Sugar 18 N 30° W 25 L made 1/2 mile corner between Sections 10 & 11. Witnessed by Hickory 20 West 6 Lks, B. Oak 8 S 84° E 25 L Corner made in center of Sec 10. Witnessed by Beech 14 West 38 L Beech 10 N 25° W 35 L Thomas J. Brown & Henry Garner chain bearers sworn all the parties interested being present and consenting

H Henly
D. M. C. S

Jan 21st 22nd 23rd 24th 1880

299



Surveyed for Abner Bough
Pleasant Meadows, Mary Fielder
Wm Bourke, A. Filler & D. Gray
in Sec 13, T. 9 N. R. 1 W and
established corners as per
plat the (Letters representing
the corners) and field notes
accompanying

N.E. C
A { Beech 18 S 58 1/2° W 14 3/4 lbs
Hickory 9 N 35° W 40 "

B { B. Oak 15 N 73° W 24 lbs
W Oak 3 S 72° W 23 1/2 lbs

C { B. Oak 5 N 51° W 21 lbs
W Oak 5 N 33° W 25 "

D { Hickory 14 S 35° E 40 lbs
W Oak 2 S 77 1/2° E 18 "

E { Gum 8 N 56° W 15 1/4 lbs
Sugar 2 1/2 S 33° E 4 1/2 "

F { interred
Lime Stone planted East 15 lbs
" " " North 15 lbs

D { Ash forked near the ground
witness taken on middle fork
12 in in Diameter N 71° W 8 3/4 lbs
B. Walnut 4 S 58° E 45 1/2 lbs

H { B. Walnut 9 N 21° E 9 1/4 lbs

{ Poplar forked at the ground
witness made on East fork S 58° W 102 lbs

I { W. Oak 15 S 66° E 28 1/2 lbs
Hickory 11 N 37 1/2° W 7 1/2 "

J { Beech 15 S 41° W 11 lbs
do 10 S 86 1/2° W 38 "

The above Survey was made in compliance with the following notice served on all the parties at least ten days previous to the commencement of Survey

Jan 11th 1880

Notice is hereby given to Arch Filler, Wm Bourke, Mary Fielder, Pleasant Meadows, & David Gray, that I will proceed together with the County Surveyor or his Deputy on Wednesday the 21st of Jan 1880

Over

H { corner made and Stone planted 36 poles 3 $\frac{1}{2}$ fms South
of the N $\frac{1}{2}$ Sec 28 and 30 poles 8 $\frac{1}{2}$ fms east of where the
branch or rivulet enters the creek, the branch named
in the deed that is the line between Wm E. Parker and
Russell Asher { witnessed by Beech 20 N 82° W 4 $\frac{1}{2}$ fms
do 24 S 9° W 12 $\frac{3}{8}$ "

Jacob Garrison { Chain bearers
Richard Stephens } by consent Sworn

+ John Kerr { Blagmon
Daniel J. Patton } Sworn

The above Survey was made in compliance
with a notice upon all the parties served at least
ten days before the Survey Thos L. Adams accepting the
Notice as Agent for Geo H Kerr & Coats without
publication in a newspaper the Notice properly
returned is now on file in the office of the
County Surveyor

Geo. H. Vannoy
N. C. S.

North



South

C { west 1/2 Sec 28
B Walnut 15° N 2° W 6 1/2 fms
R Oak 8 S 25° W 93 "

Feb 2nd 24th 4th 5th 1880.
Survey for Simeon May and
others whose names appear on
plat of Sec 36 T 8 N R 1 W
and established corners
as they are lettered on plat
and field notes accompanying

center of N. E. q^r
A Hickory 4 S 21° W 8 1/2 fms
(W. Oak 1 1/2 N 46 1/2 W 14 3/8 fms
center of N W q^r
B Sugar 12 N 5° W 13 fms
(Beech 5 S 46 E 30 fms

corner midway between W 1/2 Sec 28 and
D center of Sec comes right in the
branch Stone planted 15 Links
North of true corner witnessed by
Beech 15 N 20 1/2 W 30 fms
do 14 N 88° E 28 " (Over)

center of Sec
 E { B. Oak 4 S 36 $\frac{1}{2}$ ° W 28 $\frac{1}{2}$ ° 4 $\frac{1}{2}$ lbs } F { B. Oak 8 N 48° E 13 $\frac{1}{3}$ 4 lbs
 R Oak 7 S 35° E 46 $\frac{1}{2}$ " } B Oak 12 S 30° E 21 $\frac{1}{2}$ "

East $\frac{1}{4}$ M. P.
 G { Beech 24 S 86° E 28 $\frac{1}{2}$ 4 lbs } H { center of S. E. q^r
 Beech 3 S 18° W 42 " } R Oak 12 S 28 $\frac{1}{2}$ ° W 38 $\frac{1}{3}$ 4 lbs
 W. Oak 20 S 4° W 50 "


center of S W q^r
 corner comes right on a solid rock
 cut cross on solid rock
 I { witness: Ash 6 S 13 $\frac{1}{2}$ ° W 24 $\frac{1}{2}$ 4 lbs } T { midway between W $\frac{1}{2}$ M. P. and S. W.
 by Elm 9 N 28° W 39 " } R Oak 4 N 43 $\frac{1}{2}$ ° E 2 $\frac{1}{8}$ 4 lbs
 Beech 3 N 11° W 5 "

K { S $\frac{1}{2}$ M. P.
 B. Oak 7 N 41° E 19 4 lbs } L { midway between S $\frac{1}{2}$ M. P. and S. E. C.
 R Oak 8 N 4 $\frac{1}{2}$ ° W 28 " } B. Gum 24 S 26° W 15 4 lbs
 W. Walnut 6 N 47° W 20 "

+ H. L. Keith } Chain Bearers by consent
 & H. Chandler } Sworn

David Shields Flag man by consent Sworn

The Above Survey was made in accordance
 with the following notice published in the
 Bloomington Courier A weekly newspaper
 published in Bloomington Howard Co Ind



Geo. H. Wainwright
 M. C. S.

Feb 9th 10th + 11th 1880

Surveyed for J H Flynn
and others whose names
appear on the plat of Sec
10 T 8 N R 1 E and established
corners as they are lettered
on plat and field notes
below

N 1/2 No. P.
A { Beech 16 S 60° E 24 Lhs
do 6 S 14° E 20 1/2 "

B { center of N.E. q'r
W. Oak 5 S 41° W 75 Lhs
(Apple tree 8 S 39° E 47 ")
C { midway between center of sec and N 1/2 No. P
Beech 15 S 24 1/2° W 13 Lhs
do 12 N 36° E 33 Lhs

D { center of N.W. q'r
Sycamore 2 S 87 1/2° E 18 Lhs
do 2 S 44° E 24 1/2 "
E { center of Sec
elm 12 S 33° E 9 Lhs
Beech 15 S 61° W 35 "

F { midway between center of sec
and S 1/2 No. P.
B. Oak 5 N 77° E 126 Lhs
W. Oak 10 N 53° E 154 "
G { center of S.E. q'r
Swamp Oak 2 N 24° W 86 1/2 Lhs
Ash 1/2 N 58° E 22 Lhs

H { midway between center of sec and S 1/2 No. P.
Stone planted N 68° W 18 Lhs
Hickory 3 N 12° E 157 Lhs

Abram Ealey chain bearers (Franklin Canard) sworn
(John Stephens) by consent (Thomas Sandefer) sworn

The above Survey was made in compliance with
a notice properly served at least ten days
previous to said Survey by J H Flynn which was
returned to me and is now on file in
the office of the County Surveyor

Geo H. Bannay
M. C. P.

This Notice was served on the parties 10 days
previous to the Survey M H Buskirk
S. L. M. C.

Eli Bowers { chain bearers
David Paddock } Sworn

John W Jones Blagman Sworn


M H Buskirk
Dept S. M. C.

I hereby certify that this record of Sec 12 T 33 N R 24
is a true record of the Survey returned to me
by M H Buskirk Dept S. M. C.

Geo W Barney
S. M. C.

Feb. 16th 1880

Ran the following lots of land situated in Sec (20)
Town 8 North Range 1 West for J. L. Dillman
Peter Martin James N Robinson & J. Arnold
beginning at center of Section at a stone heretofore
North



Set thence N 87° E to
East $\frac{1}{2}$ M.P. of Section
missed corner 18 $\frac{1}{2}$ lbs
South, corrected west
and drove stake
on true line at
middle of distance
The distance of line
was 155 poles and 21 $\frac{1}{2}$
half 77 poles 22 $\frac{1}{2}$ lbs
East)

This stake
being the corner

Lot No 1 beginning
at N. W. corner
of East $\frac{1}{2}$ of S. E. q
of Section 20 T 8 N
R 1 W. Thence west
11 poles corner made

and stone planted Witnessed by { Elm 42 S 53° W 71 $\frac{1}{2}$ lbs.
Sycamore 31 N 68° E 78 $\frac{1}{2}$ lbs

Thence South 14 poles corner made and stone planted
witnessed by { Sycamore 44 N 10° W 148 lbs

Line stone planted S 4 $\frac{1}{2}$ ° E 13 $\frac{3}{8}$ lbs

Thence East 20 poles corner made and stone planted
witnessed by { B. Walnut $\frac{1}{2}$ N 35° W 12 $\frac{1}{4}$ lbs

{ B Walnut 4 S 1° E 70 $\frac{3}{8}$ lbs

Thence North 14 poles corner made and stone planted
witnessed by { B. Walnut 20 N 15 $\frac{1}{2}$ ° W 128 lbs

{ Sugar 1 N 51 $\frac{1}{2}$ ° E 75 $\frac{1}{2}$ lbs

Thence West 9 poles to the beginning containing
1 Acre and 3 Rods

Lot No 2 beginning 14 poles South of the
N. W. corner of E $\frac{1}{2}$ of S. E. q of Sec 20 T 8 N R 1 W
Thence west 11 poles to a stone it being the S. W. corner
of Lot No 1 Thence South 8 poles

corner made and stone planted
 witnessed by { Line stone planted $N 81\frac{1}{2}^{\circ} E 12\frac{1}{2}$ fhs
 Line stone planted $S 7^{\circ} E 7$ fhs
 Thence East 20 poles corner made and stone planted
 witnessed by { B. Walnut 3 $N 26^{\circ} W 21\frac{1}{2}$ fhs
 Line stone planted $N 2\frac{1}{2}^{\circ} E 9$ fhs
 Thence North 8 poles to a stone it being the S.E. corner
 of Lot No 1 Thence west 9 poles to the beginning
 containing 1 Acre

Lot No 3 beginning 22 poles South of the N.W. corner
 of $E\frac{1}{2}$ of S.E. qr of Sec 20 38 N R 1 W Thence
 west 11 poles to a stone it being the S.W. corner
 of Lot No 2 Thence South 4 poles corner made
 and stone planted witnessed by { Sycamore 18 $S 59^{\circ} W 40$ fhs
 Ash 10 $N 62^{\circ} E 18$ fhs

Thence East 20 poles corner made and stone
 planted. witnessed by { Line stone planted $N 13^{\circ} W 8\frac{1}{2}$ fhs
 Line stone planted $S 12^{\circ} E 3$ fhs
 Thence North 4 poles to a stone it being the S.E. corner
 of Lot No 2 Thence West 9 poles to the beginning
 containing $\frac{1}{2}$ Acre

Lot No 4 beginning 26 poles South of N.E. corner
 of $W\frac{1}{2}$ of S.E. qr of Sec 20 38 N R 1 W Thence west
 11 poles to a stone it being the S.W. corner of Lot
 No 3 Thence South 16 poles corner made and
 stone planted witnessed by { Line stone planted $N 4\frac{1}{2}^{\circ} W 9$
 and a solid line stone
 marked with a + $S 73^{\circ} W 84$ fhs

Thence East 20 poles corner made and stone
 planted witnessed by { Line stone planted $S 82^{\circ} W 11\frac{1}{2}$ fhs
 Line stone planted $N 50^{\circ} W 20\frac{1}{2}$ fhs
 Thence North 16 poles to a stone it being the
 S.E. corner of Lot No 3 Thence West 9 poles to
 the beginning containing 2 Acres

Doc Robinson and Charner Mayfield Chain
 bearers: Sworn

Thomas N Mathers & Alfred H Perine Flag Bearers Sworn
 Parties present and consenting

Geo W. Banner
 No. 6 S

Feb 24th 1880

Surveyed in Sec 30 Town 9 N. R. 1 East for Mary Alexander Martha R. Alexander & Andrew Parks commencing at a stone planted before at S. E. corner of the N. E. quarter of the N. W. quarter of said section ran west 79 poles & 10 lbs to the S. W. corner of said gr. corner made and stone planted 50 poles West of starting point witnessed by Ash 6 N 28 1/2° W 28 1/2 lbs
W. Walnut 4 N 4 1/2° W 14 1/2 lbs

then commenced at the N. E. corner of said quarter ran west to the N. W. corner of same distance of line 79 poles 14 lbs corner made and stone planted 50 poles west of starting point witnessed by W. Walnut 12 N 16 1/2° W 47 1/2 lbs
W. Walnut 9 S 77° W 37 1/2 "

then commenced at 1st corner established ran North to the last named corner distance of line 80 poles 14 lbs Emanuel Rogers and John P. Kelly chainmen sworn John A. Kelly flagman sworn
Parties interested consenting to the Survey

Geo. W. Bannoy
M. C. S.

March 1st 1880

Surveyed for Michael Glunor, G. W. Riddle & John Prior in Section 22 Town 10 N R. 1 E commencing at S 1/2 M. Stone of said section ran west 157 poles & 17 lbs to the S. W. corner of said section New witness trees made to the S. W. corner B. Gum 4 N 80 1/2° E 36 lbs and Birch 26 S 85° W 29 corner made at center of said line witnessed by Hickory 2 1/2 N 3 E 7 and Hickory 2 S 75° W 24 1/2 lbs Thence from last named corner North 240 poles 18 lbs to a stone planted before Thomas McGinnis & James A. Glunor sworn as chainmen and James A. Riddle sworn as flagman

The above survey was made in pursuance of a Notice served at least ten days previous to the survey on the parties interested which was properly returned to me and is now on file in my office

Geo. W. Bannoy
M. C. S.



March 4th 1880

Surveyed in Section
12 Town 9 N. R. 1 W. for
Mary Fielder, Isaac Brannan
Geo. W. Brannan and others
and established the
following corners reference
being had to the plat
and letters with field notes
accompanying


Corner at East 1/2 mile post

- A. Hickory 18 N 25 E 22 lbs
Ironwood 2 East 4 lbs
- B. { corner midway bet 1/2 m.p. and N.E. corner
R. Oak 10 N 17 W 13 lbs
B. Oak 8 N 30 E 15 1/2 lbs
- C. { New witness trees made at N.E. corner of Sec
B. Oak 12 S 48 W 25
B. Oak 10 S 42 E 23
- D. { corner midway bet 1/2 m.p. and N.E. corner of Sec
Hickory 5 S 53 E 7
Dogwood 3 N 1/2 E 7
- E. { center of N.E. quarter
Beech 15 S 38 W 37 1/2 lbs
Beech 18 N 37 E 35 lbs
- F. { corner midway bet center of Sec and 1/2 m.p.
Beech 3 N 62 E 20 1/2 lbs
Hickory 6 N 48 W 25 1/2 lbs
- G. { corner midway bet center of Sec and 1/2 m.p.
B. Oak 2 1/2 S 55 E 28
Poplar 2 N 14 E 39
- H. { center of Sec
Elm 20 S 25 E 30 lbs
Elm 3 S 47 E 17 1/4 lbs
- I. { 1/2 m.p.
R. Oak 8 South 16 1/2 lbs
R. Oak 5 N 1 E 7 1/2 lbs
- J. { center of S.W. 1/4 of Sec
Beech 20 N 85 W 13 lbs
Bum 22 North 21 lbs
- K. { New witness trees made to the N.W. corner of Sec
B. Oak 4 S 53 1/2 E 16 1/8 lbs
W. Oak 2 N 7 1/2 W 1 1/2 lbs

Isaac Brannan } Chainman
Robert Barnhill } Sworn
Henry Fielder } by consent

The above survey was made in compliance with a written notice properly served on all parties interested at least ten days previous to the survey properly returned to me and is now on file in my office with the stones properly left.

Geo. W. Brannan
M. C. S.



March 8th 9th 10th Hth 1880
 Surveyed in Section 21
 Town 8 N. R. 1 E. and
 established the following
 corners reference being
 had to plat and field
 notes with the letters representing
 corners

A S.E. corner of Section
 Sugar 7 S 73 $\frac{1}{2}$ ° W 63 $\frac{1}{2}$ lbs
 Persimmon 14 N 23° E 109 lbs

B } midway bet S.E. corner of sec
 and 8 $\frac{1}{2}$ N.P.
 W. Oak 8 N 60° W 27 $\frac{1}{2}$ lbs
 Walnut 10 S 18 $\frac{1}{2}$ ° E 28 $\frac{3}{4}$ lbs

D } New witness tree to stone set before
 Elm 6 $\frac{1}{2}$ N 18° E 63 $\frac{1}{4}$ lbs

F } center of S.E. q^r
 Beech 14 N 38° E 10 $\frac{1}{2}$ lbs
 W. Oak 5 S 27° E 38 lbs

H } S $\frac{1}{2}$ N.P. of sec
 B. Oak 14 S 71° W 41 $\frac{1}{2}$ lbs
 Hickory 4 $\frac{1}{2}$ S 22° E 22 "

K } corner midway bet C of S
 + N $\frac{1}{2}$ N.P.
 Beech 30 N 88° E 26 lbs
 Dogwood 3 $\frac{1}{2}$ N 30° W 13 $\frac{1}{4}$ "

M } corner midway bet N.W. c
 and N $\frac{1}{2}$ N.P.
 Ash 4 S 52° E 25 lbs
 Ash 2 S 5° E 11 "

O } corner 39 poles S of center
 of N.W. q^r
 R. Oak 10 N 71° E 4 lbs.
 R. Oak 8 N 31° W 13 "

Q } center of S.W. q^r
 W. Oak 6 $\frac{1}{2}$ S 31° W 25 $\frac{3}{4}$ lbs
 B. Oak 7 N 44° E 20 "

S } corner 40 poles N.W. of W $\frac{1}{2}$ N.P.
 Beech 25 N 45° E 17 $\frac{1}{4}$ lbs
 Beech 10 N 74° W 61 $\frac{3}{4}$ "

T } New witness tree made
 to corner set before at N.E. c
 Ash 8 $\frac{1}{2}$ N 49° E 4 $\frac{1}{2}$ lbs

C } E $\frac{1}{2}$ N.P. of sec
 Beech 5 S 61° E 15 $\frac{1}{2}$ lbs
 Beech N 8° W 56 $\frac{3}{4}$ lbs

E } corner midway bet N $\frac{1}{2}$ N.P. and N.E. c
 Elm 2 $\frac{1}{2}$ S 38° E 61 $\frac{1}{4}$ lbs
 Stone planted south at zero marked 1000
 5 links distant

G } corner midway bet S.E. c + S $\frac{1}{2}$ N.P.
 W. Oak 30 N 84° W 23 $\frac{1}{4}$ lbs
 Walnut 3 S 52° E 62 $\frac{1}{2}$ lbs

I } center of sec
 Elm 5 $\frac{1}{2}$ N 64 $\frac{1}{2}$ ° E 36 lbs
 W. Walnut 6 N 73 $\frac{1}{2}$ ° W 26 $\frac{1}{2}$ "

L } N $\frac{1}{2}$ N.P. of S
 Beech 7 S 62° W 31 $\frac{1}{2}$ lbs
 Beech 12 S 5° W 23 "

N } center of N.W. q^r
 Hickory 4 N 17 $\frac{1}{2}$ ° E 18 $\frac{3}{4}$ lbs
 Hickory 5 S 18 $\frac{1}{2}$ ° E 12 $\frac{1}{4}$ "

P } corner midway bet center of S
 + W $\frac{1}{2}$ N.P.
 Beech 24 N 25° E 27 $\frac{1}{4}$ lbs
 Beech 18 S 67° E 20 $\frac{1}{2}$ "

R } corner midway bet S $\frac{1}{2}$ N.P. and S.W. c
 Hickory 7 S 17° E 5 $\frac{1}{4}$ lbs
 W. Oak 12 S 60° W 44 "

T } corner midway bet N.W. c and W $\frac{1}{2}$ N.P.
 Hickory 14 S 60° E 12 $\frac{1}{4}$ lbs
 Hickory 14 S 68° W 18 "

following persons were sworn as chainmen
 During the Survey the Ben A Chestnut, Ben Hensley
 Fred Sexton, John Bowen & Abe Shestnut and W. D. Jacobs
 John Bowen James White were sworn as Chainmen

The above Survey was made in compliance
 with the following Notice published in the Bloomington
 Courier a weekly newspaper published in Monroe Co
 three weeks previous to the Survey

Notice of Survey.
 Notice is hereby given to all non-
 residents and all others concerned
 that I will proceed together with the
 County Surveyor or his Deputy to
 run, locate, establish and perpetuate
 all the lines and corners necessary to
 be established in Section twenty-one
 (21), Town eight (8), North Range
 one (1) East, on Monday, the 8th day
 of March, 1880, and to meet at the
 residence of Abraham Chestnut at
 One o'clock P. M. of said day. Said
 Survey to continue from day to day
 until completed. Said parties are re-
 quested to be present at said time and
 place, else the Survey will proceed in
 their absence.
 ABRAHAM CHESTNUT.
 Feb. 13th, 1880.

Geo. W. Barnum
 No. C. S.


March 16th 1880

Surveyed for Lavina Martin, James Baker &
 Lafayette Byers and others in Section 28 Town 9 N. R. 2 West
 and made the following corners "To wit" beginning
 at a stone planted in the line 16 poles west of the North
 west corner of South East quarter of said Section witnessed
 by Stone buried East $5\frac{1}{2}$ links
 Stone buried West $10\frac{1}{2}$ " Thence South 118 poles $6\frac{1}{2}$ links
 to a stone corner witnessed by Stone planted North 11 links
 Stone planted East $7\frac{1}{2}$ links

Thence East 56 poles and 23 links to a stone corner witnessed
 by Stone planted North $7\frac{1}{2}$ links
 Stone planted South $8\frac{1}{2}$ links Thence North 5° East 20 poles & 22 links
 to a stone planted before. Thence North $35\frac{1}{2}^{\circ}$ East 37 poles & $21\frac{1}{2}$ links
 to a stone planted before. Thence North 65° poles & $19\frac{1}{2}$ links to a
 stone corner witnessed by Ash 30 N $46\frac{1}{2}$ W 54 lbs
 Stone planted East 24 " Thence West 80 poles &
 1 link to the beginning containing 54 acres & 28 hundredths
 W. A. Kild) Chainmen James B. Baker
 L. W. Sanders) Sworn Byers present and consenting
 Geo. W. Barnum
 No. C. S.

North Feb 9th + 10th 1880

West



Surveyed in Section 20, Town
8 North, Range 1 East
and established corners as
per plat and field notes
below

A { Beech 18 S 50° E 30 lks
Beech 24 N 20° W 16 "

B { Black Oak 7 S 22½° E 4½ lks
Black Oak 9 N 5° W 16 "

C { Beech 25 S 28° E 84 lks
Beech 8 N 22° W 18 "

D { Maple 20 N 43° E 21 lks
Beech 12 S 34° W 22 "

D { Gum 15 N 72° W 8 lks
Beech 12 S 56° W 34 "

E { Beech 12 S 55° E 12½ lks
Poplar 32 N 12° E 9 "

G { New witness made
to corner heretofore
established Red Oak 4 S 24° W 12 "

H { Witnessed at N.E. corner heretofore established
Black Oak 4 N 32° E 10 lks
White Oak 24 N 3½° W 41 "

The above Survey was done in compliance
with the following notice which was published in
the Republican Progress a weekly Newspaper published
Bloomington Ind for three weeks previous
to the commencement of said Survey

During the above Survey the following
parties were sworn as chainmen
Wm Baxter, George Stearn, Joseph
Parnel + James White.
Elagman A. J. Knight sworn

Notice of Survey.
NOTICE is hereby given to all non-residents whom it may concern, that the County Surveyor of Monroe County, State of Indiana, or his Deputy, will proceed on Monday, February 9, 1880, to survey all the lines necessary to establish, or perpetuate all the section, quarter section or other corners in section 20, town 8, range 1 east, in said county, commencing at the northeast corner of said section, at 10 o'clock A. M. and continuing from day to day until completed. Said parties are notified to be present at said time and place, also the survey will be made in their absence.
Jan. 14, 1880. W. M. A. GARY

W. H. Bushkirk
Dep. Co. S.

North

G. W. Rogers
100 Acres

A

B

Thomas Smith
140 AcresFeb 25th & 26th 1880

East

Ran the following lines and established the following corners in Section 26 Town 9 North R. 1. W. for Thomas Smith & Geo. W. Rogers commenced at the N.E. corner of said section (26) and Ran $S 85\frac{1}{2}^{\circ} W$ 243 poles & $19\frac{1}{2}$ lbs to corner heretofore established. Thence $S 5^{\circ} E$ 65 poles 18 $\frac{3}{4}$ lbs and established

South

Corner A { witnessed by
W. Oak 7 $S 51\frac{1}{2}^{\circ} E$ 4 lbs
W. Oak 10 $N 32^{\circ} E$ 17 $\frac{3}{8}$ "

17 lbs to Section line and established corner (B) witnessed by { Beech 6 $S 64^{\circ} E$ 13 $\frac{1}{4}$ lbs.

{ Dogwood 3 $N 40^{\circ} E$ 1 $\frac{1}{2}$ " Thence $N 5^{\circ} W$ 65 poles 18 $\frac{3}{4}$ lbs to the beginning. (Geo. W. Rogers) chairman

Willie Smith) by consent
Thomas Smith. Flagman by consent

M. H. Buskirk

Deft. M. C. S.

March 10th 1880

Ran the following lines and established the following corners in Section (23) Town (7) Range (2) 1st. Established the S.E. corner of said section one of the original witness trees still standing

B. Walnut 18 $N 54^{\circ} W$ 35 lbs, Sugar 2 $S 66^{\circ} E$ 1 $\frac{1}{2}$ lbs Thence $N 4^{\circ} W$ 160 poles to E 1/2 M.P. of the same, one of the original witness trees still standing witness Beech 30 $S 5^{\circ} E$ 23 lbs, Stone planted $S 86^{\circ} W$ 13 lbs from corner for witness. (Wash Sare) chairman

Joseph Kirk) Sworn
Wesley Beach. Flagman sworn The above Survey was done in compliance with Notice Served on the parties ten days previous to commencement of Survey, which has got misplaced

M. H. Buskirk
Deft. M. C. S.

Sec. 32, T. 7. R. 2. E

March 30th & 31st 1880

Surveyed for John Short
Jacob North, Jacob Deford
& others in Section 32
Town 7 N. R. 2 E
and established the
following corners
reference had to the
plat & letters with
field notes below.

A New witness made to S.W.
corner of sec 32

Hickory 8 S 59° W 26 lbs

C Stone planted at S.E. corner
of sec 32

B Oak 13 S 71° W 51 lbs.

B Oak 17 N 29° E 84 lbs

Stone at center of sec 32

E B Oak 5 S 33° W 2 1/2 lbs.

W Oak 3 S 32° E 7 1/3 "

B Stone planted at S 1/2 N.P.
Original witness trees
Still Standing

D Stone at S 1/2 N.P.
Hickory 12 S 24° W 11 lbs
do 15 S 83 1/2° E 22 "

Abraham Chestnut } Sworn as Chainmen
Dennis Murphy }

John H. Murphy } Sworn as Blazeman.
Stephen Gillaspie }


The above Survey was made in compliance
with the following notice, which was published
in the Bloomington Courier, a weekly newspaper
published in Bloomington Ind. Monroe, Co.
three weeks in succession before the above survey

Notice of Survey.
Notice is hereby given to all non-
residents and all others interested,
that I will proceed together with the
County Surveyor, or his Deputy, on
Friday, the 3rd of March, A. D.,
1880, to run, locate and establish all
the lines and corners necessary to be
established in Section 32 Town 7
North Range 2 East and to meet at
the North west corner of said Sec-
tion at 9 o'clock, A. M., of said day.
Said Survey to continue four days to
day until completed. All parties
interested are hereby requested to be
present at said time and place else
the Survey will proceed in their
absence.
John Short,
March 1st, 1880.

Geo. H. Vannoy
Mo. Co. S.

April 6th & 7th 1880

Surveyed for J. B. Payne, John N. Anderson, Sarah Hacker, James Higgins and others, in Secs 26, 25 & 24, and established corners as per plat and field notes below



Sec. 24, T. 10, R. 1, W.



- S. E. corner of W 1/2 of S E 1/4
- A Sugar 14 N 42 W 4 1/2 lbs
- W. Oak 6 N 85 1/2 E 8 1/2 "
- B 70 poles north of A
- Hickory 1 N 36 W 10 lbs
- do 1 S 31 W 5 3/8 "
- C 40 poles north of B
- Ash 5 N 52 W 6 1/2 lbs
- Beech N 50 W 15 1/2 "
- D N. E. corner of W 1/2 of S E 1/4
- Beech 15 N 13 E 16 lbs
- do 14 N 34 W 3 1/2 "
- E 120 poles west of C in Bloomington & Honey Creek
- B. Oak 7 N 38 E 5 7 1/2 lbs
- White Oak 11 N 77 E 5 3 "
- F B Oak 9 N 65 E 2 3 "
- do 6 S 62 W 11 1/2 "
- H R Oak 10 N 60 W 12 1/2 lbs
- do 6 N 69 E 3 3/4 "
- I N 1/2 M. P. of sec 25
- Hickory 6 S 41 E 8 1/2 lbs
- R Oak 4 S 8 E 11 1/2 "
- J Center of N E 1/4 of sec 25
- Hickory 8 N E or S E 25 "
- do 4 S 77 W 6 2 1/2 lbs
- K Center of sec 24
- B. Oak 12 S 58 W 5 1/4 lbs
- do 9 N 77 W 40 "
- L W Cherry 15 N 70 W 35 1/2 lbs
- do 4 S 15 E 8 2 1/2 "
- M Beech 12 S 43 W 23 1/2 lbs
- do 22 N 45 E 24 1/2 "
- N 1/2 M. P. of sec 24
- Beech 25 S 65 E 25 lbs
- do 12 N 68 E 11 "

New school road & sec 26 N. E. corner of sec 26 B. Oak 6 N 41 E 2 1/2 "

the above survey was made in compliance with following Notice

Notice of Survey.
Notice is hereby given to all non-residents and all others interested that we will proceed together with the County Surveyor, or his Deputy, to run, locate and establish all the lines and corners necessary to be established in Section 24, 25, and 26 Town 10, North Range 1 West, on Monday the 5th day of April, 1880, at 10 o'clock A. M. of said day, and to meet at the south west corner of Section 6. Said survey to continue from day to day until completed. Said parties are requested to be present at said time and place, else the Survey will proceed in their absence.
JOHN B. PAYNE,
JOHN HACKER.

March 5th, 1880.

J. B. Payne
J. M. Higgins
James Robinson
E. D. Gray
Wm A Taylor

sworn as Chainmen
by consent

S. C. Lawson
J. W. Hacker
Geo. W. Vannoy
M. B. S.

Feb 20th 1880

Ran the following line in Section 26th S. 4. R. 2. W.
 commenced at center of said section (corner
 heretofore established) and ran S 86° W. 140. P 17 1/2
 to N 1/2 M. P. (heretofore established) established corner
 at half distance on said line, witnessed by B Walnut
 28 N 42 1/2° E 46 lks. B Walnut 2 N 43 1/2° W 43 lks.
 The parties to the above were present and consenting
 to said survey

Olbert Rush { Chairmen, Sworn.
 M. M. Rush {

John E. McDowell { flagman sworn.

M. M. Buskirk.
 Deft. S. M. C.

April 17th 20th 1880

Ran the following lines and made the following
 corners in Section 1. S. 9 R. 1. W for Rolly Jackson.
 Henry Brannan. George W. Lantz. Jack Lantz.
 4 others. Commencing at S 1/2 M. P. ran N 85 1/2°
 W 32 1/4 Poles to N 1/2 M. P. Witness trees made to N
 1/2 M. P. Beech 24 S 80 1/2° E 62 3/4 lks. B Oak 10 N 74° E 37 3/4 lks.
 then commenced at corner (heretofore established)
 half way between W & M Pst and S W corner of sec 1
 ran north 74 1/2° E 325 P 18 lks. to corner (heretofore
 established) midway between E 1/2 M. P. and S E corner
 of Section 1. established corner where this line crosses
 first-lane run. W or midway between center
 of section and S 1/2 M. P. Witnessed by Sugar 4 N
 42 1/2° W 11 1/2 lks Beech 6 N 66° E 42 lks. Also established
 corner at center of S. E. 1/4 of sec 1 witnessed by
 W. Oak 4 N 70 1/2° W 26 1/4 lks. B Oak 5 S. 85° W 35 1/2 lks.
 witness trees to corner (heretofore set) midway between
 E 1/2 M. P. & S E corner of section 1 Beech 15 N 3° W 24 lks.
 Gum 8 N 86° W 25 1/2 lks.

Rolly Jackson { Chairmen Sworn.
 Henry Brannan {
 Levi Lantz flagman Sworn

This survey was made in presence of a written notice served on the parties at least ten days previous to said survey, notice misplaced. said notice was served on the parties by Roly Jackson.

George W. Vannoy
S. M. C.

April 28th + 29th 1880

Survey for W. Ramage,
Wm L. Payne, Elva Brown &
others in Section 16, Town 9, Range
1, West and established corners
as per plat and letters
accompanying.

Stake at N. & W. P.
A) Sugar 8 S 49° W 10 1/2 lbs
Buck 12 S 56° E 32 "


Stone midway bet. N. & W. P. + N. E. C.
B) Buck 10 S 33° E 18 lbs.
Buck 10 N 51° W 27 "

Stone at center of N. E. gr.
D) Sugar 20 N 28° E 9 lbs.
Buck 22 S 38 1/2° W 38 "

Stone midway bet. East 1/4 Sec and center of Sec.
F) Buck 13 N 32 1/2° E 16 lbs
Buck 14 S 31 1/2° E 18 1/2 "

Corner at center of S. E. gr comes
on the South East corner of small bridge
no stone bet in consequence
H) Sugar 7 S 81° E W 35 1/2 lbs
Sugar 6 N 90 1/2° W 60 "

Stone midway bet S 1/2 N. & S. E. C.
K) B. Oak 14 N 20° W 10 5/8 lbs. Timber det.



Stone midway bet N. & W. P. + center of Sec.
C) Sassafras 6 S 81 1/2° W 8 1/2 lbs.
Poplar 3 S 51° E 13 "

Stone at center of Section
E) Buck 20 S 7° E 5 1/2 lbs
B. Walnut 6 N 82° W 6 1/2 "

Stone midway bet center of Section
D) and S 1/2 N. P. in open ground
(no witness made in consequence)

Stone at S 1/2 N. P.
I) Buck 12 N 70° E 46 lbs
Buck 14 N 34° W 5 8/16 "

W. Ramage, Wm Payne & John Holsapple Chain Beavers sworn by
W. Brown (Elegoman sworn by consent)

The above survey was made in accordance with a written
notice served at least ten days previous to the survey on the parties interested
which notice is misplaced

Geo. W. Vannoy
S. M. C.

April 26th 1880

Surveyed for Wm. A. Rogers, Jennie Spaulding
Joseph Hensley, Rufas Coatsy & others in Sec 14 & 23
T. 8, Range 1, West commencing at the South West corner
of Section 23 thence North $85\frac{1}{2}^{\circ}$ West 637 poles + 15 fms
to the North West corner of Sec 14. made New witness trees
to the N. W. corner of Section 23 and the South west corner
of Sec 14 1 B. Walnut 10 N 88° W 29 $\frac{1}{2}$ fms.
at half distance Ash 15 N 5° W 34 $\frac{1}{2}$ "

then began at the S. W. corner of Sec 14 & the N. W. corner
of Sec 23 ran N 87° E. 319 poles + 8 links to the S. E. corner
of Sec 14 & the N. E. corner of Sec 23
corner established at South $\frac{1}{2}$ M. P. of Sec 14 & North $\frac{1}{2}$ M. P. of Sec 23
witnessed by 1 B. Walnut 6 S 72° W 43 links
(Plumb Bush 7 S $57\frac{1}{2}^{\circ}$ W 166 "

corner established at half distance between S $\frac{1}{2}$ M. P. and S. E. cor
of Sec 14 witnessed by 1 Birch 14 N 17° E 43 $\frac{1}{2}$ links
(Spoonwood 4 S $11\frac{1}{2}^{\circ}$ E 8 "

Jennie Spaulding Chain Bearers
Joseph Hensley } Sworn by consent

Wm. A. Rogers Sworn as flagman by consent

This Survey was made in accordance with the following
notice which was served on the parties at least two days previous
to the Survey


April 12th 1880

Notice of Survey

Notice is hereby given to Sarah R. Grimes, Wm. A. Rogers
Samuel Cathcart, Rufas Coatsy, Mary M. Bluelwood, Joseph &
Lana Hensley, and Samuel Snoddy That I will proceed
together with the County Surveyor or his Deputy to run, locate
and establish the Section line between Sections 14 & 23 Town
8 Range 1 West and also the corners on the same line
on Monday the 26th of April 1880 and to continue from day
to day until completed and to meet at the South West corner
of Sec 14 T. 8, R. 1, W. at 9 O'clock A. M. of said day. Said parties are
are requested to be present at said time and place and the Survey
will proceed in their absence

Jennie Spaulding

Geo. H. Bannoz
S. M. B.



April 20th 1880.

Surveyed in sec 26, T. 8, R. 2, W. and established corners as per plat & field notes.

A corner 64 poles 19 $\frac{1}{2}$ South of center. { Stone witness South 1/2 lks
Do. N 36° E 9 "

B corner 58 poles N 46 $\frac{1}{2}$ ° E from Hackberry 2. Corner tree.

Witness by Sugar 24 N 4 $\frac{1}{2}$ ° E 40 $\frac{3}{4}$ lks.

C { N 33° W 50 poles 20 lks from B
{ Sycamore 6 S 10° W 10 $\frac{1}{2}$ lks

+ The above survey was done in compliance with the following notice

April 10th 1880.

Doctor J. Hoons and John F. Rush, you are hereby notified that I will proceed together with the County Surveyor of Monroe Co and or his Deputy to run and establish all the lines and corners necessary to be established in section 26th T. 8, R. 2, W. in order to find the boundaries and corners of the lands of James Davis deceased. Survey to commence at 8 o'clock. A.M. on Tuesday April 20th 1880. You are requested to be present at said time and place, else the survey will proceed in your absence. Meet at E. & C. corner of sec 26 T. 8, R. 2, W.

David Davis administrator

in the above survey Court, Jones, and Samuel, Turner were Chairman Sworn, William May flag bearer

W. H. Buskirk
Depy A. C. D.

May 24th 1880

Surveyed for John Branam, Jack Lentz,
and others in Sec 1 T9R1W, commencing at
W $\frac{1}{2}$ M.P. of Sec ran North with a variation of $4\frac{1}{2}$ degrees
164 poles to NW corner
made corner on Indian Boundary where this line crosses
it 130 poles 17/1KS North of W $\frac{1}{2}$ M.P. witnessed by { Work 7 N 16° E 47.1KS
Book 6 N 34° E 67 $\frac{1}{2}$ "

From this corner S 57 $\frac{1}{2}$ ° E with Indian Boundary and made
corner where it crosses the line dividing the Sec N + S
17 poles 6 links North of center witnessed by { Beech 24 S 68° E 6.5KS
Beech 9 N 43° W 11 "

made corner in center of Sec witnessed { Beech 15 S 18° W 18 $\frac{1}{2}$ LKS
Beech 9 N 33° W 11 "

made corner at W $\frac{1}{2}$ M.P. witnessed by { one of the original witnesses still stands
Work 18 N 10° E 8 $\frac{1}{2}$ 1KS,
do 15 S 29° E 36 "

Set Stones at all of the above corners with the proper marks

Distance of line from center of Sec. to W $\frac{1}{2}$ M.P. 160 poles 6.1KS


W $\frac{1}{2}$ M.P. North to Boundary 130 poles 17/1KS

Distance of line from center of Sec North to Boundary line 17 poles 6.1KS

All the parties interested in the above survey was
present and consenting

James M. Branam Sen { Chairman
James M. Branam Jun { by consent
John L. Branam & Elagman Swam Secum

Geo. H. Cantray
S. M. C.



May 25th 26th & 27th 1880

Survey of
S. 33 & 34 T. 9. R. 2. W.
and other 3rd
corners as per p. 1
and field notes

- A) S.W. corner of 34 T9 R2 W
Sycamore 7' x 40" W 30' KS
W. Walnut - N 72° E 70"
- B) S.W. cor S.E. 1/4 of Sec 33 T9 R2 W
B. Oak 5' x 65" W 2 1/2' KS
Hickory 3' x 27" E 15 1/2"
- C) 60 poles East of W 1/2 m of Sec 34
Stone Stone rock witness by
Sand Stone 32° W 18' KS and Sand Stone 32° W 29 1/2' KS
- D) 1/2 mile N. 2 miles East and N. E. cor of Sec 33
Stone witness 33° W 22' KS
do S 5° E 22 1/2"
- E) Stone witness N 6° W 21 1/2' KS
do S 31° W 11"
- F) 60 Poles South of E
Stone witness 33° x 3 1/2" W 15' KS
do N 27° E 13' KS
- G) 60 Poles South of C
Stone witness 33° W 16 1/2' KS
do N 42° W 14 1/2"
- H) 60 Poles South of W 1/2 m of Sec 34
Stone witness 33° W 13 1/2' KS
do S 5° E 10"


Jan 5th 1897
Made the following
Survey in Section 33 T. 9. R.
2. W. by agreement of the
parties interested, commenced
at corner F in school plat and
run west 242. Poles 4 lks to m. 1/2
m p. corrected back and
established corner I 10 poles
west of the center of sec 33. T.
9. R. 2. W. witness walnut 18' x 1
3 1/2' 74 lks Sugar 30' x 3' W 83 lks
Then commenced at N. W. cor of sec
33. Ran East 242. Poles 9 lks to cor.
D here before established corrected back
and set cor J 60 poles west of N 1/2 on p.
witness sycamore 7' x 66" E 31 lks sycamore
10' x 73 1/2" W 47 lks
Morgan Hamilton and Luther Brown
chainmen sworn George Byers flagman
sworn
M. H. Buskirk
deputy sur.

During the above Survey the following parties were sworn
as chainmen H. S. Collins, James C. Greenman and
Morgan Hamilton and Samuel D Pettis sworn as
flagman. The above Survey was done in compliance with
the following Notice published in the 'Republican Progress' of
Bloomington And for three weeks previous to the commencement
of said Survey

Notice of Survey.
NOTICE is hereby given to non-resi-
dents and all others interested, that I will
proceed on Tuesday, the 25th day of May,
1880, together with the county Surveyor
of Monroe county, Ind., or his deputies, to
run and establish all the lines and corners
necessary to be established in sections 33
and 34, T9 R2 W. Meet at the residence of
James A. Baker at 1 o'clock P. M. of said
day. Parties interested are requested to
be present at said time and place, and the
survey will proceed in your absence.
May 2, 1880. JAMES A. BAKER.

M. H. Buskirk
Dept. S. M. C.

Sec. 22 T 9 R. 1 E.

June 4th + 5th 1880

Surveyed in Sec 22 T9
R1E For Douglas Putnam.
James Bollenhouse. Bartmes
Parmer & others and
established the following
corners reference had to
the plat and field notes

A Wood 24 S 50° E 117.1KS
B Oak 5 S 30 1/2° E 118 "

B 42 Poles 27KS. South of E 1/2 M. P.
Rock 6 N 77° W 27.1KS
Rock 7 N 71° E 30 1/2 "

C 72 Poles 25.1KS East of center
Rock 5 S 84° E 13.7KS
Rock 6 N 54° W 4 1/2 "


D Stone witness North 10.1KS
" " South 10 "

E Dogwood 4 S 52° E 4.1KS
Beech 14 S 7 1/2° W 22 "

Geo. H. Lampkins + James L. Lampkins
Sworn as Surveyors
Russel Asher + John M. Arm Strong
Sworn as Chainmen

The above Survey was made in compliance with
a written notice served at least ten days
previous to the Survey on all the parties interested
which notice was returned to
me and is now on file in my office

Geo. H. Banning
M. C. S.



June 7th 1880

Surveyed in Sects 20 + 27 S. 9 R. 2 W.
and established the following
corners reference had to
the plat and field notes

- A { Beech 20 S 2 1/2° E 44 1/2 LKS
Stone witness marked 1880. North 12 1/2
- B { Stone witness North 3.1 KS
" " West 8 "
- C { 40 Poles East of W 1/2 m. P. Sec 20
Stone witness North 10. LKS
" " South 10 "
- D { 40 Poles North of C
Stone witness North 10 LKS
" " South 10 "
- E { Stone Set no witness made
- F { Center of S. E. qr of S W qr Sec 20
Stone witness West 9 LKS
" " South 10 "
- G { 40 Poles 17.1 KS North of B
Stone witness East 9 1/2 LKS
" " North 11 "
- H { Stone Set no witness made

This Survey was made for
Wm. Ranard. Samuel Brown
B. F. Hansford & others
Francis Hall and B. F. Hansford
were sworn as chainmen
Elijah Hall sworn as ^{as} flagman

This Survey was made in compliance with a
written notice served on all the parties interested
at least ten days previous to the Survey by Wm.
Ranard, which was returned to me and is now on
file in my office

Geo. W. Cannon
M. C. S.

June 8th 1880

Ran the following lines and established the following corners in Section 27, T. 8, R. 2, W. commenced at the S.W. of the same. Ran N 87° East 160 poles 6 links ran North of S 1/2 N.P. 7 lks. corrected back and established corner at half distance between S.W. corner and S 1/2 N.P. witnessed by Red Oak 3 S 18° W 28 lks. Stone witness planted N 8 1/2° W 20 1/2 lks. Then commenced at N.W. corner of said Section ran South 3 1/4° E 317 poles 21 lks. ran East of S.W. corner 3 lks. Established N 1/2 N.P. at half distance witnessed by Hickory 12 N 60° W 39 lks. Wild Cherry 20 S 2° E 6 1/2 lks.

James F. Carter } Chairmen
John C. May } Sworn

Joel Eaton } Flagman Sworn

M. H. Buskirk
Dept S. M. C.

June 1st 1880

Established corner 79 Poles 21 lks East of the N.W. Corner of Section 1, T. 7, R. 2, W. for James F. Dodd and A. Ketcham witness by Poplar 15 S 72° W 26 lks. Mulberry 15 N 52° W 13 1/2 lks.

Mathew Dearmin } chairmen
George Dillman }

A. Ketcham } Flagman


by consent of
Parties

M. H. Buskirk
Dept. S. M. C.

Aug. 11th 1880

Survey for John C. Dulaney & John S. Bennett in Section 26 T. 10 R. 1 W. commenced at center of N.E. q. of same at corner heretofore established ran S 4° E 81 poles 10 lks. to corner established before. then commenced at center of N.E. q. ran S 86° W 142 poles 8 lks. to corner heretofore established. made new witness at center of N.E. q. of said Sect. W. Oak 24 N 54° W 27 Hickory 6 S 58° E 28 1/2 John B. Payne } Chairmen John C. Dulaney } Flagman Sworn James Higgins } Sworn Geo. W. Vannoy } M. C.

Sec 17 T7 R2 E

July 21st 1880Survey of Section 17 T7 R2 E
for Samuel AronAby Aron Jr. & Wm Hall
Caroline Hall, Morris & Miles
and others and established
corners as per plat and
field notesnew corner at S 1/2 N D
A { Hickory 4 S 31° E 17 1/2
W Oak 28 N 75° W 7 "B { Lynn 20 S 83° W 9 "
W Walnut 4 S 25° E 13 "C { B Oak 4 N 67° E 17 "
R Oak 10 S 43° W 56 "D { Ash 5 N 70° W 14 1/2
do 7 N 24° E 14 "E { half distance bet D & F
W Oak 9 S 12 1/2° W 10 "
Hickory 6 S 61° E 35 "G { Beech 6 S 12° E 26 "
Ash 7 S 31° W 34 "H { Ash 12 N 80° E 15 1/2 "
Beech 12 S 52° W 50 1/2 "i { half distance bet H and the corner
midway bet center of Sec and S 1/2 m o
Beech 4 S 11° W 14 1/2 "
Ash 3 N 47° W 16 "Alexander Axborn } chairman
J. J. Coffin } sworn by
Wm. H. Hall, Plagman swornthe Above Survey was made by consent of
all the partiesWm H. Wainwright
M. C. S.

Section 22 T. 10. R. 1. W.

Nov 6

Sep 27th 28th 29th 30th 1890



Survey of Section 22 S 10° R 1 W
for the parties whose names
appear on the Plat. and
established the following
corners, reference to the plat
and letters with the field
notes given below.

length of the west Sec line
320 poles 6.1KS length of
South Sec line 328 poles.
14 $\frac{3}{4}$ KS East + west through
center of Sec ^{Poles, 1KS} 328.26 $\frac{1}{2}$
North + South through center
322 poles 16 $\frac{1}{2}$ KS

A { Apple Tree 7 N 68° W 77.7 KS
Stone { Sydnore 13 S 67° W 141 "

B { W. oak 2 x 11" E. 2. 7K S
slime { R. oak 5-5 18" W 41 "

C { Sugar 10 3 22° E 31 $\frac{1}{4}$ lks
Stone { Sugar forked at ground 8 N 63° E 8 $\frac{1}{2}$

D { W. oak 8 S 65° E 17 $\frac{2}{3}$ lks
dune { R. oak 6 N 47° W 24 "

$E \left\{ \begin{array}{l} \text{Sycamore } 24 \text{ N } 60^{\circ} \text{ W } 32.1 \text{ KS} \\ \text{Stake } E_{1m} \quad 19 \text{ S } 28^{\circ} \text{ W } 46.1 \text{ KS} \end{array} \right.$

F { Block 6 S 21° W 22 1/4 lks
stone { Block 4 1/2 S 81° E 25 "

G { B gum 6 S 75° E 21.1 KS
Stone { do 8 N 41½° E 28 ..

H { Stone witness N 33° W 28 1/2' / KS
stone do S 62° W 16. "

Charles Robinson. Malachi Collier. F. M. Payne + Hasting Robinson ^{Sworn} Flagmen
John Hulsappler + J. E. Baston claimmen Sworn
The Above Survey was made in compliance with a written
Notice Served upon all the parties at least ten days
previous to the Survey which Notice was properly returned
to me and is now on file in my Office

Geo. H. Ransome
M. C. S.

Nov 10th 1880

Surveyed for Howard + Mc Gregor, Wm A Blackwell and others in Sec. 21 T7 R1 E commenced at N.E. corner of Section ran South 4° East 312 poles $4\frac{1}{2}$ links to the S. E corner of same Established the East half mile post of said Section. witnessed by W. Oak 12 S 72° W 27
 (W. Oak 14 S 40° E 20

D. W. David) Chairman

W. H. Poland) Sworn

Wm A Blackwell Flagman Sworn

The above Survey was made by consent of all the parties interested they being present consenting

Geo. W. Bannoy

M. C. S

Nov 15th 1880

Surveyed for Levi Hall, Sol Hayes + others in Sec 18 T7 R2 E commenced at East $\frac{1}{2}$ mile post of ^{said} Section at corner heretofore established ran North $4\frac{1}{2}^{\circ}$ West 79 poles $10\frac{1}{2}$ links to corner heretofore set thence North $4\frac{1}{2}^{\circ}$ West 79 poles $10\frac{1}{2}$ links to the North East corner of said Sec. established the North East corner of said Section witnessed by B. Walnut 12 S 47° W 262 links
 (B Walnut 12 S 21° W 258 "

The above Survey was made in pursuance of a notice published in the Bloomington Courier a weekly Newspaper published in Bloomington Monroe Co. Ind at least 3 weeks previous to the Survey

Notice of Survey

Notice is hereby given to all now residents and all others interested that I will proceed together with the County Surveyor or his Deputy on Monday the 15th of November 1880 to run, locate and establish all the lines and corners necessary to be established in Sec 18 T7 R2 E and to meet at the N.E. corner of said Sec at 10 o'clock P M of said day. said Survey to continue from day to day until completed

Wm J Hall (Chairman
 Sol Hayes) Sworn
 John W. Grubbs Flagman Sworn

Levi Hall
 Oct 23rd 1880Geo W Bannoy
 M. C. S

March 21st 1881

X

Surveyed in Section 26 T8 R2
west reestablished the South East corner of said
section witness Thornbush 10 S 65° W 88 lks line stone
planted S 53° E 81½ lks Run thence N 4° W 161 Poles 12 lks
to eastern ½ on pr. run west of corner 1 lks corrected
back and established corner at half distance
witness by Sugar 13 N 89° W 57 lks Sugar 13 S 87° W 85 lks
Parties interested being present and consenting

John Jones Chairman
M. H. Bush (sworn)
John Greene (flagman sworn)

M. H. Bush
M. C. S.

X

March the 31st 1881

Surveyed for James Borland & Benjamin Rogers
in Section 8 T8 R1 W Established corner at
half distance between S W corner and S ½ on
pr. witnessed by limestone set N 6½° W 16½ lks distant
limestone set N 74½° W 31 lks distant Established corner
at half distance between W ½ on pr. and center of
Section witness limestone set N 87½° E 19 lks distant
limestone set S 4° E 30½ lks distant
Parties to the above Survey were present consenting to
the same

Samuel Smith Chairman
Isaac A. Birch (by consent)

A. Stover (flagman " ")

M. H. Bush Kirk K. C. S.

This is to certify that I have this day appointed
George W. Vinnay my true and lawful
deputy and all Surveys made by him
will be as legal as though done by
myself.

This march the 30th 1881

M. H. Bush
Monroe County Surveyor

Bloomington Ind

March 30th 1881

I George W Vannoy do solemnly swear
that I will support the constitution of the United
States and also the constitution of the State
of Indiana and that I will faithfully
perform the duties of deputy Surveyor of
Monroe County Ind according to law
to the best of my knowledge and ability
So help me God

Geo W Vannoy

Subscribed and sworn to before me this
the 30th day of March 1881.

M. H. Burkirk M. C. J.

May the 30th 1881

x Surveyed for Paris Matlock, James
Farris, & James McKinley in Section No 28 T. 9, R. 1, W. 4.
commenced at the E¹/₂ on p of said Section one of
the government witness trees still standing, made our
witness Black walnut 6 L 23¹/₂° W 64¹/₂ lks distant,
Ran S 87° W 15.9 Poles and 1 lks to the center of said section
Established corner 79 Poles and 13 lks west of the E¹/₂ on p
witness b mulberry 5 L 10¹/₂° W 19¹/₂ lks { James McKinley chairman
Black Walnut 4¹/₂ L 86° W 7¹/₂ lks { & Paris Matlock sworn

James Farris sworn as flagman
The above Survey was made by consent of parties interested

G W Vannoy D. S. M. C.

July 12th 1881

+ Surveyed for Joseph Parks, Daniel Slout and
others in Section 14, T. 9, R. 1, W. 4 and established
corner halfway between E¹/₂ on p and center of said section
witnessed by Sugar & N 4¹/₂° W 64¹/₂ lks Sugar 18 L 20° E 34 lks do
J. N. Blair and F. M. Rogers were sworn as chairman
N K Rollins sworn as flagman

The above Survey was done in accordance with
the following served at least ten days previous
to the survey.

July 2nd 1881

Notice of Survey

Notice is hereby given to Daniel J. Stout that I will proceed together with the County Surveyor of Monroe County Ind or his deputy on Tuesday the 12th day of July A D 1881 to run locate and establish all the lines and corners necessary to be established around my land said land being the S¹/₂ of the South east one fourth of the N. E. qr. of section 17 Town 9 Range 1 west and to meet at the E¹/₂ on p of said section at 8 o'clock A M of said day said survey to continue from day to day until completed said Daniel J Stout is hereby requested to be present at said time and place or else the survey will proceed in his absence

Joseph Parks

Geo. W. Vannoy S. S. M. Co.

Aug the 9th 1881

Surveyed in Section 35 T. 9. R. 1. W for W. M. Alexander, Wm H. Buskirk and John A. Parks administrators of the Estate of Albert Parks decd and established corner at the center of the N. W. qr of said section witnessed by dogwood 2 inches N 70° W 2 1/2 the dist Wild cherry 3 inches N 10° W 4 1/2 the John A. Parks and Wm M. Alexander, sworn as chainman Wm H. Buskirk sworn as flagman The above survey was made by consent of all parties interested

Geo. W. Vannoy S. S. M. Co.

Aug the 10th 1881

Surveyed for Wm H. Buskirk & John A. Parks Administrators of the Estate of Albert Parks deceased the following tract of land situated in Bloomington Township Monroe County Indiana in Section 35 Town 9 Range 1 west - to wit - beginning at a stone standing in the center of the North west quarter of said section Thence N 4° W 63 Poles to a stone Thence S 87° E 30 Poles to a stone Thence S 33 1/4° E 7 1/2 Poles 12 1/2 the to a stone Thence S 87° W 7 1/2 Poles 14 1/2 the to the beginning containing 20 Acres W. M. Alexander, & John A. Parks chainman and Wm H. Buskirk flagman by consent of parties interested all sworn

Geo. W. Vannoy
S. S. M. Co.


May 26th 1881

+ Surveyed in Section 3 T. 7 R. 1 W for James Leonard Robt Miller as follows commenced at a point $1\frac{1}{2}$ Poles East of the N.E. corner of the W $\frac{1}{2}$ of the N.E. qr Ran S 8° E 40 Poles and established corner Thence S 4° E 84 Poles 3 lks Thence N 45° W with Salem road 44 Poles Thence North with railroad 24 Poles Thence N 22° W 31 Poles 22 lks Thence N 35° W 14 Poles 20 lks Thence N 21° E 29 Pole 19 lks Thence S 86° E 45 Poles 18 lks to the beginning

James Leonard } chairman
+ Robt Miller } by consent

M. H. Buskirk
M. C. S.

Sec 29. T. 8 R. 1 W



+ April 1st 1881 I surveyed in Section 29 T. 8 R. 1 W for Nathan Smith James Russel, John H. May and others Commenced at the W $\frac{1}{2}$ mile post heretofore established and ran S 4° E 160 Poles Thence commenced at S.E. corner and ran S 86° W 319 Poles $2\frac{1}{2}$ lks Established


S.W. Section corner (A) witness Sycamore 6 N 28° E 15 lks North west corner of Stone abutment on the west side of Clear creek S 4° E 28 lks Established corner at half distance between S.W. corner and S.E. m. p. (B) witness walnut stump 40 S 72° W 18 lks Thence S 10° W 138 lks distant

James Russel } chairman
J. F. Robison }
Nate Smith flagman } by consent of parties

10 days written notice was given to the parties interested in the above Survey by Nate Smith but it has got misplaced

M. H. Buskirk
M. C. S.

Commenced a survey of Section 19 T. 9. N. R. 1. E.
on the 11th day of April 1881 & completed the survey
on the 15th for Matthias Bourke, Jno. W. Salyun, W. H.
Salyun W. H. Meadows & others and established
the following corners reference had to the plat and field
notes below:



Length of North Sec line 313 P. 1 lks
" " South " " 313 " 19 1/2 "
" " East " " 318 " 21 1/2 "
" " West " " 312 " 22 "
Distance E & W through center 313 P. 12 lks
" N & S " " 313 " 21 1/2 "

A { halfway between center & N 1/2 on p
Black walnut 13 N 1° E 38 lks
Black walnut 13 S 47° E 73 1/2 lks

B { center of N. E. gr
Dogwood 9 N 71 E 6 lks
Gum 2 N 32 W 4 lks

C { 40 Poles North of E 1/2 on p
Beech 14 1/2 N 80° W 33 3/8 lks
Dogwood 4 1/2 S 24 1/2 E 10 lks

D { 1/2 way between center & S 1/2 on p
Hickory 5 S 47 1/2 E 35 3/4 lks
Poplar 12 S 2° W 56 "

E { 1/2 way between center & E 1/2 on p
mulberry 4 S 8 1/2 W 101 lks
Black walnut 1 1/2 N 77° W 32 1/2 lks

F { center of S. E. gr
Ash 4 S 34 1/2 E 72 1/4 lks
Blue A 8 1/2 S 40 W 67 "

G { center of section stone set
no witnesses made

H { 1/2 way between E 1/2 on p & S. E. corner
W. oak 8 1/2 S 10 E 34 3/4 lks
W. oak 10 S 34 E 78 "

I { 1/2 way between center & W 1/2 on p
Hickory 7 S 88 E 18 1/2 lks
W. oak 5 N 81 1/2 W 34 "

J { 1/2 way between S 1/2 on p & S. E. corner
W. oak 15 S 38 1/2 W 95 1/4 lks
R. oak 11 N 87 1/2 E 198 "

K { W 1/2 on p
Beech 18 N 33 1/2 W 63 1/2 lks
Elm 4 N 64 1/2 E 48 1/2 "

L { AT S 1/2 on p
Hickory 4 1/2 N 32° E 16 lks
W. oak 7 N 34 1/2 W 26 1/2 "

M { center of S. W. gr
Hickory 8 S 42 1/2 W 29 1/4 lks
Beech 24 N 36 W 8 3/4 "

Also made new witnesses trees
to the N 1/2 on p

O { Hickory 8 $\frac{1}{2}$ N 37 E 31 lks
 { Elm 8 $\frac{1}{2}$ N 14 W 30 "

P { S W Section corner (new suit)
 { Sugar 12 N 3 $\frac{1}{2}$ E 46 $\frac{1}{2}$ lks
 { Birch 8 S 34 $\frac{1}{2}$ E 49 "

Notice of Survey.

Notice is hereby given to all non residents and all others interested that I will proceed together with the County Surveyor of Monroe County, La. or his Deputy on Thursday the 14th day of April A. D. 1881 to run locate and establish all the lines and corners necessary to be established in Section nineteen (19) town (9) Range (1) East and to meet at the residence of Mathias Berk at 9 o'clock A. M. of said day said parties are hereby notified to be present at said time and place or else the Survey will proceed in their absence, said survey to continue from day to day until completed.

MATHIAS BERK.

MARCH 17TH 1881.

James Thibodeau and Edward Boucke were sworn as chainmen and John A. Kelley as flagman by consent of all the parties interested.

The foregoing survey was made in compliance with the following notice published in the "Saturday Courier" a weekly newspaper published in Bloomington Monroe County Louisiana at three weeks previous to the commencement of the Survey.

Geo W Pannoy
 Sept 1. 1881

X April 14th 1881

Commenced at the N W corner of Section 23 T 8 R 2 W Range 1 S 86 $\frac{1}{2}$ E 318 Poles 11 lks from west of the S W corner 34 lks corrected back and established $\frac{1}{2}$ m p at average distance witness poplar 30 N 71 $\frac{1}{2}$ E 36 lks Ash 10 S 73 $\frac{1}{2}$ E 33 lks. Thence N 85 $\frac{1}{2}$ E 320 Poles 13 $\frac{1}{2}$ lks ran South of $\frac{1}{2}$ m p 9 lks corrected back made new witness at S W corner of the Section W oak 24 N 42 $\frac{1}{2}$ W 57 lks.

The above Survey was done in compliance with the following notice which was published three weeks previous to the commencement of said Survey in the "Republican Progress" a weekly newspaper published in Bloomington Monroe County Louisiana.

Notice of Survey.

Notice is hereby given to all non residents and all others interested that I will proceed on Thursday, the 14th day of April, 1881, together with the Surveyor of Monroe County, or his deputy, to run and establish all the lines and corners necessary to be established in Sec 23, T 8, R 2 W, commencing at the Northwest corner of said Section at 10 o'clock A. M. on said day. All parties interested are requested to be present at said said time and place, else the Survey will proceed in your absence.

SUSAN MALONEY.

Mar. 30-1881.

James Ragan (chainman)
 Thomas Ragan (sworn)

Harvey Loss (flagman sworn)

M. H. Bratton
 M. H. S.



May the 6th 1881
 Surveyed in section 30
 T 8 R 1 W. and
 Established corners as
 per plat and field
 notes below

- A { Black walnut 14 N 60° W 66 3/4 lks
 S. W. pillar (stone) of J. F. May's old stable N 20 E 26 lks
- B { Sycamore 6 N 61° W 9 1/4 lks
 Black walnut 6 S 77° W 4 1/2 lks
- C { Locust 5 N 48° E 39 1/2 lks } Corner at center of section established
 Elm 1 N 43° W 36 2/3 lks } by crossing lines from N to S 1/2 m.p. and
 from W to E 1/2 m.p.
- D { Buck 30 S 59 1/2° W 33 lks
 Black walnut 5 N 63 1/2° E 86 1/2 lks
- | | | | |
|--------------------------------|-----|-------|-----|
| Length of line North of center | 159 | 23 | lks |
| " " " South " " | 159 | 11 | " |
| " " " East " " | 156 | 22 | " |
| " " " West " " | 172 | 9 1/2 | " |

The above Survey was done in compliance with the following notice which was served on the parties named 10 days previous to the commencement of the Survey and returned to me.

April 26th 1881

Notice hereby given to John F. May, Jonathan May, Nathan Smith, James Ruesel, George Steph, James Campbell, Eli Boruf, Labean Green, Solomon Green, & L. S. Shyer, that we will proceed together with the County Surveyor of Monroe County, Ind. on this day on Friday the


6th day of May 1881 to run and establish all the lines and corners necessary to be established in Section 30 T 8 R 1 W. commencing at the S W corner of said section at 7 o'clock A.M. of said day. Parties interested in said survey are requested to be present at said time and place else the survey will proceed in their absence.

D. F. Loons, & others

Chairman in the above survey were Edward Bolin & Wm Hunter. (sworn) flagman William Bolin (sworn)

M. H. Buckirk
M. C. S.

Section 16 T 10 R 2 W Section 15



April 26th & 27th 1881 Surveyed in Sections 15 & 16 T 10 R 2 W. and established corners as per plat above and field notes below

A { Center of Sec 15
Buck 12 N 82 E 19 lks
Buck 14 N 40 W 29 "
Buckeye 15 N 61 W 26 "

B { S W corner of 15
Poplar 10 N 14 E 22 lks
Oak 48 S 89 E 70 "

C { center of 16
B. Walnut 15 S 70 W 51 1/2 lks
B. Walnut 17 S 14 1/2 E 73 "


D { S.W. cor of 6 1/2 of N.E. qtr of 16
Buck 15 N 74 W 24 lks
Ash 10 S 62 E 34 "

In the above Survey the parties interested were present
consenting to the Survey

Wm D Lifford }
S. J. Terry } Chairman sworn
Theodore Bustirk }
Wm Staley } flagman sworn

M. H. Bustirk
M. H. S.

X



April 29th 30th 1881
Surveyed in Section 22
T⁴ R¹ W and established
corners as per plat and
field notes below

A { S. E. cor of N 6¹/₂ of S. E. gr
Sugar 20 N 64° W 30¹/₂ lks
Buck 18 S 53° E 30 "

B { 20 Poles north of "A"
Buck 15 S 21° E 7¹/₂ lks
Sugar 15 S 11° W 22 "

C { 20 Poles north of center of S. E. gr
Sugar 24 S 27° W 13¹/₂ lks
Sugar 22 N 73° W 44 "

D { center of S. E. gr
Stone planted N 45° W 10 lks
Stone planted S 66¹/₂° W 10 "

E { 20 Poles west of center of S. E. gr
Oak 12 N 34° W 41¹/₂ lks
Ash 1 S 73° E 6¹/₂ "

F { 20 Poles west of S. E. cor of S 20¹/₂ of S. W. gr
Sycamore 12 S 31¹/₂° W 38¹/₂ lks
Sycamore 12 N 32° W 36¹/₂ "

In the above Survey the
parties were present and
consenting to the Survey

C. C. Young & A. Dickard, chairman sworn
Wm Dickard, flagman sworn

M. H. Bustirk M. H. S.

Section 35 T 9 R 1 E



May the 24th & 25th 1881
 Surveyed in Section 35 T 9 R
 1, E, and established corners
 as follows to wit

A { NW. corner of N.E. 1/4 of N.E. qr
 Hickory 14 S 23° W 29 lks
 Hickory 12 N 37° W 31 1/2 "

B { Average dist between N.E. cor & E. 1/2 cor
 Hickory 10 S 14 1/2° W 12 lks
 Buck 12 S 75° E 37 lks

C { Center of N.E. qr
 White oak 36 S 8° W 10 lks
 Buck 15 S 62° W 30 lks

NOTICE OF SURVEY.


Notice is hereby given to all non-residents, and all others interested, that I will proceed together with the County Surveyor, of Monroe county, Indiana, or his Deputy, on Tuesday the 24th day of May, 1881, to run and establish all the lines and corners necessary to be established in Section 35, Town 9 Range 1 East, commencing at the North-east corner of said Section, at 10 o'clock, A.M. on said day. All parties interested are requested to be present at said time and place else the survey will proceed in your absence.
 May 7, 1881. S. SARAH LONG.

James Stephens / Chairman
 Paddy Stephens / sworn
 David Stout / flagman
 Thomas Bradlock / scribe

The above was done in compliance with accompanying notice which was published in the Saturday Courier a weekly newspaper published in Bloomington Ind. for three weeks previous to the commencement of said survey

M. H. Bushirk M. C. S.

Section 3 T 10 R 2 W



+ June 15th 1881.
 Made the following survey and established the following corners in Section 3 T 10 R 2 West commenced at a point 46 1/2 Poles west of the E 1/2 cor (A) witness Black walnut 5 N 5.6 22 lks Black walnut 6 S 38 E W 49 Thence S 4 1/2° E 40 Poles and established corner (B) witness wild cherry 15 N 10° E 29 lks Apple tree 5 S 18° E 39 Thence S 61° W 109 Poles 13 lks and drove stake in the old

Indian boundary line Thence with Indian boundary line
 N 37° W 186 P 8½ lks and drove stake Then commenced
 at W½ on p and ran N 86° E 280 Poles Established
 corner (C) 87 Poles 18 lks east of W½ on p witness
 White oak 24 N 26° E 21½ lks Red oak 5 S 34 W 24 lks
 Established corner in Indian boundary line (D) 60 Poles 15½
 links east of western half mile post witness Black walnut
 6 S 71° E 75 lks Hickory 8 N 32½° E 77 lks
 Parties interested in the above Survey were present and
 consenting to the same.

Joseph W. Buskirk } Chairman
 Joseph J. Buskirk }
 James S. Buskirk } flagman } by consent of parties

M. H. Buskirk, M. C. S.

June 16th 1881

X Made the following Survey in Section 8 T 10
 R 2 W parties interested being present and consenting
 Commenced at the W½ on p (E) witness Elm 8 S 2½ W 26½ lks
 Black walnut 2 S 75° W 9½ lks Thence S 4½° E 80 Poles and
 established corner (F) witness Buck 14 S 66½° E 96 lks Buck N 58°
 E 122 lks Thence N 86° E 80 Poles and established corner
 (G) witness Buck 6 N 69° E 17 lks mulberry 6 N 28° W 32 lks
 Thence N 4½° W 67 Poles and established corner in Indian
 boundary (H) witness Buck 20 S 40° E 21 lks Buck S 65° W 26 lks

John Davis } Chairman
 John H. Buskirk }
 Edward Davis } flagman } by consent

M. H. Buskirk M. C. S.

Y August 14th 1881

Surveyed in section 9 T 10 R 2 W
 and established the following corners Established corner
 at the center of the N E qtr in the middle of Bean Blossom
 creek in a drift witnessed by stone planted N 4° W 134 lks
 Stone planted N 86° E 78½ lks Established corner 80 Poles 20½ lks
 west of N. E corner of section 9 T 10 R 2 W witness
 will cherry 4 N 78° W 69 lks Black walnut 4 S 32° E 79½ lks


The above Survey was done in compliance with the following
 notice Notice is hereby given to Jonas Shines

Joseph Langley & Mat Burskirk that I will proceed together with the County Surveyor of Monroe County Ind or his deputy on Wednesday the 17th day of August 1881 to run and reestablish all the lines and corners necessary to be established in Section 9 & 10 R 2 W commencing at the South east corner of the forty acres near the house of Joseph Langley at 9 o'clock A M on said day you are requested to be present at said time and place on said day else the Survey will proceed in your absence. This the 6th day of Aug 1881

J W Crawford
On the above survey Mitchell Mayor & Amos Bowman were sworn as chairman and John Corcan as flagman

M. H. Burskirk
M. C. S

Section 15 T 7 R 1 E



X Aug the 29th 30th 31st Sept 1881
2nd 1881 Surveyed in Section 15 T 7 R 1 E and established corners as per accompanying plat and field notes below

A S.E. section corner cut a cross on solid limestone rock

B S $\frac{1}{2}$ on p
Hickory 14 S 55° W 29 lks
Elm 12 S 26° W 32 $\frac{1}{2}$ "

C S $\frac{1}{2}$ on p
Elm 30 S 77° W 56 $\frac{1}{2}$ lks
Black Walnut 10 S 66° W 62 $\frac{1}{2}$ "

F Half dist between W $\frac{1}{2}$ on p and center
Chestnut oak 2 N 18° E 4 $\frac{3}{4}$ lks
Red oak 4 S 23° E 3 "
Hickory 10 N 76° E 26 $\frac{3}{4}$ "

D W $\frac{1}{2}$ on p
Quaking asp 8 S 66° W 8 lks
Red oak 3 S 35° E 9 "

G Halfway between S $\frac{1}{2}$ on p and center
White oak 15 N 31° E 18 $\frac{1}{2}$ lks
Hickory 6 S 58° E 39 "

H Center of section
Red oak 6 N 75° W 3 lks
Red oak 6 S 62° E 20 lks

- H { Halfway between $S\frac{1}{2}$ on p. & S.E. cor
Gum 3 N 82° E 25 lks
White oak - N 34° E 40 $\frac{1}{2}$ "
- I { Halfway between $S\frac{1}{2}$ on p. and center
Black walnut 2 S 79° W 15 lks
Black walnut 2 S 32° E 27 "
- J { Center of S.E. cor
Beech 18 N 84° W $5\frac{1}{4}$ lks
Beech 18 N $41\frac{1}{2}^{\circ}$ W 13 $\frac{3}{4}$ lks
- K { Halfway between $S\frac{1}{2}$ on p. and S.W. cor
Maple 12 corner tree
Red oak 8 S $83\frac{1}{2}^{\circ}$ E 18 $\frac{1}{2}$ lks
White oak 18 N 15° E 14 lks
- L { Center of S.W. cor
Black gum 12 S $81\frac{1}{2}^{\circ}$ E 8 $\frac{1}{2}$ lks
Hickory 10 S 19° W 27 $\frac{1}{2}$ "
- { Length of line through the center
north & south 321 Poles 22 lks
Length of line through the center East & west 320 Poles 20 lks
- | | | | |
|-------|-----------------|-----------|----------------------|
| " " " | North of center | 139 Poles | 10 $\frac{1}{2}$ lks |
| " " " | South " " | 162 " " | 11 $\frac{1}{2}$ " |
| " " " | East " " | 160 " " | 15 $\frac{1}{2}$ " |
| " " " | West " " | 160 " " | 4 $\frac{1}{2}$ " |

During the above Survey the following parties were sworn as
chainman Henry Cain. Henry Kays. & Simeon May, ^{Frank Kays} and the
following as flagman J. M. Norman, & Simeon May.

NOTICE OF SURVEY.
Notice is hereby given to all non-residents, and all others interested, that I will proceed together with the County Surveyor of Monroe county, Indiana, or his Deputy, on Monday the 29th day of August, at 1 o'clock p. m., to run and establish all the lines and corners necessary to be established in Section 15 Town 7 Range 1 East, commencing at the residence of John Carson. All parties interested are requested to be present at said time and place else the survey will proceed in their absence.
SIMEON MAY.
August 13, 1881.

The above Survey was done in compliance with the accompanying notice which was published in the "Saturday Courier," a weekly newspaper published in Bloomington and for three weeks before the commencement of the Survey.

M. H. Buskirk
M. C. S.

Sept 15th 1881 X

Surveyed in Section 33 T 8 R 1 W. and established the following corners. Commenced at corner heretofore established at half distance between N $\frac{1}{2}$ on p. and N.W. section corner ran S 42° E 77 Poles 10 lks and established corner witness Black walnut 14 S 86° E $4\frac{1}{2}$ lks Apple tree 2 S 32° W 60 lks Thence N $87\frac{1}{2}^{\circ}$ E 144 Poles 20 lks and established corner witness Black walnut 15 N 89° W 35 lks Black walnut 2 South 49 lks. parties interested present and consenting.

Thomas Douglas (Chairman)

Me. Cain

One Cain (flagman)

By consent

M. H. Buskirk

M. C. S.

X August. The 23rd 1881


Surveyed in Section 23 T 7 R 2 W and established the following corners commenced at the NW 1/4 on p ran N 4 1/2° W 160 Poles ran east of NW section corner 6 1/2 lks Established NW corner by planting stone and making new witness tree Beech 23 1/4° E 18 1/2 lks poplar 36. S 67° E 48 1/2 lks Thence N 86° E 33 1/2 lks 20 lks to NE section corner ran South of corner 5 lks Established corner at half distance between NW corner and NW 1/4 on p witness Sugar 2 1/2 S 76° E 74 1/2 lks plum tree 1 inch in diameter S 15° E 16 lks

Wm M. May chainman
Leicester McConnell Sworn

Jonas May flagman sworn

Parties to the above survey were notified in writing 10 days before the commencement of said survey by Jonas May but said notice has got misplaced

N H Baskirk, M. C. J.



Sept 21st 1881

Surveyed in Section 1 T 7 R 1 W and established corners as per plat and field notes accompanying

A { New witnesses at NW 1/4 on p
Black oak 6 S 78° E 6 lks
Red oak 12 N 22 1/2° W 35 lks

B { Half distance between NW 1/4 on p & NW cor
Beech 6 N 32° E 21 1/2 lks
Beech 10 N 25° W 33 lks

C { Center of NW gr
Elm 18 S 71° E 11 lks
Elm 20 S 9° E 37 lks

D { Half distance between NW 1/4 on p & center
gam 8 N 35° E 26 1/4 lks
gam 4 N 4° E 15 1/4 lks

E { center of NE gr
Hackberry 18 S 60 1/2° W 26 1/2 lks
Elm 1 1/2 S 32° E 8 1/4 lks

In the above survey Charles Shultz and Wm Dickard were sworn as chainman and Valentine Dickard as flagman The survey was made in compliance with following notice served on the parties 10 days before commencing the same

Notice

As hereby given to John Lucas, Valentine Beckard, John Beckard, James Shields, George W. Shields, Charles Shields, & Thomas Seiseor, that I will proceed together with the county Surveyor of Monroe county Ind or his deputy to run and establish all the lines and corners necessary to be established in Section 1 Town of R 1 W. meet at the S. E. corner of said section at 10 o'clock A. M. on Wednesday the 21st day of Sept 1881 you are requested to be present at said time and place else the Survey will proceed in your absence

This Sept the 8th 1881

David W. Shields

A True copy

N. H. B. Burtch, M. C. S.

Sept the 30th 1881

Ran the following lines and established the following corners in section 31 T 8 R 1 W. Commenced at the South west section corner Ran N 44° W 139 P 21 1/2 lks. Thence N 86° E 168 P 2 1/2 lks. Then commenced at Stake in said line in the center of Clear creek 136 Poles east of the W 1/2 m. of said section and ran down said Clear creek with the meanders thereof in the following directions and distances to wit- S 5° W 27 Poles 1 1/2 lks. Thence S 45° W 14 Poles 22 lks. Thence S 77 1/2° W 14 Poles 21 1/2 lks. Thence S 1° W 32 Poles Thence S 19° W 29 Poles 3 lks. Thence S 1/2° E 8 Poles Thence S 18° W 23 Poles Thence South 9 Poles 17 1/2 lks. Thence S 25° E 18 Poles 20 3/4 lks. To within one rd of South section line Thence S 86° W 93 Poles 22 links to a point one rd north of the S. W. Section corner containing 108 A 2 R 33 P

Established corner 39 Poles 18 3/4 lks. west of S W corner of sec 31 T 8 R 1 W witness Ironwood 11 1/2 inches in diameter S 2 1/2° W 20 lks. Ash 16 S 49° W 31 1/2 lks. Thence S 86° E 90 Poles to the center of Clear creek and established corner on west bank of same 2 Poles west of its true location on account of the creek witness Sycamore 43 N 85° E 29 lks. Sugar 12 S 82 1/2° W 124 lks. Parties interested in the above survey were present and consenting to the same

John L. May (Chairman sworn) Lewis A. May (Sagman)
Edward L. May

N. H. B. Burtch, M. C. S.

September 28th 1881

Established corner 8¹/₂ Poles east of the S W corner of Section 34. T 9 R 1 W. for David Smith and Kent Shaw. witness Sugar 6 S 52° W 90 lks Beech 24 inches in diameter N 63° W 99 lks said corner is in the turnpike and was established for said parties at their request while engaged in surveying the turnpike
Caleb Bell Chainman Jackson Wisener, flagman
Lon Harrold Sworn

M. H. Baskirk M. C. S.

October the 13th 1881


Made the following survey in Section 35 T 9 R 2 W commenced at the S E corner of said Section witness Black walnut 18 S 32° E 94 lks Black walnut 15 N 2° E 495 lks Thence N 4° W 162 Poles 16¹/₂ lks Established E ¹/₂ on p. of witness wild cherry 20 N 15° W 358 lks Thornbush 5 S 84° W 382 lks

Ira Bennet Chainman
Jacobariah Jackson by consent

Kent Holmes, flagman

M. H. Baskirk M. C. S.

Section 12 T. 9. R. 1. W.



October the 14th 1881
Surveyed in Section 12 Town 9 R 1 W and established corners as per plat and field notes below

A { Half dist between center of S ¹/₂ on p. of witness
Black walnut 16 S 12° W 13 lks
Sugar 18 S 7° E 60¹/₂ lks

B { Half dist between S ¹/₂ on p. of witness
Mulberry 2 S 14° E 18¹/₂ lks
Elm 2 S 59° E 28 lks

C { Half dist between W ¹/₂ on p. of S W cor
Elm 24 N 89¹/₂ E 63¹/₂ lks
Beech 15 S 6¹/₂° W 38 lks

D { W ¹/₂ on p.
Black oak 14 S 22¹/₂ E 23¹/₂ lks
Red oak - S 33° E 45 lks

The foregoing Survey was made in pursuance of the following notice which was served on the parties 10 days previous to the commencement of the Survey.

Notice of Survey

Notice is hereby given to John Niskirk, Wm Butcher, George Mercer, Calvin Young, John Fox, & Wilson Clarke, that I will proceed on Monday the 17th day of Oct 1881 to run and establish all the lines and corners necessary to be established in Section 12 T. 7. R. 1. W. meet at the residence of John W. Miller at 10 o'clock A.M. on said day, you are requested to be present at said time and place else the survey will proceed in your absence This the 5th day of Oct 1881

Valentine Proctor

John Niskirk } sworn
Wm. H. Butcher } as
George Mercer } chainman

Valentine Proctor flagman sworn

M. H. Buskirk M. C. S.

Oct the 19th 1881

Ran the following line and established the following corners in Section 10 T. 7. R. 1. E. Commenced at the N.E. corner of Section 10 Ran S. 4 E. 318 Poles 12 1/2 lks ran west of corner 2 lks. Corrected back and established corner at half distance between E 1/2 on p. and S.E. corner witness White oak 18 S 36° E 7 lks Larasfras 3. N 84° W 6 lks Established corner at half distance between E 1/2 on p. and corner one fourth dist north of the S.W. section corner witness Buck 8. S 32 1/2° W 9 1/4 lks Buck 10 S 70° E 26 lks.

The above Survey was done in compliance with the following "notice of Survey"


Notice is hereby given to Hiram Hamon, Francis Burgoon, Charles Hays, David J. Hays, & Henry J. Hays that I will proceed together with the County Surveyor of Monroe County and or his deputy on Wednesday the 19th of Oct 1881 to run and establish all the lines and corners necessary to be established in Section 10 T. 7. R. 1. E. and to meet at the residence of Robert Hays at 10 o'clock A.M. of said day parties are requested to be present at said time and place else the survey will proceed in their absence Survey to continue from day to day until completed

Robert Hays

M. H. Buskirk
M. C. S.

David Hays } chainman
Henry Hays } sworn

Chris Proctor
flagman sworn



+ October the 20th 21st 22nd 1893
 Surveyed in Section 22
 T 9 R 4 W and
 established corners
 as per plat and field
 notes below

A { 29 Poles 18³³/₄ lks east of the corner of
 Red oak 10 S 44° E 25 lks
 Gum 7 S 26¹/₂ W 22 lks
 Burr oak 2 S 21° W 3 lks

B { 26 Poles South of "A"
 Elm 12 inches corner tree
 marked with 4 notches

C { Center of N E 1/4 of S E 32
 Birch 20 S 70° W 66 lks
 Birch 24 S 12° E 25 "

D { Half distance between E 1/2 on p. & center
 Black walnut 3 N 82¹/₂° E 32³/₄ lks
 Black walnut 3 N 12¹/₂° W 28 "

E { 39 Poles 18³/₄ lks east of "D"
 Black walnut 6 N 75° E 83¹/₂ lks
 Black walnut 5 N 78° E 34¹/₂ "

F { 31 Poles 3¹/₄ lks west of E 1/2 on p.
 Black walnut 7 S 32° E 10 lks
 Elm 3 S 15° E 40 "

G { 48¹/₂ Poles east of center
 Red oak 2 S 35° W 22¹/₄ lks H
 Birch 12 S 7° E 81 "

This corner is 6 Poles east of its proper
 place in order to get it out of the creek
 4 lks N 32° W 6 1/2 18 S 28° W 8 1/2 lks

During the above survey the following persons
 were sworn as chainmen Wm R. Cagle
 Andrew J. Cagle, and Wilson Clark
 Thomas B. Blackwell was sworn as flagman
 The Survey was done by consent
 of parties

I { 52 Poles South of "D"
 Birch 24 N 86° W 13³/₄ lks
 Birch 3 S 82° W 16 "

N H. Baskirk.
 M. L. S.

October the 26 & 27th 1881

Ran the following lines and established the following corners in section 19 T 4 R 9 E commenced in the meridian line at a point 84 Poles 16th north of the S.W. corner of said section Ran S 44° E to S.W. corner reestablished corner planting stone to old witness trees (S.W. cor of sec 30) Thence N 87° E 88 Poles 16th to corner heretofore established Thence N 44° W 152 Poles 15th to corner heretofore established connected back and established corner 88 Poles 6th north of corner at half distance between S 1/2 on p and S.W. sec cor This corner is 11 Poles 7 1/2th north of the center between the corners heretofore established being the N.E. corner of the lands set off as the dower of Susan C. Leiscoe witness water buck 3 x 40° W 5th lks. Red oak 4. S 35° E 14th lks. Buck 4 S 10° W 18 1/2th lks. Also established the S.E. corner of Section 22 T 4 R 9 E witness Sugar 12 N 5° E 28th lks Sugar 15 S 29° E 28th lks
 Wm H. Smith } Chainman
 John Leiscoe }
 Wm H. Smith } Sworn
 John Leiscoe } Plagman sworn

The above survey was done by consent of parties interested

N. H. Buskirk M. C. S.


Oct the 31st 1881

Surveyed in section 28 T 9 R 9 E and established the following corners. Commenced at the S.W. corner of the N.W. 1/4 of the N.W. 1/4 at corner heretofore established made new witness trees Red oak 5 N 11° E 1st lks Red oak 6 S 34° E 28th lks Thence N 86° E 8 Poles and established corner witness S.E. corner pillar of school house N 87 1/2° W 57th lks Red oak 18 S 53 1/2° E 43 1/2th lks Thence N 4 1/2° W 5 Poles and established corner witness Red oak 6 S 59° W 101th lks. N.E. pillar of school house S 37 1/2° W 95th lks Thence S 86° W 8 Poles and established corner witness Beech 11 S 11° W 9 1/2th lks Red oak 10 N 62° E 21st lks Thence South 1/2 E 8 Poles to the beginning containing one fourth of an acre. The above was done by order of Wm H. Salzman Director of School dist no 4 Benton Township Monroe County Ind for school house lot

Wm H. Salzman } Chainman
 Gasper D. Myers }
 James Salzman } Plagman

N. H. Buskirk
 M. C. S.

Section 11 T. 7 R. 1. E

Nov the 12th 1881

Surveyed in Section
11 T. 7 R. 1. E and established
corners on per plat, letters
and field notes below
commencing at the S W
corner at 1 o'clock P. M.
Nov the 14th and continuing
until completion Nov the 14th 1881

A { Half distance between NW 1/4 on p. 2 center
Hickory 15 N 6° E 90 lks
Hickory 15 N 62° W 10 1/4 "

B { Center of NW 1/4 gr
Beech 18 S 78° W 33 lks
Beech 10 S 74° W 32 "

C { 20 Poles east of center of Section
Beech 30 N 29° W 1 1/2 lks
Logwood 3 S 69° E 10 "

D { 20 Poles east of cor at half dist between center & S 1/2 on p.
White oak 24 S 32° W 21 lks
Hickory 4 N 9° E 13 "

E { Center of S W 1/4 gr
Red oak 12 S 74° 20 1/4 lks
Hickory 3 N 3 1/2° W 1 lks

F { 40 Poles north of F
Beech 18 N 72° W 12 lks
Beech 12 N 7° E 11 1/4 "

G { Half dist between NW 1/4 on p. 2 center
Beech 8 S 69° E 24 lks
Elm 12 N 65° W 1 lks

The above survey was done in
compliance with the accompanying
notice which was published in
the "Saturday Courier" a weekly
newspaper published at Bloomington
Ind. for three weeks successively before
the commencement of the survey
during the survey the following
persons were sworn as chairman
David Hays, Joe Hanson, John Patton,
Chris Beckward sworn as flagman

Notice of Survey.


Notice is hereby given to all non-residents and all others interested that I will proceed, on Monday, the 14th days of Nov., 1881, together with the Surveyor of Monroe county, Ind., or his deputy, to run and establish all the lines and corners necessary to be established in section 11 township 7 north range 1 east. Meet at the south-west corner of said section at 1 o'clock p. m. on said day. You are requested to be present at said time and place, else the survey will proceed in your absence.

JOHN ELKINS.

October 25th 1881.

M. B. Sustick
M. B. Sustick

Section 19, T. 1, R. 2, W.



LC 100 21st 22nd & 23rd 1881
 Surveyed in Section
 19, T. 1, R. 2, W. and
 established corners as
 per plat letters and
 field notes below

N W Section corner
 A { Beech 20 N 51° W 61½ lks
 Beech 24 S 75° W 76 "

B { W ½ m p
 Sugar 18 N 61° E 91½ lks
 Beech 24 N 84½° E 89 "

C { E ½ m p
 Sugar 18 S 56½° W 109½ lks
 White oak 40 S 73½° W 118½ "

D { N ½ m p
 Beech 18 S 84° W 9 lks

E { S ½ m p
 Wild cherry 8 N 33° E 78 lks
 Black walnut - N 42° E 76 lks

F { S W Section corner
 Sugar 18 S 69° E 20 lks
 Black walnut 6 N 12° W 88½ "

G { 93 Poles 3¼ lks north of S W corner
 Beech 20 S 12° E 25½ lks

H { 36 Poles South of W ½ m p
 Sugar 3 N 31½° W 208½ lks Apple Tree 1224 W 208 "

I { 41½ Poles east of W ½ m p
 Black walnut 18 S 46½° E 31½ lks

J { 18 Poles north of center between N ½ m p & center
 White walnut 8 S 57° W 28½ lks

K { 39 Poles 20 lks east of N ½ m p
 Black walnut 8 S 60° W 26 lks

L { N E Section corner
 maple 18
 Beech 20 S 50° E 40½ lks

M { Half dist between N E corner & E ½ m p
 White oak 30 S 25° E 62½ lks
 Sugar 15 S 45° W 17 lks

N { Half dist between E ½ m p & center
 Beech 24 S 4° W 45 lks
 Black walnut 8 S 65° E 34½ "

O { S E Section corner
 Sugar 24 N 36° E 18½ lks Black walnut 6 N 58½° W 42 lks

During the above survey the following persons were sworn
 as chainmen Mike Kirk, Frank Carmichael, Ira Graves, and
 Mrs. Oliphant. Planner S W Cunningham sworn
 before me as clerk of the court on the 21st day of May 1881
 in presence of the above named persons and the jury which
 was then and there sworn.

+ Nov. the 24th & 25th 1881

Ran the following lines and established the following corners in Section 30 T 7 R 18 for H. B. Duncan & Jerry Patman. Commenced at S.E. corner of said section (Established heretofore) ran S 87° W 331 Poles 20 lks. Established S.W. section corner witness poplar 24 N 77° E 152 lks. Beech 10 S 68° W 132 lks. dist. Established corner at half distance between S.W. on p. and S.W. corner witness Beech 35 S 85½° E 18 lks. gum 2. N 70° W 14½ lks. Established S.E. on p. witness Beech 12 S 38½° W 26½ lks. B. oak 15 N 32° E 33½ lks. Then commenced again at the S.E. corner ran N 35½° W 163 Poles^{7th} ran west of corner 23 lks. Established corner at half distance between S.E. on p. and S.E. corner witness red oak 15 N 13° W 24 lks. poplar 15 N 4½° W 90 lks.

Edward Sheppard & Chairman } John S. Chambers } flagman sworn
James R. Kelly } Sworn }

N. H. Baskirk M. C. S.

+ November the 30th 1881

Surveyed the following lines and established the following corners in Section 43rd T 7 R 1 W for John S. Chambers Milton Edward and others. Commenced at the Eastern ½ on p. of said Section ran S 86¼° W 327 Poles 21 lks. ran north of corner 57 lks. corrected back and established corner at half distance between S.E. on p. and center of section witness Elm 40. (west) 25 lks. Elm 2. N 4° W - lks. Ran thence N 2° W 160 poles to Section line and drove stakes.


Edward Sheppard & Chairman
Frank Christensen } Sworn

John S. Chambers } Sworn as flagman

The above Survey was made by order of John S. Chambers as agent for Kinkel Lion & Co.

N. H. Baskirk M. C. S.

Section 31, T. 7, R. 1, E



December 1st, 2nd & 3rd 1881
 Surveyed on Section
 31 T 7 R 1 E and established
 corners as per plat, letters
 and field notes accompanying

S. E. section corner
 A { Black oak 7 S 44° E 20 1/2 lks
 — — — N 82° W 29 "

160 Poles west of S. E. corner
 B { gum 9 S 64° E 35 lks
 Red oak 4 N 88° W 77 lks

Half distance between W 1/2 on p. & W cor
 C { Beech 18 N 64° W 23 1/2 lks
 Beech 10 N 89 1/2° W 14 3/4 lks

Center of Section
 D { Black walnut 8 N 7° W 129 1/2 lks
 Limestone planted S 37° E 41 1/4 lks

Half distance between E 1/2 on p. & center
 F { Sassafras 4 S 12° E 6 1/2 lks
 Chestnut 12 S 12° W 53 1/2 lks

Center of N W qtr
 H { Hickory 3 S 60° W 14 1/2 lks
 White walnut 8 S 40° E 16 lks

Half distance between N 1/2 on p. & center
 G { Hickory 3 corner tree marked with 4 notches
 Hickory 12 S 3 1/2° E 23; Beech 8 N 64° W 17 lks

Half dist between E 1/2 on p. & S. E. corner
 II { Beech 8 S 62° E 16 lks
 Beech 10 S 18° W 49 1/2 lks

Half distance between S. cor. & S. W. cor
 I { Beech 6 S 27° W 17 lks
 Beech 10 S 84° E 38 lks

Half dist between S 1/2 on p. & center
 J { Red oak 3 S 10° W 21 lks
 White oak 10 S 27° E 23 1/2 lks

Center of S. E. qtr
 K { Red oak 12 East 1/2 lks
 Hickory 5 S 20° W 7 lks

80 Poles west of S. E. corner
 L { Chestnut 13 S 3° E 40 1/2 lks
 Red oak 2 N 84° E 16 lks

Center of S W qtr
 M { White oak 8 N 75° W 14 lks
 Black walnut 2 N 31° W 18

Length of line E of center 160 P 6 lks
 " " " " " " 164 " 5 " "
 " " " " " " 159 " 9 1/4 "
 " " " " " " 159 " 6 3/4 "

The above survey was made by the consent and

X December the 13th 1881

Ran the following lines and established the following corners in Section 31, T. 9, R. 1, E. for James Allen and others commenced at the S.E. Section corner heretofore established and ran S 86° W to the S.W. Section corner. Established corner (A) at half distance between S.W. corner and S ½ on p. witness Red oak 18 inches in diameter N 49° W 25 lks White walnut 10 inches in diameter S 41° E 29 lks distant Then commenced at S ½ on p. Ran N 23° 8 Poles 5 ½ lks to corner heretofore established, corrected back established corner (B) at center of Section witness Birch 24 inches in diameter N 12° E 36 lks Maple 2 S 41° E 7 ½ lks distant Thence S 86° W 81 Poles 7 lks to corner heretofore established Thence S 4 ½ E 159 Poles 21 ½ lks to (A) corrected back and established corner at average distance for the center of the S.W. qr (C) witness Red oak 24 inches in diameter N 30° E 56 lks distant Hickory 2 inches in diameter N 48° W 14 lks distant Established corner at half distance between center and S ½ on p. (D) witness Gum 15 N 35° E 11 lks distant gum 12 N 34° E 23 lks distant

Henderson Skirvin (chairman) Scott Harris (chain flagman) sworn
Ben Skirvin (sworn)

M. H. Baskirk M. C. C.

December the 28th 1881

Ran the following lines and established the following corners in Section 31 T. 8 R. 1 W. for George Stiff and Jonathan May they being present and consenting to the survey commenced at the W ½ on p. heretofore established Ran S 4 ½ E 30 Poles 14 ½ lks and established corner witnessed by stone planted S 4 ½ W 53 lks distant Stone planted N 89 ½ E 13 lks distant Thence N 86° E 110 Poles to the center of Clear creek, and established corner (this corner is 4 Poles west of its proper place in order to get it out of the way of the creek) witness Birch 24 inches in diameter N 46° E 24 lks distant Birch 15 inches in diameter S 37° E 41 lks distant

Elbert Runyan (chairman)
Thomas Vix (sworn)

Lewis A. May flagman

M. H. Baskirk
M. C. C.

January the 7th 1882

This is to certify that I have this day appointed George B. Rader my true and lawful deputy and all surveys made by him will be as legal as if done by myself

M. H. Burkirk M. C. S.

Bloomington Ind Jan The 7th 1882

I George B. Rader do solemnly swear that I will support the constitution of the United States and also the constitution of the State of Ind and that I will faithfully perform the duties of deputy Surveyor of Monroe County Ind according to law to the best of my knowledge and ability So help me God


George B. Rader

Subscribed and sworn to before me this the 7th day of January 1882

M. H. Burkirk M. C. S.

X

Section 16 T 10 R 4 W



January the 10th 11th & 13th 1882
Surveyed in Section 16 T 10 R 4 W. and established corners as per plat and field notes below

A { Halfway between E & on p. & N E corner
Black Oak 4 in S 19° E 26 1/2 lbs
W. Oak 2 1/2 in N 25° W 80 1/2 "

B { Half dist between N & on p. & center
Set Stone to old witness trees

C { center of N E cor
Set Stone to old witness trees

D { N 1/2 on p.
White Oak 4 N 45° W 24 lbs
" " 3 S 88° W 19 1/2

E { Half distance between N & on p. & N E cor
Water Oak 5 in S 9° W 29 lbs
Beech 12 in N 5° E 11 "

During the survey the following parties were sworn as chainmen. Barnabus Tonguet, Levi J. Collier, Henry Collier,


The following were sworn as flagmen Wm. V. Lenny, John T. Robinson,

The above survey was done in compliance with the following notice which was published in the Saturday Courier a weekly newspaper published in Bloomington Ind for three consecutive weeks before the commencement of said survey

Notice of Survey.
Notice is hereby given to all land non-residents, and all others interested, that I will proceed on Tuesday, the 10th day of January 1882, together with the county surveyors of Monroe county, Ind., or his deputy, to run and establish all the lines and corners necessary to be established in sec 16 tp 10 r 1 w. Meet at the blacksmith shop at 1 o'clock p. m. on said day, and continue from day to day until completed. Be present at said time and place or the survey will proceed in your absence.
J. T. ROBINSON.
Dec. 10, 1881.

George B. Rader
Depty Sur of Mc Co

Sec 16 T 9 R 1 W



February 6th 1882
Surveyed in Section 16
Town 9 Range 1 West
and established corners
as per plat and field
notes accompanying

A { Center of N.E. cor
Apple tree 12 in S 85° W 14 lks
Apple tree 6 in N 47° W 88 1/2 "

B { Halfway between N 1/2 on p. & N.E. cor.
Buck 8 in N 47° E 39 lks
" 10 " S 21° E 41 "

C { Half distance between E 1/2 on p. & N.E. corner
White Elm 6 in S 16 1/2° W 36 1/2 lks

The above Survey was made in compliance with the accompanying notice which was published in the Republican Progress a weekly newspaper published in Bloomington Ind for three consecutive weeks before the commencement of the Survey

James C. Ramage Chairman sworn
George J. Wilford
George W. Lenny Flagmen sworn

Notice of Survey.
NOTICE is hereby given to all non-residents, and all others interested, that I will proceed on
MONDAY, February 6th, 1882,
together with the county surveyor or his deputy, to determine all the lines and corners necessary to establish boundaries of the northwest quarter of the southeast quarter and the southeast quarter of the northeast quarter, all in section 11, town 9, range 1 west. Be present at said time and place or the survey will proceed in your absence.
Jan. 18-82. MARY C. A. BUSKIRK

George B. Rader
Depty Sur. Mc Co

Section 21 T 10 R 1 E

X Jan the 12th 1882

Commenced
a survey in compliance with a
notice served upon the parties
interested by Wm H. Hapf
a freeholder in said town
Then adjourned until Jan
18th when we commenced
again and finished Jan 21st
Established corners as per plat &
field notes below

A { Half dist between center & N $\frac{1}{2}$ on pr
Beech 14 S 70° W 76 lks
Black walnut 7 S 57° E 67

B { S $\frac{1}{2}$ on pr
Beech 26 S 24° W 92 lks
Beech 24 N 31° E 93 "

C { Half dist between center & S $\frac{1}{2}$ on pr
Black walnut 12 S 25° E 77 lks
Stone west 22 lks

{ Half distance between S $\frac{1}{2}$ on pr & S.E. cor.
Sugar 14 S 20° E 30 $\frac{1}{2}$ lks
Sugar 16 N 41° W 10 lks

H { E $\frac{1}{2}$ on pr
Stone North 54° 30 lks
Stone S 70° E 28 "

The following notice was served
upon the parties interested 10 days
before commencing the survey and
returned to me

Notice is hereby given to George W. Stout, Nancy D. Gallagher,
John McAdams, Samuel Clendenin, Charles Clendenin, &
Wm H. Mattingly that I will proceed together with the
County Surveyor of Monroe County Ind. or his deputy on
Thursday the 12th day of Jan 1882 To run and establish
all the lines and corners necessary to be established in Sec
21 Town 10 Range 1 west meet at the N.E. corner of said
Section at 9 o'clock A.M. on said day, be present at said
time and place else the survey will proceed in your absence
This the 14th day of Dec 1881

John McAdams } Chairman
Wm H. Mattingly } Sworn

William H. Hapf } Flagonian
Sworn

William H. Hapf

George R. Rader
Sgt. S. M. C.

Section 16 T 10 R 1 W



Jan 10th to 13th 1882
 Surveyed in Section 16 Town
 10 R. 1 W. and established
 corners as per plat and
 field notes below

D { Half distance between N E
 corner and E $\frac{1}{2}$ m. p.
 Black Ash 4 in S 19° E 26 $\frac{1}{2}$ lbs
 (Reestablished)

R & S { R & S perpetuated by placing
 Stones to old witnesses trees

U { Northern $\frac{1}{2}$ m. p.
 White oak 4 N 45° W 24 lbs
 White oak 3 S 83° W 19 $\frac{1}{2}$ "

V { Half dist between N E cor. and N $\frac{1}{2}$ m. p.
 Water oak 5 in S 9° W 29 lbs
 Birch 15' N 50° E 11 "


The above Survey was made in
 accordance with the accompanying notice
 which was published in the "Saturday Courier"
 a weekly newspaper published in Bloomington
 Ind for three weeks successively before
 the commencement of said survey

Notice of Survey.
 Notice is hereby given to all non-
 residents, and all others interested,
 that I will proceed on Tuesday the
 10th day of January 1882, together
 with the county surveyors of Monroe
 county, Ind., or his deputy, to run
 and establish all the lines and
 corners necessary to be established in
 sec 16 tp 10 r 1 w. Meet at the black-
 smith shop at 1 o'clock p. m. on said
 day and continue from day to day
 until completed. Be present at said
 time and place or the survey will
 proceed in your absence.
 J. T. ROBINSON.
 Dec. 10, 1881.

During the Survey Cornelius Tonguet,
 Levi J. Collier, & Henry Collier were sworn as chainmen
 and Wm W. Denny, & John T. Robinson sworn as flagmen

George B. Rader Sept 10, 1881

Section 14 of 10 R 4 S 10



Half dist between NW cor & NW cor
 A { Birch 18 S 74° E 21 lks
 Birch 20 N 86° E 24 1/2 lks

Halfway between NW cor & center
 C { Black walnut 10 S 74° W 13 lks
 Black walnut 2 S 72° E 7 1/2 lks

Thomas J. Brown Chairman
 Ezechiel Brown Secy

Malachuk Hollier flagman sworn

Feb 14th 1882

James J. Thomas & George B. Rader, John W. Rader, and Malachuk Hollier the parties interested and ask that enough of Section 14 Town 10 R 4 S 10 be run to establish the corners listed at B & C & D. Whereupon said survey was commenced on said 14th day of Feb 1882 and completed on the 14th of Feb 1882.


Center of NW cor
 B { Sugar 2 in N 35° E 24 lks
 Sugar 5 S 25° E 37 "

Center of SE cor
 D { Sugar 20 N 22° W 76 1/2 lks
 Birch 4 N 32° E 74 "

George B. Rader

Deft S. M. R.

Section 14 of 7 R 4 S 10



March 18th 1882
 Surveyed in Section 14 T 7 R 4 S 10 and established corners as per plat and field notes accompanying

Eastern 1/2 on pr
 A { Oak 18 S 7° W 13 lks
 Red oak 18 S 48° E 26 1/2 lks

Northern 1/2 on pr
 B { Elm 18 N 76° E 21 lks
 Elm 7 N 65° W 15 lks

Southern 1/2 on pr maple 20 S 2° W 16 lks Birch 15 N 44° W 20 1/2 lks

- D { Center of Section
 White oak 18 S 88° W 94 lks
 White oak 20 N 88° E 63 lks
- E { Halfway between center and W ½ on pr
 Black walnut 4 N 73° W 82 lks
 White walnut 6 S 14° W 17 ½ "
- F { Center of S W qr
 Black walnut 6 N 88° E 94 ½ lks
 Black walnut 8 S 83° W 343 lks
- G { Halfway between N ½ on pr & N W cor
 Red oak 6 S 43° E 23 ½ lks
 Gum 16 S 73° W 44 ½ "
- H { Halfway between center & S ½ on pr
 W oak 36 N 88° W 22 ½ lks
 Red oak 6 S 23° W 9 "
- I { 40 Poles 3 ¾ lks north of S ½ on pr
 Water Beech 32 N 69° W 7 lks
 White oak 4 S 42° E 9 ½ "
- J { Halfway between (I) and east Section line
 White oak 3 S 64° W 47 lks
 Red oak 6 N 75° W 92 "
- | Length of line west of center | 157 Poles | 15 lks |
|-------------------------------|-----------|--------|
| " " " East " " | 158 " | 14 " |
| " " " North " " | 161 " | 6 " |
| " " " South " " | 160 " | 15 " |

during the above Survey the following parties were sworn as chainmen John Patton, Chas Hays, J McVarnan, John M Barron, George R Seabolt, and the following were sworn as flagmen, Lewis Hays, John Seabolt, Stephen Kellenburg.

The above Survey was made in compliance with the accompanying notice published in the "Saturday Courier" a weekly newspaper published in Bloomington Ind for three weeks successively before the commencement of Survey

Notice of Survey.
 Notice is hereby given to all non residents and all others interested that I will proceed, together with the County Surveyor of Monroe county, Ind., or his deputy, on Monday the 13th day of March, 1882, to run and establish all the lines and corners necessary to be established in section 14 17 etc. Meet at the residence of John Patton at 1 o'clock of said day. You are requested to be present at said time and place else the survey will proceed in your absence.
 S. C. HAYES
 Feb. 11, 1882.

M. H. Buckirk M. C. S.

March 16th & 17th 1882. Ran the following lines and established the following corners in Section 19 T 7. R 4 E. Commenced at corner heretofore established at the center of the N E qr Ran S 88° E 230 Poles 20 lks to corner heretofore established corrected back and established corner the center of the S E qr witness { White oak 10 N 48° W 92 lks
 White oak 12 S 28° E 20 " Established corner at half distance between the center of the section and the E ½ on pr.
 White oak 12 S 84° E 39 lks
 Red oak 6 N 30° E 42 " Established corner 24 Poles South of the center of the S E qr witness { maple 8 S 61° W 2 ½ lks
 maple 4 S 53° E 17 " Established corner 24 Poles South of halfway point between center and S ½ on pr witness { White walnut 12 S 88° W 195 lks
 Red oak 6 N 82° E 143 "

Done by consent of parties interested
 Mission Eads { chainmen
 James Hallinghouse { sworn
 Joseph Emilton flagman sworn

M. H. Buckirk M. C. S.

Section 26 T 8 R 1 W



X March the 6th 1882
 Surveyed in Section
 26 T 8 R 1 W in
 compliance with the
 accompanying notice
 and established corners
 as per plat and field
 note accompanying

A { E 1/2 on p. made new witnesses
 Beech 12 N 16° E 11 1/2 lks
 W. oak 24 N 21° W 18 lks

B { Half distance bet E 1/2 on p. & N. E. cor
 Beech 14 N 25° W 18 lks
 Beech 12 S 10° E 40 "

C { Center of Section
 Beech 15 S 9° E 25 lks
 Poplar - S 74° W 24 1/2 "

D { Halfway bet E 1/2 on p. & center (reestablished)
 Hickory 14 N 83 1/2° E 78 1/2 lks
 Sawice Oak 6 N 4° E 22 "

Notice of Survey

Bloomington Ind February the 20th 1882 Notice is hereby given
 to S. S. Hall, Thomas Seiser Joseph D. Hensley, Hefley & Greenwood
 Peter B. Seiser Marsh Duncan Joseph Hensley and all others
 interested that we will proceed together with the County
 Surveyor of Monroe County Ind or his Deputy on March
 the 6th 1882 to run and establish all the lines and corners
 necessary to be established in Sections 25 & 26 T 8 R 1 W
 meet at the residence of Wm Greenwood at 10 o'clock A.M.
 on said day you are requested to be present at said time
 and place else the Survey will proceed in your absence

Wm W. Hall }
 Wm Hefley } Chainmen
 George M. Seiser } Sworn

John Slipp & George M. Seiser

Wm Greenwood, flagman sworn
 By common consent the Survey of 26 was postponed after the
 notices were served.


W. W. Baskin
 M. C. S.

X March 21st 1882. Ran the following lines and established the following corners in Section 1 T. 8. R. 1. W. Commenced at corner heretofore established in the center of said Section Ran S 4° E To the Section line Established corner at half distance between center and $\frac{1}{2}$ on p. witness Beech 15' S 1° E 55' lks Beech 12' N 75° W 54' lks Established corner at half distance between $\frac{1}{2}$ on p. and S. E. Section corner witness Hickory 15' N 7° W 68' lks.

The above survey was made by the consent of the parties interested

David Guttimer } Chairman
W. W. Parke } Sworn
Jacob Patton flagman sworn

M. H. Baskirk
M. C. S.



X
April 4th to 8th 1882
Surveyed in Section 5
T 10 R 1 E and established
corners as per plat and
field notes below

- A { Half dist bet $\frac{1}{2}$ on p. and E. corner
Hickory 30 S 20° E 15 1/4 lks
Hickory 10 N 6 1/2° W 35 1/4 "
- B { $\frac{1}{2}$ on post
Hickory 18 N 82° W 22 1/4 lks
Hickory 13 N 88° W 61 "

C { 80 Poles north of $\frac{1}{2}$ on p.
Hickory 12 S 2° E 23 1/4 lks
Hickory 24 S 27 1/2° E 16 1/2 lks

D { made new witness at 80 Poles west of "G" for sec 6
Sugar 20 S 43 1/2° W 12 lks
Beech 30 S 81° E 56 1/2 "

E { 1 1/2 mile post
Red oak 12 S 84 1/2° E 2 1/4 lks
Red oak 8 S 47 1/2° E 8 1/4 "

F { S. W. Section corner
Red oak 6 S 89° W 66 lks
Beech 12 N 90° E 111 lks

G { N. W. Section corner
White oak 15 N 74° E 35 1/2 lks
Hickory 20 S 50° E 6 1/2 "

H { Western 1/2 mile post
Sycamore 6 S 29° W 39 lks
Elm 6 S 88° W 36 1/2 lks
Sycamore 12 N 25° W 124 lks

- X { 80 Poles north of W 1/2 on p. & center
 I { Black walnut 3 S 3° E 61 1/2 lks
 Black walnut 7 S 2 1/2° E 108 "
- J { Center of N W 1/4 gr
 Wild cherry 4 N 24° W 113 lks
 Poplar 4 S 21° W 68 1/2 "
- K { Half dist bet N 1/2 on p. & center
 White oak 6 S 16° W 129 1/2 lks
 Birch 14 S 30° E 164 1/2 "
- L { Center of N E 1/4 gr
 White oak 2 1/2 S 60° W 12 1/2 lks
 Red oak 3 N 32° W 29 1/2 "
- M { Half dist between E 1/2 on p. & center
 Red oak 10 N 4 1/2° E 66 1/2 lks
 Red oak 10 N 52° W 7 1/2 "
- N { Half dist bet W 1/2 on p. & center
 Birch 18 N 11° W 15 1/2 lks
 Birch 10 N 40° E 17 "

During the above survey the following persons were sworn as chainmen
 James M. Hoffman, Jonathan J. Hacker, L. L. Hackers, M. E. Hackers,
 And as flagmen Andrew W. Hacker & James M. Hoffman.


The above survey was made in
 compliance with the accompanying
 notice which was published in the
 "Republican Progress" a weekly
 newspaper published in
 Bloomington Ind for three
 successive weeks before the commencement
 of said survey But the 3d being
 the day of the April election
 by consent of parties interested
 the survey was not commenced
 until the 4th

Hacker Survey.

NOTICE is hereby given to all non-residents and all others interested that I will proceed together with the County Surveyor of Monroe county, Indiana, on Monday, the 3d day of April, 1882, to run and establish all the lines and corners necessary to be established in section 2, town 10, range 1 east, commencing at 1 o'clock P. M. of said day at the residence of S. Hacker. You are requested to be present at said time and place else the survey will proceed in your absence. This the 5th day of March, 1882.

S. HACKER

M. H. Buckirk & Co. M. C. S.



Survey of sections 23 & 24 T 10 R 1 W. (See plat on page 362)

A } Center of S. E. cor of Sec 23
White oak 4. S 90° W 27½ lks
White oak 1½ S 12° W 30½ lks
B } 20 Poles 65¾ lks South of center of N E cor 23
White oak 2½ S 35° E 33 lks
Black oak 10 S 76° W 17½ lks

C } Halfway bet W½ m p & center of 24
White oak 2 S 72° W 14½ lks
Black oak 4 S 61° E 34½ lks
D } Center of S W cor of 24
White walnut 4 N 3° E 21 lks
Black oak 3 N 74° W 19 lks

E } Halfway bet W½ m p. and S W cor 24
Black oak 3 N 71° W 13 lks
Black oak 4 N 64° E 33 lks
F } Center of N W cor 24
White oak 13 N 68° W 3¼ lks
White oak 11 S 44° E 27 lks

G } Halfway bet N W cor & N½ m p of 24
Black 13 N 83° E 41¾ lks
Black oak 8. South 21 lks

The above survey was made in compliance with the annexed notice which was published in the Saturday Courier a weekly newspaper published in Bloomington Indiana. Survey commenced on the 30 day of April and completed on the 20th day of April 1882.

George W Taylor
James Wilson
John Smith
James Bennett
Wm P Hacker
Joseph M Robison
Wiley Robison
Wm A Taylor
A J Robison
Marion Taylor

C. D. Gray
Wm H Bastin
A J Robison
Wm P Hacker

Surveyors
Sworn

NOTICE OF SURVEY.

Notice is hereby given to all non-residents, and all others interested, that I will proceed together with the County Surveyor of Monroe county, Indiana, or his deputy, on

MONDAY, April 30, 1882,


to run and establish all the lines and corners necessary to be established in sections 23 and 24, town 10, range 1 west. Meet at the residence of Wm. P. Hacker at 10 o'clock on said day. You are requested to be present at said time and place or said survey will proceed in your absence.

Mar 11-82

Wm. P. HACKER.

George B. Rader
Deputy S. M. C.

Sec 17 T 10. R. 1 W



April the 10th 11th 12th 13th 14th
 Surveyed in Section
 17 T 10. R. 1 W and
 established corners as
 per plat and field
 notes below

A { Halfway bet N $\frac{1}{2}$ on p & N E cor
 Wild cherry 18 N 16° E 54 $\frac{1}{2}$ lbs
 Sycamore 10 S 81° W 3

B { Halfway bet N $\frac{1}{2}$ on p & N W cor
 Black oak 13 N 13° W 91 lbs
 Wild cherry 14 N 63° W 15

C { S W. Section corner
 Black walnut 24 S 12° W 68 lbs
 Limestone N 62° E 30 $\frac{1}{2}$

D { Southern $\frac{1}{2}$ on p
 Eastern $\frac{1}{2}$ on p
 Sugar 11 S 62° W 68 $\frac{1}{2}$ lbs
 Elm 6 N 11° E 31 $\frac{1}{2}$

E { Eastern $\frac{1}{2}$ on p
 Wild cherry 7 N 87° E 14 lbs
 Forked Sugar 3 S 45° W 12 $\frac{1}{2}$

F { Southern $\frac{1}{2}$ on p
 Hickory 10 S 41° E 23 lbs
 Hickory 4 N 63° E 27 $\frac{1}{2}$

G { Halfway bet W $\frac{1}{2}$ on p and center
 Beech 6 N 26° E 8 $\frac{1}{2}$ lbs
 Beech 15 S 63° E 39

H { Center of section
 Beech 4 N 7° E 45 lbs
 Elm 21 S 35° E 44

I { Halfway between center & C $\frac{1}{2}$ on p
 Black walnut 10 S 26° E 12 $\frac{1}{2}$ lbs
 Black walnut $\frac{1}{2}$ N 1° E 29

J { Halfway between S $\frac{1}{2}$ on p & S E corner
 Beech 13 S 27° W 21 $\frac{1}{2}$ lbs
 Beech - S 3° E 23 $\frac{1}{2}$

K { Center of N E section corner
 Water oak 1 $\frac{1}{2}$ West 14 lbs
 Hickory 9 S 6° W 40

L { Halfway between N $\frac{1}{2}$ on p & center
 White walnut 9 S 24° E 6 lbs
 Hickory 6 N 63° W 25

M { Halfway between W $\frac{1}{2}$ on p & N W cor
 Water oak 5 S 26° E 6 $\frac{1}{2}$ lbs
 Beech 3 N 72° E 8 $\frac{1}{2}$

Center of N W gr
 White oak 12 N 35° E 34 lbs
 Onulberry 10 N 84° W 47 $\frac{1}{2}$

The above survey was made in compliance with the
 following notice served upon the parties 10 days
 previous to the commencement of the survey

X. Notice of Survey


Notice is hereby given to Micajah Collier, Levi Hartman, George W. Brown, Levi Collier, Samantha Tongate, Sarah Collier and all others interested that I will proceed together with the County Surveyor of Monroe County, Ind or his deputy on Monday the 10th day of April 1882 to run and establish all the lines and corners necessary to be established in Section 4 T 10 R 1 W commencing at the S W cor at 1 o'clock P. M. of said day you are requested to be present at said time and place else the Survey will proceed in your absence

This March the 24th 1882

Joel T Brown

Wm H Fry } Chairman
John W Shelburn } Sworn
Levi T Burch. flagman sworn

J. B. Rader
Supt S. M. C.



April 25th to 27th 1882
Surveyed in Section 4 T 10 R 1 W and established corners as per plat and field notes accompanying.

W 1/2 on p
A { Red Oak 1 1/2 S 26° W 18 lks
Hickory 3 S 59° E 11 1/4 "

E 1/2 on p
B { Red Oak 9 N 53° E 53 1/2 lks
Red Oak 10 S 32° W 48 "

C { N. E. Section corner
Box elder 2 S 83° E 75 lks
White Oak 4 N 81 1/2° W 64 "

D { Center of section
White Oak 15 S 77° W 48 lks
Black walnut 12 N 65° E 37 "

F { Half dist bet N 1/2 on p & center
Red Oak 8 S 13° E 13
Red oak 4 S 30° E 25

E { N 1/2 on p
Beech 14 S 27° W 16 lks
Sugar 2 S 72° W 10 1/2 "

- X } Halfway bet W & on p. & N W cor.
 G } Black walnut 9 N 57° W 39½ lks H } Center of N W cor
 Sugar 8 S 10° E 331 lks } Birch 7 N 25° E 51 lks
 Hickory 7 N 88½ E 13½ "
- I } Halfway bet center & S ½ on p.
 Red oak 4 N 77° E 55 lks J } Halfway bet E & on p. & S E cor
 Red oak 4 S 26 W 31 " } Birch 9 N 6° W 8 lks
 Black oak 2½ South 24½ "

The above Survey was made in compliance with the accompanying notice which was published in the "Saturday Courier" a weekly newspaper published in Bloomington and for three successive weeks previous to the commencement of said Survey

J. V. Perkins }
 Jeremiah Collier } chainmen
 Hyariah Denny } sworn

Abraham O. Canady } flagman sworn

NOTICE OF SURVEY.
 Notice is hereby given to all non-residents, and all others interested, that I will proceed together with the County Surveyor of Monroe county, Indiana, or his deputy, on
 TUESDAY, APRIL 25, 1882
 to run and establish all the lines and corners necessary to be established in section 4, town 10, range 1, west. Meet at residence of Absalom Canady, at 10 o'clock a. m. on said day, or the survey will proceed in your absence.
 ABSALOM A. CANADY.
 April 7, 1882.

George B. Rader
 Deputy Co. C. S.

X April 27th 1882

Run the following lines and established the following corners in section 5 T 10 R 4 W Commenced at corner heretofore established at the S W corner ran N 86° E 41 Poles and established corner witness Sassafras 2 S 42° E 8 lks Sassafras 2 S 65° E 13 lks Thence N 7° W 93 Poles 7 lks and established corner witness Red oak 16 S 26° E 16½ lks Black walnut 10 S 61° W 91 lks

The above Survey was made in compliance with the following Notice

Notice is hereby given that I will proceed together with the County Surveyor of Monroe County Ind or his deputy on Thursday April the 27th 1882 to run and establish all the lines and corners necessary to be established in section 5 T 10 N of R 4 W meet at Blacksmith shop of P. P. you are requested to be present at said time and place else the Survey will proceed in your absence.

John Myers } chainmen
 John Roader } sworn
 Daniel Sobbe } flagman

Peter Linsinger

Also made new witness at corner ½ on p. of section 5
 Poplar 2 N 12° E 74 lks Black walnut 10 S 61° W 91 lks


Mr. May & Sons
 The printer
 in Illinois, at
 April 1, 1882
 Several times
 beer was spilled
 by the over
 R. W. Smith
 Iowa, was also
 early Saturday
 from Brook
 years jumped
 Monday, at C
 dead.
 In the House
 passed, within a

April 28th 1882.

Ran the following lines and established the following corners in Section 28 T 10 R 2 W. Commenced at the N W corner of the S W qr of the South E. qr and ran S $4\frac{1}{2}^{\circ}$ E 16 Poles and drove a Stake Thence S $4\frac{1}{2}^{\circ}$ E 32 Poles and established corner withers wild Cherry 12 N 10° E 22 $\frac{1}{2}$ lbs Black walnut 8 N 3° W 8 $\frac{1}{2}$ lbs Thence N $85\frac{1}{2}^{\circ}$ E 30 Poles and established corner withers Birch 15 N 63° E 134 lbs Thence N $4\frac{1}{2}^{\circ}$ W 32 Poles and drove stake. The above Survey was done for Perry Bros of Ellettsville. Albert Grubb chainman P. E. Miller flagman sworn. A. W. Reeves jr sworn.

W. H. Buskirk M. C. S.

Sec. 28 T. 10. R. 2. W.



May The 15th to 18th 1882
Surveyed in Section
S. T. 10 R. 1 W. and
established corners as
per plat and field notes
below.

Halfway between W $\frac{1}{2}$ on p. & center
A } White Oak 15 S 76° E 30 lbs
Black Oak 7 S $87\frac{1}{2}^{\circ}$ W 20 $\frac{3}{8}$ "

B } Center of N W qr
Birch 10 N 43° E 36 $\frac{1}{2}$ lbs
Sugar 10 East 63 "

C } Halfway between N $\frac{1}{2}$ on p. & N. E. cor
White Oak 8 N 78° E 32 lbs
" " 3 S 21° W 16 "

D } Center of the N E qr
Black Oak 7 S 74° E 25 lbs
Ironwood 6 S 26° W 30 "

Halfway between center & E $\frac{1}{2}$ on p.
Red Oak 20 N 2° W 161 lbs
Hickory 9 N 33° W 168 "


The above Survey was made in compliance with the accompanying notice which was published in the Saturday Courier a weekly newspaper published in Bloomington Ind for three weeks previous to the commencement of Survey.

George B. Rader, Sept 14, 1882.

Notice of Survey.
Notice is hereby given to all non-residents, and all others interested, that I will proceed, together with the county surveyor of Monroe County, Indiana, or his deputy, on
MONDAY, MAY 15, 1882,
to run and establish all the line and corners necessary to be established in section 8 town 10 range 1 west. Meet at the residence of Wm. Hales at 10 o'clock a. m. on said day or the survey will proceed in your absence.

THOMAS L. GOODMAN.

Sec 3 T 10 R 1 W



May the 22nd to 23rd 1882
 Surveyed in Section
 3 T 10 R 1 W
 and established corners
 as per plat and fieldnotes
 below

Halfway bet NW 1/4 on p. & center
 A } Red Oak S 16^o E 21 lks
 Limestone S 10^o W 25 lks

B } N 1/2 on p.
 Sandstone East 25 lks
 " " S 85^o W 25 "

C } Halfway bet NW 1/4 on p. & NW cor
 Spotted Oak 17 N 67 1/2^o W 5 lks
 White Oak 11 S 72^o E 17 lks

D } Halfway between N 1/2 on p. & NW cor
 Wild Cherry 3 1/2 N 61^o W 12 1/2 lks
 Poplar 2 1/2 S 77 1/2^o E 30 "

The above Survey was made in
 compliance with the accompanying
 notice which was published in the
 "Saturday Courier" a weekly
 newspaper published in Bloomington
 Ind for three successive weeks before
 the commencement of said survey

Henry Garmen, Chas. Duncan, J. F. Link, Chas. H. Jones
 Samuel Edwards & J. F. Link, Plagman & H. Jones

Notice of Survey.
 Notice is hereby given to all non-
 residents, and all others interested
 that I will proceed, together with
 the county surveyor of Monroe coun-
 ty, or his deputy, on
 MONDAY, MAY 22, 1882,
 to run and establish all the lines and
 and corners necessary to be estab-
 lished in section 3, town 10, range 1
 west. Meet at residence of Samuel
 Edwards, at 1 o'clock p. m. of said
 day, or the survey will proceed in
 your absence.
 WILLIAM FISHER.

George B. Hader
 Supt. M. & S.

May the 3^d 1882

Commenced S 1/2 on p. of Section 27
 T 10 R 2 W made New witnesses Ash 24 S 2^o W 110 lks
 mulberry & N 87 1/2^o W 154 lks Ran Thence N 86 1/2^o E 167
 Poles 9 lks to the S W corner of section 27 T 10 R 2 W
 The above was done by the consent of parties
 Peter Ballenger & George H. Jones chainmen
 Luther Jones, Plagman


K. H. Boushick
 M. & S.

May the 27th 1892

Run the following lines and established the following corners in Section 28 T. 8 R. 1 W. Commenced at the N.E. Section corner Ran S $3\frac{1}{2}$ E 158. Poles 9 lks to E $\frac{1}{2}$ m p. Then commenced at Stone heretofore planted at center of Section Ran N 27 E 158 Poles 22 lks made new witnesses at E $\frac{1}{2}$ m p. Black walnut 2 N 21 E 32 $\frac{1}{2}$ lks Bush 15 S 61 E 19 $\frac{1}{2}$ lks also made new witnesses at N.E. corner Bush 50 S 20 E 26 lks White Walnut 15 S 47 W 50 $\frac{1}{2}$ lks. The above survey was made by the consent of parties interested E L Anderson & John Andrews chairmen sworn Rosencrans poles flagman sworn

M. H. Baskirk M. C. S.

Sec 20 T. 7 R. 2 E



May the 29th 1892

Surveyed in Section 20 T 7 R 2 East and established corners as per plat and field notes accompanying

Half dist. bet. S & E m. p. & center
A Ash 7 S 69 W 149 lks
Sugar 12 S 41 $\frac{1}{2}$ W 180

B { Half dist. bet. N & E m. p. & center
m. p. 12 N 69 E 17 lks
Red Oak 50 N 52 W 6

C { Half dist. bet. E & S m. p. & center
Hickory 6 N 22 W 62 $\frac{1}{2}$ lks
Red Oak 6 N 32 E 27

D { Center of S.E. qtr
Bush 40 S 68 W 94 lks
White Oak 5 N 23 E 26

The above survey was made in compliance with accompanying notice which was published in the "Saturday Courier" a weekly newspaper published in Bloomington Ind 2 weeks before the commencement of said survey

Tilman Holston, Michael Grider, & Nelson Johnson chairmen sworn
Volney Hall & W. B. Brable flagman sworn

M. H. Baskirk M. C. S.

Notice of Survey
Notice is hereby given to all concerned, and all others interested, that I will proceed, together with the county surveyor of Monroe county Indiana, on the day of
MONDAY, MAY 29, 1892,
to run and establish all the lines and corners necessary to be established in section 20, town 7, range 2 east. Meet at residence of John Taylor at 1 o'clock p. m. on said day, at the survey will take place at noon.
Jesse Taylor.



June the 6th 1882
made the following
Survey in Section 20
T. 8 N. R. 2 W. in
compliance with the
accompanying notice which
was published in the "Republican
Progress" a weekly newspaper
published in Bloomington Ind.
for three weeks previous to the
commencement of said Survey

A } 23 Poles north of the center
Hickory 6 S 46° W 46 lks
Red Oak 14 South 21 lks

B } 19 Poles 12 3/4 lks west of (A)
Sawn 18 N 7° E 27 1/2 lks
Hickory 8 S 55° W 17 "

C } 40 Poles 12 3/4 lks west of N 1/2 on p
White Oak 6 N 29° W 10 1/2 lks D
White Oak 12 S 2 1/2° W 41 "


N. E. Section Corner
Hickory 15 N 89° W 101 1/2 lks
Black walnut 2 S 48° E 86 "

A. C. Smith } chainmen
James H. Carter } sworn

John W. Baxter flagman sworn

Notice of Survey.
NOTICE is hereby given to all non-residents and all others interested that I will proceed together with the County Surveyor, of Monroe county, Ind., or his deputy, on
TUESDAY, June 6th, 1882,
to run and establish all the lines and corners necessary to be established in Section 19, Town 8 north, Range 2 west, commencing at the northwest corner of said section, at 9 o'clock a. m., on said day. You are requested to be present at said time and place else the survey will proceed in your absence.
This the 17th day of May, 1882.
JOHN W. ELLER

M. H. Buckirk M. C. S.



X Aug the 1st 1882
Surveyed in Section 30
& 31 T. 7. N. R. 2. E. and
established corners as per
plans and field notes
accompanying

A } Half dist bet N 1/2 on p & N 1/2 cor
Red Oak 6 N 51° W 83 lks
White Oak 3 S 82° W 46 1/2 "

B { 4 1/2 Poles 8 1/2 lks East of S W corner
Sugar 18 S 87° W 58 1/2 lks
gum 24 N 37° E 39 1/2 "

C { 20 Poles East of S 1/2 on p
White Oak 18 S 64° W 39 lks
Red Oak 4 S 10° W 18 "

D { Half dist. bet. S 1/2 on p & E. cor.
Hickory 6 N 76° E 26 lks
Red Oak 18 W 138 "

E { Center of S E gr
Shinkeeper Oak 8 N 72° W - lks
White Oak 4 S 87° W 7 "

F { Half dist. bet. S 1/2 on p & center
Red Oak 12 S 22 1/2° E 18 1/2 lks
Gum 10 N 1° E 29 "

Witnesses
Norval Perkins S J Flutwood
Wash Flutwood Thompson Singer
Wm Norman Marion Lutes
John Johnson John Carey
J. H. Woodward
J. H. Woodward

Also at the same time commenced at the N 1/2 on p of
Section 31 T. 7. N. R. 3. E. Ran S 4° E 32 1/2 Poles 3 lks East
east of corner 31 lks. corrected back and established corner
at half dist. between S 1/2 on p and center witness Hickory
12 N 57° E 14 1/2 lks sawgrass 6 S 47° E 9 1/2 lks Thence N 86° E 20
Poles and established corner witness Gum 12 S 75° W 26 1/2 lks
Hickory 16 S 88° E 10 lks

The above survey was made in compliance with notice served
on parties interested by Wm Norman 10 days previous to commencement
of said survey

M. H. Baskin. M. C. S.

June 16th & 17th 1882


Ran the following lines and established
the following corner in Section 30 T. 7. R. 1. E. Commenced
at the W 1/2 m. p. of the same Ran N 32° W 16 1/2 Poles 14 lks East
of corner 19 lks Thence commenced halfway point between W 1/2
m. p. and center Ran N 32° W 16 1/2 Poles 19 lks Ran East of corner
28 lks corrected back and established corner at half distance
(center of N W gr) witness Gum 24 N 24° E 13 lks Gum 2 N 67°
7 1/2 lks Thence S 86 1/2° W 85 Poles 1 1/2 lks Ran South of corner 21 lks
corrected back and marked him

The above survey was made
by agreement of parties interested

Ed Beckard { Chairman
Wm Meadows { Sworn

Edan Chambers { Chairman Sworn

M. H. Baskin. M. C. S.



Aug the 21st & 22nd 1882
Surveyed in Section
21 T. 9 N. R. 1. W.
and established corners
as per plat and field
notes accompanying.

A { N. E. Section corner
Red Oak - S 60' W 17 lks
Red Oak 10 S 52' E 15 "

B { Half dist bet E & 1/2 m p & center
Red Oak 7 S 44 1/2 W 13 1/2 lks
White Oak 6 N 30 W 21 1/2 "

C { N 1/2 m p
Buck 33 S 87' E 28 lks
Buck 27 N 82 1/2 E 35 "

D { Center of N. E. cor
Black Walnut 14 S 63' E 17 1/2 lks

E { Half dist bet E & 1/2 m p & center
Elm 7 S 68' E 34 1/2 lks
Sugar 24 S 36' E 89 "

F { 96 Poles west of E & 1/2 m p
Sugar 15 S 86' E 66 lks
cross in solid limestone N 35' E 46 1/2 "


The above Survey was done in compliance with
the following notice which was served on the parties
10 days previous to the commencement of said survey

Notice of Survey

Notice is hereby given to Paris Matlock Wal Hight
Francis McKinley & Robt Roscoe That I will proceed
together with the county Surveyor of Monroe County Ind
or his deputy on Monday the 21st day of Aug 1882
to run and establish all the lines and corners necessary
to be established in Section 21 Town nine north of Range
one west Meet at the residence of Elm Davis at 7
o'clock P.M. on said day you are requested to be
present at said time and place else the survey will
proceed in your absence This the 12th day of Aug 1882
W. H. McNary.

A true copy as returned to me on the 22^d of Aug
W. H. McNary
m & S

Sec 26 T 7 R 1 W



Sept 1st 1882 Surveyed in
Section 26 T 7 R 1 W
and established corners as per
plat and field notes below

B { Corner 34 Poles 12 $\frac{1}{2}$ lks east of (A)
Black walnut 15 N 44° W 8 $\frac{1}{2}$ lks
Black walnut 8 N 48° E 24 $\frac{1}{2}$ lks

C { Half dist bet N $\frac{1}{2}$ m p and center of Section
Hackberry 6 S 20° W 44 lks
Beech 24 S 67 $\frac{1}{2}$ ° W 42 "

Half dist bet N.E. cor & 8 $\frac{1}{2}$ m p

Black oak 3 S 68° W 44 lks

Beech 6 N 32° W 32 $\frac{1}{2}$ lks

The above was done by the consent of parties interested
John Howard & John A Young Sworn as chainmen
Joseph Lucas Sworn as flagman

M H Bunkirk
M B S

Dec 31st 1883 X


Commenced at corner heretofore established
at the middle of the South line of fractional Section 18
Town 10 R 1 E Run S 86 $\frac{1}{2}$ ° W 80 Poles ran north of
corner 30 lks corrected back and established corner
at half distance witness Beech 18 S 35° W 16 Beech 15
S 71° E 38 lks. Thence N 32 $\frac{1}{2}$ ° W 160 Poles ran
east of corner 24 lks. corrected and blazed the line
back.

Notice to the above Survey was served on the
parties but has got misplaced

Thomas McGinnis Chainmen
Joe Wadden Sworn

Thos J. Harr flagman sworn

M H Bunkirk
M B S



A } Koff distance bet W & m f 2 N.W. 1/4
 } While Oak 3 N 24' W 14 1/2
 } Red Oak 3 N 80° W 18 1/2

B { Western $\frac{1}{2}$ on fr
Buck 20 South 46 lbs
White Oak N $3\frac{1}{2}$ E 13 "

C } Half dist bet Wk on p. & S W corner
Hickory 6 S 19° W 14 lks D
Red Oak 6 S 73° E 20 "

corner { Half dist bet S & 2 on p & center
D { Hackberry 6 S 55° W 75 1/2 lb
Hackberry 12 S 35° W 75 "

E } Center of S E ign
Beech 40 N 20 E 26 1/2 ft
maple 2 S 6° W 18 1/2 "

41 P 6 1/2 lbs Cont of (A)
Red Oak 5 N 20 W 28 1/2
Red Oak 5 N 24 E 33


(71. Poles 12 lbs East of NW cor
Hickory 3 S 52 = 29 lbs
Red Oak 2 S 19° NW 51 "

Notice of Survey

+ October the 10th 1882 commenced at the N.E. corner of Section 26 T 7 R 1 W Ran S 86 $\frac{1}{2}$ W 41. Poles to the center of State road drove stake then commenced at the center of Section Twenty five Ran S 4 $\frac{1}{2}$ E 124 Poles 10th and established corner witness Ash 1 inch S 89 $\frac{1}{2}$ W 15 $\frac{1}{2}$ the maple 9 N 8 $\frac{1}{2}$ W 96 $\frac{1}{2}$ the
Done for Robt Galloway

John A. Mercer } flagman
Mart Arney } chainmen
Robt Galloway } plugmen sworn

M. H. Buskirk
M. C. S.



+ Oct 11th 1882
Commenced the Survey of Section 27 T 7 R 1 W and established corners as per plat and field notes accompanying

A } 114 Poles 12 $\frac{1}{2}$ the south of N.W. cor
Poplar 4 S 43 $\frac{1}{2}$ E 17 $\frac{1}{2}$ the
Sassafras 3 S 31 $\frac{1}{2}$ E 14 $\frac{1}{2}$ "

B } Half dist bet W $\frac{1}{2}$ m p & S.W. cor
Had to set 4 Poles east of its proper place
To get out of the creek
Ash 3 N 19 $\frac{1}{2}$ E 62 $\frac{1}{2}$ the
Elm 3 S 19 $\frac{1}{2}$ W 13 $\frac{1}{2}$ "

Then adjourned until Oct the 25th when the survey was continued

C } Center of Section
Black walnut 6 S 65 $\frac{1}{2}$ E 32 $\frac{1}{2}$ the
Elm 6 N 21 $\frac{1}{2}$ E 29 $\frac{1}{2}$ "

D } Half dist bet center & E $\frac{1}{2}$ m p
Black walnut 6 N 62 $\frac{1}{2}$ W 37 $\frac{1}{2}$ the
Black walnut 4 S 63 $\frac{1}{2}$ W 45 $\frac{1}{2}$ "

E } Half dist bet S $\frac{1}{2}$ m p & S.E. cor
Elm 12 N 36 $\frac{1}{2}$ E 25 $\frac{1}{2}$ the
Hackberry 16 S 27 $\frac{1}{2}$ E 34 $\frac{1}{2}$ "

F } 39 Poles 7 $\frac{1}{2}$ the north of (F)
Beech 18 S 54 $\frac{1}{2}$ E 172 the

G } 78 Poles 14 $\frac{1}{2}$ the north of (F)
Sugar 16 N 38 $\frac{1}{2}$ W 46 $\frac{1}{2}$ the
Buck 12 S 72 $\frac{1}{2}$ W 40 $\frac{1}{2}$ "

H } 39 Poles 2 the north of S.E. cor
Beech 16 S 74 $\frac{1}{2}$ W 3 the
maple 6 N 31 $\frac{1}{2}$ E 12 $\frac{1}{2}$ "

I { Half dist bet center & N $\frac{1}{2}$ m p
 Elm 6 N 12° W 47 lks
 B. Walnut 6 S 86° E 40 "

J { 44 Poles west of (I) ^{this can be done in 10 days}
 B. Walnut 2 S 45° E 41 $\frac{1}{2}$ lks
 Maple 24 N 23° E 41 lks


K { Half dist bet G. & O
 Beech 24 N 42° W 31 lks
 Beech 24 S 3° W 23 $\frac{1}{2}$ "

L { Half dist bet S $\frac{1}{2}$ on p & F
 Sweet Gum 4 S 43° W 5 lks
 Elm 2 N 25° E 4 lks

During the above survey the following persons were sworn as chainmen
 Anthony Deekard - Wesley Deekard, Wm Southern,
 Haggman, Wm Treadway, Joseph Luther & Robt Galloway
 Notice of the above survey was served on all the parties interested by Robt Galloway 10 days previous to the commencement of said survey & that has got misplaced

M. H. Buehler
 M. C. S

Section 6 T 9 N R 1 E X



Oct 3rd 1882
 Commenced the survey of Section 6 T 9 R 1 E on the 6th adjournment was taken until the 13th when the survey was completed from 10th to 21st the following corners being established

A { Elm 9 in E 41 $\frac{1}{2}$ lks
 Sugar 3 S 23' W 29

B { W $\frac{1}{2}$ m p
 W. oak 4 S 60 E 12 lks
 B. oak 8 N 39 E 28 "

C { N $\frac{1}{2}$ on p
 W. Oak 3 S 4 $\frac{1}{2}$ E 17 $\frac{1}{2}$
 W. Oak 6 S 35' W 32

D { Center of Section
 W. oak 11 N 7' W 38
 W. oak 3 S 71' W 15

E { Half way bet center & S $\frac{1}{2}$ on p
 Hickory 10 N 80' W 38 $\frac{1}{2}$ lks
 White Walnut 6 S 89' E 36 "

X
 F { Center of S W quarter
 Black walnut 10 N 64° E 26 lks
 B. Ash 8 S 17° E 22 " G { Halfway bet center & W 1/2 on p
 B. oak 12 N 3° E 31 lks
 W. oak 8 N 79° W 34 1/2

H { Halfway bet center and E 1/2 on p
 B. Ash 6 N 33° E 29 1/2 lks I { Center of S E quarter
 Maple 8 N 75° W 15 1/2 " Sassafras 3 S 64° E 3 lks
 B. Walnut 2 1/2 N 4° E 12 "

The above Survey was made in compliance with the accompanying notice which was published in the Saturday Courier a newspaper published weekly in Bloomington Ind. for three weeks before the commencement of said survey.

During the survey the following parties were sworn as chainmen Thos. C. Oliver, David Barrow, Tallman Genty, F. E. Oliver and J. T. Langley

The following sworn as flagmen David M. Oliver and Daniel Barrow

George B. Rader

Deputy Surveyor of Ind.


X Feb 1st 1883 commenced at the center of Section 20 T 10 R 1 E Ran S 3 1/2° E 160 Poles Then commenced at cor at S 1/2 on p Ran N 86 1/2° E 159 Poles 10 lks ran north of cor 23 lks corrected back and established corner at S 1/2 on p wit Sycamore 2 N 32 1/2° W 28 1/2 lks maple 3 S 35° W 18 lks The above was done by consent of parties interested

Joe Hadden & Wm Smith chainmen Sworn David C. Rader flagman sworn

M. H. Baskirk M. C. S.

X Feb 20th 1883 Commenced at the N. E. corner of Section 24 T 8 R 2 W Ran S 86 1/2° W 111 Poles and established corner wit Red oak 6 N 20° W 6 1/4 Birch 12 N 60° W 19 lks Thence S 1° E 32 Poles & established cor wit Sugar 10 S 24 1/2° W 18 1/2 lks Elm 12 S 42° W 29 lks Thence N 86 1/2° E 112 Poles 1 lks ran South of foot 10 lks corrected and marked back The above Survey was made by agreement of parties interested James Hagelting & Leroy Lane chainmen Sworn Luther May flagman sworn

M. H. Baskirk M. C. S.



Survey of Section 22 T 9 N R 1 W

Halfway bet N $\frac{1}{2}$ on p & N W cor
A { Oak 4 S 86 $\frac{1}{2}$ E 54 $\frac{1}{2}$
Beech 18 S 82 $\frac{1}{2}$ W 23 $\frac{1}{2}$

Center of N W qtr
B { Oak 3 N 89 $\frac{1}{2}$ E 38 $\frac{1}{2}$ lks
Hickory 1 S 8 $\frac{1}{2}$ E 22 "

Halfway bet center & W $\frac{1}{2}$ on p
C { Beech 14 N 60 $\frac{1}{2}$ W 32 lks
Beech 15 N 2 E 106 "

Half dist bet E $\frac{1}{2}$ on p & N E cor
D { W. oak 20 N 24 W 27 $\frac{1}{2}$ lks
W. oak 4 S 86 E 17 $\frac{1}{2}$ "

Half dist bet N $\frac{1}{2}$ on p & center
E { B. oak 4 N 82 W 98 $\frac{1}{2}$ lks
W. oak 6 N 8 $\frac{1}{2}$ W 78 $\frac{1}{2}$ "

Half dist bet S $\frac{1}{2}$ on p & S W cor
F { B. Ash 6 N 80 W 28 $\frac{1}{2}$ lks
Hackberry 4 N 88 $\frac{1}{2}$ E 111 "

The above Survey was made in compliance with the following notice and was commenced on the 27th day of Nov and finished on the 30th day of Nov 1882

Surveyors Notice


Notice is hereby given To Paris Matlock, Roger Carr Benjamin Headly, Delilah Paul, Francis McKinley and John Cwing that I will proceed together with the County Surveyor of Monroe county Ind or his deputy on Monday the 27th day of November 1882 to run and establish all the lines and corners necessary to be established in Section 22 T 9 N R 1 W meet at the residence of Isaac Hinkle at 10 o'clock A M on said day or the Survey will proceed in your absence

Nov 11th 1882

Chaimmen James M Hinkle John H Hinkle, Roger Carr, William Headly & Jonathan M Hinkle flagmen James W Paul Win Rhem & Paris Matlock

I. M. Hinkle
Deputy Surveyor

Sec 26 T 8 R 1 E



X Dec 11th & 12th 1882
 Surveyed in Section
 26 T 8 R 1 E and
 established corners as
 per plat and field notes
 below

A { Half dist bet NE cor & E 1/2 on p
 Poplar 30 S 31 W 13 lks
 Beech 18 S 80 E 6 1/4 "

B { Center of NE quarter
 Beech 14 S 82 E 2 1/2 lks
 Beech 14 S 11 W 49 "

Half dist bet N 1/2 on p & NE cor

W. oak 12 S 6 W 42 lks

Red oak 8 S 89° W 30 lks

The above survey was made in compliance
 with the accompanying notice by John
 Gilmore which was published in the
 Saturday Courier published in
 Bloomington Ind for three weeks
 previous to the commencement of survey

Stanley Butcher } chairman
 James Harris } sworn

James Lampkins } foreman sworn

M H Buehler, M. C. S.

Section 23 T 10 R 2 W



X Jan 8th & 9th Surveyed in Section
 23 T 10 R 2 W and established
 corners as per plat and field notes below

A { S 1/2 on p White oak 24 N 11 1/2 W 20 lks
 Red oak 36 N 27° W 8 1 "

B { Half dist bet N 1/2 on p & center
 W. oak 15 N 34 W 18 1/2 lks
 Beech - S 51 W 20 1/2 "


C { Center of Section Beech 2 corner tree Beech 10 S 33 W 6 1/2 Beech 20 N 8 W 31
 (over)

D } Half dist bet S $\frac{1}{2}$ m p & center Beech 15 S 88° E 10 $\frac{1}{2}$ Beech 12 N 9° W 28 $\frac{1}{2}$ lks

Parties to the above Survey were notified 10 day previous to the commencement of the survey by Wm Williams John L McEwen & E J Merion chainmen sworn Wm Williams flagman

M. H. Baskirk M.C.S

Section 8 T 8 R 1 E



March 19th 21st 1883
Surveyed in Sec 8 T 8
R 1 E and established
corners as per plat and
field notes accompanying

A { Half dist bet S $\frac{1}{2}$ m p & center
W. oak 8 N 71° W 31 $\frac{1}{2}$ lks
W. oak 9 N 44° E 28 $\frac{1}{2}$ "

B { Center of Section
Poplar 12 N 79° E 14 $\frac{1}{2}$ lks
Hackory 3 S 84° W 23
W $\frac{1}{2}$ m p
B. oak 5 S 33 $\frac{1}{2}$ ° W 31 $\frac{1}{2}$ lks
Hackory 8 S 76° E 14 "

C { Half dist bet W $\frac{1}{2}$ m p & S W cor
Beech 3 S 69° E 16 lks
Beech 5 S 71 $\frac{1}{2}$ ° W 36 $\frac{1}{4}$ "

D { W $\frac{1}{2}$ m p
B. oak 5 S 33 $\frac{1}{2}$ ° W 31 $\frac{1}{2}$ lks
Hackory 8 S 76° E 14 "

E { Half dist bet W $\frac{1}{2}$ m p & S W cor
Dogwood 4 N 38° E 20 $\frac{1}{4}$ lks
B. Ash 2 S 40° E 23 "

F { Half dist bet N $\frac{1}{2}$ m p & N W cor
W. oak 3 S 43° E 35 lks
W. oak 2 N 86° W 42 $\frac{1}{2}$ "

G { Half dist bet W $\frac{1}{2}$ m p & center
B. oak 6 S 64° E 16 $\frac{1}{2}$ lks
Sugar. 6 S 31° E 26 "

H { Center of N W qr
Peach tree 2 $\frac{1}{2}$ S 26° E 38 lks
Peach tree 1 $\frac{1}{2}$ S 49° E 30 "

I { N $\frac{1}{2}$ m p
Stone witness south 29 lks
Stone witness west 30 $\frac{1}{2}$ lks

The above Survey was made in compliance with notice served on parties interested by Matthew Butcher 10 days previous to the commencement of Survey a copy of which is on file in this office


John Knight P. O. Butcher } chainmen

Wm J O Robison } sworn

Thomas H Lampkins & Alexander Kellogg } flagmen

Sec B. Rader & Co

Section 22 T. 8. N. R. 1. W.



Feb 5th 6th & 7th 1883
 Surveyed in Section
 22 T. 8. N. R. 1. W. and
 established corners as
 per plat and field notes
accompanying

A { S $\frac{1}{2}$ on p
 walnut 7 north 107 lks
 Blk walnut 10 S 81° E 88 "

B { half dist bet. S $\frac{1}{2}$ on p & S E sec. cor
 Sugar 12 N 5° E 28 lks
 Ash 6 N 69° E 35 "

C { N W section corner. (perpetuated)
 Black walnut 12 S 7° E 13 lks
 Beech 24 S 85° E 117 "

D { half dist bet N $\frac{1}{2}$ on p & N W corner
 Sycamore 2 N 0° E 43 lks
 Sycamore 6 N 32° W 82 "

E { N $\frac{1}{2}$ on p
 Sugar 18 N 33° E 64 $\frac{1}{2}$ lks
 Apple tree 10 S 3° E 54 "

H { half dist bet N $\frac{1}{2}$ on p & N E cor
 Elm 8 N 21° W 46 lks
 Black walnut 15 N 61 $\frac{1}{2}$ ° W 107 $\frac{1}{2}$ "

G { N E Section corner
 Set Stone to witness trees
 made by Cannoy

H { 59 Poles 20 lks south of N E cor
 Black walnut 12 S 63° E 21 lks
 Black walnut 18 S 16° E 102 "

I { E $\frac{1}{2}$ on p
 Black walnut 2 N 85° W 36 $\frac{1}{2}$ lks
 Black walnut 4 S 89° E 39 "

J { Center of Section
 Elm 36 S 81° W 12 lks
 Beech 15 N 16° W 38 "

K { 8 Poles east of (X)
 Black walnut 15 N 16° E 67 lks
 Black walnut 15 N 32° W 80 "

L { 8 Poles South of (X)
 Black walnut 15 N 58° E 39 lks
 Black walnut 3 N 22° W 96 lks

M { Center of S E qv
 Hackberry 6 N 7° E 67 lks
 Walnut 3 S 24° E 13 "

N { 59 Poles 20 lks south of N $\frac{1}{2}$ on p
 Sugar 15 S 83° E 94 lks
 Sugar 12 N 43° W 93 $\frac{1}{2}$ "

O { half dist bet N $\frac{1}{2}$ on p and center
 Elm 30 S 58° W 5 $\frac{1}{2}$ lks
 N 8 $\frac{1}{2}$ ° W 30 "

The above Survey was made in compliance with the following notice which was served on the parties interested ten day previous to the commencement of Survey


Notice

Is hereby given to Thomas Kilpatrick, James Butcher, Thomas Sciscoe, Nellie Boruff, Rufus Coatsney, Wm A Rogers, Andrew Hemphill, John H Anderson, Wm Blakely, & Samuel Hall That I will proceed together with the county Surveyor of Monroe County Ind or his deputy on Tuesday the 5th day of February 1883 to run and establish all the lines and corners necessary to be established in Section 22 T 8 N R 1 W meet at the residence of Thomas Kilpatrick at 1 o'clock P M on said day you are requested to be present at said time and place else the survey will proceed in your absence
This the 20th day of Jan 1883

Jasper N Cox

During the above Survey the following persons were sworn and served as chainmen. Wm H Hall & Peter C Sciscoe flagman. Searn Logan Boruff

Sec 14 T 7 N R 1 W



M H Rustick M, C, S.

In pursuance to notice duly served on parties interested I proceeded on the 22nd day of March 1883 at one o'clock P M to Survey Section 14 T 7 N R 1 W after organizing for the work and having William Smith & John E Butcher sworn as chainbearers we commenced at the North East corner of said Section and ran around the north half of the same Establishing the following corners to wit

A } N 1/2 on p
Back 14 N 70° W 17 lks
Back 14 S 30° W 29 "

B } N W Section corner
wild cherry 14 N 18° E 33 lks
Sugar 6 S 69° E 35 1/2 "

C { S W Section corner
 Ash 3 N 3 E 18 lks
 Hackberry 12 N 83° E 79

D { N ½ m p
 Oak 30 S 42° W 60 lks
 Ash 18 N 33° E 39 "

E { E ½ m p
 Ash 12 S 22½ E 34 lks
 Poplar & West 16½ "

F { Center of Section
 Butternut 12 N 33° W 23 lks
 Ash 12 S 46 E 43 "

G { Half dist bet W ½ m p & center
 Sugar 8 S 83 E 8 lks
 Walnut 4 N 82 W 64

H { Half dist bet N ½ m p & center
 Stone wit North 25 lks
 Stone wit South 25 "

Smith not being able to continue as chainbearer Joseph E Duncan was sworn to serve in his place

N & S lines run on a variation of 3¼° E & W lines 4° finished the work on the 24th of March 1883

The following notice and indorsement was given to me before commencing the work:

Notice of Survey

Notice is hereby given to Wm Butcher, John Butcher, Hiram Butcher, Calvin Wisely, Wash Mercer, Lenard Lity, Valentine Blackard, John Nikirk, & Matthew Floyd, that I will proceed together with the county Surveyor of Monroe Co and or his deputy on Thursday the 22nd day of March 1883 to run and establish all the lines and corners necessary to be established in section 14 T 7 R 1 W meet at the residence of Jimimah Baugh at 1 o'clock P M of said day be present at said time and place else the Survey will proceed in your absence This March the 3rd 1883

Matilda Smith

On the back of the above notice was the following indorsement The following parties were served by reading Valentine Blackard, Hiram Butcher, John Butcher, John Nikirk, Calvin Wisely, Lenard Lity.

The following dig copy Wm Butcher, Matthew Floyd, David Blackard, Wash Mercer, & Wilford Coaster

All of the above were served on or before the 10th day of March 1883

James E Smith

H Henley Deputy Surveyor

Section 2 T 7 R 1 W



April 9th 1883
Surveyed in Section
2 T 7 R 1 W

A { Half dist bet center & N $\frac{1}{2}$ m p
Beech 4 North - 1 lks
Maple 4 S 45° W 38

B { Half dist bet center & S $\frac{1}{2}$ m p
Beech 10 N 88° W 4 $\frac{1}{2}$ lks
W. Walnut 12 S 11° E 30 lks

C { Half dist bet center & E $\frac{1}{2}$ m p
B. Walnut 7 S 29° E 37 lks
Elm 6 S 39° W 119 "

D { Center of N E qtr
Elm 6 S 64° E 188 lks
Black. Walnut 6 S 31° W 191 "

E { 24 Poles 17 $\frac{1}{2}$ lks East of (A)
Beech 12 S 31° E 76 lks
Beech 10 S 46° W 17 $\frac{1}{2}$ lks

F { 32 Poles east of center of section
Beech 20 N 68° E 80 lks
Beech 24 S 23° E 66 "

G { 52 Poles N 31° W from (F)
Beech 24 S 88° E 39 lks

The above Survey was made by agreement of
parties interested

Wm R. Lucas Chairman
Joseph Luncheon Sworn

James Shields & flagman

M H Burkirk

Sec 23 T 7 R 1 W



May 3d & 4th 1883
Surveyed in Section
23 T 7 R 1 W and
established corners as
per plat and field notes
accompanying

A { Center of S W qtr
Beech 18 S 36° W 45 $\frac{1}{2}$ lks
Beech 18 S 30° E 46 "

115 Poles 1st west of (X)
 B } Black walnut 10 N 44 E 109 lks
 Red oak 10 N 70 W 114 1/2 lks

J. Richeson

James McElung } flagman sworn


Jim Deckard & James Lucas, flagman sworn

The above survey was made by consent of parties interested
 M H Burkirk M. C. S.

Half dist bet NW 1/4 on p 28 W cor
 Sugar 20 S 83 W 26 lks
 Birch 24 S 33 E 46 1/2 lks
 Hickory 24 N 30 E 51 lks

+

Section 32 T. 9 R. 1 W



May 31st 1883
 Surveyed in Section
 32. T. 9 R. 1 W
 and established corner
 as per plat and field notes
 accompanying

59 Poles 1st west of S 1/2 m p
 A } Birch 24 S 11 1/2 E 38 lks
 Elm 30 N 70 E 105 1/2 lks

B } 31 Poles 16 lks north of (A)
 Elm 10 S 3 1/2 E 65 1/2 lks

C } S W Section corner
 cedar 4 N 20 E 33 1/2 lks
 Birch 20 S 43 W 167 lks

D } Also established S 1/2 m p of 31
 wit Black walnut 6 S 72 E 127 lks
 Black walnut 4 N 22 1/2 W 71 1/2 lks

E } 56 Poles west of S. E. cor of 31
 apple tree 2 S 42 E 50 lks
 apple tree 2 S 40 W 31 1/2 lks

F } 32 Poles 16 lks west of (A)
 Birch 15 N 70 E 218 1/4 lks

The above Survey was done in compliance
 with the accompanying notice which was
 published in the Republican Progress
 a weekly newspaper published in
 Bloomington Ind for three weeks previous
 to the commencement of the Survey

James Kirk & Schainman
 Leroy Lane } sworn
 John H. Kirk flagman sworn

M H Burkirk M. C. S.

Section 10³ T 8 R 1 W

July 9th 1883
 Surveyed in Section
 10³ T 8 R 1 W and
 established corners as per
 plat and field notes accompanying

A) 23 ft east of S $\frac{1}{2}$ m p
 Birch 24 S 44° W 90 lks

B) 17 Poles $7\frac{5}{8}$ lks east of (A)
 Birch 20 S 75° E 103 lks

C) 9 Poles north of (B)
 Ash 5 S 79° W 91 lks


D) 9 Poles north of (A)
 Birch 20 N 86° W 74

The above Survey was made by order of the trustees of
 The reformed Presbyterian church for a burying ground
 David Latimer chairman
 John A Russell }
 Samuel Harris flagman

M H Buskirk, M, C, S

Sept 11th 1882 Surveyed in Section 25 T 7 R 1 W and
 established the following corners. Commenced at the S W cor
 Ran N 32° W 323 Poles 16 & hit corner Established W $\frac{1}{2}$ m p. at
 average distances Elm 24 N 80° W 16 Sour oak - N 34° E 10 $\frac{1}{2}$ lks
 Ran from E $\frac{1}{2}$ on p. 319. P. 19 lks to W $\frac{1}{2}$ m p. Established cor "B"
 at half dist bet W $\frac{1}{2}$ m p. & center Ash 5 N 34 $\frac{1}{2}$ E 77 $\frac{1}{2}$ lks
 gum 10 N 9° W 81 lks Established corner "C" at center Red oak
 10 N 46° E 7 Swamp oak 10 S 85° E 26 $\frac{1}{2}$ lks Established corner
 at half distance bet N $\frac{1}{2}$ on p. & center Birch 12 N 11 E 4 lks Birch
 40 S 21° W 50 $\frac{1}{2}$ lks Established cor "E" at center of N E gr Birch 10
 N 21 E 29 lks Birch 10 N 68 $\frac{1}{2}$ W 16

"D"




The above was done for the
 Mitchell, John S Chambers & others
 by consent
 W. H. Smith } chairmen
 Nelson Hawkins } sworn

George W. Smith flagman sworn

M. H. Buskirk
M C S

North
Section 20 T 8 R 1 W



Sept 28th 1883
In compliance with
notice served on parties
interested 10 days previous
to the commencement of
Survey by Hugh Campbell
Surveyed in Section 20 T
8 R 1 W and established
corners as per plat and
field notes accompanying

A } Half distance bet W 1/2 m p & center
Chm 15' S 68° W 47 1/2 lks
Ash 7' N 7° W 20 1/2 "

B } 45' Poles 8 lks north of (A.)
Chm 28' N 88° E 11 lks

C } 34 Poles 15 lks N 34 1/2° W from (B)
Sugar 86' S 63° W 64 lks

D } 14 Poles 4 lks east of (C)
Ash 3' S 65° E 26 lks

E } 84 Poles 13 lks north of (D)
Sugar 15' S 68 1/2° E 90 lks
Sugar 12' S 16° E 189 1/2 lks


A. W. Perring } Chainmen
Thomas Rondal } Sworn
Lewis Hallman flagman sworn

M. H. Bunker M. C. S.

Corner Survey Sec 11 T 10 R 2 W
Commenced at corner heretofore established ran
east 80 Poles and drove stake. Then commenced
at S.E. corner of Section ran west 80 Poles & lks
ran South of corner 29 lks Thence west 120 Poles
22 lks Established corner at S 1/2 m p witness Stone set
Set N 7° W 18 lks Stone set N 88° E 17 lks Thence north 327
Poles 20 lks ran east of corner 23 lks (witness Beech - N
40° W 18 lks Established corner at half distance
between center and S 1/2 m p wit Rock planted N 64 1/2° E
23 1/2 lks Rock planted N 41° W 37 1/2 lks. Melvin Adams and
John South Chainmen sworn Joseph Coener flagman
sworn notice of the above Survey was
given by A. J. Coener but has been
misplaced

M. H. Bunker M. C. S.

Section 18 T 9 N R 1 W



flagbearer Jasper N Myers & Elmer C Buskirk chainmen
the same being duly sworn

A } S W Section corner
limestone N 8° E 16½ lks
Black oak 15 S 62° E 120½ lks
B } Half dist bet S½ on p & S W cor
Hickory 15 N 25½ W 110 lks
Red oak 21 N 33½ E 48½ lks

C } S½ on p
Sugar 16 S 30° E 74
Sugar hollow 24 N 79° E 98
D } half dist bet S½ on p & S E cor
Sugar 14 S 10° W 18 lks
Sugar 13 north 11½ lks

40 Poles east of D
E } Black oak 24 N 40½ W 65 lks
Blue oak 15 North 85 "

George B Rader deputy Sur

Feb 22nd 1884 Commenced at the N½ on p of Sec 16
T 9 R 2 W Ran S 4° E 163 Poles Established cor 123 Pole
12½ lks South of the N½ on p wit Ash 3 N 60° E 47½ lks
Black walnut 4 N 25½ E 81 lks Then commenced at the
S½ on p of Sec 9 T 9 R 2 W Ran N 4½ W 40 Poles and
established corner witness Stone planted S 85½ W 10 lks
Walter Neeld } chainmen
William Foster }
Benjamin Kirby flagman

M H Buskirk

X Be it remembered that on the 9th day of October 1883 and adjournment therefrom and in all things pursuant to the notice given by James S. Dodds and the acknowledgement of service of the same which notice and the several acknowledgements of service thereon is as follows to wit

Notice of Survey

To Abram Chestnut, James White, Robert Gilmore, Mary C. Tapp, James Gilmore, John Rusk, Samuel Gilmore, Marion Knight (L.M.) John Lucas Jr, Aaron Rayle, James Southern, John Martin on his own behalf (and as agent for Henry Martin's lands) David Adams, William Terrell, Manerva Duncan, Fredric Sexton, John Huntington William H. Shields James S. Bottinghouse, Andrew J. Lampkins, Isaiah Davis (agent & occupant) Andy Jacobs, Eliza Martin, Charles Puzell, Alexander Horn, Comfort Sexton, William H. Sherill M.E., Butcher, & John Sexton

You are each as owners agents and occupants respectively notified that on the 9th day of October 1883 & from day to day until completed the undersigned with the County Surveyor will proceed to locate relocate and perpetuate the common corner to Sections 21, 22, 27 & 28 in Township 8 North Range one east in Monroe County Indiana And when said corner is relocated to perpetuate the same by causing said Surveyor to place at said corner a suitable stone or other durable substance properly marked and also to make and mark proper witnesses to said corner in order that the same may be perpetuated and to this end will run, establish locate relocate and perpetuate all lines and corners necessary to ascertain the true point where this corner common to said Sections 21, 22, 27 & 28 Town 8 N.R. 1 E is and of right ought to be And the undersigned also gives notice of his intention on said day and from day to day until completed as a part of the Survey contemplated by this notice to have the lines ^{run} and corners established to all the real estate owned by him in said Sections

X 21, 22 27, 28 and 33 & 34 Town & North Range one cur
 For the purpose of said Survey the parties will
 meet at the common corner of said sections
 21, 22 27, 28 & 33 & 34 - at 8 o'clock A M of Oct
 9th 1883

This Sept 22nd 1883


James H. Dadds

We acknowledge due service of the above and
 foregoing notice on the date set opposite our
 respective names

Names	month	day	year
Robert Salmore	September	22 nd	1883
Abram ^{his} mark Chestnut	"	22	"
William Stily	"	22	"
William H ^{his} mark Shields	"	22	"
J W H Duncan	"	22	"
James B. Boltinghouse	"	22	"
David Adams	"	22	"
John ^{his} mark Rush	"	22	"
L M Knight	"	22	"
James Salmore	"	22	"
Samuel Salmore	"	22	"
Alexander Axom	"	23	"
(Served by copy) Charles Parnell	"	23	"
James ^{his} mark Southern	"	26	"
Aaron Rayle	"	26	"
John ^{his} mark Sexton	"	26	"
Mary A Butcher	"	26	"
John B Lucas	"	26	"
Mary ^{her} mark Jaffe	"	26	"
James White	"	26	"
James ^{his} mark Ferrell	"	26	"
Frederick ^{his} mark Sexton	"	26	"
A. J. Jacobs	"	26	"
(Served by copy) A J Lampkins	"	26	"
Convey ^{her} mark Sexton	"	26	"
John Martin	"	26	"
Eliza J Martin	"	26	"

The foregoing is a true copy of the notice and
 indorsements thereon as returned to me before
 commencing the Survey

I the undersigned Surveyor of Monroe County
Ind having met the parties interested pursuant
to the foregoing notice at 8 o'clock A. M. on the
9th day of October 1883 ^{at the corner of Secs 21, 22, 23, 24 & R 1 E} after having selected the
following assistants to wit Henry L McCalla & William
Nunn chainman and John Gilmore flagman all duly sworn
by consent of parties interest who were present, Abram Chutrust
was chosen as axmen after having thus organized for
the work we continued from day to day until Saturday
the 13th day of October 1883 when by common consent
the weather not being very favorable an adjournment
was made until Monday the 22nd day of October 1883
at 1 o'clock P. M. when we again met pursuant to
adjournment and continued until the completion of the
work on the 24th of Oct 1883 during the Survey Elijah Kanesock
was sworn as chainman and James White as flagman and
Nate Hill chosen as axman these men were taken to fill the
places of Murre McCalla, Gilmore, and Chutrust who could
not be with us the entire time



The following with
the accompanying plots
and letters thereon is
complete field notes
of the corners established
relocated or perpetuated
during the above survey

A } Corner to 21.22 24 & 28
Sugar 8 N 31° W 42 lks
center of a well of water 45 W 52 "

Half dist bet Camp & S. E cor 21
B } Buck 18 S 31' E 7 lks
Black walnut 18 N 59 E 36

S¹/₂ mp. of 22
 Black walnut 4 N 4¹/₂ W 20¹/₂ lks
 north end of east abutment of iron
 bridge over Salt creek
 west 238 lks

- X { Half dist bet S & 1/2 m p & center of 22
 D { Elm 12 N 84° W 24 lks
 Birch 24 N 28° W 49 1/2 "
- E { Half dist bet S & 1/2 m p & S & E cor 21
 White oak 36 N 26° W 25 1/2 lks
 Black walnut 4 S 74° E 70 1/2 lks
- F { Center of S & E gr of 21
 Birch 15 N 33 1/2° E 22 lks
 Birch 15 N 73 1/2° W 30 lks
- G { 25 Poles south of E & 1/2 m p of 21
 Red oak 6 S 61° E 33 lks
 Elm 4 N 21° E 21 1/2 lks
- H { 35 Poles north of I
 Sycamore 12 S 45° W 30 1/2 lks
 Chinquapin oak 6 S 81° E 18 1/2 "
- I { Half dist bet S & 1/2 m p & S & W cor 22
 Birch 12 N 62 1/2° W 41 lks
 Sugar 10 S 20° W 26 "
- J { Half dist bet S & 1/2 m p & S & W cor 21
 Hickory 8 S 73 1/2° W 15 1/2 lks
 W. oak 6 N 4° E 26 "
- K { S & 1/2 m p of 21
 Red oak 20 S 60° W 24 lks
 Hickory 4 S 52° E 21
- L { Center of N & W gr of 28
 Sugar 2 N 68° E 19 lks
 Red oak 8 S 66° E 56 1/2 lks
- M { Half dist bet W & 1/2 m p & center of 25
 gum 6 S 81° E 30 1/2 lks
 poplar 4 S 56 1/2° E 21 1/4 "
- N { Center of S & W gr of 28
 Poplar 5 N 1/2° W 44 1/2 lks
 Red oak 4 N 33° W 51 1/2 "
- O { Cor 27-28, 33, & 34 (new witness)
 Black walnut 5 N 23° E 133 lks
 Ash 2 S 23° W 25 lks
- P { Half dist bet N & E cor & E & 1/2 m p of 32
 Ash 15 S 13° E 10 1/2 lks
 W. Walnut 4 N 68° W 42
- Q { 48 Poles 13 lks south of P
 W. Walnut 6 N 50° W 50 1/2 lks
 Poplar 10 N 89° W 79 lks
- R { 15 Poles west of R
 Oak 1 inch N 46° W 64 1/2 lks
 W. oak 1 " N 4° E 53 lks
- S { 15 Poles west of (Q)
 Birch 10 N 2 1/2° E 46 lks
 Birch 18 N 33 1/2° W 96 lks
- T { Center of N & E gr of 33
 Birch 15 N 87° E 18 lks
 Red oak 1 S 37 1/2° W 41 1/2 lks
- U { Half dist bet S & 1/2 m p & center of 28
 Elm 10 S 33° E 42 1/2 lks
 Sycamore 12 S 58° E 91 1/2 lks
- V { Center of 28
 water Birch 8 N 48° E 13 1/2 lks
 water oak 8 N 72° W 31 lks
- W { E & 1/2 m p of 28
 maple 2 N 25° E 10 lks
 water Birch 6 S 36° E 19 lks
- X { Half dist bet E & 1/2 m p & center of 28
 Birch 12 N 58° W 31 lks
- Y { Birch 10 S 42° E 37 1/2 lks

at each of the corners established and perpetuated in the foregoing Survey we planted a limestone rock with a cross on top except at "V" "O" "C" & "D" where we planted sand stones.

This Survey was ordered spread on record by judge Frank Nelson judge of the circuit court of Monroe County and Supercedes and sets aside the following corners established by George W. Vannoy in Section 21. T 8 N R 1 E reference being had to his plat his survey being made on the 8th 9th 10th & 11th days of March 1880 and corners "A" "B" "E" "G" "H" "R" & "Q" and found recorded on the 310th & 311th pages of this book


M H Baskirk M. C. S.

X Aug 17th 1883

Surveyed in the Town of Stinesville for C. C. Dunn and established the N W corner of lot No 25 and the S W corner of lot No 26 by planting a limestone rock with a cross on the top at the proper place no witnesses taken

C. C. Dunn } Chainmen
 Willard Easton } Sworn
 Theodore Baskirk } flagman Sworn

M H Baskirk M. C. S.

Section ~~7~~ T 9 R 2 W

November 15 & 16th 1882
 Surveyed in Section
~~7~~ T 9 R 2 W and
 established corners as
 per plat and field-
 notes accompanying

Half dist between the
 center and S $\frac{1}{2}$ on p
 Sassafras 8 S 31° E 40 $\frac{1}{2}$ lks
 Elm 10 S 66 $\frac{1}{2}$ E 33

B { 30 Poles east of "A"
 Hickory 10 S 31° W 13 $\frac{1}{2}$ lks
 Beech 4 N 39° E 14 "

C { 30 Poles east of "B"
 Hickory 18 S 32 $\frac{1}{2}$ W 19 lks
 Bush 12 S 63° E 32 "

D { 30 Poles east of "C"
 30 W 75° W 113 $\frac{1}{2}$ lks
 Gum 4 N 52 $\frac{1}{2}$ W 108 "

F { 30 Poles east of "D"
 Gum 15 S 49° E 10 $\frac{1}{2}$ lks
 Red oak 18 S 66° E 19 "

F { 30 Poles east of "E"
 B. walnut 4 S 62° W 25 lks
 Sugar 34 N 1° W 73 $\frac{1}{2}$ "

G { 30 Poles east of S $\frac{1}{2}$ on p
 Wild cherry 10 N 57° W 34 $\frac{1}{2}$ lks
 Hickory 36 S 11° W 35 "

H { 30 Poles east of "G"
 Beech 30 N 40° E 15 lks
 Wild cherry 10 S 88° E 62 "

I { 30 Poles east of "H"
 Sugar 15 N 34° W 13 lks
 Ash 2 N 34° E 18 "

J { 30 Poles east of "I"
 Ash 6 N 62° E 32 lks
 Beech 36 N 72° W 24 "

K { 30 Poles east of "J"
 Sugar 24 N 88° W 24 lks
 Ash 3 N 36° W 4 $\frac{1}{2}$ "


The above Survey was made by consent of the parties
 interested

John Coffey }
 Robt Gilmore } chainmen
 Lincoln Gilmore } sworn
 flagman & sworn

(See page 395)

M H Baskirk M. C. S.

Section 35 T 8 R 1 W

December 5th 6th 27th 1883

Surveyed in Section 35
T 8 R 1 W and
established corners as per
plat and field notes
following

A { S W corner of 35
white Walnut 10 N 48° E 38 lks
Beech 24 S 76° W 29 "

B { Half dist. bet. S 1/2 m. p. & S. W. cor
Beech 24 N 31° E 12 lks
Beech — N 56° W 34

C { N. E. cor of 35
Beech 12 S 33° W 6 lks
Beech 20 S 13° W 33 1/2 "

D { N W sec corner
Elm 36 S 48° E 26 lks
Black walnut 2 N 76° E 43

E { Half dist between W 1/2 m. p. & center
Red oak 15 N 3° W 87 1/2 lks
Elm 10 S 33° E 37 1/2 "

F { 1/2 dist from "D" to "A"
Ash 10 S 62° E 78 lks
Lynum 24 N 3° W 69 "

G { 66 Poles. 7 ft east of "F"
Black walnut 10 S 72° E 61 1/2 lks
Black walnut 8 N 17° W 96 "

Due notice was served on parties interested by Joseph
H. Kandy which has got misplaced before copying
Joseph Adams } chairman sworn
Morgan Barret }
Charles Miller } Samuel Henry flagman sworn

M. H. Baskirk M. C. S.

December 7th 1883. Ran the west line of Section
26 T 8 R 1 W and established the w 1/2 m
p witness Black walnut 6 N 64° W 30 lks Black
walnut 10 N 73° E 93 lks The above Survey was
made for the W. Hall Trustee of Perry Township in
order to open a road to its proper width

M. H. Baskirk M. C. S.


December 10th 1883

Comes now the parties (Thomas Smith & Isaac Hinkle) and asked and consent to the location of the corner at half distance between the western $\frac{1}{2}$ m. p. and the center of Section 26 T. 9 R. 1 W. Witnesses { Red oak 18 inches S $48\frac{1}{2}^{\circ}$ W 26 lks
Red oak 14 inches N $47\frac{1}{2}^{\circ}$ E 11 "

Thomas Smith } chainmen
Isaac Hinkle }
Thomas Smith flagmen } by consent

George B Rader deputy Sur

Section 12 T 10 R 2 W



Dec 13th 1883

Surveyed in Section 12 T 10 R 2 W and established corners as per plat and field notes accompanying

A { Half distance bet w & m p & center
Stone Set 25 lks north
Stone Set 25 " East

Also at the same time established the S W corner of Section 7, T. 9, R. 1 W (B)

by consent of parties { white walnut 10 N 74° W $46\frac{1}{2}$ lks
 Hickory 7 N 93° W $36\frac{1}{2}$ "
Parties interested in the above survey were notified by Wm Houston 10 days previous to the commencement of the survey and is now on file in the office of County Surveyor of Monroe County Ind
James Lentry } chainmen
David Lentry } sworn
Wm Houston flagman sworn

M H Baskirk M D S.


Jan 11th 1884

Sec 28 T 9 R 1 W

Ran the west line of Section 28 T 9 R 1 W and established the S.W. corner of Section 28 T 9 R 1 W witness Sugar 15' S 45° E 43' 1/2 Hackberry 6 inches N 18° E 90' lks. also the western 1/2 on p of the same Section 28 witness Elm 6 N 1 1/2° E 80' Sugar 24 inches S 26° E 24 1/2' lks. Parties interested in the above Survey were notified in writing 10 days previous to the commencement of the Survey by Jacob H. Miller and notice returned to me and on file in my office. J. S. Ward & Jacob H. Miller chairmen sworn. E. C. Slus jr. flagman sworn.

M. H. Bunkirk M. C. S.

Section 27 T 9 R 1 W

Jan 18th 1884

Surveyed in Section 27 T 9 R 1 W and established corners as per plat and field notes below

A { Half dist bet 20 1/2 m.p. & center
Black walnut 10 N 38 1/2° W 89' lks
Black walnut 15 N 42 1/2° W 108 1/2' "

B { Center of Section
Black walnut 18 S 89° E 78 1/2' lks
Maple 24 S 45° E 191' "

C { 75' Pole west of S 1/2 on p.
Sugar 12 S 36° E 27 1/2' lks
Beech 34 S 85° E 20' "

D { S 1/2 on p
Sugar 36 N 5° E 52 1/2' lks
Sugar 15 S 87° E 53' "


In the above Survey the parties interested had been legally notified by Mrs. Brummett but the weather being unfavorable the work was not done for about two weeks afterwards when by consent of Wm. C. Lee, Mrs. Brummett, Benjamin Headley, Louise Rogers, Wm. A. Rogers & Wm. Hinkle the work was done no one objecting.

H. S. Headley } chairmen

Henry Mallery } sworn

Wm. A. Rogers } flagman sworn

M. H. Bunkirk M. C. S.



Feb 22nd & 23^d 1884
 Surveyed in Section
 8 Town 9 R 2 W
 and established corners
 as per plat and field
 notes below

A { 64 P 18 lks north of S $\frac{1}{2}$ m p
 Stone in open ground

B { 83 P 20 lks west of S $\frac{1}{2}$ m p
 Black walnut 2 S 74° W 6
 Black walnut 6 N 86° E 43

C { 33 Poles 22 $\frac{1}{2}$ lks east of S.W. sec. cor.
 Black walnut 2 S 82° W 28 lks

D { 32 P 12 lks west of center
 wild cherry 6 S 38° W 56 lks
 Black walnut 6 N 36° W 47

E { 34 P 3 lks west of "D"
 Black walnut 8 N 35° W 40 lks

F { 27 P 13 lks west of "E"
 Black walnut 7 S 30° E 24
 wild cherry 10 S 29° W 47

G { 35 P 13 lks east of W $\frac{1}{2}$ m p
 Sugar 2 N 67° W 67

H { Half dist bet W $\frac{1}{2}$ m p & S.W. cor
 Stone in open ground

I { 1 Pole 1 $\frac{1}{2}$ lks north of "H"
 Stone in open ground

J { 33 P 13 lks east of "I"
 Stone in open ground

K { 18 Poles 10 lks east of "J"
 Stone in open ground

L { 23 P 22 lks east of "K"
 Stone in open ground

M { 64 P 18 lks north of "B"
 crab apple 6 S 51° W 44 lks

N { 16 Poles 23 lks east of "M"
 apple tree 10 S 6° E 40


O { 34 P 3 lks east of "N"
 apple tree 12 S 23° E 48

The above Survey was made by agreement of parties
 in dividing the Silmore estate and is a continuation of
 the Survey of page 394

John Coffey & { chainmen
 Robt Silmore } sworn

M H Bustirk

Lincoln Silmore flagman & sworn



March 6th 1884
 Surveyed in Section
 8 Town 10 R 2 W
 and established corner
 as per plat and field notes

A } Half dist bet W $\frac{1}{2}$ m $\&$ center
 Beech 15 N 37° E 31 lks
 Beech — N 73° W 36 $\frac{1}{4}$..

B } Half dist bet N W cor $\&$ N $\frac{1}{2}$ m $\&$ center
 Black walnut — S 13° E 160 lks
 Apple tree 10 S 82° W 82 lks

C } Center of Section
 Cedar — S 23° E 13 lks
 Beech 18 N 41° W 122 ..

D } Half dist bet N $\frac{1}{2}$ m $\&$ center
 Beech 12 S 81° W 23 lks
 Ash 10 S 33 $\frac{1}{2}$ ° E 49 ..

E } 18 Poles west of X. (X is 62 Poles South of C)
 Sassafras 12 west 68 lks
 Poplar 8 S 77° W 81 lks

F } Half dist bet E $\frac{1}{2}$ m $\&$ center
 Black walnut 1 N 83° E 44 lks
 Elm 3 N 66° E 34 $\frac{1}{2}$ lks


Samuel Parks } Chainmen
 Paul Stine } Sworn
 Newt May & George Miers flagmen sworn

The above Survey was made by consent of parties interested

M. H. Buskirk M. C. S.

X
 March 3^d 1884.
 Made The following Survey in Section 22 T 1 R
 2 W. for Rebecca Sare and Leicester McDowell by
 consent of parties commenced at stone heretofore planted
 at the center of the N W quarter of said Section
 Ran S 4° E 160 Poles and established corner witness
 walnut 2 S 82° W 29 lks Poplar 12 N 3 $\frac{1}{2}$ ° W 242 lks
 Harvey Paddock } Chainmen } Wesley Beach flagman Sworn
 George East } Sworn

M. H. Buskirk M. C. S.



March 27th 1884

Surveyed in Section 22 T 9
R 2 W and established corners
as per plat and field notes

A } N. E. Section corner
Buck 30 North 63 lks

B } E $\frac{1}{2}$ m p
elm 18 S 62° E 123 lks
Buck 13 S 31° E 82 ..

C } S. E. Section corner
Hickory 2 N 30° E 32 lks
Ash 15 N 64½° W 173

D } Half dist bet S. E. cor & E $\frac{1}{2}$ m p
Black walnut 6 N 30° E 165 lks
.. Walnut 1 S 88° E 114 ..

E } 30 Poles west of (X)
Black walnut 10 N 69° W 88 lks
Willow 3 S 82½° W 36½ ..
Melvin Sims } chainmen
Charles Moffet } Sworn

30 Poles west of center
Poplar 30 N 73° E 42½ lks
Black walnut 15 N 63° W 37 ..

Fred Owens flagman sworn

The above Survey was made in compliance with
the following notice served on the parties 10 days
previous to the commencement of the Survey by George
Aiken and now on file in this office


Notice of Survey

Notice is hereby given to Frank Worley, Charles Moffet
& Samuel Skyles That I will proceed together
with the county Surveyor of Monroe County Ind
or his deputy on Thursday the 27th day of March
1884 to run and establish all the lines
and corners necessary to be established in Section
order to locate the line dividing Sections 22 & 23
T 9 R 2 W meet at my residence at
1 o'clock P M on said day be present at
said time and place else the Survey will proceed
in your absence

This March 17th 1884

George Aiken

M. H. Bustirk M. C. S.



X

April 1st 1884

Surveyed in Section
23 T 8 R 2 W and
established corners as per
plat and field notes below

N. W. Section corner
A } White walnut 20 N 13 $\frac{1}{2}$ ° E 28 lks
White walnut 8 S 71 $\frac{1}{2}$ ° W 63 $\frac{1}{2}$..


B } Half dist bet N $\frac{1}{2}$ m p & N. E. cor
Hickory & S 13° E 23 lks
mulberry 8 N 19° E 192..
W. F. Robinson } chainman
W. H. Lewis } sworn

C } Half dist bet E $\frac{1}{2}$ m p & center
Black walnut 4 S 87° W 27 $\frac{1}{2}$ lks
Black walnut 6 S 86° E 39 ..

Freeland Reons flagman sworn

The above Survey was made by consent of parties
interested

M. H. Burskirk M. C. S.



X

May 3rd 6th & 7th 1884

Surveyed in Sections 24 &
25 T 9 R 2 W and estab-
lished corners as per plat and
field notes below

A } W $\frac{1}{2}$ m p of 24
Buck 24 N 76° E 19 lks
Poplar 24 S 23° W 62 ..

B } N. E. corner of 24
Red oak 15 N 28 $\frac{1}{2}$ ° E 54 $\frac{1}{2}$ lks
Red oak 15 S 29° E 71 $\frac{1}{2}$..

C } E $\frac{1}{2}$ m p. of 24
Buck - N 35° E 40 $\frac{1}{2}$ lks
B. walnut 6 S 84° W 84..

D } Center of 24
Black walnut 8 S 19° E 82 lks
Ash 8 N 75° E 25

E } 30 Poles 21 $\frac{1}{2}$ lks west of center
apple tree 10 N 88° W 101 lks

F } 20 Poles east of W $\frac{1}{2}$ m p
Ash 18 N 65° W 64 lks
Buck 18 N 5° E 62 $\frac{1}{2}$ lks

G } 72 Poles $18\frac{3}{4}$ lks South of W $\frac{1}{2}$ m p
Walnut 2 N 73° W 23 lks
Walnut 2 S 74° E 11½ lks

H { 111 Poles 23 $\frac{3}{4}$ lks east of 1 a
Stone planted north 23 lks
White walnut 7 S 3 7 W 8 7 $\frac{1}{2}$

I { N² m p. of 24
walnut 7 S 29° W 39 1/4 lbs
Sugar 15 N 44° E 74 1/2 "

81 Poles $3\frac{1}{2}$ Mts east of the W $\frac{1}{2}$ m. p. of 73
 Wild cherry 24 N 34° E $6\frac{1}{2}$ Mts
 Black walnut 4 S 83° W 89 Mts

K } 40 Poles north of a point 36 Poles west of I
Sugar 24 S 32° W 69½ lks
Ash 12 N 80 E 60 lks

4 } 36 Poles west of center of 24
Black walnut 2 1/2 S 81° E 30 ft
 Hickory 6 N 4° E 91 "

M } 30 Poles west of center of 24
Elm 6 S 89 E 104 lks

N { 110 fms east of W² on p. of 24
apple tree to N 88° W 58 ..

110 Poles east of G
Stone planted N 60° E 53½ lbs

P { S E cor of 24
Hickory 7 S 13 w 40 46
Red oak 12 N 11 w 17 1/2

Q. { Center of Section 25
Black walnut 3 N 22½° W 7¾ lks
Feb 4 N 70° E 14 ½ lks

The Survey in Sections 18 & 23 were made by consent of parties interested. The Survey in 24 was made in compliance with the following notice served on the parties interested by Moses K Hannah 10 days previous to the commencement of the Survey.

Notice is hereby given to Bainbridge Hall Levi Ridge, W. H. H. Curry, Morgan Hamilton, Walter Cooke, Debra Hanna, Beattie Hannah, James Bratney, Isaac Glazebrook Benjamin Hall, Arthur Keir and all others interested that I will proceed together with the County Surveyor of Monroe County Ind or his deputy on Monday the 8th day of May 1884 to run and establish all the lines and corners necessary to be established in Section 24 T 9 R 2 W meet at the residence of James Hanna at 1 o'clock P M on said day else the Survey will proceed in your absence


This April 24th 1884

Moses H. Hanna

M H Burkirk M, C, S,

Morgan Hamilton	Chairman	W. J. Patton	Play music	Sworn	Q.
Benjamin Hall Jr					
Michael Hamner	Sworn	Helmer Hamner			
Geo. Williams					
Samuel Mangum					
James H. Parker					
Wm. H. Parker					

Sections 24 & 25 T10 R 2 W



May 20th & 21st 1884
 Surveyed in Sections
 24 & 25 T10 R 2 W
 and established corners as
 per plat and field notes below

(Half dist bet E $\frac{1}{2}$ on p. of N.E. cor of 25
 A { Poplar 6 N 12° E 18 lks
 Buck 10 S 69° W 40 lks

B { N.E. cor of 25
 Water oak 6 S 23½° E 23½ lks
 Water oak 7 S 61° W 41 "

C { Half dist bet S.E. cor & E $\frac{1}{2}$ on p. of 24
 Water oak 7 N 43° E 8 lks
 Water oak 5 S 62° E 14 "

D { E $\frac{1}{2}$ on p. of 24
 Swamp oak 10 S 73° E 16½ lks
 Burr oak 12 north 40 lks

E { Center of N.W. qr of 24
 Black walnut 12 S 42° W 41½ lks
 Black walnut 6 N 4° E 85 "

F { Half dist bet center & W $\frac{1}{2}$ on p. of 24
 maple 12 N 73° E 77 lks
 maple 13 N 29° E 71½ lks

G { Half dist bet center & S $\frac{1}{2}$ on p. of 24
 Apple tree 1 N 26° E 41 lks
 Apple tree 1 N 61° E 66 "

H { Center of S.E. qr of 24
 Burr oak 10 west 21½ lks
 Elm 4 N 85½° E 21½ lks

I { Center of N.E. qr of 25
 Elm 18 N 73½° E 16½ lks
 maple 15 N 30° E 12½ lks

J { S $\frac{1}{2}$ on p. of 24
 Buck 8 S 61° E 9 lks
 Buck 24 N 78° E 58½ "

K { Half dist bet S $\frac{1}{2}$ on p. & S.E. cor
 water oak 14 N 54° W 16½ lks
 Ash 6 S 60° W 11½ lks

L { Center of S.W. qr of 24
 Water oak 2 S 58° W 1½ lks
 Hickory 12 N 28° W 21 "

The above Survey was made in compliance
 with the accompanying notice which was published
 in the Monroe citizen a weekly newspaper published at
 Ellettsville Ind three weeks before the commencement of
 said Survey

M. H. Buskirk M. L. S.

Notice of Survey.
 NOTICE is hereby given to all persons
 interested in the land hereinafter described
 that I will proceed together with the
 County Surveyor of Monroe county, Ind.,
 on the 20th day of May, 1884,
 to run and establish all the lines and
 corners necessary to be established in
 sections 24 and 25, town 10, range 2, S.,
 and in any adjoining sections, and to
 establish also the lines and corners
 of any adjacent lands, and to proceed
 in accordance with the 17th day of April,
 1884.


Ten days previous to the commencement of the survey
a copy of which is on file in the office of county surveyor

Josiah Curtwright } chainmen
J L Waldrif } sworn

Isaac A Chandler } flagman
Wm May } sworn

M H Buehirk M C S

Sec 32 T 8 R 1 E



Nov 27th & 28th 1884
Surveyed in Section
32 T 8 R 1 E and
established corners as
per plat and field notes
accompanying

A { Half dist bet S.E. cor & E 1/2 cor
mulberry 5 N 30° W 70 lks
Black oak 6 N 61° E 148 1/2 "

B { Half distance bet S.E. cor & S 1/2 cor
Beech 6 S 74° E 11 1/2 lks
Beech 6 N 32° W 27 "

The above Survey was made by consent of parties interested
Wm Smith & Jonathan ~~Smith~~ chainmen sworn
Wm Smith flagman sworn

M H Buehirk M C S

Nov 29th 1884

Ran the following lines and established
the following corners in Section 3 T 8 R 1 E for
Wines of Clinton County Ind. Commenced at
the N W corner of Section 3 ran S 3 1/2° E 92 Poles & lks
to corner heretofore established found the corner had been recently
torn out replaced it and made new witnesses (A) Beech
10 S 12 1/2° W 24 Beech 18 N 38° W 14 lks Thence N 86 1/2° E
79 Poles and found another corner torn out reestablished
this corner (B) witness Beech 10 S 30° W 25 lks Maple
18 N 80° E 20 lks Then commenced at (A) ran S 3 1/2° E


an the west side of Section 3. and established corner
at half distance between $w \frac{1}{2}$ on p & S w cor (C)
by making new witnesses to stone already planted
Beech 18 N 30° W 20 gum 18 N 67° E 19½ lks ~~Thence~~ N 86½
E 160 Poles and established corner (D) witness Beech 24
S 8° W 23 Sugar 12 N 25° W 33 lks

Wm Clarke } Chairman } Wm Smith flagman sworn
George Strain } Sworn }

Also at the same time established corner at half dist
bet S W corner and S½ on p of Section 4. by consent of
parties interested (E) witness Beech 18 N 11° E 4½ lks white
oak 6 S 45° E 19 lks

M H Buskirk M, E, S.

Section 14 T 8 R 1 W



X Jan 10th & 12th 1885
Surveyed in Section
14 T 8 R 1 W and
established corners as per
plat and fieldnotes
accompanying

A { 20 Poles $5\frac{13}{32}$ lks W of E ½ m p
Black oak 15 South 18 lks
Black oak 10 S 28° E 22 ..

B { Half dist bet. "A" & "X"
Beech 6 S 16° W 27 lks
Beech 10 N 34° E 25 ..

C { Center of S E qtr
Beech S 76° W 5½ lks
gum 10 N 18° E 36 ..

D { Half dist bet center & E ½ m p
Beech 24 S 88° W 20 lks
Beech 18 S 57° E 29 ..

The above Survey was made by agreement of
parties interested Wm Parks & chairman
James Smith flagman

M H Buskirk
M, E, S.

X Jan 14th 1885

Ran the north line of Section 27 T 8 R 2 W in order to get a start to survey out a road for E. Goss Supervisor. Established corner at N $\frac{1}{2}$ on p of said Section for Wm. Butcher witness Ash 12 N 84° W 15 lks. Ash 4 N 82° E 86 lks also made new witnesses at N. E. corner of 27. witness Black walnut 8 S 64° W 83 lks. Said road commences at the S $\frac{1}{2}$ on p of Section 22. T 8 R 2 W Thence N 3 $\frac{1}{2}$ ° W 15 $\frac{1}{8}$ Poles 23 $\frac{1}{2}$ lks to the center of said Section (corner heretofore established) Thence east 10 Poles Thence N 3 $\frac{1}{2}$ ° W Poles to the intersection of the Bloomington & Harmony road

Frank Carter } chainmen

Kelly Thrasher } sworn

Joel Eaton flagman sworn

M. H. Buskirk M. C. S.

+

Jan 27th 1885. Established corner at half distance between the center and the E $\frac{1}{2}$ on p of Section 12 T 7 R 2 W witness white walnut 10 west 15 lks Black walnut 2 S 22° E 35 lks also established corner at the center of the South East quarter of same Section witness Black walnut 10 S 82° W 100 lks Black walnut 12 S 86° W 117 lks The above survey was made by consent of parties interested

Ovin Wright } chainmen


Leroy Lane }

M. H. Buskirk M. C. S.

+

March 9th 1885. Established the South west corner of outlot No 11. west of Bloomington witness Locust 12 N 63° E 20 lks This was done for John Waldron, John Graham, & John Waldron chainmen

M. H. Buskirk M. C. S.



March 25th & 26th 1885
 Commenced at the S. E.
 corner of Section 15 T. 8.
 R 1 W. Ran N 4° W 320 Poles
 Ran 2 lks west of corner
 Thence S 86° W 478 Poles 24 lks
 Ran 2 1/2 lks north of corner
 heretofore established at the
 N 1/2 on p. of Section 16. T. 8. R. 1 W.
 Then commenced at the S. W.
 corner of 15. Ran N 4° W 481 Poles
 18 lks Ran 11 lks east of corner
 corrected back and established
 corner at the N W corner of
 15. (N) Elm 1 S 38° W 19 1/2 lks
 Elm 2 S 84° E 81 ..

established this corner by crossing the lines E & W. and N & S
 which makes the west line of 15. one mile and 31 lks
 and the line on the north of 15. is 18 lks short of one
 mile Established corner at half distance between N 1/2 on p.
 and N. W. (B) Black walnut 2 N 81 1/2° W 93 1/2 lks

Elm 3 S 18° E 82 1/2 ..
 Established Northern 1/2 on p. (C) water beech 12 S 84° E 8 1/2 lks
 (One of the original witness trees found) Beech 24 N 79° E 6 1/2 ..
 Established corner at half distance between N 1/2 on p. and
 N. E. corner (D) Beech 30 S 77° E 40 lks Black walnut 4 N 79° W 5 1/2 lks
 Established corner 40 poles South of N. E. cor (E) Black walnut 18 S 21° W 69 1/2 lks

Established E 1/2 on p. (F) Beech 20 S 63° E 104 lks Beech 20 N 17° E 71 lks
 Ran Thence S 86 1/2° W 159 Poles 23 1/2 lks To corner heretofore
 established at the center of the Section one of the witness trees
 still standing (G) White oak 40 S 86° W 30 lks
 Established Black walnut 6 N 6° E 104 ..

Thence S 86 1/2° W 159 Poles 9 lks Ran 1 lks South of
 post corrected back and set corner at half distance
 (H) white walnut 12 S 23° W 45 Sugar 20 N 69° E 81 1/2 lks
 Then commenced at (D) Ran S 4° E 320 Poles 15 lks Ran 28 lks
 east of corner corrected back and established corner at
 half dist between E 1/2 on p. and center (I) Black walnut 8 S 88°
 E 30 1/2 established this corner where the lines cross which is 6 lks
 west of middle and 2 lks South of middle The above Survey
 was made in compliance with the following notice
 which was served upon the parties named therein

by Rufus Coatney 10 days previous to the
commencement of said Survey and returned to
me at the time of said Survey

Notice of Survey

Notice is hereby given to John Stipp, John K. Anderson,
Wm. A. Rogers, Frank Johnson, Eliza Shields, Sarah
Grimes, Alexander Givens, John Moore, Ben Sumner,
Redrick Wylie, Mary Johnson, Ezra Perring, and all
others interested that I will proceed together with the
county Surveyor of Monroe County Ind or his deputy
on Wednesday the 25th day of March 1885 to run
and establish all the lines and corners necessary
to be established in Section 15 T. 8. N. R. 1 W
meet at the residence of — Glaseo at 9 o'clock A.M.
be present at said time and place else the Survey
will proceed in your absence

this March the 7th 1885


Rufus Coatney

Jasper N. Cox {chainman
John Johnson } sworn
Joseph Glaseo. flagman sworn

M. H. Buskirk, M. C. S.

March 27th 1885. Commenced at the N. W. corner
of Section 28 T. 8. R. 1 W. Ran. N. 86 $\frac{1}{2}$ ° E. 139 Poles 13 lks to
corner heretofore established corrected back and established
corner at half distance witness Black walnut 4 S 60° W 39 $\frac{1}{2}$
Black walnut 10 S 60° W 100 lks The above Survey was
made by consent of parties interested

M. H. Buskirk M. C. S.



X Feb 9th & 12th
1883
Surveyed in Sections
29 & 30 T 10 R
S W and
established corners
as per plat and
fieldnotes
accompanying

A { 70 Poles east of center of 29
Sugar 20 S 30° W 13 lks
Beech 24 S 44° E 33 lks


B { 40 Poles west of the $\frac{1}{2}$ m. p. of 30
Walnut 2 North 120 lks

C { 40 Poles west of N.E. cor 30
Elm 12 N 76° E 37 lks
Poplar 6 S 8° E 125 lks

D { Half dist bet $\frac{1}{2}$ m. p. & N.E. cor 29
Black walnut 8 S 30° E 42 $\frac{1}{2}$ lks
Black walnut 4 S 16° W 33 lks

E { 80 Poles South of "D"
Elm 24 N 32° W 148 lks
~~Sycamore 7 N 13° W 87 lks~~

10 Poles west of "F"
~~Sycamore 2 S 2° E~~
walnut 10 N 72° W 38 lks



X Feb 13th & 14th
1885

Surveyed in
Sections 19 & 20
T 10 R 2 W
and established
corners as per
plat and field
notes accompanying.

A { Center of 20 (reestablished)
Poplar 7 S 13° E 38 $\frac{1}{2}$ lks
Black walnut 3 S 78° E 43 lks

B { 70 Poles west of $\frac{1}{2}$ m. p.
Beech 18 S 35° E 40 lks
W. Walnut 12 S 69° W 54 lks

C { 80 Poles 11 $\frac{1}{2}$ lks South of "B"
wild cherry 10 N 70° E 44

D { 22 Poles 3 lks N 40° E from a point in
the Elliptonville & Popport road 8 Poles
east of the center of N W qr of 20
Walnut 3 S 55° W 150 lks
Elm 2 N 35° W 36 $\frac{1}{2}$ lks

178 Poles west of "D" and 19 Poles 7 lks north of the center
 of the N. E. qr of Section 19 T 10 R 2 W
 Ash 6 N 85° W 8 lks Hickory 2 N 83° E 14½ lks

The above Survey of Sections 19, 20, 29 & 30 were made in compliance with the accompanying notice which was published in the Bloomington Telephone a weekly newspaper published in Bloomington Ind for three weeks previous to the commencement of Survey.

Met to commence Survey on the 2nd of Feb and organized for above Survey but having to attend court we adjourned to the 4th during the above Survey the following parties were sworn as chainmen, W. W. Mills, George Chambers Joseph Mayes, David Wilson and as flagmen Feltie Cline, & George Betts.

Also on the 16th of June 1885: Ran the following line and established the following corners in Section 20 T 10 R 2 W for Charles Openhausen as a continuation of the above Survey. Commenced at corner heretofore established at half distance between E½ m p and N.E. corner Ran S 4 poles thence S 89° W 84 Poles 12½ lks and established corner (F) witness beech 12 inches N 73° W 25 lks Beech 24 S 14° E 28 lks thence S 4° E 3½ Poles and established corner (G) witness Beech 20 S 49° E 21 lks Beech 15 N 39° W 28 lks.

John Terry } Chainmen
 W. H. McKenry } Sworn

Nicholas Marion flagman Sworn


M. H. Bushick
 M. C. S.

August 18th 1885. Commenced at corner heretofore established at half dist bet center and N½ m p of Sec 30 T 9 R 1 E Ran N 85° E 40 Poles and established corner witness Beech 14 S 14½ W 14 lks White oak 3 S 87° E 18 lks thence N 8½ W 80 Poles to station line and established corner 40 Poles east of N½ m p witness White oak 6 N 75° E 36 lks White oak 4 N 85° W 21 lks Done by consent of parties interested (Andrew Parks and John A. Polley)

M. H. Bushick M. C. S.

NOTICE OF SURVEY.
 Notice is hereby given to all non-residents and all others interested, that we will proceed together with the County Surveyor of Monroe County, Indiana, or his deputy, on Monday the 2nd day of Feb., 1885, to run and establish all the lines and corners necessary to be established in Section 19, 20, 29 and 30, town 10 range, 2 west. Meet at the residence of David M. Summit at 2 o'clock p. m. of said day, or as soon thereafter as we can after the arrival of the noon train from the south at Stinesville, Ind. Be present at said time and place, else the survey will proceed in your absence.
 MARTHA A. BU-KIRK.
 WM. J. WAMPLER.

John H. Gallegos chainman
 Wm. L. Adams } sworn
 Joseph Myers flagman sworn



March 11th 1888

Come now the following persons
A. J. Hlener, James McGary,
Moses Richeson, George Brock
Issue Brock, Noah Whitwood and
Joshua Payer they being the land
holders of Section 3 Town 9 North Range
one East and they all being present
and willing the undersigned deputy
proceeded to make said survey
which was completed March 14th 1888

and is designated as follows in this report the following
persons assisting, chainmen George Brock James McGary, Andrew
J. Hlener and Noah Whitwood, flagbearers Issue Brock and
Moses Richeson all of whom were duly sworn and
accepted by the parties interested

A } NW $\frac{1}{4}$ m p
Mulberry 3 S $18\frac{1}{2}^{\circ}$ E 32 lks
Buck 24 N 71° E 64 "

B } S $\frac{1}{2}$ m p
White oak 12 S 87° W 19 lks
" Oak 4 N 16° E 26 $\frac{1}{4}$ "

C } N $\frac{1}{2}$ m p
Sycamore (forked) 12 S 61° E 72° lks
Sycamore 8 S 24° W $70\frac{1}{2}$ "

D } S. W. Sec corner
Black oak 10 N 68° E 114 lks
Beech 15 N 72° W 83 "


E } Center of Section
Black oak 11 S 61° W 14 lks
White oak 14 N 83° E $43\frac{1}{2}$ "

F } N W corner
Beech 12 S 37° W 45 lks
White oak 22 S 86° E 44 "

All the above corners were reestablished from the govern-
ment witness trees except (E)

I George B. Rader of Monroe County and State of
Indiana hereby certify the above to be a true report
of the Survey by me made

George B. Rader dep
County Surveyor



June 22nd 1894
 Surveyed in Section
 27 1/2 10 & 1 1/2
 and established corners
 as per plat and plat notes
 below

A { Half lot 10 1/2 m p 2 1/2 m
 1/2 m p 2 1/2 m
 1/2 m p 2 1/2 m

B { 1/2 m p 2 1/2 m
 1/2 m p 2 1/2 m
 1/2 m p 2 1/2 m

C { Half lot 10 1/2 m p 2 1/2 m
 1/2 m p 2 1/2 m
 1/2 m p 2 1/2 m

D { 1/2 m p 2 1/2 m
 1/2 m p 2 1/2 m
 1/2 m p 2 1/2 m

E { 1/2 m p 2 1/2 m
 1/2 m p 2 1/2 m
 1/2 m p 2 1/2 m

F { 1/2 m p 2 1/2 m
 1/2 m p 2 1/2 m
 1/2 m p 2 1/2 m

G { Center of S. 6. 1/2 m
 1/2 m p 2 1/2 m
 1/2 m p 2 1/2 m

H { 1/2 m p 2 1/2 m
 1/2 m p 2 1/2 m
 1/2 m p 2 1/2 m

I { Center of S. 6. 1/2 m by crossing lines each way they cross 3 1/2 m south
 and 2 1/2 m the west of center of the lines section white walnut 4
 1/2 m p 2 1/2 m 1/2 m p 2 1/2 m

Notice of the above survey was served on all the parties
 interested by Henry Anderson 10 days previous to the
 commencement of survey which notice is now on file in
 The Surveyors office

John Holman John Holman
 John H. Ballenger John H. Ballenger
 Philip Smith flagman surveyor

M. L. Snider
 M. L. Snider

+ Sept 21st 1885 Commenced at the S. E. corner of Section 29
 T. 9, R. 1, W. Range 187° 44' 32.3 Poles 9 lbs and hit corner cornered
 back and established corner 40 Poles 11 lbs East of S W cor
~~in N 43° E 30 lbs~~ N Walnut 15 Hickory 1 N 33° W
 25½ lbs Thence N 34° W 162 Poles 5 lbs and established corner
 40 Poles 10 lbs east of W ½ on p. witness Oak 36 in S 4°
 W 23 lbs W Walnut 13 in N 32½ W 10½ lbs also established
 corner at half dirt bet W ½ on p. and center witness Oak 30
 S 25° E 24 lbs Oak 28 S 11° W 81 lbs The above Survey was made
 at the request of parties interested (George Thornton and Wm Alexander)
 Wm Stewart (chairman)
 Sam Brown (Sworn)
 Stephen White flagman sworn.

M H Baskirk M. C. S.

+ Thursday the 22nd day of October 1885 Comes now
 The following named parties resident land holders of
 Section 9 Town 9 Range one west namely Joseph Payne,
 James Rogers, Frank Whisman, Doctor R. Wiley, and
 William Dunnahoo, and by agreement make the following
 Survey in said Section Whereupon we proceeded to do
 the same with the assistance of of George W. Whisman and
 Hugh Atkinson and Doctor R. Wiley as chain carriers
 and Frank Whisman and William Johnson as
 flagman all of whom were duly sworn
 Established W ½ on p. witness Black walnut 4 inches
 N 24° E 61½ lbs Jack oak 6 inches N 83° E 128½ lbs
 Center of Section new witness to old corner Sycamore 5
 inches S 42° E 14½ lbs made new witness at N. E. corner
 White Oak 12 S 45° E 48 lbs
 I hereby certify the foregoing to be a true report
 of the Survey by me made given
 under my hand this Nov 30th 1885.

George B. Rader
 Deft S., M., C.

+ Oct 29th 1885 Commenced at the N W corner
 of Section 18 T 7 R 1 W (made new witnesses to
 this corner Hackberry 18 N 30° W 26½ lks walnut
 4 north 70 lks also planted stone for corner of T 7 R 1 W
 Ran Thence N 87½ E 323 Poles 18 lks Then commenced
 at the E ½ m p. of Section 7. Ran S 2½ E 319 Poles
 4½ lks ran 10½ lks west of corner corrected back
 to halfway place or section line between T 7 & 18 found
 the first line 333 Poles 12 lks long and the east end
 140 lks too far north corrected said line back to
 starting point in this survey the following were
 sworn in to assist by consent of parties interested
 Andrew Dillman chairman

Jeph Helms } sworn Ewin Knight flagman

Notice of the above survey was served by Samuel
 Helms 10 days previous to the commencement of
 the survey but has got misplaced
 Also by consent of John Dillman and Samuel
 Helms and at their request they both being
 present established corner 173 Poles 18 lks east
 of the N W corner of Section 18 T 7 R 1 W in
 a line previously staked out by Andrew Dillman
 and Jeph Helms Sons of John Dillman & Samuel
 Helms and agreed upon by the parties as being
 the corner to determine their line for the northern
 ½ m p. of said Section 18. planted stone in
 said line at said point in presence of said
 parties by their orders witnessed by Sugar & N 83½
 W 90 lks walnut & S 87° E 84 lks
 Witness my hand and Seal this Dec the
 19th 1885

M. H. Baskin
 M. C. S

See Pages 450 & 451

Above line and corner reestablished
 by John B. Halott, by order of Thomas E. Allen

H. H. Allen M. C. S



October 30th 1883~
 Ran the following lines
 and established the following
 corners in the N W q^r of
 Section 20 Town 7 N, R. 1, W.
 Commenced at the center of
 Section 20 Ran N 3½ W 16 Poles
 and established corner ^A witness
 Sugar 20 N 89° W 42 lks waled
 S N 33° W 82 lks Thence South
 87° W 32 Poles to the center of
 a Spring Branch and established
 corner ^B + in solid rock with
 Elm 14 East 32 lks Sugar 14
 N 45° W 26 lks Thence down
 said branch S 60° W 14
 14 lks To clear creek Thence
 E 14 Poles to the South line
 said quarter Thence N 87° E
 19 lks to the place of

beginning. The above Survey was done at the request of parties interested, Walker Burkhardt & Von Hatzel chairmen sworn Alex Strain flagman sworn


M H Buskirk, M. C., S.

Nov 6th 1885 Run the following lines and established the following corners in the N W qr of Section 20 T. 4. N. R. 1. W at the request of Alex Strain and Short Strain commenced at the N W corner of 20 Ran S 34° E 139 Poles 12 lks to W 1/2 on pr corrected back to half dist from thence Ran N 87° E 160 Poles 36 lks to east line of gr Then commenced at the N. E cor of Sec 20 Ran S 87° W 322 Poles 12 lks to N W corner made new wit at N. W. cor Hickory 3 N 35° W 19 lks Established N 1/2 on pr "B" mulberry - N 11° E 22 1/2 lks Ash 3 N 14° W 24 1/2 Estab corner at half dist bet center and N 1/2 on pr wit. Oak 24 N 39° E 66 lks Birch 15 N 19° E 67 lks Estab corner at center of N W qr "D" witness Sugar 5 N 11° W 62 lks Sugar - S 89° W 33 lks
Josh Kugel chairman.
Thomas Allen sworn.
Alex Strain flagman

M. H. Brewster M. C. S.

May 21st 1883- Ran the following lines and established the following corners in Section 28 T 10 R 2 W Commenced at S $\frac{1}{2}$ m p of Section 28 (made new witnesses to this corner. Birch 18 N 23° E 54 $\frac{1}{2}$ lks Ash 3 N 80° W 26 lks. Run S 8 $\frac{1}{2}$ ° E 160 Poles 3 lks to corner heretofore established. Also established corner at the center of Section 23 by consent of parties interested witness Black walnut 5 N 7 $\frac{1}{2}$ ° W 20 lks Apple tree 13 N 74 $\frac{1}{2}$ ° W 63 $\frac{3}{4}$ lks Thence N 3 $\frac{1}{2}$ ° W 160 Poles 17 lks to N $\frac{1}{2}$ m p Eph Stanger Schainmen
Dan Williams Swar
George Dearmin flagman surveyor

M H Baskirk, M, C, S



X Dec 14th 1883-
Surveyed in Section 29 T 7 R 1 E and established corners as per plat and field notes accompanying

A { S $\frac{1}{2}$ m p
Chestnut 12 S 81 $\frac{1}{2}$ ° W 34 lks
Red Oak 12 N 71° W 40 $\frac{1}{2}$ "

B { Half distance bet S $\frac{1}{2}$ m p & center
Poplar 6 N 70° W 14 lks
Birch 12 N 85° E 30 $\frac{1}{2}$ lks

C { Half dist. bet E $\frac{1}{2}$ m p & center
Quaking asp 7 S 72 $\frac{1}{2}$ ° W 33 lks
Red Oak 12 S 81° W 39 "

D { Half dist bet D $\frac{1}{2}$ m p & center
Red oak 4 N 88 $\frac{1}{2}$ ° W 6 $\frac{1}{4}$ lks
Red oak 5 S 3° W 22 $\frac{1}{2}$ lks

E { Half dist bet W $\frac{1}{2}$ m p & S, W, E
Birch 6 S 70° E 56 lks
Birch 6 N 74 $\frac{1}{2}$ ° E 46 "

F { Center of S, E qtr
Chestnut 15 N 60° W 104 lks
Chestnut 24 S 78° E 129 "

G { E $\frac{1}{2}$ m p
Birch 12 N 11° E 54 lks
Birch 12 N 84° W 83 "

H { Half distance bet S $\frac{1}{2}$ m p & center
Sum 12 N 84° E 83 $\frac{1}{2}$ lks
Birch 12 N 24° W 118 "

I Center of S. W. cor Red oak 10 N 11° E 33' the Red oak 10
N 31° E 56' the

Edward Leckard & Otto Mitchel chainmen
Joseph East flagman all duly sworn

The foregoing survey was made in compliance with the
following notice served on the parties interested 10 days
previous to the commencement of the survey and returned
to me when the survey commenced

Notice of Survey

Notice is hereby given to Milt Eads, W. H. Eads, Joshua
Souders, John Souders, Mary Runnels, Mary A. Arney,
Columbus Steward M L Engant, Julia Blackcraft, Coleman
Duncan (now owned by Miller Bros notice served on them)
Simpson Blackwell, Samuel Woods & Co (not found but did not
come in contact with their lands) Jas Garrison (not notified
but he consented and paid his share of the expense) Joseph East, M
S. Temple, Marion Smith, Levi Conner, N. W. Eads
Samantha Eads, W. H. Smith, and all others interested
that the County Surveyor of Monroe County Ind
will proceed on Monday the 14th day of December
1885 to run and establish all the lines and
corners necessary to be established in Section 29
T 7 N R 1 E (weather being suitable, if not as soon
thereafter as the weather will permit) meet at
the S W corner of said Section at 1 o'clock
P M on said day else the survey
will proceed in your absence
This Nov 21st 1885


Leuk Hitch

I hereby certify that the foregoing is a
true report of the survey of Section 29 T 7
N R 1 E as made by me commencing
on the 14th and ending on the 16th day
of December 1885

M. H. Baskirk M. S. S.

Secs 16, 20 & 21, T 9, R 2, W

X



December 28th 29th & 30th 1885 Surveyed
in Sections 16, 20 & 21 T 9 R 2 W and
established corners as per plat and field notes
accompanying

- A { 40 Pole East of cor. at half dist bet W $\frac{1}{2}$ on p & N W cor. 20
Stone Set S 4° E 8 lks
Stone Set N 4° W 8 $\frac{1}{2}$ "
- B { Half dist bet N $\frac{1}{2}$ on p & center
Black walnut 5' S 31° E 20 $\frac{1}{2}$ lks
Black walnut 10 N 1° E 63 $\frac{1}{2}$ "
- C { Half dist bet W $\frac{1}{2}$ on p & N W cor. of 20
Black walnut 5' S 94° E 10 $\frac{3}{4}$ lks
E lms 3 N 28° W 84 $\frac{1}{2}$ "
- D { Half dist bet W $\frac{1}{2}$ on p & S W cor. of 16
Stone Set East 20 lks
Stone Set West 13 lks
- E { NW $\frac{1}{2}$ on p of 16
Walnut 5' N 11° E 97 $\frac{1}{2}$ lks
Whit oak 30 S 73° W 86 "
- F { Center of S W gr of 16
Blk walnut 14 N 22° W 63 lks
Blk walnut 10 S 2° W 140 "
- G { Center of N W gr of 21
Beech 12 N 35° 18 $\frac{1}{4}$ lks
Hickory 18 N 11° E 32 $\frac{1}{2}$ "

The foregoing Survey was made in compliance with the following notice which was served on parties interested 10 days previous to commencement of the Survey by Joseph M. Freeman and returned to me at the time of the Survey.

Notice is hereby given to G. B. Moore James Clay, Cole Freeman, Eli Rample, Harvey Ellis, W. Reeves, Liz Rample, Stanfield Thornton, J. Starnes, W. Coffey, Catharine Starnes and John Coffey that I will proceed together with the County Surveyor of Monroe Co Ind or his deputy on Monday the 28th day of Dec 1883 to run and establish all the lines and corners necessary to be established in Sections 14, 17 & 21 Town 9 North Range two west meet at the residence of Joseph Freeman at 2 o'clock P. M. on said day Be present at said time and place else the Survey will proceed in your absence.

This Dec 18th 1883.

Joseph M. Freeman


During the above Survey E. W. Hall & D. M. Neil were chainmen Frank Hall flagman all duly sworn.

M. H. Buskirk M. C. S.

December 24th 1883 Ran the following line and established the following corner in section 12 T. 8, R. 1, W. for Van Robertson and Harvey Philips they being present and consenting to the same commenced at the E. & W. p. (made new witnesses Sugar 12 S 78° E 18 1/4 lks Sugar 12 S 87° W 14 lks) Ran thence S 86 1/2° W 15.6 Poles 4 lks to corner heretofore established at the center of the section Henry McCalla & Jack Armstrong chainmen sworn.

M. H. Buskirk M. C. S.

Section 20 T10 R1W



X Jan 26th 1886
 Surveyed in Section
 20 T10 R1 W and
 established corners as per
 plat and field notes
 below

A { Center of S W qtr
 Hickory 7 S 12 $\frac{1}{2}$ ° W 18 lks
 Hickory 12 west 3 lks

B { Half dist. bet. W $\frac{1}{2}$ on p. & S. W. C
 Locust 6 N 28 $\frac{1}{2}$ ° W 129 lks
 Larvis 7 N 8 $\frac{1}{2}$ ° E 109 ..

C { Half dist bet W $\frac{1}{2}$ on p. & N. W. C
 Birch 12 N 10° E 12 $\frac{1}{4}$ lks
 Birch 15 S 33° W 13 $\frac{1}{4}$ lks

D { Center of N W qtr
 Ash 1 S 39° E 7 lks
 Elm 1 S 80° W 12 $\frac{1}{2}$ lks

The above Survey was made by and with
 the consent of all the land owners of said
 Section 20 Town and range aforesaid

Thomas Hufferd {
 John H. Shelburn } chainmen
 Wm Felle } sworn

Thomas Brown flagman sworn

M. H. Buekirk M. C. D.

This is to certify that I have this day
 appointed A. G. Dillman my true and lawful
 deputy and all surveys made by him
 will be as legal as if made by
 myself This February the 22nd 1886

M. H. Buekirk
 M. C. D.

State of Indiana }
 Monroe County }

I do Solemnly Swear that I will support the
 constitution of the United States and the
 constitution of the State of Indiana and
 that I will faithfully discharge the duties of
 deputy Surveyor of Monroe County Indiana
 according to law to the best of my knowledge
 and ability

So help me God A. S. Dellman

Subscribed and Sworn to before me this the
 22nd day of February 1886

M. H. Bustick M. C. S.

Survey of sec 7 Town 8 N. Range 1 E

Feb 15th, 1886. Came now the following named land holders of section seven Town 8 N. Range 1 E. East. Namely, Thomas B. Cain, John Barnhill, Chas. Cox, Lewis Young, John Pamphile, and John A. Dolly asking a survey of their lands in said section. Edward Hickory and - Miller agreeing and consenting that the same be made having power of attorney in this part, whereas said survey was made as set forth in this report, the following persons assisting, Chairman, Benjamin F. Branan, George W. Branan, John A. Dolly, Nathan Linsicum, and Miller Cox, Clerk ^{George W. Branan} Lewis Young, and Miller Cox.

Said survey commenced on the above mentioned date and conditions Feb. 23, 1886.

- A. { Rest. reestablished
B. Oak, 6 in. N 75 E 70, 14 lks.
B. Oak, 6 in. S 75 E 70, 10 1/2 "
- B. { Rest. reestablished
B. Walnut forked, 2 in. 41 E. 97 lks.
Satalpy, 6 in. N 68 W, 114 lks.
- D. { Rest. reestablished from U.S. notes by new entrance
D. Oak 4 in. S 8 W 3 lks.
Black Gum 3 in. N 42 E 17 lks.



- E. { Rest. reestablished
H. Hickory 6 in. S 74 E 32 1/2 lks.
" " 8 " S 28 E 34 "
- F. { H. Oak 16 in. N 72 E 20 1/2 lks.
Oak 4 in. S 37 E 16 1/2 "
- G. { H. Hickory 6 in. S 74 E 32 1/2 lks.
" " 8 " S 28 E 34 "
- H. { B. Oak 4 in. N 66 W 75 1/2 lks.
Hickory 2 1/2 in. N 76 E 70 "
- I. { B. Oak 6 in. N 51 E 38 1/2 lks.
B. Oak 6 in. N 55 E 18 1/2 "

- On Indian Boundary, 36 rods North of "H"
J. { H. Oak 4 in. N 72 E 25 1/2 lks.
Hickory 6 in. S 37 E 12 1/2 "

I hereby certify the foregoing to be a true report of the survey by me made this Feb. 24, 1886. Geo. B. Bader, Deputy County Surveyor.

I hereby certify the foregoing to be a true copy of the report sent to me by said Geo. B. Bader.


Witness my seal

John Downey & Rhoda Taylor.
 Recovery of part of sec. 2 T. 10 N. R. 1 E.

425

Nov 23rd 1886. Then the following lines and established the following described corners in section 2. T. 10 N. R. 1 E. for John Downey and Rhoda Taylor to wit as follows: Commencing at center of section adjoining Thence North 106 poles on random line (variation $3^{\circ} 40'$) to established corner "O".

Corrected O₄ and at request of interested parties established "R" the NE corner of SE quarter of N-E quarter of sections 2 T. 10 N. R. 1 E. on true line 88 poles North of beginning. Thence began at "O" went Thence West (variation $5^{\circ} 0'$) twenty-seven (27) poles to establish



at corner "P". Thence South 21 W 43 poles to "S". Having calculated the bearing from the description of plotted tract of land as given in Mrs Taylor's deed and found it to be S. 13° 15' W and used the bearing S. 21° W by as though erroneous, I corrected by going - E. at S. the distance corresponding to difference in two bearings. Thence Thence S 83° 58'

65 poles 172 l. or 3 Q. Course and bearing both being unknown and having been calculated from afore said descriptions. Found bearing to be correct but course short 20 l. Mr. S. Sprad Baker acting for Mrs Taylor and John Downey junior, acting for John Downey Sen. both requested that I should correct discrepancy and prove the correctness of my calculation by running QP and TS saying that if TS proved the length I declared it would be 9 poles 52 l. they would ask for no further proof. I told them I considered the corner established where I should correct the lines, O₃ and S.P. but if they would agree to O₄ and O₄ as true measure and pay for the unnecessary lines desired at regular rates I would run. They agreed to both propositions very cautiously. I found QP, ran North from "O" 65 poles 15 l. to "T" thence West said 9 poles 52 l. and verified the previous location of corner and corner.

I established corner at S. Witness trees. Buck 20 in. S. & E. 2.66 ch. Wild Plum 8 in. N. & E. 2.56 ch. Witness trees were standing at each of the following corners "L", O, P, Q. I replanted rocks at all of them except O which was still standing.

It will appear from offered notice of above described survey that a survey of entire section was thought necessary. But learning that the location of "S" only was desired, I knew the few lines last described were all that were necessary and told the parties so. They insisted on the entire survey as given also since the large amount of unnecessary work.

{ W. F. Baker }
 Chairman George Thacker } All duly sworn
 Hagman, Jas. H. & others } Over

Continued from page 425.

The foregoing survey was made in compliance with the following notice, published in "Bloomington Courier" a county paper published at ^{published} ~~Ind.~~ ^{Ind.} Said Notice having been ordered by my judges-
 per M. H. Buskirk.

Since the entire section was not run ^{at} Mr. John Adkins was a dis-
 interested party.

I hereby certify the foregoing description of this survey as given for plot and notes and witness this to be true, to which witness my hand and seal

A. G. Dillman
 M. C. S.

My first work.

SAMUEL BENNETT, JR.
 Feb. 20, '86. Executors,
 Buskirk & Duncan, Att'ys.

Notice of Survey.

Notice is hereby given to all non-residents, and all others interested, that I will proceed together with the County Surveyor of Monroe county, Indiana, or his Deputy, on Tuesday the 23d day of March, 1886, at 10 o'clock a. m., to run and establish all the lines and corners necessary to be established in Section 2, town 10, range 1 East, commencing at the Northeast corner of said Section. All parties interested are requested to be present at said time and place else the survey will proceed in their absence. Meet at house of John Adkins.

JOHN ADKINS,
 PHOEBE TAYLOR.

Feb. 27, 1886.

State of Indiana }
Monroe County }

I do solemnly swear that I will support the Constitution of the United States and the Constitution of the State of Indiana; and that I will faithfully perform the duties of Deputy Surveyor of Monroe County Indiana according to Law to the best of my knowledge and ability

So help me God M. H. Buskirk

Subscribed and sworn to before me this the 14th day of June 1856

A. Gray Dillman Monroe Co. Surveyor

State of Indiana }
Monroe County }

I do solemnly swear that I will support the Constitution of the United States and the Constitution of the State of Indiana; and that I will faithfully perform the duties of Deputy Surveyor of Monroe County Indiana according to Law to the best of my knowledge and ability

So help me God


M. H. Buskirk

Subscribed and sworn to before me this the 12th day of April 1857

Andrew G. Dillman

Monroe Co. Surveyor

Survey of Section 21 T. 8 R. 2 W. June 15. 80



Brass worth from stone
(supported ^{and declared} by old citizens and ar-
chitects of section to be in true pos-
ition of U. S. Government Hall

" " 10 " N. 30 E. 40 "

(" 12 ins S. 42 W. 30 " "

"B" { The contents of section 21 as found by said line and corners
 Witnesses { Black Walnut 6 N. 30 E. 58 links
 White " " S. 60 E. 95 "

The following named parties were sworn in to assist
 in above described survey
 On ~~Thursday~~ ^{Friday} June 15th

{ Daniel Neil } Flagman
 { Collins } Chairman

On Wednesday June 16th by consent of interested parties
 Camillus Clay, Flagman
 Harvey Ellis
 Campbell } Chairman

The above survey was made in accordance with the
 following ^{copy of} notice served on parties therein named
 10 days previous to 15th of June 1856 by Harvey Ellis
 " Notice is hereby given to Camillus Clay, James
 Clay, James Starnes, James C. Freeman, John W. Starnes
 George Moore and all others interested that I will proceed
 together with the County Surveyor of Monroe Co. Indiana
 or his deputy on Thursday the 15th day of June 1856
 to run and establish all the lines and corners necessary
 to be established in section 21 T. 8. R. 2 W. Meet at
 my residence at two o'clock P.M. on said day.
 Be present at said time and place else the survey
 will proceed in your absence.

This the 5th day of June 1856.

Harvey Ellis

I hereby certify the above to be a true
 record of survey and the copy of notice to be true.
 As witness of hand I attach my hand and seal.

Andrew J. Dillman

Monroe Co. Surveyor.

Caviness and Gillespie Survey Aug. 25. 1886.
Sept. 8. 1886



On Wed. Aug. 25. 1886
I, by the request and consent
of the following named interested
parties, viz. John Caviness,
Mrs. Charlotte Gillespie, Nathan
Carter, and Stephen R. Elliott
made the following described
survey as follows: Began at
the South East corner of sec.
14 T. 10 N. R. 2 W. ran West,
with a variation of 31° to South $\frac{1}{2}$ mile part of sec. 14, said
town and range. Then cut 44 links east and 302 links south
of said $\frac{1}{2}$ mile part. I then corrected back to place of begin-
ing, and at the request of Stephen R. Elliott and Mrs. Charlotte
Gillespie I located and established the S-E cor. of the S-E quarter
of the S-E quarter of sec. 14 T. 10 N. R. 2 W. by planting a stone
witnessed by two lime stones, one being planted S. 42° E. 402 links
the other N. 5° E. 302 links.

Also by request of Stephen R. Elliott and Nathan
Carter and by their consent I located and reestablished
the S-E corner of sec. 14 T. 10 N. R. 2 W. by planting a lime-
stone rock witnessed by two lime stones, one being
planted N. 36° E. 40 links, the other S. 42° E. 46 links.

The following named parties were sworn in
to assist in above described survey.

William Goble } Chairman
Howard Goble }
Joseph B. Cosens, - Flazeman.

On Monday Aug. 30. 1886 I began the following
described survey finishing on the following.

This survey was made by the following named par-
ties. Stephen R. Elliott, Joseph B. Cosens and Lizzie Phillips
they each being present while the lines were being run
and when the corners were established consenting and agreeing
to the same. I began at the S-E cor. of sec. 14 T. 10 N. R. 2 W.
ran North to N-E cor. of said sec. 14 with a variation of 3°
according to true field etc. ran out 18 links south and
3.52 ch. West of said N-E corner, as witnessed by two links

which were ^{each} 11 links distant instead of 12 links as
 recorded in some field notes. Mr. M. H. Bushick, my first
 surveyor, having used this corner in two different
 surveys, supposing the 17th were recorded by mistake and
 all the irregular parties as named above agreeing that
 Mr. Bushick's location of the corner should be taken as
 correct, I then commenced at the N. W. corner of
 sec. 14 T. 10 N., R. 2 W. ran thence south with a variation
 of 33° to South $\frac{1}{2}$ mile past of said sec. 14 corner, with
 63 links north and 6 links East of said point (Ran
 south 78.55 ch) I then corrected back on fourth distance,
 ran thence east 40 ch. missing the S. then located
 and established the N. E. corner of the S. E. quarter of the S. E. quarter
 of sec. 14 T. 10 N., R. 2 W. by planting a line stone between
 by two stones one being point 22 links, the other
 being N. 35° E. 10 links. I then found that the terminus
 of line last described was 33 links east and 1.38 South
 of corner just described. I then corrected back of distance
 located and established the N. W. corner of the S. E. quarter of
 the S. E. quarter of sec. 14 T. 10 N., Range 2 W. by planting
 a stone well marked by two stones, one being planted
 S. 17 $^{\circ}$ W. 35 links, the other N. 82° E. 28 $\frac{1}{2}$ links.

By consent of the Squires, Shulbourn and Stephen
 R. Elliott, Joseph H. W. Currier acted as flagman, and
 Mr. William Gold and Robert Cooksey acted as chain-
 bearers, in above survey. They each having been duly
 sworn.


I hereby certify the words of the above
 described surveys to be true.

In witness whereof I attach my hand and seal

John E. Dillman

Notary Public, Lincoln Co., N. Y.

Harrodsburg, Monroe Co. Indiana
 Sec 11 & 14 T. 10, R. 1 E. Nov. 17. 1888




In accordance with accompanying
 Notice published in
 "Republican Progress"
 Bloomington, Ind.
 I made the following
 Survey, as per plat
 and field notes accom-
 panying, in sections
 eleven and fourteen
 Township 10 N. Range 1 E.

Notice of Survey.
 NOTICE is hereby given to all non-
 residents and all others interested,
 that we will proceed together with the
 County Surveyor of Monroe county, or
 Deputy, on
 TUESDAY, NOV. 27th, 1888,
 to run and establish all lines and corners
 necessary to be established, in sections 14
 and 11, town 10 range 1 east.
 Meet at the center of said section 14 at
 8 o'clock on said day.
 You are requested to be present at said
 time and place, else said survey will pro-
 ceed in your absence.
 DAVID S. DODSON,
 JACOB FLEENER,
 THOMAS LANDUM.

James B. Hicks and John J. Shively
 having been sworn in as chain-bearers
 and Thomas Landum as flagman I
 began at P ran S. to L, running 131 l. east and 45 l. N.,
 corrected at point, "A" establishing corner by planting a sand-
 stone witnessed by a 6 in hickory S. 35° E. 38 l. and a 6 in hick-
 ory S. 77° E. 43 l. Then began at "A" ran S. ^{160 poles} coming out
 69 l. N. and 152 l. east of established corner at "M". I then
 established a corner at "B" by planting a sandstone witnessed
 by an 8 in black walnut South 27° E. 49 l. and a 10 in wild
 cherry S. 18½° W. 43½ l. I then at request of Wm. Hammond ran
 and located the line BA finding it 110 l. longer than 80 poles.
 I also, at request of David S. Dodson and Jacob Fleener
 ran and located the line "FG". The above work was performed
 on Tues and Wednes. On Wednesday Lewis McCoy acted as
 sworn flagman. On Thurs. Nov. 11 with Jacob Fleener
 as sworn flagman, and John J. Shively and the Jenkins
 as "chain bearers" I began at "H" ran N. 320 poles. There
 being no established corner at "I" I then began at "C" ran N. to
 H. 160 poles and 47 l. came out 168 l. E. and 18 l. S. of "K"; then
 corrected at "I"; found line from H to I to terminate 110 l. S.
 and 6 l. W. of "I". I then proceeded to establish
 at proportionate distances corners at C, D and E as follows:
 "C" a sand stone witnessed by { 11 oak 24 in. S. 22° E. 10 l.
 "D" " " " { " " 10 " N. 15° W. 65 l.
 " " " " { Beech 12 " S. 16° E. 53 l.
 " " " " { " 8 " S. 52½° W. 54 l.
 " " " " { Red oak 6½ " N. 47½° W. 54 l.
 " " " " { " 40 " 35½ l.

I hereby certify the above to be a true
 record of survey described Thos. Landum as sheriff
 at test my hand and seal this 17th day of Nov. 1888.

"Koons & Mobley Survey" Oct. 14, 1886



Oct. 14, 1886. Surveyed in section 23 T. 8 N. R. 2 W. and established corners as per plat and field notes accompanying.

"A" 84 poles & links South of N.E. corner, witnessed by sugar 24 in S 16° W. 14 links, Hackberry 25 in N 5° E. 6 links.

"B" 59 poles, 5 links west of the N.E. corner, witnessed by Black Walnut 15 in S 54° W. 67 1/2 links; Black Walnut 5 in S 78° E. 97 links.

Parties interested being present and consenting. Mr. Stephenson & John Bruen acted as chainmen and "Pls" Mobley as flag-man, each having been sworn.

I hereby certify the above to be a true copy of report as returned to me by said M. H. Ruskirk in witness whereof I attach my hand and seal this the 31st day of Dec. 1886.

M. H. Ruskirk, Deft. M. C. S.
Andrew G. Dillon
Morrison Co. Surveyor

Shields and Doudens Survey Jan. 14, 1887.

In obedience of a request of A. K. Doudens, Trustee of Clear Creek Twp. Morrison Co. Ind. I made the following described survey. Began at N.W. corner of S.W. 1/4 of N.W. 1/4 of sec 6 T. 71 S. Ran South 2 miles to N.W. corner of S.W. 1/4 of N.W. 1/4 of sec 6 on a random line, connecting back thus locating Meridian Line. I then attempted to trace out a School Lot on said Mer. Line by the data as given in the original plat given by James Shields and Wife to John Shultz Trustee of C. & W. Finding the description too indefinite I, at request of parties now around the lot beginning at an arbitrary point in order to make its relative position. Since nothing was established I think above is sufficient record. A. G. Dillon, M. C. S.

Shorlock & Underwood Survey, Sec. 16 T. 7 N. W. Feb. 3. 1887.

By consent of John Shorlock, Anthony Chambers, Lafayette Underwood, David Chambers, Levi Stream and Margaret Stultz (through her son John Stultz Jun.) they being all the parties interested and agreeing to waive process of law. I began at N. $\frac{1}{2}$ m. post of sec. 16 T. 7 N. W. ran south 120 chains (with a cu. of 32°) to center, sec. 21. on random line. Connected said line and located the center of said sec. 16 in or about the center of a stream known as Little Bear Creek and perpetuated it by taking as witnesses ^{12 in} 12 in. 192 links and a 10 in B. Walnut N. 5° W. 66° links. In running above line I missed desired point 8 h. N. and 32 h. E. By consent of all interested parties John Stultz and Anthony Chambers assisted as chain bearers and Levi Stream as flag man. They each having been duly sworn.

Sec 16.


A

I hereby certify the above to be a true record of said survey. In witness whereof I attach my hand and official seal.

A. S. Dillman M.C.S.

Record of Chambers & Taylor Survey

Section 33 T. 7 N. R. 1 W. April 4, 1881



Due notice having been given I made the following described Survey establishing corners. It is per plat and field notes accompanying:

Having met at time and place designated in Notice I organized by qualifying Williams H Taylor & Emory W Taylor as chain bearers and Oatenden as flag bearer, all interested parties consenting. I then began at S-W corner of sec. 31 T. 7 N. R. 1 W. ran thence S. (or S²) two miles coming out 2.50 ch. W. of S-W cor. of sec. 33. as it was located by old citizens, they all writing in saying that the lap corners on South of T. 7 N. R. 1 W. were East of those in T. 6 N. R. 1 W. The plat on file in my office gave them as West. Feeling assured that the plat was incorrect I adjourned the Survey until the following Thurs. Feb 24, sending to the State Auditor for a correct plat.

It came in due time and proved the old citizens correct. I reorganized on Feb 24 by qualifying William Broadway as chain bearer in place of Wm. H. Taylor who asked to be excused. I then began at S-W corner of T. 7 N. R. 1 W. ran thence East (or S²) the recorded distance to S-E corner of sec. 33 T. 7 N. coming out 764 W. & 35 the South of corner. I then corrected the 18th out stake locating the ^DS-E corner of the S-W $\frac{1}{4}$ of S-W $\frac{1}{4}$ of sec. 33 T. 7 N. R. 1 W., which I established by planting a lime stone, taking as witnesses a B. Walnut 8 in. N 112 E. 784 l. and a lime stone planted N 33 W 33 l. I then corrected out stake at "A" which I reestablished by planting a lime stone five links South of proper position, witnessed by Sugar 4 in. S 76 W. 144 l. & B Walnut S. 66 E. - 1. I then ran North from A 200 chains coming out 2235 links N and 150 links W. of S-E m. post of sec. 29 T. 7 N. R. 1 W. I then corrected out stake at "B" which I reestablished by planting a lime stone witnessed by Elm, 20 in. N 88 E. 31 l. and a Maple 20 in. S. 23 W. 67 l. I then reestablished W 2 m. p. of sec. 33 at "C" by planting a lime stone witnessed by lime stone N. 20 W. 13 l. and a lime stone S. 67 W. 11 l. I then began at "B" (N-W cor. of sec. 33) ran thence S. 80 ch. coming out 72 l. N. & 26 l. W. of N-E cor. of sec. 33. Afterwards finding (or while correcting random line) I

the original N. 2 m. part of sec. 33. I used it as the starting point in ~~correcting~~ ^{locating} out stake at "E". Thus locating "E" at $\frac{1}{2}$ distance between N. 2 m. p. and N. E. cor. of sections. I established "E", (N. E. corner of $\frac{1}{2}$ of N. W. $\frac{1}{4}$ of N. E. $\frac{1}{4}$ of sec. 33 T. 7 N. R. 1 W.) by planting a lime stone, taking as witnesses a W Oak 15 in N 78 E W. 57 l. and a Poplar 12 in S. 40 E. 53 l.

I then began at "E" and ran S. 90 ch. running out 50 l. E. and 12 l. N. of corresponding point on S. line of sec. 33. I then established this center of sec. 33 by planting a limestone witnessed by B. Oak 12 in S. 22 E. 21 linch and a B. Oak 14 in S. 41 W. 56 $\frac{1}{2}$ l.

I then commenced at S. $\frac{1}{2}$ mile point of sec. 33, ran North 80 ch. to N. 2 m. p. of said sec. came out 68 $\frac{1}{2}$ l. N. 4 32 l. W. of said N. 2 m. p. I then established "C" by planting a lime stone witnessed by B. Oak 24 in N. 76 $\frac{1}{2}$ l. 38 l. and a Maple 8 in N. 52 $\frac{1}{2}$ W. 11 l. I also established by same line the $\frac{1}{2}$ way point between center of sec. (C) and N. 2 m. point which I perpetuated by planting a lime stone witnessed by lime stone N. 49 E. 9 $\frac{1}{2}$ l. and a lime stone N. 45 $\frac{1}{2}$ W. 10 l.

I then established "A" corner on N. line of sec. 33, on East side of L. N. A. & C. R. R. by planting a lime stone witnessed by lime stone S. 49 W. 17 l. and a lime stone N. 36 W. 27 l.

I then located "B" ($\frac{1}{2}$ distance between center and N. 2 m. p. of sec. 33.) by running a line from center to N. 2 m. p. and correcting at halfway point, which I established by planting a lime stone witnessed by W. Oak 30 in S. 51 W. 51 l.

"Burt" Armstrong and Kent M. Holden administrator of Robert Taylor estate agreeing to waive process of notice, I, at their request all other interested parties agreeing and consenting, established the center of sec. 32 T. 7 N. R. 1 W. by beginning at W. 2 m. p. of sec. 32 running thence W. 80 ch. to W. 2 m. p. of said sec. 32 coming out 50 l. S. 4 45 l. W. of said " " " " " and connecting random line at halfway point which I established by planting a lime stone witnessed by Birch 12 in S. 21 E. 8 l. and a B. Walnut 12 in S. 26 $\frac{1}{2}$ W. 18 $\frac{1}{2}$ l.

All lines and corners described in foregoing record except last line and corner above described, were surveyed in accordance with Notice herein after copied and were run and established on Thurs. Feb. 24 1887 and each working day thereafter until Survey was completed.

On following page will be found a copy of notice

Notice of Survey. Record and Plat on pages 436 & 437

Monday, Mar. 31, 1887: Notice as hereby given to Ben Armstrong, William Bennett and Mest McPhadden, administrators of the Robert Taylor estate, and John Taylor that we will proceed together with the County Surveyors of Monroe Co. Ind. or his deputy on Thursday Feb. 17, 1887 to run and establish all lines and corners necessary in order to locate the following described land viz: the West half of the S.W. quarter of sec. 33 T. 1 N. R. 1 W.; also the N.W. quarter of said sec. 33; also the N.W. quarter of the N.E. quarter of said sec. 33. Meet at residence of Alex Chambers at 8 o'clock A.M. on said day. Be present at said time and place else the survey will proceed in your absence.

Alex. Chambers
Francis M. "
L. P. "
Hazel J. Smallwood

I hereby certify the foregoing record and copy of notice to be true: In witness whereof I attach my hand and seal Andrew G. Dillman
Monroe Co. Surveyor

T. 1 N. R. 1 W.

1	3	C
	B	
	A	
2	4	
	E	
	D	

April 13, 1887. Surveyed in Sections 13 & 24 T. 1 N. R. 1 W. and established corners as per plat and field notes accompanying:

"A", S. 1/4 m. p. sec. 24 {Beach 5 S. 87° 11' 4" the
Red Oak 6 N. 87° 11' 4" "

"B", center of sec. 13 {Hickory 15 S. 84° 11' 11" the
Beach 15 N. 82° 8' 41 1/2" "

"C", S. 1/4 m. p. sec. 13 {One from tree still standing
Beach 15 N. 70° 41' 11" the
" 12 S. 74° 11' 9" "

"D", S. 1/4 m. p. sec. 24 {Reestablished from old corner tree
Hickory 3 S. 33° 3' 3" the
" 23 N. 77° 11' 5" "

"E", center of sec. 24 {Reestablished from old corner tree. In small box

Above survey was made by consent of parties interested William Snoddy, Aaron Gordon, Jack Armstrong chairman sworn Samuel W. Snoddy, "Blugman" sworn

M. H. Bushick, Deputy S. M. C.

I hereby certify above to be a true copy of report of survey as returned to me by said M. H. Bushick.

In witness my hand and seal Andrew G. Dillman
Monroe Co. Surveyor

Record of Lumber & Stream Survey

May 2, 1887.

According to legal notice duly served on interested parties I made the following survey in sec. 34 T. 8 N. R. 1 E. and established corners as per plat and field notes following.

34 T. 8 N. R. 1 E.



Began at supposed center of sec. 34 row 8. to supposed 2 m. post. Not feeling assured that above points were properly located I began at N.E. corner of sec. row 16. to N.E. m. p. there found central point row 8. 1 mile; then went to S.W. corner of sec. 34 row 8. 1 mile and located "C" the S.E. corner. Th. 2 of S. & 1/4 of sec. 34 then by section located "B" the N.E. corner of W. 1/4 of S. & 1/4 of sec. 34. I then began at N.E. corner of sec. 34 row 8. 1 mile and located the E. 1/2 m. p. of sec. 34. Then began at central point row 8. sec. row 16. mile to N.E. m. post and located the center of section 34 and ran thence E. 167. poles to E. 1/2 m. p. moving B. S. 32 links

A center { Sand stone
P. 12 in S. 18 1/2 W. 42 1/2
Sand stone 10 in S. 16 1/2 W. 46 1/2

B { Sand stone
Shale 6 in S. 5 1/2 W. 30 1/2
Sand stone S. 80 1/2 W. 26 1/2


C { Planted sand stone and sand stone.
Shale 12 in S. 14 1/2 W. 11 1/2
" " S. 52 1/2 W. 11 1/2

D { 100 poles S. of center of sec. 34.
Shale 24 in S. 24 1/2 W. 14 1/2

E { Sh. 10 in S. 8 1/2 W. 28 1/2
Shale 18 in S. 6 1/2 W. 67 1/2
20 poles N. of "B" the N.E. corner of W. 1/4 of S. & 1/4 of sec. 34.


F { Ash 4 in S. 6 1/2 W. 31 1/2
Shale 24 in S. 23 1/2 W. 45 1/2

Colman, Carter, Richard Wright, & Samuel Butler served as chain bearers; William French & William Clark " " flag men each being sworn. The above were true witnesses my hand and seal. Andrew B. Walling



Reels to Belcher Survey May 23, 1886

Began at S.E. corner of sec. 12 T. 9 N. R. 1 E.
ran thence N. 75° 00' E. expecting random line
by S. 2 m. p. Then began at corner 40
p. 100 South. S.E. corner of sec. 13 T. 9 N. R. 1 E.
on N. 2 m. line. Then to N.E. corner of
sec. 18 T. 9 N. R. 1 E. Then by the intersection
of above described I located the S.W. corner of
sec. 18. I then began at center of section 18
ran thence South 15° 00' E. to S. 2 m. p. of sec. 18.



{ B. Oak 7 m. S. 2 m. E. 2 m. S.
N. S. W. cor. of sec. 18. { Same stone N. 75° E. 40 l.

B 38 poles 423 links N. of A { Same stone S. 55° E. 46 links
C 20 " 152 " N. of B { Black Walnut 14 m. S. 65° E. 54 links
D 60 " 152 " N. of S. 2 m. p. of 18. { W. Oak 2 m. N. 75° E. 24 l.
{ Each 2 m. S. 75° E. 21 l.

"E" 40 poles W. of S.E. cor. of sec. 18. { B. Oak 10 m. S. 45° W. 30 l.
{ " " " S. 15° E. 52 l.

Selous Thompson & John W. Belcher were sworn in as chainmen
John C. Lamberson John Lawrence George B. Parks & Ballard Shinn
were sworn in as flag men.

The above survey was made in accordance with the
following order issued by Jas. W. Belcher & all parties
named therein on this date.

Notice is hereby given to Jas. W. Belcher, W. Alexander, Chas. C. L.
et al. Pleasant Madison & Wade H. Belcher & Mary A. Rader
Selous J. Thompson & Jane Thompson his wife, and Clefthor
Thompson & Emily Thompson Mary J. Thompson John C. Lamberson
Wm. B. Alexander Elizabeth Alexander and John Alexander

that I will proceed together with the County Surveyor of
Hennepin Co. Indians or his deputy on Mon. May 23 1886 to run
and establish all the lines and corners on sec. 18 Town 9 N.
Range 1 E. West at Wm. B. Alexander at eight o'clock A.M. of
said or said survey will proceed on your absence this May
5. 1886.

The above record of survey and copy of Notice
is true Witness my hand and seal

John W. Belcher
Attest
M. C. L.

Holzapfel Survey T. 9 N. R. 1 W. Sec. 15.

Sept 14 / 1887.

In accordance with Notice duly served by John Holzapfel I met interested parties at center of sec. 15 T. 9 N. R. 1 W. organized by qualifying Archibald Steiner & Alfred Davis as chain men and Geo. F. Stout as flag man, ran thence west (or $3^{\circ}45'$) \pm mile to $W \frac{1}{2}$ m. p. of said sec. 15 located said $\frac{1}{2}$ m. p. from Gov. witness tree & then from notes thence secured reestablished lost corner at half way point on line now taking as witnesses { Black & Blue Ash 10 N 37 W 100 ft.

"B" Wild Cherry 20 N 72 E 99 ft.
I then reestablished the $W \frac{1}{2}$ m. p. of said sec. 15 by planting limestone with large Black ship under stone taking as witnesses "A" B. Walnut 14 S 77 E 136 ft.
"C" Wild Cherry 15 N 60 W 60 ft.



I hereby certify record of above described survey to be true. In witness whereof I attach my hand and seal.

Andrew B. Dillman M. C. S.

Shields et al Survey Sept 26 1887.

3 Notes for three following Surveys were served under one form but for convenience I shall record and plat them separately.

Met according to Notice at residence of Jas. Shields on day appointed, adjourned until Wednes Sept 28; reconvened on said Wed. organized by qualifying Feltus Dekard, Geo. Knight & James Shields as flagmen and chainmen, interested parties consenting. Began at S. $\frac{1}{2}$ m. p. of sec. 12 T. 7 N. R. 1 W. ran thence East (on 3 $\frac{1}{2}$ l. to S. W. cor. of Sec. 1. T. 7 N. R. 1 W. came out 27 poles 14 l. N. and 22 $\frac{1}{2}$ l. East of corner. (I had previously located sec. cor. by locating meridian line by running from S. W. cor. of Sec. 6 T. 7 N. R. 1 E. north to established corner $\frac{1}{2}$ m. North, and then measuring 10 poles north of said S. W. cor. of sec. 6.)


I then began at center of sec. 12 T. 7 N. R. 1 W. ran North 100 ch. to established corner. Having missed desired point so much by using regular variation on first line run I was prepared to accept any evidence as to variation of this line. So when Jas. Shields positively declared a blazed hickory to be a line tree according to Prof. Woodburn I used it coming out 36 poles 22 l. W. and 29 links South of corner. From notes secured from two random lines about described I established the South $\frac{1}{2}$ m. p. of sec. one T. 7 N. R. 1 W.

Witnesses A. Cum 18 N. 6 R. 1 W. 2 l.

Buck 16 S. 8 R. 8 53 l.

Adjourned to meet M. on Oct 3. 1887.

Sec. 1 T. 7 N. R. 1 W.




Gas Knight Survey Sec. 6 & 7. T. 18. R. 1. E.

Recommenced on day app'ted, ^{Oct. 3.} qualified Wm. Shields as chain man instead of Geo. Knight. Began at N.W. cor of S.W. 1/4 of Sec. 6 T. 18. R. 1. E. ~~came out~~ ran 8 1/2 30 ch. came out 27 l. E. and 29 l. S. North corner reestablished by locating from witnesses, trees, and planting stone under corner of wood culvert across ditch. Then began at S.W. cor. of sec. 6 T. 18. R. 1. E. ran 8 1/2 30 on random line, relocated S 1/2 m. p. of said sec. 6 from stump of old witness tree reestablished said S 1/2 m. p. by planting sand stone and taking one new witness.

Mapl. 10. S 18 W. 22 l.

Sec. 6 T. 18. R. 1. E.



Notice for following survey and the two recorded before this one was duly and legally served but has been misplaced. The survey was satisfactory to all interested parties. Peter and Gas. Sec. 6

Wm. May and Leonard Ellis were recom. in as assistants. Began at East 1/2 m. p. of sec. 26

T. 18. R. 1. W. ran East 1/2 m. to estab. cor. corrected back and located cor. 5 1/2 poles East of Beginning point. Then began at corner ran S. 160 poles and planted stake at point 125 poles S. of Beginning pt. Then began at S.W. cor. of sec. 26 ran 8 78.80 ch. to S.E. cor. of said sec. corrected at S. end of line ran S. 1/2 Then corrected stake at point 125 poles S. of first cor. located and established cor.

The two cor. mentioned above were perpetuated by stones and witness trees as per plat and notes following.

Sec. 26 T. 18. R. 1. W.



Stone planted 1/2 pole east of W. 1/2 m. (It may be W. of S. 1/2 m. p.)
 A. Walnut 10 N 18 W. 21 l.
 " " 8 S 35 E 39 l.
 B. 125 poles S. of 1st cor. 9 1/2 l.
 " 11 S 79 E 9 1/2 l.
 Rock 24 N 72 W 4 1/2 l.

I hereby certify above and foregoing records of these surveys just described to be true in witness whereof I attach my hand and seal

Andrew L. Dillman M.C.S.

Oct. 10 1887.

Pauley et al Survey.

By order of Monroe Co Board of Commissioners I made the following Survey according to Plat and Field Notes accompanying.


Organized by qualifying P. B. Pauley, Jackson Pope J. W. Garrison and Charley Gann as flag-men and chain-men Began at estab corner 6 poles 6 links South of W. 2 m. p. of sec. 21 T. 8 N. R. 1. W. ran N. to 5 p line. While running above described random line I qualified settler Pauley and Marion Knight & Isaac Henry as chain and flag men.

I then began at S. E corner of sec. 32 T. 9 N. R. 1. W. ran East on random line two miles and 85 poles to estab. corner. Came out 65 l. W. and 30 1/2 l. S. of stone Corrected out stake at terminus of random line run North, thereby locating 5 p line. Found terminus of said random line to be 15 links S. of true position. I then

Began at estab corner 20 poles West of N. E corner of sec. 9 T. 8 N. R. 1. W. ran W. one mile, adjourned survey until Wednes. Oct 19. Reconvened on said day. Qualified W. L. Nash, Geo. J. Muzzey as chain men and Monroe Edmond as flagman. Began at terminus of mile line ran West, continued W. one mile to corner of sec. 5, 6, 7, 8. Came out 50 links East of stone and 120 l. South

Having overwhelming evidence from old land marks Personal evidence, the difference in length of a new line sec. 5. on East and West lines of 24 poles that the S. E corner of sec. 4, the S. E. and S. W. corner of sec. 5 did not

T. 8 N. R. 1. W.



A' con of sec. 4, 5, 8, 9 T. 8 N. R. 1. W.
(Planted stone, that) Con. of stone fence 1762 W. 88 l.
cut on stone 1740 S. 194 l.
Corner stone S. 452 links.

- 150 feet East of "A"
B' Wilmore { Stone N. 13 1/2 W. 17 l.
C' 585 ft. N. of "B" { Stone N. 34 W. 113 l.
D' 1010 ft. N. of "A" { Stone S. 10 l.
E' 30 " S. " "A" { Stone S. 14 l.
F' 220 " S. " "E" { Stone S. 12 l.
G' 250 " S. " "F" { Stone S. 10 l.
H' 70 " W. " "G" { Stone S. 10 l.
I' 350 " S. " "H" { Stone S. 9 l.

T Point of intersection of line running from
I through a point 455 feet east of "A"
H. Garrison N. 8 l. corner. Bring "A"
1140 feet more or less South of "A"
Wilmore { Stone N. 27 W. 15 l.
N. 26 1/2 l.

original survey I did not use the departure of last described random line in ^{the} location of the S.E. corner of sec. five (5) but carefully rechecked myself with the assistance of W. E. Nash, the East line of sec. 5 from T^h line as located by second random line run, thus locating corner of sec. 4, 5, 8, 9 as to its position N. and S. and giving sec. 4 and five their true quantity besides causing the mile and 2 mile posts to almost exactly correspond with old land marks (public highways, seminary lots etc.) I secured its position E and W by getting average distance between the termini of last line run. I then planted stone at corner of sec. 4, 5, 8, 9 T. 8. N. R. 1 W. as given in plat. and note accompanying. I then carefully surveyed the ~~four~~ ^{four} lots ~~and~~ as described in following notice and platted on preceding page planting stones only at angular points which are necessary in ~~and~~ fencing said four lots in two bodies of land as platted.

Above Survey was made by authority of County Board in accordance of with following Notice viz:
By order of the Board of County Commissioners of Morris County And I hereby Notify John Shryer, Garrison Puckey, James H. Garrison, John W. Garrison and Andrew J. Pope that I will spread on on Monday Oct. 10, 1887 to run all lines and locate and establish all corners necessary in order to locate the following described real estate viz:
A part of sec. 9. T. 8. N. R. 1 W. bounded as follows. Commencing 953½ ft South of N.W. corner of said sec. 9. Thence E. 45.8 ft thence in a S.W. course to a point on said sec line 1140 ft S. of said N.W. corner of said sec. 9. Thence N. 156½ ft to place of beginning.
Also a part of sec. 4 T. 8. N. R. 1 W. Commencing at S.W. corner of said sec. 4. Thence E. 150 ft. Thence N. 55.5 ft thence in a N.W. course to a point 1010 ft N. of S.W. corner of said sec. 4. Thence S. 1010 ft to place of beginning.
Also a part of sec. 9. T. 8. N. R. 1 W. described as follows viz: Commencing 591 ft S. of N.W. cor. of sec. 9. T. 8. N. R. 1 W. Thence E. 150 ft. Thence S. 39 ft. Thence in a S.W. course to a point 45½ ft immediately east of a point 988½ ft S. of N.W. cor. of said sec. 9. Thence E. 45½ ft. Thence N. 988½ ft to place of beginning. Also a part of sec. 9. T. 8. N. R. 1 W. described as follows viz. Commencing at a point 30 ft S. of N.W. corner of said sec. 9. running thence E. 220 ft. Thence S. 250 ft. Thence W. 70 ft. Thence S. 81 ft to E. line of land

of P. B. Pauley Thence N. on said line 150

ft. Thence N. 581 ft. to place of beginning.
Said survey to begin at 10 A. M. of said day at
nearest legal point on or near boundary line of above
described real estate, and continue from day to day
until completed. Be present at said time and place
the survey will proceed in your absence
J. G. Dillman Monroe Co. Surveyor.

The descriptions of the last two lots having
been omitted from foregoing notice at time of
service by accident. We the undersigned grantor
and owners of land adjoining hereby agree to waive
process of notice. In witness whereof we attach our
signatures

P. B. Pauley

J. M. Garrison

A. D. Pope.

I hereby certify that the foregoing record
of survey and plat thereof with copy of above
agreement to waive process of notice also the copy
of said notice to be true
J. G. Dillman M.C.S.

Dec. 16 1887.

Conder and Morgan Survey.

Sec. 25	T. 7 N. R. 2 W.
	A


ALime Stone (Lime Stone South 101.)

Salt John W. Conder & John W. Morgan both being present and duly consenting. Notices also having been duly served according to law and all parties living in the sec. I relocated $W \frac{1}{2}$ m. p. by planting new stone 101. S. finding old cut stone. Ran thence S. 80 ch. I then began at S. 80 ch. of sec. ran N. 80 ch. this locating $S \frac{1}{2}$ m. p. I then began at ~~ran~~ N. 80 ch. of sec. ran thence W. 80 ch. on random line. Connected at $N \frac{1}{2}$ m. p. ran thence S. 80 ch. I then located center of sec. establishing it as per plat and notes accompanying.

I hereby certify above record to be true. In witness whereof I attach my hand and seal.

Andrew B. Dillman
N. C. S.

[illegible]



The order No. 114 To me
issued by Enosah Fuller
Clerk of Monroe Circuit Court
to locate and establish the
North line of Section 18, Town
7 North Range 1 West and the
North East North West and
the 1/2 Mile corners there on.
After interested parties
having been duly and
legally notified, did proceed
on the 25, 26, & 27. days
of October A.D. 1887 to
locate said line and
establish said corners as
directed.

We beginning at a Stone for
1/2 Mile past on the East
of Section 7 & 7 1/2 N. R. 1. W.
(Near original pit standing)

Ran South 80.00 to Stone for 1/2
Mile past on East of Sec 18. Came
out at point 24.00 South & 21.00
East of Stone for 1/2 m. past.
Located it (North East Cor. of
Section 18) at average dist. line
run. For Corner set lime stone
marked S. 7, 8, 17, 18.

Thence ran West recorded dist
for North line of Sec 18, drove stake

Then began at the South West
Corner of Sec 18 Ran North on

Range line. Recorded distance for west lines
of Sections 7 & 18 to the North West Cor. of Sec 7
Came out at point 88.00 South & 26.00 East
of Cor. Thence located line. & Established
(B) North West Cor. of Sec 18.

A N. E. Cor. Sec 18 } W. Walnut 55.39 E 27
Set lime stone. } Hickory 35.21 E 2

B N. W. Cor. Sec 18 } B. Walnut 4 N 13 1/2 E 52
Set lime stone } Poplar 8 N 87 W 57

C 1/2 M on North } B. Walnut 10 S 23 E 47
Set lime stone } Sugar 10 N 85 W 110

D 1/2 M on E } B. Walnut 12 N 25 1/2 E 78
made new int }

By setting lime stone Marked (18.7) at point in Range line
proportionate to recorded distances for west lines of Section 1847
Corrected random line on north of section. Set stone for
 $\frac{1}{2}$ M on North of Section in line at proportionate to
distances recorded for North East & North West quarters
of Sec 18.

George M. Luther
Walter Ketchum } Chas
Robt P. Sharpless Sworn

In witness where of I hereby certify to the correctness
of the above plat and notes as copied
John P. Malott

Sec. 16 T. 10 N. R. 1 E.

A			
		D	E
	B	C	F

Accompanying
Notice being her
duly published
in three issues of
Bloomington Boque
I met parties at
time and place
appointed and by consent of all
parties present I adjourned survey
until Mon. Oct. 31 1887, at which
time I organized by qualifying

NOTICE OF SURVEY.
Notice is hereby given John K. Green,
Travel, Carter & Co., Wiley Russ, John
P. Landrum, W. H. T. Har, Abby Con-
table, James E. Lynn, Greenberry Mor-
gan, Henry Winsberg, Andrew Hall,
Charles G. Shaw, Cyrus Hines (Trustee),
James Ed. Coe, Nancy Landrum, J. A. G.
Sharpe and H. L. Parnis, that I will pro-
ceed, together with the County Surveyor
of Monroe county, Ind. or his Deputy, on
Monday, Oct. 24th, 1887, to run all lines
and to establish all corners necessary, in
section 16, town 10, North Range 1 East.
Said survey will commence at 1 p.m. of
said day, and continue from day to day
until completed. Meet at N. W. corner
of said section. Be present at said time
and place, else the survey will proceed in
your absence.
OCT 1887.
ANDREW J. COOK

Wm. R. Lincher, John Bowman, John
Wells as assistants. Began at S-W cor of said sec. 16 ran N. 20 ch. found
cor by old witness trees. Ran on 20 ch. found and reestablished W. 1/2 m.
p. of sec. 15. I then began at S. 1/2 m. p. of sec. 16 ran S. 40 ch. located S-E
cor of said sec. 16 by decaying witness trees, reestablished said corner.
I then began at S-W cor of sec. 16 ran S. 80 ch. on random line, corrected
back and established "B" and "C". Began at "C" ran N. 40 ch. locating
and establishing "D". I then began at S-E cor of S-W 1/4 of N-E 1/4 of sec. 16 ran
S. 40 chains, locating and estab. "E" and "F"

The following are notes giving witness trees of corners as located on
above plat.

(Beech) 12 N. 87 1/2 E. 846 l.
A" W 1/2 m. p. reestablished Poplar S. 70 l. 44 l.
B" S-E cor of S-W of S-W { 8 Oak 6 N. 20 1/2 W. 26 l.
Poplar 16 N. 72 W. 116 l.
C" S 1/2 m. p. of 16 { Beech 16 S. 15 E. 50 l.
Dogwood 2 N. 79 W. 6 l.
D" S-W cor of N-W of S-E { Chestnut Oak 7 S. 22 W. 102 l.
6 S. 9 W. 25 l.
E" S-E cor of N-W of S-E { Red Oak 6 N. 73 W. 32 l.
Beech 13 S. 45 W. 38 l.
F" S-E .. of S-W of S-E { Dogwood 6 N. 63 1/2 W. 33 l.
Hickory 16 S. 46 1/2 W. 25 l.
G" S-E cor of sec. 16 { Beech 15 S. 83 W. 32 l.
" 12 S. 47 W. 33 l.

I hereby certify above survey to have been made
according to law and that plat and field notes accompanying
are true. In witness whereof I attach my hand and seal

Andrew S. Dillman M.B.S.

Homer & Wright Survey Dec 16 7 & N. R. 1 W. Nov. 22 '87

Nov. 22. 1887. Charley Homer, Perry Wright, John Steffe Mrs Mary Johnson and Henry Rhorer having consented to waive process of Notice. I began following described Survey. Henry Rhorer did not sign agreement but gave consent by word of mouth to me in person as sworn statement of Grant Wright as given below indicates. Said Grant Wright having been duly sworn testified that he "heard said Henry Rhorer give his free and willing consent that survey should proceed with out process of Notice."

I began survey by qualifying Chas. Homer and Perry Wright as chain bearers and Wm. Johnson as flag bearer. I began at center of sec. 15 7. & N. R. 1 W. ran W. 120 ch. Then began at S-W cor. of sec. 16 ran N. two miles corrected back and located W. $\frac{1}{2}$ m. p. of said sec. 16 thus receiving discrepancy of first random line run. I then adjourned survey until Thurs. Dec. 8. Resumed at said time qualified John R. Morgan as flag bearer in place of Wm. Johnson. Began at S-E cor. of said sec. 16 ran N. 80 ch. thus locating S-E $\frac{1}{2}$ m. p. of said sec. 16 receiving a starting point for first random line run as the $\frac{1}{2}$ m. run in sec. 15 was run simply by request of some parties in vicinity. From note secured at S. and W. $\frac{1}{2}$ m. p. of sec. 16 I located and established "A" a point on first random line run 55 poles W. of S-E $\frac{1}{2}$ m. p. ran then S. 160 poles. planted stake. Then ran from S-E cor. of sec. 16 to S-W cor. of said sec. found corner established at $\frac{1}{4}$ distance W. of said S-E cor. to be N. of true sec. line 20 l and west of proper place 15 l. but it being on record properly witnessed I was compelled to recognize the line from it to S-E cor. of sec. as the legal line between land owners on opposite sides of said sec. line therefore I planted stone properly witnessed at point 55 poles from said S-E cor. of sec. on said incorrect line.

SW $\frac{1}{4}$ S-E $\frac{1}{2}$ of sec. 16

A	55 poles W. of S-E $\frac{1}{2}$ m. p. of sec. 16 7 & N. R. 1 W.
B	Rec'd. 26 587 W. 532 l.
C	6 370 S. 672 l.
D	155 poles 15 l. S of A on old established line described above.
E	W. Walnut 15 N 55 8 66 l.
F	" " S 54 W. 32 l.
G	S-E cor. of sec. 16 established from old wit. tree stone planted with stone
H	Planted beside of it.
I	Ac. N. 73 S 200 $\frac{1}{2}$ l.


When I found old gov. stone at S-W cor. of sec. below ground at least two feet by directions previously given by Aaron Bondard

I took sworn statement of said Bondard that stone found was same as one recognized by himself and father Samuel Bondard as being corner for 2nd quarter. I by taking planting new stone by original stone (Specimen 3540 W 20 l. I hereby certify above record true.

Witness my hand and seal Andrew B. Dillman M.C.S.

Wm. J. Payne Survey Nov 28 1887.

Sec 35 T. 10 R. 1 W.



Reestablished { Prior: S. m. S. 30 W. 24 1/2 l.
A Planted stone { S. 2 m. 6 in. S. 11 W. 18 l.

B Planted Stone

Center of Section { S. 1 m. 1/2 W. 1 m. 1/2

Reestablished { Planted Stone

Reestablished { Planted Stone

Reestablished { Planted Stone

Reestablished { Planted Stone

Reestablished { Planted Stone

Reestablished { Planted Stone

Reestablished { Planted Stone

Reestablished { Planted Stone

Reestablished { Planted Stone

Reestablished { Planted Stone

Reestablished { Planted Stone

Reestablished { Planted Stone

Reestablished { Planted Stone

Reestablished { Planted Stone

Reestablished { Planted Stone

Reestablished { Planted Stone

Reestablished { Planted Stone

Reestablished { Planted Stone

Reestablished { Planted Stone

Reestablished { Planted Stone

Reestablished { Planted Stone

Reestablished { Planted Stone

Reestablished { Planted Stone

Reestablished { Planted Stone

Reestablished { Planted Stone

Reestablished { Planted Stone

Reestablished { Planted Stone

Reestablished { Planted Stone

Reestablished { Planted Stone

Reestablished { Planted Stone

Reestablished { Planted Stone

Reestablished { Planted Stone

Reestablished { Planted Stone

Reestablished { Planted Stone

Reestablished { Planted Stone

Reestablished { Planted Stone

Reestablished { Planted Stone

Reestablished { Planted Stone

Notice Having been duly published in "Republican Progress" a weekly paper published at Bloomington Ind. I met interested parties at time and place appointed and made survey as per plat in field notes accompanying. Organized by qualifying Norman Lentz, Joseph Payne chairman and Moses Ryan as flagman. Began at N.E. cor. ran S. 80 ch. east at S.E. W. and 55 l. W. of estate cor. Connected random line and located S. 1/2 m. p. ran thence W. to 8 found line 84 ft short ran on with same to center of sec. found entire line 18 ft. 10 l. shot random line coming out 39 l. S. of cor. I then began at S.E. corner of sec. ran W. to S.W. cor. found sec. 35 poles 162 l. shot coming out 73 l. S. Reestablished S.W. corner. Then began at D. ran S. 1/2 m. to B. running thence S. to sec line. I then began at center of sec. S.E. 1/4 of sec. ran E. to sec. line 715 poles.

As further evidence that sec. 35 is as my plat I will add that I carefully measured the distance as given old line notes, from their last crossing of Bear Blossom and found the corner and measurement to be almost exactly the same. On running from S. 1/2 m. p. as located by my line I passed over a 1/2 m. p. and came within one link of the center of sec. as located by old survey.

I hereby certify above record to be true

Witness my hand and Seal

A. D. Dillman Monroe Co. Surveyor

Administrator.
NOTICE OF SURVEY.
Notice is hereby given to Robt. Hendrixson, Priscilla Payne, Daniel Rawlins, Daniel Lawson, W. H. Greger, P. Balenger, E. D. and M. Moree, Benj. Moree, Jas. Ryans, Moses Ryans, Dennis W. Kenrick, Clemens Oskump, Amanda Risen, S. Monahan and others, that I will proceed, together with the Monroe County Surveyor or his Deputy, on Monday, Nov. 28th, to run all lines and establish all corners necessary, or required in section 35, town 10, North Range 1 West. Meet at residence of Wm. Payne.
Said survey to begin at 1 p. m. of said day. Be present at said time and place, else the survey will proceed in your absence.
WM. R. PAYNE,
W. G. LENTZ
Nov. 9, 1887.

Letters with index are correct.

B	P	9	3	80
3				
		William H Baskins		
C	D	Y	E	S
3	3		3	2
		A. Turner Levi Turner		
V	W	P	G	7
		3	3	
		Areck Turner		
		Robert Campbell		
H	I	L	K	U
3	3	3	3	
		Mrs Lucas Squire Thomas		
		Campbell + Shin		
			B. Campbell	
X				

In accordance with notice duly
served according to law I began
on Dec. 20/1889 and made the
following Survey as recorded
per plat and field notes
herein below given. Organized
by qualifying Benton Haff' &
Ernest Bushick as Chain bearers
and Robert Campbell as flag man
Ran from R. to W 1/4 of S. 11, T. 87 N.
Came out 18 1/2 l. N. and 71 l. W.

From Lincoln and given & located
and established the following corner
in sec 8 T. 9 N. R. 1 W. located by
above bluffs.

above of Cat.

A Red Elm 2 in. N 74 W 6 l.

"A" lime stone { Oak 3 " S 44 W 117 l.
Hickory 3 " N 42 W 15 l.

B " " { Burr Oak 7 " N 83 E 95 l.

C Sand Stone one new witness S. Oak 8 N 44 E 23 l.

D Stone one new witness water beech 2 in. W 6 20 l.
Beech 6 in. S 24 W 67 l.

E Red Sand Stone { W. Oak 3 in. N 12 W 70 l.
S. Oak 5 N 65 W 11 l.

F Stone { " " S 20 W 15 l.

G " " { Sycamore 2 " N 57 E 43 l.
Swamp Oak 4 S 74 E 38 l.

H Sand stone { S. Gum 6 W 152 l.
Maple 5 S 74 E 37 l.

I " " { W. Oak 5 in. N 54 E 38 l.

J Sand Stone { B. " 3 " S 61 W 15 l.
W. " 7 " N 32 E 10 l.

K Stone { " " 7 " N 78 W 15 l.
A " 14 " N 78 W 15 l.

L " { W. " 12 " N 26 W 24 l.
Hickory 3 S 10 E 17 l.

M Stone { " 3 N 32 W 26 l.
Ash 2 in. S 8 E 34 l.

N Sand Stone { W. Oak 5 in. N 42 E 104 l.
Ash 8 " S 75 W 8 l.

O " { S. Oak 10 " N 65 W 94 l.
W. " 12 " S 32 W 18 l.

P " { Red " 5 " S 67 E 12 l.

Ran from X to O. came out	183 l W + 26 1/2 l S
" " N " E " "	3 1/2 l W + 25 1/2 l W
" " E " C " "	22 1/2 l S + 8 l S
" " C " X " "	27 3/4 S + 31 l W
" " R " B " "	6 l W + 32 l W
" " Q " M " "	6 1/4 l S + 8 1/2 l W
" " U " H " "	38 l W + 12 3/4 l S
" " V " T " "	23 1/2 l S + 11 l S
" " D " L " "	42 l W
" " V " X " "	21 l S + 26 1/2 l W

Also by consent of all parties interested
I located the center of SW 4 of sec. 24 T4N. R. 10E.
by running necessary lines and established
said cor by planting limestone taking as
the base { Elm 12 ft. 6 in. ± 815 ft. 1 in.
Sycamore 7 ft. 6 in. ± 812 ft. 18 in. ±

Hick Turner was sworn in to assist
as flag man. Next survey was made
in accordance with following notice in
Notice to hereby give Wm. Rush
Levi Turner Robert Campbell, Miss Leach
we will proceed together with
instructed that the Honor to Survey -

Jenkins and all others interested that the Monro Co Survey-
or his deputy on Dec. 20 1887 to run all lines locate and
establish all corner necessary in sec 3 & 8 & 14 1/2 T. 11 N. R. 10 W. Meet
at the Campbell & Shins Saw-mill at 9 A.M. of said day.
Be present at said time and place else the Survey will
proceed in your absence.

I hereby certify that the record Squire Thomas
of above County is true and said Survey was made according to law
In witness whereof I attach my hand and seal Andrew Dillman M. & C.

now five (5) rods south of corner. I then ran the following broken line by the sides of G. H. Ellis and R. S. Stephens. Began at center of section ran $N 45^{\circ} W$ 52 poles 10 links to a stone. Thence $N 70^{\circ} W$ 81 poles to a stone in the mouth of a branch. During above survey I established corner as given in plat and noted accompanying on opposite page.

I hereby certify that the foregoing to be a true copy of notice and record of my work with a true copy of record and notes as furnished by M. H. Baskirk Deputy Sur. Witness my hand and seal.

A. G. Dillon M. C. Sur.

Record of Randall Survey

On Fri Mar 30 1888. Mr. Thomas S. Randall and Richard Randall being the only interested parties and having mutually agreed to waive process of notice and agreed to do their own work I began at S.E. cor. of Sec 17 T. 8 N. R. 1 W. ran thence $N 10.84^{\circ} E$ ch. Thence $S 88^{\circ} 20' E$ to 25.60 ch to center of turn-pike perpendicular said point by a letter "W" cut in solid stone 12 in. under ground 34 links $N 88^{\circ} 20' W$ with limestone planted over said letter "W". I ran thence $S 88^{\circ} 20' W$ to intersection of common road with turn-pike 11.06 ch. supposed to be at or near the south line of said Sec. 17.

Having omitted to qualify above parties before beginning above survey I afterwards, after duly administering the oath took their statement that above work was done impartially ect.

I hereby certify above record to be true In witness whereof I attach my hand and seal.

A. G. Dillon M. C. S.

Survey of sec. 23 & 24 T. 8 N. R. 1 W.

"Notice of Survey:"

Notice is hereby given to Samuel Gordon, W. H. H. Parker, Joseph Hensley, Laura Hensley, March M. Duncanson, Jas. M. Brannan, Susan Watson, Mary Johnson, Henry C. Rhorer, Amos D. Bletcher, Lizzie Bieder, & Wm. Kipley that we will proceed together with the Surveyor of Monroe Co. Ind. or his deputy on Mon. Mar. 18 at 10 P. M. to run all lines, locate and establish all corners required or necessary in order to locate the SW $\frac{1}{4}$ of NW $\frac{1}{4}$ and the W. $\frac{1}{2}$ of SW $\frac{1}{4}$ of sec. 24 T. 8 N. R. 1 W. and the E. $\frac{1}{2}$ of NE $\frac{1}{4}$ See Page 457.

"Brannan & Lintz Survey"

April 4, 1888


Notice is hereby given to David Houston, Jas. M. Brannan and all others interested that I will proceed together with the Monroe Co. Surveyor or his deputy on Wednesday April 4, 1888 to run all lines locate and establish all corners necessary in sec. 36 T. 10 N. R. 1 W. Survey to begin at 10 o'clock A. M. of said day Meet at residence of Jas. M. Brannan. Be present at said time and place else the survey will proceed in your absence Jonathan Brannan,
(Duly published in Bloomington Courier.)

Met at time and place above specified and began Survey by qualifying Jas. Brannan and Jonathan Lintz as chain-bearers, and David Houston as flag bearer. Commenced at center of NE $\frac{1}{4}$ of sec. 36 T. 10 N. R. 1 W. ran South 80 poles on random line. Then began at NE cor. of sec. 36 ran S. 20.5 $^{\circ}$ E. to S. $\frac{1}{2}$ m. p. of sec. 1 T. 9 N. R. 1 W. came out 3.77 $\frac{1}{2}$ ch East of said $\frac{1}{2}$ m. p. Adjourned to meet at S-W cor. of sec. 36. Convened at above cor. ran East 80 ch. locating true line and S. $\frac{1}{2}$ m. p. of sec. 36 by N. $\frac{1}{2}$ m. p. of sec. 1 T. 9 N. R. 1 W. I then located West line by line run on previous line day. I then relocated and established S-E cor. of sec. 36 as per plat and notes at crossing of above lines.

Church lot Brummett Creek. Apr 1882

The Trustees of Brummett Creek Sep. 1882
Church and Rufus Coatsney and Isaac M. Brock
being all the parties interested having duly agreed
in writing to waive process of notice I began on
above date to locate the following described Church
lot belonging to above named Church. All parties
consenting I qualified Isaac M. Brock and Daniel
Cyberkow as chain bearers and Geo. Jamphine as
flag-bearer. I located and replanted a stone at S-E
cor. of N-W $\frac{1}{4}$ of S-E $\frac{1}{4}$ of sec. 27 T. 8. R. 1. E. by carefully meas-
uring recorded distance of witness trees. I found
the bearing of above tree was taken without allowing
for variation of needle. Their true bearing is
~~Blackberry~~ Hackberry is N 47° 20' W, B. Walnut N 12° E
Began at said S-E cor. ran W. 16 poles (no. 22°) on
line located by sighting from above mentioned corner
to one $\frac{1}{4}$ m. west which could be run from starting
point. At terminus of said 16 poles on bank of creek
I planted a stone witnessed as per plat.
I then located true line from the center of N-E $\frac{1}{4}$
of said sec. 27 to above described center of S-E $\frac{1}{4}$ of
" " " 27 ran thence N. on said true line 23 poles
1 1/2 l. to point due east of large Elm near branch. 2 1/2 links
Estab. cor. as per plat. Mr. Henry Stephens having been
sworn, testified that above Elm was at or near the
N-E cor. of church lot as originally laid out and that
a beech tree now turned up in creek (on West bank)
was always considered the N-W corner of said lot
I then ran from corner located near Elm S 65° W. 7.162 ch.
to said N-W cor. witnessed as per plat. thence S 41° E 3.82 ch.
to cor. on bank of creek.

N-W $\frac{1}{4}$ of S-E $\frac{1}{4}$ of sec.
27 T. 8. R. 1. E.



(Reestab. from old witness trees)

- A Stone Planted { 500 ft. 1500 links
B { Walnut 10 " S 21° W 120 "
C { No Stone, At or near Hackberry 28 " S 10° E 55 "
D { West bank of Creek Elm 20 " S 82° E 139 "
{ 10 Poles W. of A { Planted Stone 75 links East of corner
{ on East bank of Creek { with letter W cut on it
{ Hackberry used in witnessing A. N 74° E 290 links.

I hereby certify above record to be true as
per plat and notes accompanying
Witness my hand and seal

A. S. Dillman M. C. S.

May 28. 1888.

In accordance with the following described Survey Notice I made the " " described Survey as per plat and notes accompanying. Notice is hereby given to Valentine Schwartz, Andrew J. Gamphine, Andrew J. Knight and all others interested, I will proceed together with the Monro to Surveyor or his deputy on Tues May 1. 1888 to run all lines, locate and establish all corners required or necessary in the N-W quarter of sec. 20 T. 8 N. R. 1 E. Said survey to begin at 8 o'clock of said day at the N-W half cor. of said sec. Be present at said time and place else the survey will proceed in your absence.

W. M. Dillman.

I organized by qualifying John Garter and James Schwartz as chain men and Andrew J. Knight as flag bearer.

Began at place appointed, ran Thence S. 89.57 ch coming out 182 l. E. of corner. I ran Thence W. 40.24 ch

" 61 l. N. " I establish said cor as per plat.

I then began at E way point between said corner and N.W. cor of sec. ran E. 40.15 ch coming out 332 l. S. of cor as corrected on first line and located as per plat.

I then commenced at E way point on second line as corrected having established cor at said E " ran Thence N. 88 ch 24 l. coming out 182 12 l. W. of corner. I then located at corner of line run it and estab the center of said N.W. quarter Sec plat.



Soft maple 15- S 78 W 45 l. 48 S
 B Planted stone { Oak 8 S 47 W 48 1/2 "
 3 pieces in 1825
 C New witness, Gray Ash 9 S 53 W 16 "
 Birch 14 N 8 W 25 "
 B D Planted Stone { Hickory 6 S 54 E 14 1/2 "
 Birch 20 N 58 E 17 1/2 "
 E " " { Gray Ash 3 N 13 W 62 "

I hereby certify above to be a true record.
 Witness my hand and seal.


W. M. Dillman M.C.S.

Revere & Hight Survey May 4, 1888.

Notice^{ly} hereby given to W.P. McHenry, Wm. Eowling, Wm. Hight and all others interested that I will proceed together with the Morris Co. Surveyor or his deputy on Fri May 4, 1888 to run all lines locate and establish all corners necessary in order to locate and establish the line bounding the S¹/₂ of the S¹/₂ of sec 21 T.8.N.R.1.W. on the N. Said survey to begin at 10 A.M. of said day Meet at my residence be present at said time and place else the survey will proceed in your absence.

Robert Revere

Above Notice having been duly served on parties on agents I began survey at time and place appointed by locations S.W. cor of sec. afterwards established from evidence in ground below I ran thence N. ^{70° 36'} 24.36 ch. coming out 61 l. S of W. 2 m. p. I then corrected at E way point ran thence S 88.88° E coming out 244 l. N of corner. I corrected back and established said E way point



Planted Stone (Heavens 15 S. 1 W. 304 l.
New Witness) .. N 23 W 15 l.

A Relocated Iron nail witness tree verified by 148-119 corresponding indicator with all stone Planted 4 feet N at corner of First Woodbury in 1878. Wm. Gurdle having been sworn testified to above Private Survey and distance of stone.

Hickory 24 N. 25 E. 11 3/4 links

B Planted Stone (Sugar 12 S 10 1/2 W 64 ..

I hereby certify above record to be True
J. D. Dillman M.C.S.

Allen and Watson Survey May 5, 1888.

We the undersigned interested parties hereby agree to have notice of notice in the following survey viz: Run all lines locate and establish all corners required or necessary in order to locate the following described land: Commencing at the N.E. cor of lot 21 & running parallel with the line of said lot in a Northern direction to the sec line dividing 10 and 3 thence N. 8 poles thence in a Southern direction to the S.W. cor of said lot thence across N. end of said lot to place of beginning it being a part of N.W. 1/4 of sec 10 T.8.N.R.2.W. situated in the town of Elliptical, Gas W. Allen, E. S. Chambers, Geo. W. Watson. I located sec. line by running from C.D.



Began at N.E. cor of lot 21 ran N. 1/2 sec line 244 ch to A thence W. 108 ch. 68 witness stone W 108 links

A 1/4 Sec 10 cor. of Sec line .. S. 244 ..

B. 1/4 Sec W. of A (Planted Stone Cross mark even stone cor. 115 1/2 links)

E 3.88 1/2 ch W. of A (Witness) .. west of Allen's lot ..

DNE cor of sec. located by Gov. mark in mark located Oak stump

C.N.W.

I Planted Sawed Stone in corner of sec. line

Witness

used

I hereby certify above record to be True

Witness my hand and seal J. D. Dillman M.C.S.

Ellett and Butler-Survey - May. 1888.

Began Survey as per Notice duly published in Bloomington Telephone. Organized by qualifying Edward Crater, Theodore Carlisle, John C. Damm, Stephen R. Ellett as chainmen, Wm. A. Goble and John C. Damm as flagmen. Began at N-E corner of section 23 T. 10. N. R. 2 W. ran S. on random line (var.) 81.31 ch. coming out 150 $\frac{1}{2}$ l. E. of S-E corner of section. I then corrected back on true line locating corner as per plat. at true point & distance from beginning. Ran thence W. 40 ch. coming out S. 140 l. ^{beginning} at stake 20 poles from starting point, ran thence west on true line 7 poles to center of Bean Blossom Creek. I then meandered N bank of said Cr. as follows: Ran N 12 $\frac{1}{2}$ W. from said center 2.12 ch. thence N 36 E. 39.0 ch; thence N 11 E. 47.0 ch. thence N 12 $\frac{1}{2}$ W. 24.0 ch. " N 47 W 2.11 " " N 86 W 2.97, " " S 53 $\frac{1}{2}$ W 368 " " S 42 W 275 " " to intersection of W. line of the S $\frac{1}{2}$ of N $\frac{1}{2}$ of Sec. 23 with center of B-C. 7.45 ch. to corner. thence back to N-E cor. of section 23.

Also reestablish W. $\frac{1}{2}$ m. p. of sec. 13 T. 10 N. R. 2 W. from old govt. witness trees ran thence S. 82.09 ch. coming out 99 l. N. of corner. I then corrected back on true line.

Comers { S-E cor. of N-E $\frac{1}{4}$ of N-E $\frac{1}{4}$ of sec. 23 T. 10 N. R. 2 W. { Stone Planted
Beech 15 in. S 20 E 22 l.
" 13 " S 23 W 33 $\frac{1}{2}$ l.
" 13 T. 10 N. R. 2 W. { Stone Planted
Beech 15 " S 48 E 22 l.
" 13 " S 32 W 28 $\frac{1}{2}$ l.

I hereby above record to true
Witness my hand and seal Andrew G. Dillman M.C.S.



Harmon Survey. May 21. 1888.
"A" Reestablish E. $\frac{1}{2}$ m. p. one Gov. tree standing
"B" 24 S. 73 W. 63 $\frac{1}{2}$ l. (Sugar I think)
"C" 3 N. 21 E. 75 " " distance between S $\frac{1}{2}$ m. p. and sec.
"D" 4 S. 76 E. 81 7/8 l.
"E" 2 N. 45 E. 26 $\frac{1}{2}$ " " 39 poles 21 $\frac{1}{2}$ l. N. of S-H cor.
"F" 36 N. 12 W. 123 l.
"G" Red Oak 30 S 72 W 146 "

Above Survey was made in compliance with Notice found on following page, served on parties by John Harmon 10 days previous to the commencement of survey according to enactment on back thereof. The following parties were sworn as assistants, Wm. Burch, and James W. Thacher chainmen, James S. Storms, flagman. See following page.

Continuation of Harmon Survey.

Copy of Notice "Notice is hereby given to Walter Truitt, Solomon Cafford Joseph Walker heirs of Howard Baker deceased John Ballinger, Ephs Esom, James King, Stanley Walker, Charles Sparks, Wm. Thresher, Hiram Runch, Moses Worley, Thomas Runk, Alfred Thresher, Albert Thompson, Alex. H. Brown, Jas. H. Benton, Arthur Young, Thomas Sparks, Henry Sparks, Eliza Centry, Leander Umbarger, Jonathan Carpenter, John T. Woodward, Joseph Green, James L. Storme, Story Walker, Elizabeth Sparks, Thomas Runch, and all others interested that I will proceed together with the County Surveyor of Monroe Co Ind. or his deputy on Mon. May 21. 1888. To run and estab. all the lines and corners required or necessary to be established in sec. 32. Town 8 North Range 2 West. Meet at my residence at 8 o'clock A.M. on said day. Be present at said time and place else the survey will proceed in your absence this May 21st 1888."

John Harmon

M. H. Burkish, Deft. S. M. C.

I hereby certify above to be a true copy of report as made to me by said M. H. Burkish.

Witness my hand and seal.

A. Dillman M.C.S.

Sec. 24 T. 8 N. R. 1 W.



Alexander Survey. Sept. 3. 1888

Due Notice having been given I began at time and place appointed and made following survey as per plat and notes accompanying. Began at S.E. cor. ran. W. on ran. line to S. $\frac{1}{2}$ m. p. found stone which Mr. Geo. B. Rader stated was laid was located by Surveyor Spencer

and had been used and recognized as the true corner since (20 years more or less) I then located B $\frac{1}{2}$ way point on true line. Ran thence N on ran. line 40 ch. I then began at center of sec., ran E. on ran. line to E. $\frac{1}{2}$ m. p. which I located from corresponding cor. in Benton Tp. I then corrected said ran. line, locating $\frac{1}{2}$ way point at C. I then corrected line "CB"

- A { Birch 20 S 50 W 45 ft.
Sugar 30 N 30 E 32 ft.
B { Oak 20 S 50 W 45 ft.
Sugar 30 N 30 E 32 ft.
C { Elm 14 S 62 E 15 ft.
" 15 S 62 E 15 ft.
D { Birch 20 S 10 E 15 ft.
" 24 S 57 E 18 ft.
Corresponding B cor. in Benton S 17 ft.

- E { Hickory 50 S 43 E 20 ft.
" Do 80 S 40 W 12 ft.

See opposite page.

foregoing survey was made in accordance with Notice served by M. J. Alexander in due time upon J. H. Alexander, Olen Alexander, Geo. B. Rader, Geo. B. Fildes, Hamble Peterson. Survey began at S.E. cor. of sec 24 T. 8 N. R. 1 W. Running and locating lines and corners as given on opposite page. Copy of Notice has become misplaced.

I hereby certify that description of foregoing survey is true. Witness my hand and seal
Ardauer G. Dellman M.C.S.

Isaac Deekard Survey

Notice having been duly served upon interested parties by Isaac Deekard I at time and place appointed began the following described surveying.

All interested parties being present and consenting. David C. Mayfield, Joseph Clinton, and Isaac Deekard served as assistants.

Began at S.E. $\frac{1}{2}$ m. p. of sec. 2. T. 8. R. 1. W. ran thence South 80.18 ch. coming out W. 2.16 ch. of sectal. corner. I then located S.E. cor. of said sec. 2. on true line I then began at said S.E. cor. " " 2. ran W. (nearly) 37.56 ch. coming out 23 ch. South of S.E. m. p. Connected back, located and sectal. on at away point on true line. See Plat

I then began at point 127 poles S. of S.E. m. p. at intersection of sec line and Salt Crub. ran thence N 68 $\frac{1}{2}$ W 3.08 ch. thence N 37 $\frac{1}{2}$ W 2.60 ch.

"	N 33 $\frac{3}{4}$ W	1.42 "	"	N 88 $\frac{1}{2}$ W	1.95 "
"	S 60 W	2.55 "	"	S 35 W	2.00 "
"	S 15 W	9.00 "	"	S 37 W	7.00 "
"	S 42 W	2.00 "	"	S 46 $\frac{1}{2}$ W	3.00 "
"	North	40.00	"	S 80 E	19.50 "


To place of beginning of survey. (S.E. m. p.)



A. S.E. m. p. sec. 2 T. 8 N. R. 1 W.
B. S.E. m. p. " 11 T. 8 N. R. 1 W.
C. S.E. cor. " 2 T. 8 N. R. 1 W.
Established by planting stone
Witnesses: B. Walnut 12 N 33 $\frac{1}{2}$ E 6.99 ch.
" " 8 S 24 $\frac{1}{2}$ W 8.81 ch.
D. S.E. m. p. sec. 2. T. 8 N. R. 1 W.
Established by planting stone
Witnesses: Beech 8 N 77 $\frac{1}{2}$ W 5.41 ch.
" Plum N 38 $\frac{1}{2}$ W 9.72 ch.

Copy of Notice on page 468.

Sec. 1 T. 7 N. R. 1. W.



Ran from E to F locating A, 48 80 and 120 poles W of E.

" B to F then from G to H locating K.

" E to I locating road line and point C.

" C to D " true line

" A { 1 m. W. of E. (Beech 15 N. 81 E 15 l.

" B { Estab. by Planting Stone 12 S 40 E 22 l.

" C { 40 poles W. of A. (Beech 7 N. 81 E 32 l.

" D { Estab. by Planting Stone (Maple 8 N. 42 W. 35 l.

" E { 1/2 m. N. of E. on met. line (B. Walnut 1 1/2 N. 34 W. 15 l.

" F { Estab. by Planting Stone (Hickory 1 1/2 N. 30 W. 31 l.

" G { 120 Poles West of C. (Oak 6 m. Sand Stone N. 3 l.

" H { Estab. by Planting Stone (B. oak 7 N. 39 W. 6 l.

I hereby certify foregoing record of survey to be true in witness whereof I attach my hand and seal
 Andrew G. Williams M.C.S.
 Sept. 3. 1888.

Survey of Road

March 19th 1889

Ran the following lines in order to locate a public highway in Polk and Clearcreek townships in Monroe county Iowa. Commenced at the North west corner of the South west qr of the South west qr of Section 18 T. 7. R. 1. E. Ran South 40 Poles to a stake Thence S 45° W 14 Poles 15 lks Thence S 22° W 4 Poles Thence S 34° W 9 Poles 8 lks Thence S 46° W 32 Poles Thence S 44° E 19 Poles 12 lks to Macedonian line Thence South 28° Pole 2 lks to a Stone heretofore planted Thence South 99 Poles 15 lks to a Stone Thence South 18 Poles to a stake Thence South 35° E 24 Poles Thence S 27° E 11 Poles 13 lks Thence S 16° E 17 Poles 22 lks Thence S 8° E 42 Poles Thence S 24° W 23 Poles 5 lks Thence South 16 Poles 17 lks Thence S 2° W 17 Poles 5 lks Thence S 7° E 44 Poles 15 lks Thence S 28° E 10 Poles 12 lks Thence S 74° W 11 Poles Thence S 26° W 16 Poles Thence South 45° E 15 Poles 13 lks Thence S 10° W 8 Poles 10 lks and terminating in the Fairfax road.


Coleman Carter Chairman

Win H. Shields Sworn

A. J. Knight flagman

M. H. Baskirk M.C.S.

Coleman Carter Survey Sec. 7 T. 8. R. 1. E




Jan 30th 1889 commenced at the N. W. corner of Section 7 T. 8. R. 1. E. ran east 317 Poles 6 lks ran 171 lks north of corner corrected back and established corner "A" at $\frac{1}{4}$ distance west witness Sugar 5 N 57° W 29 lks. Then commenced at N $\frac{1}{2}$ m p. ran South 321 Poles 4 lks ran 14 lks S. of corner. Then commenced at S. E. corner ran west 321 Poles 4 lks ran 9 lks South of corner Established corner "B" at $\frac{1}{4}$ dist East from S. W. corner witness Buck 24 S 78° E 7 lks Buck 20 N 59° W 73 lks. made new witnesses at S. E. corner Hickory 6 S 29° W 19 lks Red oak 2 N 79° W 26 lks. Est. S $\frac{1}{2}$ m p. "D" witness B. walnut 3 S 51° W 17 $\frac{1}{4}$ lks Poplar 2 N 35° W 21 $\frac{1}{2}$ lks. Then com. at W $\frac{1}{2}$ m p. ran east 318 Poles 7 lks ran 11 lks north of corner Est. cor. at crossing of lines in the center "E" witness red oak 7 S 48° E 19 lks Elm 4 N 16° E 14 lks. Established corner "F" at half dist between center and E $\frac{1}{2}$ m p. witness Red oak 2 N 16° W 7 $\frac{1}{4}$ lks Red oak 3 S 72° E 12 $\frac{1}{2}$ lks. Established corner "G" at half distance bet center and W $\frac{1}{2}$ m p. witness poplar 24 North 20 lks Buck 4 N 20° E 34 $\frac{1}{2}$ lks. Established corner "H" at half distance bet S $\frac{1}{2}$ m p. and center witness Buck 12 S 60° W 4 $\frac{1}{2}$ lks Buck 7 N 86° W 27 lks. Thence East 160 Poles 21 lks ran 39 lks South of corner. Then established corner "I" at half distance bet S $\frac{1}{2}$ m p. and S. E. corner witness Red oak 12 N 67° W 28 $\frac{1}{2}$ lks. Sh. oak 2 S 78° W 23 $\frac{1}{2}$ lks. Thence North 161 Poles 2 lks ran 25 lks east of corner Established corner "J" at crossing of lines in the center of the S. E. qtr witness Sh. oak 24 N 5° E 6 $\frac{1}{2}$ lks. Sassafras 5 N 9° W 24 $\frac{1}{4}$ lks. Established corner "K" at crossing of the lines in the center of the N. E. qtr wit. Red oak 4 N 4° W 29 $\frac{1}{4}$ Red oak 6 N 89° E 27 lks. Established corner "L" at half distance bet N $\frac{1}{2}$ m p. and N. W. corner witness Buck 30 N 71° W 6 $\frac{1}{4}$ lks Red oak 7 S 53° E 39 lks. The above Survey was made by consent of parties interested without legal notice. The following parties were sworn as assistants James Empson & Sam Carter chainmen Ira Kent flagman

M. H. Buathirk
M. C. S.

Harr Survey Secs 17 & 18 T10 R1E

Jan 31st 1889

By consent of all the parties interested viz
 Thomas J Harr Jefferson V Harr and Howard
 Harr I made the following Survey of Sections
 17 & 18 T. 10. R. 1. E. commencing on the 31st day
 of Jan 1889. Organized by qualifying the following
 assistants Jefferson V. Harr and Howard Harr
 flagman Thomas E Robison and Jasper Hubbard
 chainmen. Began Survey at center of Section 17
 ran North $\frac{1}{4}$ of a mile on random line then corrected
 via and continued north to $N\frac{1}{2}$ m. p. of said sec
 having found one of the original wit trees to said
 corner. I reestablished corner as found in "A" below
 corrected back and established corner "B" at half
 dist ran thence west 80 chains on random line
 Then on Feb 1st commenced at $W\frac{1}{2}$ m. p. of Section
 18 ran North on random line north 80.31 chains
 ran 2.13 west of $W\frac{1}{2}$ m. p. of Section 7 I then
 corrected back and located corner "C" 40 Poles
 South of North line of Section ~~18~~ and 80 Poles E of
 meridian line



A $N\frac{1}{2}$ m of 17

reestab by planting sandstone
 witness Beech 10 N $77\frac{1}{2}^{\circ}$ W 31
 Red oak 15 N 24° W 14

B 40 poles S. of A

Planted sandstone
 Hickory 4 N 68° W $50\frac{1}{2}$ ft
 Ches. Oak 9 S 38° W 48 ft

C 240 poles W. of B


Planted sandstone
 wit Sandstone East 125 ft
 " " West 125 ft

A J Hillman
 Deft M. C. S.

I certify the foregoing to be a correct
 copy of the Survey in Sections 17 & 18 T. 10
 R. 1 E as returned to me by A J Hillman
 deputy Surveyor of Monroe county

M H Buskirk
 M. C. S.

Walker Survey Sec 33 T. 7. R. 2. W



March 26th & 27th 1889
made the following Survey
in Section 33 T. 7. R. 2. W
Commenced at the N.E.
corner of said Section
ran West 636 Poles 20 lks
ran 6 lks north of corner
made new witness to cor
of 29, 30, 31 & 32. Sassafras
18 in N 42° W 15 lks
Then com at N.W. corner
of 33. ran South to corner
at W 1/2 m.p. Thence East
(via 3') 320 Poles on random

line and drove Stake Then com at N.E. corner and
ran South on random line 320 Poles and drove Stake
Then com at S.W. cor of 33 ran east (via 3') 641 P. 2 lks
to S.E. corner of 34. corrected back to S 1/2 m.p.
of 33 Thence north 320 Poles 16 lks Ran 12 1/2 lks west
of N 1/2 m.p. East corner "A" for northern 1/2 m.p.
witness B. walnut 5' N 29° W 42 lks B walnut 3' S 78°
E 70 lks located and established corner in the
center of the Section at the crossing of the lines
from E to W. and from N to S witness White oak
36 in S 9° E 72 lks Sh. oak 40 S 78° E 93 lks
The above Survey was made in compliance with
the following notice Served on the parties 10 days
previous to commencement of Survey

Notice of Survey
Notice is hereby given to John R. Graves, John
Stephenson, Jacob Tague, Lucinda Graves, Elizabeth
Graves, Samuel H. Jones, John Waterford, James
Moore, and all others interested that I will
proceed together with the county Surveyor
of Monroe County Ind or his deputy on Tuesday
the 26th day of March 1889 to run and establish
all the lines and corners necessary to be established
in Section 33 T. 7. R. 2. W meet at my residence
at 1 o'clock P.M. on said day, be present at
said time and place else the Survey will proceed in your
absence
This March 13th 1889
Elmore C. Walker

The following waiver of notice was also signed by parties living in Lawrence Co Ind and owning land in said Section 33 T.T.R. 2 W

Waiver of Notice

We the undersigned land owners in Section 33 T.T.R. 2 W hereby agree to waive legal notice of Survey in said Section and consent for the Survey to proceed at any time

This march the 13th 1889 Isaac Storms
Alfred Storm

The following assistants were sworn and assisted in the above Survey Homer Chambers & Elmore Walker chainmen. Elmer C. Baskirk flagman

I hereby certify the above to be a correct report of the Survey of Section 33 T.T.R. 2 W together with notice and waiver of notice of same
M. H. Baskirk M.C.S.

May the 2nd 1889 Smith Survey Sec 9 T. 10 R. 2 W commenced at W $\frac{1}{2}$ m post of Section 9, T. 10, R. 2, W Ran north 137 Poles 11 lks To N W corner reestablished N W corner by planting Stone in open ground also planted Stone in open ground for corner at half distance between N W corner and W $\frac{1}{2}$ m post

The above Survey was made by agreement of parties interested

The following parties were sworn as assistants Andrew Ellis & Jonas Stine chainmen M. H. Mayfield flagman

M. H. Baskirk M.C.S.

Berry Survey Sec 8 T. 10. R. 2 W

May 3^d 1889 Commenced at S W corner of Section 8 T 10 R 2 W. Ran east (via 3') 160 Poles 3 lks to S $\frac{1}{2}$ m p one of the government witnesses still there made new witnesses Beech 18 S 80° W 44 lks Hickory 3 N 11° W 44 lks also established corner at half distance between S. W. corner and S $\frac{1}{2}$ m. p. witness Black walnut 10 S 48° E 76 lks Black walnut 1 inch N 33° E 57 lks

The above Survey was made by the agreement and at the request of the parties interested to wit - Matthias Berry - Wm Brown and T. J. Smith

The following parties were sworn as assistants Hamilton Berry & T. J. Smith
Chairman M Berry flagman M H Baskirk m. c. s.

Jacob Greene Survey Sec 29 T 10 R 2 W

April 24th 1889 Commenced at corner heretofore established at half distance between N $\frac{1}{2}$ m p and N. E corner of Section 29 T 10 R 2 W Ran South 70 Poles and established corner witness Elm 24 S 23° W 121 lks Sycamore 8 N 20° W 95 lks Thence east 10 poles to a branch and established corner in said branch by placing a Stone in said branch witness Stone Set east 18 $\frac{1}{2}$ lks Stone Set west 18 $\frac{1}{2}$ lks

(Also at the request of Jacob Greene established corner 10 Poles east of said corner ^{in branch} by planting Stone witnessed by Beech 18 S 74° E 48 lks Sugar 2 S 41° W 22 $\frac{1}{2}$ lks The above corners cannot both be right and my opinion is that the corner in the branch is correct but at the request of Jacob Green the last one is thus placed on record)

The above Survey was made with the consent and at the request of Jacob Green and George Rangan


George Rangan } Chairman
Peter Mayne } sworn
Jacob Green flagman }

M. H. Baskirk

John Sexton Survey Sections 27 & 34 T. 8. R. 1. E

May 6th To 10th 1889
made the following
Survey of Sections
27 & 34 T. 8. R. 1 E

Commenced at S. E
of Sec 27 Ran west
317. Poles 24 lks
to S W section corner
ran 5 lks South of
corner corrected back
and set corner "A" at
half dist between S $\frac{1}{2}$ m
p & S. E corner witness
Black walnut 78 32°
54 lks Black walnut 2
S 89° W 86 lks
Ran Thence North 160
rods and drove stake
Then commenced at
E $\frac{1}{2}$ m p ran west
122 Poles 22 lks to
corner heretofore estab-
lished 36 Poles 12 $\frac{1}{2}$ lks
east of center



NOTICE OF SURVEY

Notice is hereby given to all non-residents and all others interested, that I will proceed together with the County Surveyor of Monroe county, Ind., or his deputy on Monday the 6th day of May, 1886, to run and establish all the lines and corners necessary to be established in sections 27 and 34, township 8, range 1 East. Meet at my residence at 1 o'clock p. m. on said day. Be present at said time and place else survey will proceed in your absence.

Reestablished this corner "B" by planting Stone to old witnesses Established corner "C" at half distance between E 2 m p and center witness Elm 7 S 75° E 19 lks Hickory 4 N 10° W 3 3/4 lks established corner "D" 40 Poles South of "C" witness - 15° N 18° E 8 lks Hickory 15° S 69° W 15 lks ran Thence west one mile to a point 40 Poles South of "X" in section 28 established corner "E" at this point witness Beech 24 S 78° W 15 lks Beech 7 N 61° E 25 lks Established corner "F" 40 South of W 1/2 m p wit Beech 3 S 69° W 15 lks Beech 18 S 80° E 26 lks Established corner "G" 1/4 mile East of above corner witness Ash 2 N 60° W 2 3/4 lks Ash 2 N 38° E 2 1/4 lks Established corner "H" 64 poles west of "D" witness Stone set 14 1/2 lks east Established corner "I" 25 poles South of "H" witness Stone set 19 lks east of corner


Est corner "J" 23 Poles South of "D" witness Black
 walnut 12 S 4° E 14 lks Black walnut 10 N 61° E
 64 lks Then commenced at the center of the S. E.
 qr ran east 80 Poles 3 lks to corner heretofore
 established corrected back and established
 corner "K" at half dist witness white oak 8
 S 52° E 17 White oak 12 N N 59° E 14 lks
 Thence South 78 Poles and established
 corner "L" witness Red oak 8 S 36° E 17 lks white
 oak 2 N 18° W 6 lks. Established corner "M"
 4 Poles 4 lks west of "L" witness Beech 24 S 6°
 W 14 lks apple tree 1 N 39° E 34 lks Then ran
 South 3° W 42 Poles and established corner "N"
 witness Beech 18 N 9° E 12 lks Elm 2 S 86° E 23
 lks Then ran South 34° W 15 Poles 15 lks
 and established corner "O" witness Elm S 49°
 E 59½ lks apple tree 2 N 85° W 65 lks corners
 "M" N & O were established by the agreement
 and at the request of John Sexton and
 Milton Butcher as lines and corners
 dividing their lands and do not affect
 anyone else Then commenced at corner "B"
 heretofore established ran north 22 Poles re-located
 corner "P" witness Beech 10 S 58° E 34 lks Hornbeam
 10 N 4° W 8½. Up to the present time the
 following assistants who were sworn
 before commencing had assisted in the
 work Chesley Ingals Flagman William
 Nun and Abe Chestnut Chairman, as
 we were now approaching work in which
 Ingals might become a party interested
 he was discharged and and Souther
 was sworn in as flagman Then commenced
 at corner 20 Poles west of "A" Ran South 160
 Poles and found corner heretofore established, but
 after running several test lines find said corner
 to far east So by the full and free consent
 of parties interested - to wit John Sexton Gasper
 Butcher, Eddie and Sammie Butcher, David B Judah
 and George Strain they being the only persons
 affected at there request I established

corner "Q" 19 Poles $5\frac{1}{2}$ lks east of corner heretofore established at half distance between $E\frac{1}{2}$ m p and center of Section witness Sycamore 12 $N 9^{\circ} W 37$ lks Black walnut 2 $S 84^{\circ} W 49$ lks Then commenced at corner heretofore established at half distance between $E\frac{1}{2}$ m p and center of Section Ran $N 45^{\circ} E$ To the N.E. corner of the S.E. qr of the N.E. qr corrected back and established corner "R" at the crossing of the road at a point 29 Poles 7 lks from the starting point in said line witness Elm 18 $N 25^{\circ} E 64$ lks Sycamore 24 $N 40^{\circ} E 63$ lks The above Survey was made in compliance with the accompanying notice which was published in the "Saturday Courier" a weekly newspaper published in Bloomington Ind for three successive weeks before the commencing of said Survey and by reading a copy of said notice to resident land owners by John Sexton 10 days previous to the commencement of Survey

M W Buskirk, M.C.S

Loyford & Reynolds Survey Sec. 16. T10. R. 2 W

(This plat represents the
true or of Sec 16. T10. R. 2 W)



April 25th 1889 commenced at corner heretofore established at the center of Section 16. T10. R. 2 W ran north 160 Poles 23 lks to $N\frac{1}{2}$ m p Thence west 163 Poles 13 lks to N.W. cor. Thence South 163 Poles 13 lks to $W\frac{1}{2}$ m p made new witnesses at $W\frac{1}{2}$ m p "A" maple 18 $S 48^{\circ} E 36$ lks Elm 8 $N 18\frac{1}{2}^{\circ} E 93\frac{1}{2}$ lks East corner half dist bet center and $N\frac{1}{2}$ m p "B" witness Beech 10 $S 69^{\circ} W 31$ lks Beech 24 $S 78^{\circ} E 41$ lks

Established corner at half dist between $W\frac{1}{2}$ m p and $N\frac{1}{2}$ m p "C" Stone in open ground Established corner "D" in center

of N W gr witness Sugar 18 N 60° E 17 lks Sugar 6
 S 17° E 22 lks The above Survey was made by
 the consent and at the request of parties interested
 Wesley Reynolds (chairman
 Jonathan Warren) sworn
 Wm Terry flagman sworn M H Buskirk M.C.S

Hays & Buskirk Survey

May 1st 1889. In pursuance to notice served by
 H. Hays (a copy of which accompanies this record)
 in connection with the Surveyor of Owen County Ind
 made the following Survey for the purpose of locating
 the center of the old bed of white river which is
 the county line dividing the counties of monroe &
 Owen. commenced at the center of the old bed of
 White river on the South bank of the present river
 near the North east corner of the N. E gr of Section
 32 T. 11. R 2 W Ran South 14° E 20 Poles 9 lks and
 planted Stone "A" limestone marked with a cross on top
 top also the letter "A" on the side thence S 14° E 24 Poles 8 lks
 to limestone marked with a cross and the letter "B"
 thence S 9° E 14 Poles 5 lks to stone marked with a +
 and the letter "C" thence S 18° E 43 Poles 5 lks to a
 stone marked with a cross and the letter "D" This corner
 is 10 Poles 3 lks N 87° E from corner heretofore established
 between the lands of Hays & Peden The above
 described line was located by measuring 10 poles
 east from the western bank of the old bed all trace of
 the eastern bank having disappeared. The following
 parties were sworn as assistants Samuel Davis
 Dr. J. Swin chairman Cyrus Thompson flagman
 The following notice was served by H. Hays

For Survey of lines and establishing
 of corners of the line dividing the lands of James M
 Buskirk and Hamilton Hays in Section thirty
 two township 11 north Range two west monroe
 county State of Indiana

To =
 James M Buskirk

Notice is hereby given
 to you that on the 1st day of May 1889

at 1 o'clock P.M. The county Surveyor of Monroe
county at my request as provided for in Section
8936 Revised Statutes 1881 of Ind. will proceed to
relocate establish and perpetuate the lines and
corners dividing your lands and mine as set
out in the caption of this notice at the equal
expense of the parties interested


Witness my hand this 19th
day of April 1889

Hamilton Hays

A True copy witness my hand and official seal

M. H. Buskirk, M.C.S.

Sec 13. T. 7. R. 1 W



Lively & Butcher Survey

May 15th 1889 in compliance
with notice served on all
the parties interested by Calvin
Shively made the Survey of section
13 T. 7. R. 1 W as per plat and
field notes accompanying

Half dist. bet. W $\frac{1}{2}$ m. p. & S, W, C
A { Red oak 4 S 75° W 58 lks
Red oak 4 N 76° E 69 lks

B { W $\frac{1}{2}$ m. p.
Ash 14 S 14° E 99 lks
Sunn 1 N 26° E 46 lks

C { Half dist. bet. W $\frac{1}{2}$ m. p. & center
Red oak 3 N 8° W 61 lks
Beech 18 S 60° W 93 "

D { Center of S W qtr
White oak 12 N 19° E 315 lks
Poplar 18 N 56° E 291 "


James Richeson } Chairman
George Heckard } Sworn
Jack. Caffee } flagman Sworn

Notices of the above Survey were served on the parties
interested - to wit: Hiram Butcher, John Butcher, Valentine
Heckard and George Heckard by Calvin Shively 10 days
previous to the commencement of the Survey but as they
were all separate notices they are left off record for want of space

M. H. Buskirk M.C.S.

John Back Survey

Tract Sec. 7 T. 10. R. 1. E



June 3^d 4th 5th & 6th 1889
 In compliance with
 notice of John Back
 made the following survey
 of fractional section 7 T
 10 R, 1, E

A { S. W. corner of 7
 Back 30 N 10 W 24 lks
 Back 18 S 11 1/2 W 42 1/2 "

B { 3 1/2 Poles South of E 1/2 m p
 Red oak 12 N 20° W 109 lks
 Red oak 12 S 33° W 137 "

C { Center of Section
 Red oak 4 N 89° W 24 lks
 Sassafras 4 S 73° E 7 "

D { 40 Poles South of C
 Black walnut 7 N 43° W 86 lks
 Red oak 15 S 37° E 7 "

E { 40 Poles east of D
 White walnut 6 S 83° W 1 lks
 White walnut 3 N 38° E 14 1/2 "

F { 40 Poles north of E
 White walnut 12 N 19° W 14 lks
 Red oak 6 N 48° W 11 "

G { Center of N E 1/4 or N 1/2
 B. walnut 12 S 26° W 118 ft
 B. walnut 12 S 40° E 28 1/2 ft
 H { Half dist. bet N. E cor & E 1/2 m p
 Oak 4 East 18 lks
 June 10 S 16° E 43 lks

During the above survey the following parties
 were sworn as assistants Jefferson O'Harr, George
 W. Bowman, James Robison Jasper Hubbard, and
 J. B. Brannon

Notice of Survey

Notice is hereby given to Charles Carr Isaac Peyton
 Howard Harr, Annie Martin, Sarah Sullivan and
 all others interested that I will proceed together
 with the county Surveyor of Monroe county Ind
 on Monday the 3^d day of June 1889 To run and
 establish all the lines and corners necessary to be
 established in Section 7 T 10 R 1 E meet at
 my residence at 2 o'clock P M on said day

be present at said time and place else the
Survey will proceed in your absence
This the 18th of May 1889

John H. Back
The above notice was returned to me before the
commencement of the Survey with the following
endorsement on the back - To wit -

May 20th 1889 Served the within
notice on Howard Harr Isaac Peyton Sarah Sullivan &
Annie Martin by reading on J. H. Harr and C. S. Corr
by copy left at residence
John H. Back

M. H. Buskirk M. C. S.

Buskirk Survey

June 7th 1889 By the consent and at the request
of parties interested - to wit Wm H Buskirk Sen Wm
H Buskirk Jr and Grant Buskirk made the following
Survey in Section 3 T. 9. R. 1 W. East N 1/2 on p. wit-
Turkey oak 12 South 7 1/4 lks Elm & East 119 lks Half distance
between N 1/2 on p & center Beech 12 N 5. W 69 lks Beech & N
85° E 70 lks Also at same time established the following
corners for the same parties in Section 34 T 10 R 1 W
to wit 3 Poles 5 lks west of S 1/2 on p of said section
witness Turkey oak 10 N 10° W 7 1/2 lks Turkey oak 4 west
31 lks 24 Poles 16 lks South of the center of 34 Beech
15° S 41° E 12 1/2 lks Red oak 12 N 87° W 5 3/4 lks St. oak 4 N 60°
W 17 1/2 lks 92 Poles South of the center of Section 34
Wm H Buskirk makes the following reservation for water
privileges - to wit - N 82° E 8 rods Thence South 6 rods
Thence S 82° W 8 rods Thence north 6 rods The above
Survey was made by the mutual consent of Wm H
Buskirk Sen & his Sons for the purpose of dividing their
lands and does not affect any one else Wm H Buskirk Jr
Grant Buskirk Chaimmen Wm H Buskirk Sen flagman

M. H. Buskirk M. C. S.

Francis Carmichael Survey

June 27th 1889 commenced the Survey of Section 19 T 7 R 2 W in compliance with notices served by Francis Carmichael to conform to corners established by order of Monroe circuit court on an appeal by Francis Cliphant. Find the following witnesses to the S.W. corner of said Section - to wit - walnut 8 in N 84° E 76½ lks Walnut 7 in N 52° E 77½ lks, wit. at S ½ m p. wild cherry 15 in N 73° E 130 lks Black walnut 6 N 78° E 137 lks Established corner 57 Poles 18¾ lks South of N.W. corner of 19 for line dividing lands of Michael Kirk and Francis Carmichael in Section 24 T 7 R 3 W witness apple tree 12 north 63° E 44 lks also Est corner 40 Poles 2½ lks north of ½ m p. see 24 T 7 R 3 W. wit Sugar 30 in S 17° W 73 lks. B walnut 4 N 14° W 43½ lks Established corner 61 Poles 18¾ lks E of W ½ m p. of See 19 wit B walnut 5 N 53° W 41 lks Est corner 67 Poles South of N ½ m p Stone in open ground witnessed by Stone planted 6 lks west and Stone 6½ lks South Thence west 67 Poles 15 lks and established corner wit coffee nut 10 N 65° W 401½ lks The three last corners were made to comply with their fences they having stood for twenty years as line fences and the parties this day agreeing to the location of said corners The following persons were sworn as assistants - J. H. Sparks J. J. Carter chainmen & W. Cunningham flagman

Notice of Survey

Notice is hereby given to Michael Kirk J. W. Cunningham Elizabeth Cunningham Frank M. Cliphant John Cliphant James Shipman Harvey Cliphant Margaret Glendenin and all others interested that I will proceed together with the county Surveyor of Monroe County Ind on Thursday the 27th day of June 1889 to run and establish all the lines and corners necessary to be established in Section 19 T 7 R 2 W making said lines and corners to correspond with the Survey made by order of Monroe circuit court on the appeal by Francis Cliphant

meet at my residence at 10 o'clock A M
on said day be present at said time and
place else the Survey will proceed in your
absence

This June 13th 1889

Francis Carmichael

A true copy of notice and field notes
M. H. Burkirk M. G. S.

Sept 23^d 1889.

In compliance with order from the
Trustee of Perry Township I ran the east line
of Section 10 T. 8. R. 1 W. for the purpose of locating
a public highway and with the consent and at
the request of James Smith and Bennie Rogers I
established the N. E. corner of Sec 10 wit B. walnut 4
in N 80 $\frac{1}{2}$ W 139 $\frac{1}{2}$ lks Sugar 20 N 75 $\frac{1}{2}$ E 161 lks
James Smith and Bennie Rogers chainmen Jacob Patton
flagman sworn

M. H. Burkirk M. G. S.

Lampkins Survey

October 28th 1889. met in pursuance to notice
published in "Saturday courier" by Thomas H. Lampkins
for the Survey of Section 5 T. 8. R. 1 E. but on
account of sickness of my family I adjourned the
Survey until Monday the 4th day of Nov 1889
when we again met and organized by qualifying
the followings assistants Jack Armstrong and
James Empron chainmen Charles Poor flagman

Then proceed to establish
corners as per plat and
field notes



Traced South line of Section very
distinctly for about 30 chains ^{from S.W. cor} when
we struck cleared land and all
land marks disappear. in correcting
back I found that a straight line from
from the S. W. to the S. E. Section
corner would throw my line north
of the original line I then ran a
line ^{from} where marks disappeared east to
S. E. Section corner and made my
survey accordingly

A { Half dist between S.E. corner and S $\frac{1}{2}$ m p
 H. Oak 12 N 69° W 51 lks White Oak 5 S 51° E $45\frac{1}{2}$ lks

B { S $\frac{1}{2}$ m p
 Wit Pillar under S.E. corner of School house No 2
 Salt creek Township N 72° W $205\frac{1}{2}$ lks
 Apple Tree 1 inch N 19° E 28 lks

C { Half distance between center and E $\frac{1}{2}$ m p
 White oak 5 N 15° W 15 lks Red oak 10 N 15° E 27 lks

D { Center of Section established This corner by crossing lines
 from North to South and from East to West they cross 168
 13 lks South of Northern $\frac{1}{2}$ m p and 5 lks East of
 the middle of the E & W line by measurement
 wit Hickory 7 inches N 65° E $6\frac{1}{2}$ lks Hickory 4 inches S 43° W 4 lks
 Elm 10 inches S 36° E $11\frac{1}{2}$ lks

E { Half dist between center and N $\frac{1}{2}$ m p
 White oak 10 S 78° E $24\frac{1}{2}$ lks Red oak 12 N 81° W 13 lks

F { Half distance between center and W $\frac{1}{2}$ m p
 White oak 5 N 85° W 17 lks Red oak 10 S 53° E 25 lks

G { Half distance between W $\frac{1}{2}$ m p and S W Section corner
 Red oak 15 N 15° E 23 lks H. oak 10 S 9° E 31 lks

The above Survey was made
 in compliance with the
 accompanying Notice which
 was published three weeks
 successively previous to the
 commencement of the Survey
 in the "Saturday Courier"
 a newspaper published weekly
 in Bloomington Monroe County Indiana
 and also 10 days notice to all the resident
 owners of land by Thomas H. Gamphins

a True copy of Survey and field notes
 M. H. Buskirk
 M, C, S

NOTICE OF SURVEY.

Notice is hereby given to all non
 residents and all others interested
 that I will proceed together with the
 County Surveyor, of Monroe county,
 State of Indiana, on

Monday the 20th day of October,
 1889,

to run and establish all the lines and
 corners necessary to be established
 in section 5, township 8, range 1 east.
 Meet at my residence at 1 o'clock
 p. m. on said day, be present at
 said time and place else the survey
 will proceed in your absence.

This the 21st day of Sept. 1889.

THOMAS H. GAMPHINS.

Maxwell Survey

Nov 7th 1889 met according to the accompanying agreement to ascertain the true position of the corner to Secs 1, 2, 11, & 12, in the line between Monroe & Brown counties T. 8, R. 1, E organized by qualifying Joseph Clinton & Alm Bales as chainmen and Arch S Vanderman flagman Then commenced at the E $\frac{1}{2}$ m p of Section 11 Ran north one mile and $4\frac{1}{2}$ lks and ran East of the E $\frac{1}{2}$ m p 104 lks. corrected back to the corner of Secs 1, 2, 11 & 12 heretofore located by A. S. Hillman and find it so near the right place that by the consent of the parties concerned we did not move it they agreeing to let it remain the permanent corner to said Sections

Waiver of Notice

This agreement made this 12th day of August 1889 between James H Maxwell Senior Isaac Heckard and S. H Vanderman witnesseth that whereas they are owners of land in Sections one and twelve in Brown County Indiana and two and eleven in Monroe County Indiana and there being an uncertainty about the Section corner between said Sections is now hereby agreed that the Surveyor of said Monroe County shall establish said corner and such lines connected therewith as may be found necessary and after such corner is by him established we shall thereafter abide by said action and hereafter recognize said corner as the permanent and true corner between said lines In witness whereof we have hereunto set our hands and seals

Attest Jno Graham } Jas H Maxwell
Isaac Heckard
S. H Vanderman

The above Survey was in compliance with the above agreement, which I certify is a true copy of agreement signed by parties and returned to me when the work was done

M. H. Buskirk M. C. S.

Groves Survey


Nov 11th & 12th 1889. By the agreement of all the parties interested except John Swarty and he he was legally notified 10 days previous to the commencement of the Survey I made the following Survey in Section 19 T. 8, R. 1, E. Commenced at corner heretofore established at half distance between the S W corner and the S $\frac{1}{2}$ m² ran north 325° Poles 23 lks. Then commenced at the N. W. Sec corner ran East 329° Poles 4 lks to corner heretofore established, corrected back blasing line and established corner at half distance witness Sugar 10 inches N 15° W 36 $\frac{1}{2}$ lks Buck 3 N 74° E 21 $\frac{1}{2}$ lks. Then commenced at N $\frac{1}{2}$ m² ran East 168° Poles 7 lks to corner heretofore established at center of Section corrected back and established corner at half distance witness gum 6 inches N 71° W 7 $\frac{1}{2}$ lks. White oak 8 S 80° E 50 lks. During the above Survey the following persons were sworn as assistants Joseph Baxter & Eeg Hanson chainmen, J H Jeffries & Wan Gelaspie flagman

M H Buskirk M. C. S.

Anderson Survey
Jan 2nd 1890 made the following Survey in Section 20 T. 8 R. 1 W commenced at the South East corner of Said Section ran west 76 Poles to the west side of the gravel road and to the west line of the E $\frac{1}{2}$ of the S E $\frac{1}{4}$ of Said Section 20 Thence north 25° Poles 6 $\frac{1}{4}$ lks and established corner Stone in open ground Thence East 76 Poles and established corner 25° Poles 6 $\frac{1}{4}$ lks north of S. E corner witness Ash 14 inches S 13° W 197 lks The above Survey was made by the consent of the parties interested J Johnson & J Robison chainmen John Stipp flagman

M H Buskirk M. C. S.


Imbause Survey Section 9 Town 10 R 2 W.

Feb 17th 1890

By the consent and at the request of the parties interested I commenced the Survey of Section 9 Town 10 R 2 W having sworn the following assistants Hamilton Berry & James Stone. Chairman George Farmer flagman commenced at the S. W. corner ran East 163 Poles and 10 lks ran 60 lks north of corner at S $\frac{1}{2}$ on p. Thence N 3° W 316 Poles and drove

Stake (This Stake was afterwards found to be 50 lks west of N $\frac{1}{2}$ on p. Then commenced at corner heretofore established at half distance between N $\frac{1}{2}$ on p. and N. & Sec. corner) ran west (via 3) 244 Poles 4 lks and ran 116 lks South of S. W. Sec. corner - Feb 18th commenced at S. W. cor of Section 9 ran north (via 3) 313 Poles 4 lks ran 27 lks west of S. W. corner, corrected back and established corner 'A' at average distance for western $\frac{1}{2}$ on p. witness Black walnut 1 N 84° E 22 lks distant Ash 1 in in diameter S 6° E 24 lks Then ran East (via 2) one mile ran north of E $\frac{1}{2}$ on p. 30 lks. Then located the corner in the center at the crossing of the lines E & W and N & S which is 157 Poles north of S $\frac{1}{2}$ on p. and 162 Poles 12 east of W $\frac{1}{2}$ on p. witness willow 6 N 60° W 34 lks Black walnut 4 inches in diameter S 83° E 68. Established corner 'C' at half distance between center and S $\frac{1}{2}$ on p. witness Sh. oak 30 N 20° E 8 lks off the tree 1 inch in diameter S 28° E 28 lks. Ran west through the center of the S. W. $\frac{1}{4}$ and established corner 'D' at half distance between W $\frac{1}{2}$ on p. & S. W. corner witness Sh. oak 3 S 78° E 25 lks Hickory 2 inches in diam N 10° E 30 lks Then ran through the center of the S. W. $\frac{1}{4}$ N & S and established corner 'E' at half distance between S $\frac{1}{2}$ on p. & S. W. corner witness Elm 15 inches in diameter N 13° E 183 lks. East railing of New A & G A R west 130 lks - 19th got corner 'F' at crossing of lines in the center of the S. W. $\frac{1}{4}$ witness Elm 15 inches in diameter S 41½° W 28 lks Plum bush 3 inches in diameter N 45° E 30 lks

M H Burkirk M. C. S

March 18th 1890

but according
to printed notice of Andrew
Deekard to Survey out Section
35 T 8 R 1 E Commenced
at the S. E. corner of said
Section ran west (viz 2¹/₂)
396 Poles 13 lks of fell 412 lks
South of corner herefore
established at half dist between
S. E. cor and S ¹/₂ on p of sec
34 Then com at corner herefore
established at half distance

between S. W. corner and W ¹/₂ on p of sec 35 ran South 78
Poles to Salt creek. Thus locating the S. W. cor of 35 in the
creek according to A. S. Survey. 19th commenced at the W ¹/₂
on p ran East 319 Poles 4 lks fell 440 lks north of S ¹/₂ on p
Then commenced at N ¹/₂ on p ran South 318 Poles 10 lks
ran 144 lks east of S ¹/₂ on p. Then commenced at corner
herefore established at half dist between N ¹/₂ on p and
N W Sec corner ran South 240 Poles to the center of the S W
qr Then commenced at cor at half dist between center &
S ¹/₂ on p ran west 158 Poles 16 lks fell 51 lks South of corner
com at N. E. corner ran South 275 Poles to the north
bank of Salt creek Then commenced at corner at half dist
between N W corner and W ¹/₂ on p ran east 322 Poles
ran 191 lks north of corner, comenced at corner 'A' 50 Poles
west of corner at half distance between center and N ¹/₂ on p
ran South 78 Poles 18 lks and established corner 'B' 50 Poles
west of center of Section, Thence west 2 Poles and drove stake
Thence South 60 Poles and established corner 'C' Thence
East 12 Poles and drove stake Thence South 64 Poles
and established corner 'D' Thence East 40 Poles

A { 50 Poles west of "H"
Wild cherry 3 S 68° E 42 1/2 lks
Cherry tree 4 N 14° E 82 "
Hickory 1 S 2° E 26 "

B { 50 Poles west of center
Red oak 3 S 85° W 8 lks
DN oak 8 S 14° W 37 1/2 "

C { 60 Poles South of stake 2 Poles west of B.
Hickory 3 N. 27° W 12 1/2 lks
Ash 6 S 13° W 98 1/2 "

D { 64 Poles S. of stake 12 Poles east of C
Dt. Walnut 7 N 162 lks
maple 10 S 61° W 93 lks

Center of Section
R. oak 4 S 59° W 2 lks
mulberry 7 S 80° E 13 lks

Half dist bet center & N's on N
Beech 7 N 48° E 20 1/2 lks
Hickory 10 S 6 W 16 1/2

Center of N.W. q.
Beech 12 S 33 W 18 lks
Beech - N 11 E 27

Center of S.W. q.
Ash 3 N 14 W 15 1/2 lks
Mulberry 2 N 31 W
Jun 1 S 32 1/2 E 19 lks


Half dist between S 1/2 on corner & center
Edm 1 N 26° E 32 lks
Wild cherry 6 S 4 E 112 lks

NOTICE OF SURVEY.
Notice is hereby given to all non-residents, and all others interested, that I will proceed together with the County Surveyor of Monroe County, Ind., or his deputy, on Tuesday the 18th day of March, 1890, to run and establish all the lines and corners necessary to be established in Section 35, Town 8, North Range 1 East. Meet at the residence of John Candler at 8 o'clock A. M. on said day. Be present at said time and place else the Survey will proceed in your absence.
This the 15th day of Feb. 1890.
M. H. Baskirk

The above Survey was made in compliance with the accompanying notice which was published in the "Saturday Courier" a weekly newspaper published at Bloomington Ind for three weeks before the commencement of the Survey and the resident land owners were notified in writing. Staring the above Survey the following parties were sworn as assistants Sammie Butcher Eddie Butcher James Butcher & Andrew Deekward Chummen John St. Chundler & Perry Pardwell flagmen

M. H. Baskirk M. C. S.

Plat of Carters addition to the Town of Smithfield Monroe County Ind as Surveyed by M. H. Baskirk Monroe County Surveyor on the 1st day of April 1890



Corner 'A' is 101 Pole and 20 lks north of the center of Section 3 T 7 R 1 W and corner 'B' is S 62° E 48 Poles 17 1/2 lks from A

Survey
ch 18th 1890
Printed notice of the
card to Surveyor
of 8 R 1 E
the S.E. corner
section ran west
39 1/2 Poles 13 lks of full
South of corner
established at half
S.E. cor and 1/2
34 Then come at
established at half
on p of 40 35 ran
ing the S.W. cor of 20
y. 19th commenced at
lks fell 44 1/2 lks north
p ran South 11 1/2
in p. Ten commenced at
dist between N's on p
240 Poles to the center
at half dist between
Poles 16 lks fell 41 lks
South 27 1/2 Poles to the
commenced at corner at
40 1/2 on p ran east
commenced at corner
Tance between center
lks and established corner
Thence west 2 Poles and
and established corner
Stake Thence South
D Thence East 40
lks C (60 Poles south of Stake
Hickory 3 N 39° W
Ash 6 S 15 W
D (64 Poles S. of Stake
St. Oakcut 7 N 14
maple 10 S 61 W

I do solemnly swear that I will support the constitution of the United States and the constitution of the State of Ind and that I will faithfully and impartially discharge the duties of Deputy Surveyor of Monroe County Ind according to law to the best of my knowledge and ability to help me God

Edmer E. Buskirk,
Subscribed and sworn to before me this the
17th day of March 1890
H. H. Buskirk M.C.S.



Keplinger Survey

April 2nd 1890

In pursuance to accompanying notice published by Nelson Keplinger in the Saturday "Courier" a weekly newspaper published in Bloomington Ind (said notice having been published 3 weeks previous to the commencement of Survey) met to Survey Section 29 T 8 N

R. 1. E organized by selecting

The following assistants who were duly sworn by consent of parties interested, Nelson Keplinger & Joseph Parnell chainmen and James Terril flagman


Commenced at center of said Section Ran East (course $1\frac{1}{2}^{\circ}$) 158 P
9 lks ran 24 lks South of corner corrected back halfway
and ran Thence North (course 3°) 161 Poles 15 lks ran 64 lks East
of corner Then commenced again at the center ran north
164 Poles 20 lks ran 57 ^{West of corner} commenced at N. E Section corner
ran South 159 Poles 18 lks ran 10 lks East of corner corrected
back and established corner ^A at half distance
witness Sugar 8 N 46 E 13 lks Beech 10 S
46 lks W 26 lks Established corner 'B' at
center of N. E gr witness Stone Set
north 25 lks Stone Set west 25 lks Est. cor.

"C" 17 Poles 2 lks north of the S W corner of
the N W q of the N E gr

witness Hickory 8 S 73° E 48 lb. White oak 6 S 18° W
58½ lb. M. H. Rustick M. D. S.

M. H. Baskirk M. C. S.

* Survey of Section 20 T 8 R 2 W.



April 14th 1890

By consent of parties
interested I made the following
Survey in Section 20 T 8 S R.
2. W reference being had
to the accompanying plat and
field notes

A { $N\frac{1}{2}$ mo. fr. reestablished
White oak 12 N 12° W 87 lbs
B. walnut 3 B $4\frac{1}{2}$ W 5'6"

S. E. Section corner
H. oak 40 N 83° W 53' lks
Chill of water N 37° W 50 "
Apple tree 15' N ~~W~~ E 44 "

C { (half dist bet S & E corner of)
Walnut 4 N 78° W 33' etc
Ash 2 N 43° E 16' ..

D { Half dist bet S $\frac{1}{2}$ on 40 center
Wickory 24 S 83° E 37 $\frac{1}{2}$ lbs
Red oak 5' - N 58° E 22 $\frac{1}{2}$ "


E { Tag dist bet center & E $\frac{1}{2}$ in
th. oak 40 East 48 $\frac{1}{2}$ lbs
Sugar 18 N 30 W 80 "

Center of S E Cr
Red oak 13' N 82½ W 23 lb.
Ok. oak 10' S 83 W 50 lb.

Dr. Oct 10 U 83' W 50' 100
Having the above Survey the following parties were
used as assistants by consent of parties interested
H. E. Bowers. S. H. Thrasher, J. N. Thrasher Chairman
Ira Stanifor flagman
M. H. Buckirk M. H. S.

This is to certify that I have this day appointed
Elmer E. Baskirk my true and lawful deputy,
witness my hand and official seal
this 17th day of March 1890
M. H. Baskirk, Co. S

Survey of Section 18 T 8 R 1 E



Sept 4th 1890 met pursuant to notice served on parties interested 10 days previous to the commencement of Survey by S M Randal commenced at South west corner of said Section 18 R and north to North west Section corner both government witness trees at South west corner get corrected back and established corner "A" at half dist for western $\frac{1}{2}$ on p.

Witnessed by Beech 10 inches in diameter
 N 9° W. 6 lks Beech 8 inches in diameter S 10° E
 10 $\frac{1}{2}$ lks distant Established corner B' in the center of
 the Section by crossing the lines from East to west and from
 north to South witnessed by Hickory 5 inches in diameter
 S 17° E 9 $\frac{1}{2}$ lks distant Sycamore 7 inches N 38° W 24 $\frac{1}{2}$ lks
 distant. The following parties were sworn no assistants
 Joseph Hancock and James Piny chairmen Joseph Baxter
 flagman

Elmer S. Bucknirk

Sept S. M. G.

Survey of Section 6 T 7 R 2 W



August the 14th & 15th 1890
 made the following survey
 of Section 6 T 7 R 2 W
 reference being had to the
 accompanying plat and fieldnote

A { 18 Pole 9 lks east of S $\frac{1}{2}$ on p.
 Poplar 20 East 32 $\frac{1}{2}$ lks
 Elm 3 S 38° E 27 lks

B { W $\frac{1}{2}$ on p.
 Thornbush 3 East 8 lks
 B. Walnut 10 S 8° E 87 ..

C { E $\frac{1}{2}$ on p.
 Beech 18 N 45° W 18 $\frac{1}{2}$ lks
 Sugar 20 N 13° E 25 $\frac{1}{2}$..

D { 150 Poles 11 lks west of S 1/2 on p
Sycamore 18 S 18° W 6 8 lks
Sycamore 20 S 3° W 12 6 "

E { 80 Poles East of W 1/2 on p
Sycamore 4 N 18° W 6 lks
Beech 24 S 76° E 70 "

F { 80 Poles East of S W corner
Sugar 24 S 31° E 30 lks
Poplar 24 N 48° W 48 1/2 "


At the same time ran the following line for Calvin Sparks and Paul Sparks

Commencing at corner 'A' ran N 3 1/2° E 14 Poles Thence N 12 1/2° W 11 Poles 6 lks Thence N 8° W 34 Poles Thence N 37° W 25 Poles Thence N 3° W 34 Poles 10 lks Thence N 10 1/2° E 6 Poles Thence N 8 1/2° W 34 Poles 16 lks to corner D

The above Survey was made by the consent and at the request of the parties interested
Parties interested carrying chain alternately

M H Baskirk M, E, S.

Section 2 T. 8 R. 1. W



August 20th 1890
Surveyed in Section 2 T. 8 R. 1 W and established corners as per plat and field notes accompanying

A { half dist bet W 1/2 on p & S. W. C
mulberry 2 N 10° E 10 1/4 lks
Stone Set East 20 lks

B { S 1/2 on p
Sycamore 2 N 14° W 29 1/2 lks
Oaknut 6 S 77° W 12 9 "

C { half dist bet cent. & S 1/2 on p
Beech 24 S 32° E 33 1/2 lks
Beech 18 N 70° E 58 lks

D { Center, Stone no witness
Notice of above survey was served on the parties by George Campbell 10 days previous to commencing the survey The following parties were selected as assistants by consent of parties interested. John C Stephenson & John R Hunter chairman David Smith flagman
M H Baskirk M, E, S.

1890
Served on parties
days previous to the
survey by J M
commenced at South
aid Section 18
the west section corner
trees true at South
ected back and
at half dist for
witnessed by Beech 10
Beech 8 inches in diam
ished corner B in the
line from East to
ed by Hickory & in
passage 7 inches in
parties were chosen as
ames Ping chairman
Elmer & C
August the 14th
made the follow
of Section 2 T. 8 R. 1 W
reference being
accompanying plat
18 Poles 1 lks
Poplar 20
Elm 8
S 1/2 on p
Beech 18 N 48° W
Sugar 20 N 13° E

Sec. 30 T. 7, R. 2, E

A		
		.H
	.G	.I
	.F	.F
.C	.D	.E
.B		

June 12th 1890

By agreement of the parties interested I commenced the Survey of Section 30 T. 7, R. 2, E. During said survey the following parties were sworn as assistants Eli Norman, John Murphy & Buddie Fleetwood chainmen Charles Ross flagman corners were established as per plat and field notes accompanying

A { N. W. sec. cor.
S. Oak 5 N 45° E 5 lks
Hickory 2 1/2 S 32° E 12 lks

B { half dist. bet. S. 1/2 m. p. & S. W. C
Hickory 1 N 57° E 2 1/2 lks
Hickory 1 N 64° W 21 lks

C { Center of S. W. gr.
Ironwood 7 S. 78° E. 9 lks
Logwood 4 N 67° W 17 lks

D { Half dist. bet. S. 1/2 m. p. & center
Sum 12 N. 74° W 24 lks
Beech 10 N 44° E 19 1/2 lks
Beech 4 S. 73° E 22 lks

E { Center of Section
Hickory 6 N 29° W 23 lks
S. oak 4 S 18° W 15 1/2 lks

F { Half dist. bet. S. 1/2 m. p. & center
Persimmon 5 N 76° E 110 lks
Persimmon 12 S 81 1/2° W 124 lks

G { S. Poles 20 lks north of center
Hickory 2 S 17° E 27 1/2 lks
S. oak 4 S 40° W 27 lks

H { Center of N. E. gr
Hickory 14 N 31 1/2° E 17 lks
S. oak 10 S 10° E 10

I { Half dist. bet. 'H' & 'H'
Lynn 18 S 39° E 9 1/2 lks
S. oak 12 N 48° E 16 1/2 lks

J { Center of S. E. gr
Beech 15 N 16° E 23 1/2 lks
Eln 3 N 70° E 3 1/2 lks

Elmer E Buskirk Sept 14, 1890

A true copy of Survey of Section 30 T. 7, R. 2, E according to field notes of the same returned to me

M. H. Buskirk M. C. S.

Nov 6th 1890 Ran the following lines and established the following corner in Section 35 T. 9. R. 1 W for Henry & Robert Russell commenced at corner heretofore established at half distance between E & 1/2 mile post and North East corner. Ran west (via 2 1/2) 160 Poles and drove stake. Then commenced at center of 35. Ran north (via 3) one mile and ran 93 1/2 lks east of the center of section 26. corrected back 1/4 of the distance and made this the basis for correcting first line which I proceeded to correct Establishing a corner 140 poles 22 1/2 lks west of starting point witness B. walnut & S 3' & 53 lks Walnut 4 S 3' & W 48 1/2 lks

The above survey was made by the consent and at the request of parties interested Henry Russell John Russell chairman Robert Russell flagman

M. H. Buckirk M. C. S.

Nov. 20th 1890 Made the following private survey as shown by plat, for Charles & Walter Robbison. Beginning at the center of the North pike road on the North side of the North West qr. of the S. W. qr of sec 28 T. 9. R. 1 W; thence East on qr sec line 15 chain forming a bare line on the N. side of lot 1 as represented by plat. Lots No. 1-4 taken together has a central width of 4.107 and central length of 14.70 and contains 6.03 acres. Lot No. 5 has a central length of 14.24. Lot 6 and width of 2.111 + contains 3 acres. Lot No. 4 has central length of 13.75 and width of 2.155 and contains 3 acres. Lot No. 5 has central length of 13.585 and width of 2.205 and contains 2.996 acres. Lot No. 6 has central length of 13.24 and width of 2.26 and contains 3 acres. Lot No. 7 has central length of 12.94 and width of 2.30 and contains 2.98 acres. This survey made at the request of the parties named above and flag bearers attennally. The foregoing is a true copy of the work done




Charles Robbison and Samuel Hunter chain bearers and flag bearers attennally. The foregoing is a true copy of the work done

Geo. B. Rader M. C. S.

Tuesday Nov. 25, 1890 met Benjamin R. Whisman
Madison Houston & George W. Thornton by agreement
to make a survey of sec. 32 T. 10 N. R. 1 W. and organized
by swearing Benjamin R. Whisman & Jacob M. Wampler
chainmen & D. H. Wampler flagman. Reestablished the
center of S. E. qtr of said sec. and on proceeding to make
said survey I ascertained that it would involve parties
not notified or consenting. I therefore adjourned
official work without day.

Sec. 32 T. 10 N. R. 1 W.



Witness { Elm 5 in N 14 E 14 1/2 lbs
{ true Elm 2 in S 41 W 53 1/4

The above is a true statement
of the work officially done

Geo. B. Rader M. L. S.

Survey of Sec. 35 Town 9.
Range one E made pursuant to notice published
for 3 weeks in the Bloomington Courier by John
A. Polley. Met Dec. 23, 1890 at John A. Polley's, time
and place designated in publication and organized
by selecting James A. Taberny, Wm. L. Polley, Hilford A.
Shirvin, Wm. L. Elmer as chain Bearers & alternate
ly & Wm. Alltop as flag bearer. The same being
duly sworn & instructed we made the following
survey as shown by plat said survey ending on
Dec 27th 1890

Sec. 35 T. 9 N. R. 1 E




Witness { oak 10 in N 86 E 27 1/2 lbs
{ " oak 9 in N 37 1/2 W 30 "
H { B. oak 10 in N 31 lbs
{ oak 3 in N 88 W 43 1/4 "
I { Hickory 2 in S 86 E 9 3/4 lbs
{ " 2 in N 25 W 26 lbs
H { B. oak 6 in S 70 E 65 lbs
{ " " 6 in S 75 W 25 1/4 "
L { B. oak 5 in S 10 E 6 lbs
{ " " 6 in S 54 E 2 1/4 "

M { B. oak 5 in N 18 W 38 lbs
{ W oak 5 in S 7 W 22 "
Geo. B. Rader M. L. S.

I hereby certify the foregoing to be a true copy
of survey


Survey of Sec. 22 Town 8 North Range 1 East

Mt. according to advertisement of three weeks in the Bloomington Courier by Samuel Stevens and organized Dec. 30th 1890 by qualifying Wm. C. King and Charles J. Hess as Chain Bearers and Fielder Sexton Flag bearer all of which were disinterested persons, and made the following survey as set forth in plat. At one qr mile west of N.E. corner of Sec. 22



Buck 8 in S 52¹/₂ W 25 lbs
 " 2 in S 41¹/₂ E 30 lbs
 reestablished
 P.B. oak 6 in off 12 W 43¹/₂ lbs
 " 4 in S 69 W 11¹/₂ lbs
 Finished the work in Sec. 22 on Wednesday the 31st of Dec 1890 and adjourned to meet at Wm. C. King's in Sec. 23 on Jan 6 1891

Sec 14 T. 8. N. 1. E



Jan. the 1st 1891 comes now Samuel Stevens Fielder Sexton & Goodley and asks that the following survey be made in Sec. 14 T. 8. N. 1. E. they being the parties interested in said survey. Where upon Wm. J. Lamphins and Wm. J. Elzer were sworn as Chainman & Fielder Sexton Monroe

Swindler as Flag Bearer and the following survey was made at N. Sand Stone planted with cross
 Witness Flat Sand Stone with cross buried 16 in S 25 E
 25 lbs do. " " " " " 20 in S 17¹/₂ W
 25 lbs
 O { Beech 8 in S 55 W 46 lbs
 W. oak 7 in S 76 E 33 lbs
 P { W. oak 10 in S 51 E 31 lbs
 Beech 11 in S 72 W 50¹/₂ lbs

The above survey of Sec. 14 T. 8. N. 1. E. is a true copy of work done, the same being completed on Jan 2nd 1891

G. B. Nader M. C. S

Survey of Sec. 23 T. 8. N. 1. E

Jan the 6th 1891 Met at Wm. C. King's at 8 o'clock A.M. on adjournment from Sec. 22 and organized by swearing Charles F. Hesse & James McWhorter as chain bearers & Samuel Stevens flag bearer, and afterwards Benjamin Chestnut and John Ferrel was sworn to carry chain alternately, & Fielden Sexton to bear the flag, whereupon a survey was made as shown by plat of Sec. 23 Town 8 Range aforesaid the same being completed on Jan. 8th 1891 and was advertised to gether with sec. 22 in the Bloomington Courier for three weeks by Samuel Stevens

Sec. 23 T. 8. N. 1. E

L	S
H	B G
	C H H

Reestablished
B. { B. oak 14 in N 78° E 5 lks
Ches. " 8 in S 21° E 2 1/2 lks

Reestablished
C { W. oak 16 in N 4 W 48 lks
" " 19 " S 11 W 24 "

Hickory 7 in N 33° W 22
Elm 8 in N 36° E 57 1/2

Beech 18 in N 75° E 53 1/2 lks
" 14 " S 23° W 80 1/2 "

Hickory 6 in N 65° E 58 lks
" 6 in S 15° E 2 lks

B. oak 8 S 85° E 57 1/2 lks
" " 14 S 42° E 69 1/2 lks

Beech 15 in N 4 W 13 1/2 lks
W. oak 5 in S 45° E 42 1/2 "

Slater oak 4 in N 33° E 37 1/2 lks
Beech 12 in S 54° W 35 1/2 lks

Geo. B. Nader M. C. S

Sec. 33 T. 9. N. 1. E

Survey for Richard L. Stevens

made Jan. 9th 1891 for restoring lost corner in order to lay out Public Highway on true line as ordered by the County Court. The corner lost being the center of the S. E. quarter of Sec. 33 Town 9 North Range 1 East. Mack Hask and Isaac Robbins being sworn as chain bearers and John L. Stevens flag bearer we proceeded to make the necessary survey to relocate said corner and planted Lime Stone with cross for said corner with the following witness trees
Blac oak 14 1/2 S 83 1/2° W 15 1/2 lks. B. oak 12 N 3 1/2° W 80 1/2 lks

Geo. B. Nader M. C. S

Surveyor's Notice.

Notice is hereby given that I will proceed together with the Monroe County Surveyor or his deputy on Tuesday the 30th day of Dec. 1890, to run all the lines, locate and establish all the corners required or necessary to be established in Sec. 22 and 23, Town 8, North, Range one East. Meet at Samuel Stevens at 9 o'clock A.M. of said day. Be present at said time and place else said survey will proceed in your absence.
This Dec 9, 1890.

SAMUEL STEVENS

M. H. Burkirk Sworn in as Deputy County

Survey Dec. 3rd 1890 having taken the following oath

I do solemnly swear that I will support the Constitution of the United States and the Constitution of the State of Indiana and that I will faithfully and impartially discharge my duties of Deputy & Surveyor of Monroe County Ind. to the best of my knowledge and ability, So help me God

M. H. Burkirk
Subscribed and Sworn to before me Geo. B. Rader
Monroe County Surveyor
This Dec. 3rd 1890

Survey in sec. 36. T. 10. N. 1. W.


Whereas Jonathan Lantz had made application in the Circuit Court ^{against} Jonathan Brannam and David Houston to set aside Andrews Dillman's survey made April 1888 in regard to the line between their lands, wherein the said Dillman had located a corner for the $\frac{1}{4}$ mile west of East half mile which was thought to be out of range with other corners previously established, and Whereas the said parties agreed in writing that the County Surveyor should begin 80 rods west of the South East corner of sec. 36. T. 10. N. 1. W. and ^{cross} three fourths of a mile North to center of the N. E. quarter of said section and that the said straight line thus run should be a final settlement of the controversy. Accordingly I met the parties on Jan. 14th 1891 at David Houston's. And it was agreed by the parties that Jonathan Lantz and Wm. H. Fry be sworn to bear the chain. The said Fry appearing for defendant Brannam and that the said David Houston bear the flag, and they all agreeing that their personal interest should not conflict with their duties were accordingly sworn. Said line was run and on correction it was found that the corner at the center of the South East quarter of the section was 44 links too far west whereupon we set it on true line and gave new witness trees as follows Whit oak 3 in S 45 E 16 links Buck 13 in N 26 W 52 links

The above is true statement of the work done

Geo. B. Rader M. C. S.

J. L. Ward estate - Survey

Dec. 2nd 4th 17th & 18th 1896 By the consent and at the request of the heirs of J. L. Ward deceased made the following Survey for the purpose of dividing the lands of said heirs situated in sections 28 & 29 T. 9. S. R. 1. & W. reference being had to the following plat and field notes



- E { 74 poles south of $\frac{1}{2}$ m. p. sec 29
Walnut 24 in S 73 E 49 lbs
Elm 30" west 65 lbs
- E { 43 poles 6 lbs west of E
wild cherry 12 in S 30 W 51 lbs
8 poles 6 lbs north of H
- G { witness ledge of limestone
at 39 W 97 lbs
- H { 26 poles 12 lbs west of G
Hickory 7 in at 6 E 178 lbs
66 poles 14 lbs west of H
poplar 2 in S 40 E 2 lbs
- I { 4 in S 82 E 8 "
- G { 8 poles 7 lbs north of I
B. walnut 7 in S 40 W 69 1/2 lbs
- K { 24 poles 1 lb north of H
Walnut 2 in at 85 W 139 lbs
- L { 8 poles west of center
B. Walnut 1 5/16 W 3 lbs
" " 2 in S 74 W 9 "
- M { 32 poles 20 lbs S of L
Dogwood 4 at 84 W 8 lbs
Beech 7 S 44 E 38 lbs
- N { 3 poles 11 lbs south of M
Beech 30 in at 10 W 6 1/2 lbs

- R { 45 poles west of I
Elm 6 in at 5 E 103 lbs
- P { 24 poles 1 lb south of M
poplar 12 at 86 W 9 1/2 lbs
Dogwood 3 in S 83 11 lbs
- R { 44 poles 20 lbs south of P
Beech 24 in at 10 E 21 lbs
Hickory 24" at 69 W 17 1/2 "
- R { 68 poles 21 lb west of S. E. corner
W. oak 36 in at 2 E 71 lbs
- S { 43 poles 6 lb west of E $\frac{1}{2}$ m. p.
B. Walnut 8 in East 24 lbs
- T { 49 poles north of the west $\frac{1}{2}$ m. p.
of sec. 28
Ash 3 in S 40 E 6 lbs
- U { 50 poles and 15 lbs east of H
in the center of pike
W. oak 15 in S 80 E 30 lbs
Stone witness at 80 W 15 lbs

During the
this estate
heirs - at
Chairman
Klagman.

The p
J. L. Ward

Feb 3rd
to notice
Newspaper
notice his
published
ceding the
32 Town
ding to p

Dec 31st 9

During the
Survey the
persons w
as assistan
of parties
Same
Samuel
Klagman
M. S. Gar
Klagman
Chairman

During the above survey survey the following parties were sworn in as assistants D. B. Nader B. Jr. Rogers - Morris, Miriam Crochet and Joe Ward Chainman and John Blair and Doctor Wilson Flagman.


M. H. Buskirk Dpty.

The foregoing is a true copy of the survey of the J. L. Ward estate as returned by Dpty.

Geo. B. Nader ch. C. S.

Feb. 3rd 4th 5th 1891
Set at ch. J. Garrison's pursuant to notice published in the (Sat. Courier) a weekly newspaper published in Monroe County, the said notice being given by ch. J. Garrison and was published for three weeks consecutively preceding the survey on the above dates, of Section 32 Town 9. ch. R. 1. E. Which survey was made according to plat and field notes accompanying.

Sec. 32 T. 9. ch. R. 1. E



A Beech 19 in S 20° E 24 1/2 lbs
 Sugar 3" S 34° W 38 1/2 "
 B { W. oak 9 in S 84 1/2° W 22 lbs
 " oak 2" S 51 1/2° E 37 1/2 "
 { W. oak 4 1/2 in S 69 3/4° W 24 lbs
 b { W. walnut 5 S 84 1/2° E 4 1/2 "
 { W. oak 8 in S 32° W 57 lbs
 D B. oak 6 in S 8° E 69 1/2 "
 { Hickory 3 in S 49° E 9 lbs
 E { Beech 15 in S 37° W 27 1/2 "
 { W. oak 2 in S 67 1/2° E 28 1/2 "
 { W. oak 7 in S 3 1/2° W 36 1/2 lbs
 H { " oak 7 in S 19 1/2° E 36 "
 { W. oak 7 in S 22° E 21 1/2 lbs
 G { Maple 7 in S 58° W 19 3/4 "
 { B. oak 10 in S 73 1/2° E 45 or 54 lbs
 { Elm 4 1/2 in S 72 1/2° E 54 "
 { W. oak 4 in S 49° W 12 1/2 lbs
 I { Hickory 1 1/2 in S 59 1/2° W 17 1/2 "
 and Samuel Shirvin Chain Bearers

During the above survey the following persons were sworn in as assistants by agreement of parties concerned

Samuel Therr & Samuel Shirvin
Flag Bearers

M. S. Garrison, Smith
Shirvin Wm. Shirvin
Chain Bearers

and Samuel Shirvin Chain Bearers

The above is a true record of said Survey
Geo. B. Nader ch. C. S.

Feb. the 10th 1891 Surveyed for Wm. May
and Pleasant Litton The section line between
sections 27 and 28 Town 10 of R. 2 W and
reestablished West half mile post of 27 and estab-
lished $\frac{1}{2}$ dist between the same and the North
west corner of 27 and made witnesses as follows
assistants: Charley Heady & Riley May chainman Pleasant Litton
Sec. 27 T. 10. R. 2. W } Flag bearer by agreement of parties




B } B. walnut $4\frac{1}{2}$ in S 84° W $63\frac{1}{2}$ lbs
" } " walnut 4 in S 36° W 54 "
B } R. ~~elm~~ $4\frac{1}{2}$ in N 18° W $26\frac{3}{4}$ lbs
" } R. oak $1\frac{1}{2}$ in S 14° E 59 lbs

Geo. B. Rader cth. C. S.

The above survey was
made by agreement of parties and by agreement
the following persons were sworn as assistants
Charley Heady & Riley May chainman and Pleasant
Litton Flag bearer Geo. B. Rader cth. C. S.

Feb. The 24th 1891, Met the following parties who
by agreement desired me to make the following
survey; namely to reestablish the section line
between sections 8 and 7, Town 10 North Range
~~one East~~ two West. The following persons ap-
peared in their own right namely; J. E. Smith
Joseph L. Brown James Brown, and Doctor
Osgood appeared by substitute in the person of
J. B. Lukenbill who declared that he was sent
by the said Osgood, by agreement J. E. Smith
Town 10. R. 2. W



and Joseph L. Brown
was sworn as chain bearer
and J. B. Lukenbill also
James L. Brown as flag
bearer. Began at the
South end of section line
at Government corner
run North one mile, ^{and 9 by} then run from the North


west corner of section 7 East to intersection of terminus of first line, thence run ^{East} one quarter mile along the North side of section ~~eight~~ ^{eight} to an established corner

I thus run the North side of ^{seven} and part of the North side of section 8 to determine where the Government measure for each come to, thus giving to each side its proper ^{distance} number of acres and set corner of sections 5, 6, 7, 8 accordingly, there being no true marks or other evidence where ~~the~~ ^{the} said corner had been

corner marked witness trees as follows
 { Elm 14 inches at $87^{\circ} 10' E$ 26 $\frac{1}{2}$ links distant
 { Wild cherry 4 in. at $142^{\circ} W$ 9 $\frac{1}{2}$ links distant

I hereby certify the foregoing to be a true statement of the above survey by me made April the 15th 1891

Geo. B. Stader C. L. S.



Feb. the 27th 1891 made the following survey in section 34 T. 10. N. R. 1. W. and section 3 T. 9. N. R. 1. W. for Dr. John S. Tourner and Wm. Buskirk at their request. Commenced at corner ~~et~~ heretofore established at half distance between center and west $\frac{1}{2}$ mi. port of sec. 34 T. 10. N. R. 1. W. Made new witnesses to this corner. Beech 10 inches at $32^{\circ} E$ 42 lks. Beech 15 in. at $50^{\circ} W$ 50 links. Ran thence South 16 rods to Township line to corner B. at half distance between $S \frac{1}{2}$ mile and South west corner. Witness Turkey oak 6 in. at $56^{\circ} E$ 30 lks. Turkey oak 3 in. at $85^{\circ} W$ 67 links. Then established corner C. 39 poles 183 rods East of the North West corner of section 3 T. 9. N. R. 1. W. Witness Burr oak 14 in. at $32^{\circ} E$ 2 lks. Burr oak 2 in. West 3 lks. Thence South 80 poles to corner D

39 poles and 20 lks East of corner at half distance between west $\frac{1}{2}$ mi. pr. and north west corner of section 3. 4. 9. of R. 1. W. witness sweet Gum 15 in at 30 W 41 lks white oak 15 at 2 $\frac{1}{2}$ E 68 $\frac{1}{2}$ lks. The following were selected witnesses as assistants by the parties, Bent Meinen and Alex Oliver Chairman, Eddie Polley flagman

M. H. Burkirk Dpt. S

I hereby certify the foregoing to be a true and complete copy of the foregoing survey as returned to me by Dpty.

Geo. B. Nader M. C. S

March the 7 1891

Survey in Sec 1 Town 9, North, Range 1 West Set off for B. H. Brannan twenty acres as nearly in a square as could be in the North West corner of the North East quarter of the South East quarter of section one, the same being sixty rods wide on the North side, sixty rods wide on the East side, and ~~the~~ twenty four rods and 17 links on South side to intersection of Indian boundary line, thence along said boundary at 82 $\frac{1}{2}$ W 43 rods to the intersection of the half quarter line running North and South, thence North along said line thirty six rods to and 7 links to place of Beginning. Established corners as represented by plat and notes below



Sixty rods East of N.W. corner at
S.B. oak 4 $\frac{1}{2}$ in S 38 $\frac{1}{2}$ W 7 lks
" " 8 in at 44 W 10 $\frac{1}{2}$ "

Hickory forked North fork 3 in S 46 $\frac{1}{2}$ W 33 lks
B. Walnut 10 in at 58 $\frac{1}{2}$ E 94 lks
" poplar 4 in S 20 $\frac{1}{2}$ W 19 $\frac{1}{2}$ lks
" oak 6 in at 62 W 49 lks

Written notice was served on Bridges by B. H. Brannan the only parties concerned, the same being mislaid by said Brannan but service was acknowledged by the said Bridges to the undersigned


I hereby certify the foregoing to be a true statement of the Survey by me

April 15, 1891

Geo. B. Nader M. C. S

Aug. 24 and 25th 1891

Made the following survey for
Wm. F. Hilder and James R. Kirby in section 23
Town 8 North, Range 2 West. The said Hilder and
Kirby by agreement were sworn as chain carriers
and Jonas R. May as flag bearer and corners were estab-
lished according to plat




A { 20 rods West of the C.E. corner of N. of H. C.
Ash in of 87 $\frac{1}{2}$ W 114 $\frac{1}{2}$ lbs
Bastard flint 546 W 40 lbs

B { 115 rods South of A on parallel line
B. Walnut 15 in of 86 $\frac{1}{2}$ E 365
Flinty stone 86 $\frac{1}{2}$ W 234

C { 45 rods W of the S.E. Post
Sugar 20 in. 59 $\frac{1}{2}$ E 53 lbs
Buck 24 in 86 $\frac{1}{2}$ E 101

Thereby certify the foregoing
to be a true statement of survey by me made
Geo. B. Nader M. C. S.

Aug. 30th 1891 Surveyed for F. Hiram Mc Coy
in section 14 and 15 Town 9, N. of Range 1 East
as represented by plat Assistants sworn, Chairman
David Mc Coy God Mc Coy. Flag bearer Andrew
Mc Coy



A { A half dist bet A & B in p. & C corner
Alum 11 in 87 $\frac{1}{2}$ W 29 $\frac{1}{2}$ lbs
Buck 17 in 82 $\frac{1}{2}$ W 35 $\frac{1}{2}$ "

B { 40 rods S of A & B in p.
Buck 8 in 86 $\frac{1}{2}$ E 48 $\frac{1}{2}$ lbs
Buck 10 in 54 $\frac{1}{2}$ E 78 "

C { 62 rods S of B
Jack oak 4 in 84 W 21 $\frac{1}{2}$ lbs
W oak 6 in 54 $\frac{1}{2}$ W 25 "

D { 85 rods 49 $\frac{1}{2}$ lbs of B
B. Walnut 3 in 19 $\frac{1}{2}$ E 19 lbs
Sugar 4 in 85 $\frac{1}{2}$ E 26 $\frac{1}{2}$ lbs

E { 24 rods 16 lbs S of center of C.E. q.
Buck 17 in 87 $\frac{1}{2}$ E 33 $\frac{1}{2}$ lbs
" 16 in 59 $\frac{1}{2}$ W 27 $\frac{1}{2}$ lbs

F { Center of S.E. quarter
Buck 15 in 33 $\frac{1}{2}$ W 79 lbs
Sugar 4 in 89 $\frac{1}{2}$ E 11 lbs

G { 49 rods E of C.W. cor of S.E. of S.W. q.
W cherry forked 15 in 51 $\frac{1}{2}$ E 103 lbs
W oak 8 in 82 $\frac{1}{2}$ W 56 $\frac{1}{2}$ lbs

H { half dist across the S side of the 40
B Walnut 87 $\frac{1}{2}$ E 20 $\frac{1}{2}$ lbs
Jack 87 $\frac{1}{2}$ W 35 lbs


See 14

half dist. across the 40 acres
 28 } W. oak 8 in S 45° W 18 lks
 B oak 8 in S 25° E 15
 } Is 26 rods W of 1/4 mi post
 B. oak 4 in N 13° E 26 lks
 Red " 15 in N 85° W 47 "

I hereby certify the foregoing is a correct statement
 of the survey by me made

Geo. B. Nader M. C. S

Oct. 5th 6th 7th and 8th 1891 made the following
 Survey as appears by plat and field notes below
 in section 12 Town 10 of R. 1. West
 Sec 12 T. 10 of R. 1. W



The following parties were chosen as assis-
 tants. Chainman Thomas Scott James & McPike
 Flag bearer Charles E. Leeper. The following notice
 was returned duly served ten days before hand
 Notice is hereby given to Thomas L. Farr, Barbary Spines,
 Mary A. Bennet, Reuben Spines, John Seales, Dillion Talbott
 Owen Night, Elijah Night and Sarah Night his wife and
 Surrepta Night his daughter, Wm. Collins, Samuel Houston
 A. L. McCoy, that I will proceed together with the County
 Surveyor of Monroe County Indiana or his deputy on
 Monday the 5th day of October 1891 to run all the lines

established at
 established at
 out at
 day, be p
 a part in
 in your
 1891
 I hereby
 Survey

At the 19th
 ment and
 John W.
 and
 John L. Rydye
 1891
 to the
 established com
 trees
 Walnut H
 1891 may
 white river
 1891 38 lks
 last mile
 there 1891
 1891 22
 North B
 M. Chle
 John L. C
 a true M

Oct 21st
 for Bee
 Survey
 Indiana
 on the
 main
 public
 No p

and establish all the corners necessary or required to be established in section in T 10 N, Range 1 East West. Met at my residence at one o'clock P.m. of said day, be present at said time and place and bear a part in the same or said survey will proceed in your absence

Aug 15th 1891

Catharine Caldwell

I hereby certify the foregoing to be a true record of said survey

Geo. B. Nader M. C. S.

Oct. the 19th 1891 Met the following parties by agreement and made the following Survey, John T. Ridge, John W. Pittsboro come in person and Thomas Burkirk and Scrog Burkirk were represented by John T. Ridge. Began at S. E. corner of section five run N 31° W 41.52 Then run from the East 1/2 mile post of section 4 to the west 1/2 mile post of same and connected by established corners and set East 1/2 mi post of section five Witness trees Sugar 28 in diameter S 81° W 18 1/2 links distance B. Walnut 11 in N 25 1/2° W 115 1/2 lbs From this corner run S 87° W magnetic 41 chains and 33 lbs to left bank of white river and put stone, Witness trees Elm 8 in N 68° W 38 lbs B. Walnut 11 in S 11 1/2° E 59 links; also from East 1/2 mile post of sec. 5 Run North 114 1/2 rods and staked thence S 87° W magnetic to left bank of White river 90 rods, 2 rolls and staked. This survey in Town 10 North, Range 2 West. Chain bearers James M. Able and Joseph Wampler, Flag Bearer John A. McNeil all sworn. The foregoing is a true statement of the survey by ^{me} made


Geo. B. Nader M. C. S.

Oct 21st 1891, At request of Charles Walker Trustee for Bean Blossom Township made the following Survey in the Town of Mt. Tabor Monroe County Indiana in order to locate the center of the alley on the North side of Lot 40. 8 and the West side of main street, ~~for the purpose~~ of opening up a public highway on said alley; and there being no plat of said Town, either beginning place

nor size of Lots. I began said survey even with
 the South side of a building supposed to be on the
 South East corner of Lot No. one at a point 31 feet
 and 7 inches North of the section line and 55 rods
 and 5 links West of the South East corner of Section
 nine. Town ten North, Range 2 West. and by giving
 each lot a frontage of 66 feet and every two lots an
 alley of 16 feet I found that it fit the traditions of the
 fencing & buildings and gave general satisfaction
 to the owners of said lots that were present, and
 after spacing frontage to eight lots I found the center
 of the alley between the lands of Dr. Flood and
 Gilbert Mitchell as requested by said Trustee and
 indicated the same by driving stakes
 Markers sworn Thomas Wampler and W. H. York
 Geo. B. Hader M. C. S.

Nov 9th 10th and 11th 1891 Met at section 21 T 9 S, Range 2 West and made the following Survey.

Commenced at section center of 21 Run North 88° 45' East 40.00 chain; then commenced at East $\frac{1}{2}$ mile post of section 22 run South 88° W and got bearing from established corners and continued course to East $\frac{1}{2}$ mile post of section 21 and restored same by bearings and distance from each side and also restored the North East corner of section 21 in the same manner together with the evidence of Government marked trees and established corners in said section as indicated in the following plat




This Survey was made on the following Notice.
Notice is hereby given to Cornillie's Lloy to J. D. Thompson, W. H. Thornton, Rhoda Edmondson, George Burtz, Daniel Griner, Abe Howard, Patry Coffer, James Curry, James C. Freeman, Wm. Hamilton, Harvey Ellis, George Rumpke that I will proceed with the County Surveyor of Monroe County Indiana or his Deputy on Monday the 9th day of November 1891 to run all the lines and establish all the corners necessary or required to be established in sections 16 and 21 or on the East boundaries of Secs 16 & 21 Town 9 North, Range 2 West in order to determine the boundaries to the lands of Catherine Starnes and any others interested. Met at Cornillie's Lloy at one o'clock afternoon of said day. Be present at said time and place or the said survey will proceed in your absence. Catherine Starnes Oct 27th 1891 and endorsed. Signed on the within by copy George W. Starnes

I hereby certify the foregoing record on previous page is true
 Witness my hand and seal

George B. Rader M. C. S.

Nov. 12th 1891. Surveyed for Riley Sanders and
 James Curry the North Side of the North West quarter
 of Section 28 Town 9 North, Range 2. West and established
 corner at half distance. This survey made by the request
 of the above interested parties. Sworn assistants, Arthur
 Bradford and Albert Christy chain bearers, and John Smock
 flag-bearer.

Sec. 28, T. 9, R. 2, W.




Witness true
 B. Walnut 5¹/₂ in. S 86¹/₂° E 53 lks
 B. Walnut 2¹/₂ in. S 88¹/₂° W 52³/₄ lks

The foregoing is true statement
 of the survey by me made
 In Witness whereof I set my name
 and seal

Geo. B. Rader M. C. S.

Nov. 13th 1891 run for Arthur Bradford the following
 described lines and established corners as indicated by
 plat. Began at the North East corner of section 27 Town
 9 North, Range 2 West ran S 88¹/₂° W to North East corner of a
 ten acre lot 16 rods and 8 links, extended course along said
 ten acre piece to the North $\frac{1}{2}$ mile post of said section 16 rods
 and 8 links distant. Thence S 3° E along the side of said ten
 acre piece 44 rods to South West corner of same, continued
 said course to the center of the section 160 rods and 10 links
 distant and established a corner on said line 75 rods
 and 5 links North of the center of said section. I then ran from
 the North East corner of said section South 3° East to the East
 half mile post of said section 160 rods and 10 links and established
 corner 75 rods and 5 links North of said East half a mile post




Witness as follows

B. Walnut S 88¹/₂° W 25³/₄ lks
 Stone witness N 39° W 38¹/₂ lks
 B. Stone witness S 3° E 20 lks
 " " S 3° E 64¹/₂ lks

The foregoing is a true copy of the survey by me
 made George B. Rader M. C. S.

Nov. 23rd 24th 25th and 26th 1891 Made the following
Survey as set forth in plat below in Sections 10 and
15 Town 10 North Range one East

Secs 10 & 15 Town 10 North Range one East



Set E. sec. cor of 15
W oak 10 in S 39° W 22 lks distant
R. oak 13 in S 9° W 2 1/2 "
Set 1/4 dist. bet E & 1/2 mi post & ch. E. cor
Soft maple 13 in S 44° W 43 lks
B. oak 8 in S 85 1/2° W 46 lks
1/4 dist. bet W & 1/2 mi post & ch. W corner
perpendicular
W oak 20 in S 77 1/2° W 28 1/2 lks
N. oak 11 in S 45° E 70 1/2 "
Set 1/4 mi S of 1/2 mi post
Sugar 18 in S 22° W 8 lks
Hickory 7 in S 44° E 11 1/2 lks
This corner Limestone on Limestone
Set center of ch. E. q. r.
B. Walnut 3 in S 65° E 36 1/2 lks
" " 2 in North 5 1/2 lks

Sec 10
Set 1/4 dist. bet E & 1/2 mi post ch. E. cor
W oak 4 in S 1° E 13 1/2 lks
B. oak 13 in S 44° W 14 1/2 "
B. Walnut 3 1/2 in S 36° W 4 1/2 "
Set center S. E. q. r. sec. 10
Poplar 5 in S 23° E 45 lks
W. oak 5 in S 72 1/2° W 40 "
Set E & 1/2 mi post sec 10
B. oak 11 in S 35 1/2° W 8 1/2 lks
B. oak 6 in S 67° W 14 1/2 "
Set E of S. W. corner
W. Walnut 4 in S 53° W 2 lks
Sugar 3 in S 64° E 18 1/2 "
Set 1/4 W of the ch. E. cor. of sec 15
W. oak 2 in S 3° E 37 lks
Hickory 1 in S 33° W 36 1/2 lks
Set 1/4 of S. E. corner
B. oak 10 in S 89° W 106 1/2 lks
N. oak 11 in S 11 1/2° W 43 lks
Set 1/4 W of E & 1/2 mi post
B. oak 10 in S 29° E 41 1/2 lks
N. oak 2 1/2 in S 65° E 8 "
Set center of S. W. q. r. sec 10
Aspen 1 in S 25° W 16 lks
W. oak 1 1/2 in S 24° E 7 1/2 "

NOTICE OF SURVEY.

Notice is hereby given to all non
residents and all other persons inter-
ested that I will proceed together
with the County Surveyor of Mon-
roe County, Louisiana or his deputy
on Monday the 23rd day of Novem-
ber, 1891, to run all the lines neces-
sary and locate and establish all the
corners necessary or required to be
established in section 10, 15 and 16
in town (10) Ten, North, Range 1
East. Meet at the residence of
Herman Koning at 9 o'clock a. m. of
said day. Be present at said time
and place and bear a part in said
survey else said survey will proceed
in your absence.

Oct. 27th, 1891.

HERMAN KONING.

The above Survey was made upon
the printed notice attached hereto the same
being read to all resident land holders
and testified by Herman Koning
I hereby certify the above to be true
Statement of the Survey by me made
witness my hand and seal

Geo. B. Rader off. C. S.

Nov 30th 1891 Met at Benjamin H. Polley's pursuant to notice and began a survey of Sections 29, & 30 Town 10 North, Range one East. Adjourned for New Field notes until Dec 15th 1891 and ordered new notice to parties not present. Met on adjourned notice and completed survey and completed said survey on Dec 17th 1891, which was made as represented by Plat. and Field notes as follows

<p>S. G. M.</p> <p>b. 2. E. N. M.</p> <p>B. 30.0 A. 29</p> <p>J. M.</p>	<p>Reestablished $\frac{1}{2}$ mi p sec 30 W. oak 3 in. $\angle 71^{\circ} 16'$ 20$\frac{1}{2}$ lbs W. " 3 in $\angle 6^{\circ} 16'$ 31$\frac{1}{2}$ lbs</p> <p>W. $\frac{1}{2}$ mi p sec 30 reestablished B. Elm 6 in. $\angle 41^{\circ} 16'$ 55 lbs Elm 13 in $\angle 88^{\circ} 16'$ 85 lbs $\frac{1}{2}$ dist. bet W. $\frac{1}{2}$ p & $\frac{1}{2}$ p cor 30 C. Bur oak 3 in $\angle 82^{\circ} 16'$ 38$\frac{1}{2}$ lbs Water " 6 in $\angle 34^{\circ} 16'$ 62$\frac{1}{2}$ "</p> <p>D. $\frac{1}{2}$ dist. bet. $\frac{1}{2}$ mi p & $\frac{1}{2}$ mi post Elm 24 in $\angle 33^{\circ} 16'$ 110$\frac{1}{2}$ lbs Elm 15 in $\angle 28^{\circ} 16'$ 116 "</p> <p>E. $\frac{1}{2}$ dist. bet. $\frac{1}{2}$ mi p & $\frac{1}{2}$ mi cor Beech 10 in $\angle 79^{\circ} 16'$ 19$\frac{1}{2}$ lbs Beech 8 in $\angle 72^{\circ} 16'$ 9$\frac{1}{2}$ "</p> <p>F. $\frac{1}{2}$ dist. bet. W. side & center of $\frac{1}{2}$ mi W. oak 12 in $\angle 70^{\circ} 16'$ 26 lbs " " 14 in $\angle 30^{\circ} 16'$ 16$\frac{1}{2}$ "</p> <p>G. Center of $\frac{1}{2}$ mi of sec 30 new witness Elm 2 in $\angle 89^{\circ} 16'$ 59$\frac{1}{2}$ lbs</p> <p>H. $\frac{1}{2}$ W. cor sec 30 Elm 8 in $\angle 20^{\circ} 16'$ 12$\frac{1}{2}$ lbs B. Walnut 8 in $\angle 50^{\circ} 16'$ 13$\frac{1}{2}$ "</p> <p>I. Center of $\frac{1}{2}$ W. quarter sec 29 Sugar 4 in $\angle 73^{\circ} 16'$ 12$\frac{1}{2}$ lbs " 8 in $\angle 35^{\circ} 16'$ 28$\frac{1}{2}$ " " 4 in $\angle 32^{\circ} 16'$ 36$\frac{1}{2}$ "</p>
<p>G. From $\frac{1}{2}$ W. cor. $\frac{1}{2}$ dist. E. on $\frac{1}{2}$ end of sec Sycamore 3 in. $\angle 87^{\circ} 16'$ 70 lbs Elm 3$\frac{1}{2}$ in. $\angle 79^{\circ} 16'$ 63$\frac{1}{2}$ "</p> <p>H. $\frac{1}{2}$ E. cor perpetuated Sycamore 3 in. $\angle 45^{\circ} 16'$ 75$\frac{1}{2}$ lbs Beech 7 in. $\angle 76^{\circ} 16'$ 79$\frac{3}{4}$ "</p> <p>J. $\frac{1}{2}$ dist. bet. S. E. corner & $\frac{1}{2}$ mi post White oak 4 in South 2$\frac{1}{2}$ lbs " " 2 in $\angle 21^{\circ} 16'$ 11$\frac{1}{2}$ "</p> <p>K. $\frac{1}{4}$ S of $\frac{1}{2}$ mi p. sec 29 Beech 12 in $\angle 58^{\circ} 16'$ 64$\frac{1}{2}$ lbs W. oak 3 in $\angle 29^{\circ} 16'$ 73 lbs Sugar 14 in $\angle 29^{\circ} 16'$ 6 "</p>	

Written notice was returned served on all the parties interested in said survey by Benjamin H. Polley and others but has unluckily been mislaid or lost

I hereby certify the foregoing to be a true statement and record of said survey by me made Geo. B. Shuler M. C. S.

Feb. 23rd 1892 Ran the South side of the North East quarter of the North East quarter of section 19, Town 9 North Range one East, for John I. Lawrence, James M. Skirvin and W. H. Meadows staked said line and cut new witnesses for south East corner of said forty Red oak 7 in S 77° E 18 links distant. Chainman sworn by agreement of parties John I. Lawrence, W. H. Meadows Flagman James M. Skirvin. The foregoing is a true statement of said survey

George B. Stader M. C. S.

March the 16th 1892 Surveyed for Eli Th. Miller as follows. Beginning at the center of Section 32 Town 9 North Range one West, running thence ~~West~~ S 86° West (the same being at right angles with North and South line through center of said section) 60 feet for width of street, 120 feet for length of lot, 12 feet for width of alley, 120 feet for lot, and thence 60 feet, Lot 120 feet, alley 12 feet, Lot 120 feet, Street 60 feet, Lot 120 feet, alley 12 feet, Lot 120 feet, Street 60 feet, whole distance 960 feet and drove stakes for the West side of each street. Also beginning on the North and South line running through the center of said section 32 at the South East corner of Gilman's Lot the same being the N. E. corner of the old Church Lot running thence West according to description in deed 45 rods and .96 of a rod to center of Big road; thence North 32° deg. West to the Rail Road the same being parallel with the North and South line through the center of said section and staked the same for alley 15 feet wide

Geo. B. Stader M. C. S.

April the 4th 1892 Met at Thomas M. Brown's pursuant to notice given below and made the following survey in section 21 Town 10 North Range one East as indicated on next page.


Surveyors Notice

Notice is hereby given to A. I. Cook, Martin Chrisman & wife, S. R. Johnson, Osbury Linscome and wife Mary A. Gladden, J. C. Whitaker, James A. Riddle, H. E. Bates, John Pryor and his heirs, that I will

proceed together with the County Surveyor of Monroe County Indiana on his deputy on Thursday the 31st of March 1892 to run all the lines and establish all the corners necessary or required to be established in section 34 Town 10 North Range one East. Met at the residence of Thomas M. Brown on Thursday the 31st of March 1892 at 9 o'clock A.M. of said day and bear a part in same on said survey will proceed in your absence.

Thomas M. Brown & Sarah Ann his wife. Notice returned by reading and by copy and signed by Thomas M. Brown. Adjournment was made to April the 4th 1892 and then for convenience of parties adjournment was made to April 7th 1892.

sec 34 T 10 N 1 E



Half distance bet C & mi post 2 ch. E corner

B { Beech 18 in S 42° W 46 lbs
Oak 17 in N 54° W 57 1/2 "

B { Center of quarter
gr oak 12 in N 61° W 37 links
" " 20 in S 41 1/2° E 41 1/2 "

C { Center of E. quarter
Beech 7 in S 82 1/2° W
Beech 4 in S 70 1/2° E 21 1/2 lbs


There was sworn during the survey as assistants David R. Johnson John L. Fincher Harman R. McDonald J. A. Lincicome James A. Hadden Joseph A. Hadden.

The foregoing is a true statement of the survey by me made.
Geo. B. Rader M. C. S.

Thursday March the 24th 1892 made the following survey in sec 34 Town 10 North Range one West for Dr John Fournier and Benton Hough alias Trimmer corner at at South side of section corresponding with the quarter post on the Bloomington side, Hickory 20 in, new cut 30 in high, old cut 20 in high S 17 3/4° E 39 lbs Beech 14 in S 42° W 183 1/2 lbs. B is at quarter section line running

East and West as indicated in diagram
 B { Scrub oak 3 in at 154° E 4 1/2 ft
 Hickory 3 in S 113° E 84 ft


Sworn Assistants Ellick Oliver
 Benton Hough Wm. H. Burkirk



The foregoing is a true statement
 by me made
 Geo. B. Rader M. C. S.

April the 2nd 1892

In pursuance to notice served on parties
 interested by James H. Storrs ten days previous
 to said survey I established the following corners
 in section 32 Town 8 North Range 2 West



40 poles North of 1/2 mile post
 A { Sugar 10 in S 38° E 59 links
 Red oak 18 in at 46° E 53 "

B { 40 poles North of corner at 1/2 distance
 between S 1/2 mi to S 2 W corner
 Stone set 22 links South of corner
 " set 22 " West of corner

Wm. Burch and Moses Worley
 Chain carriers and John Bal-
 lenger Flagman during above
 Survey M. H. Burkirk

Deputy

I hereby certify the foregoing to be a true
 copy of the above entitled survey as returned by the
 above signed Deputy Geo. B. Rader M. C. S.

Met at James H. Whisman April 5th 1892.
 according to three weeks notice published in the
 Bloomington Telephone and also notice by
 reading to residents ten days before said survey
 we proceeded to establish the following corners
 as indicated by plot and field notes below
 We had during the survey for assistants
 Cornelius Collier H. C. Denny Lafayette W. Payton
 and Thomas E. Hendrixon Chairman and Henry
 Barton and James H. Whisman Flagmen all sworn

place and run west on quarter section line
 33 $\frac{3}{4}$ rods to bank of creek witness trees Sycamore
 14 in. N 44 $^{\circ}$ E 5 $\frac{1}{2}$ links, Black Walnut forked East
 fork in South 10 links. I then began at North
 half mile post Section 9 and run South var.
 three degrees East 40.00 chain and Staked, and
 it was agreed to adjourn until a more leisurely
 time. Adjournment was made without
 day. The foregoing is a true statement
 of the survey I made

Geo. B. Rader M. C. S.

July the 6th 1892 Met pursuant to notice
 Published three weeks in the Bloomington
 Telephone and made a survey in section 13
 Town 10 North Range ^{two} West for John Cav-
 erness and others and reestablished the South
 half mile post of section 13 witness trees
 { Elm 14 in N 24 $^{\circ}$ W 1.00 $\frac{1}{4}$ links Dist
 { B. Walnut 6 in S 66 $^{\circ}$ W 1.01 " "

The foregoing is a true statement
 of corners established Geo. B. Rader M. C. S.
 A. B. East or mislaid the names
 of the assistants in the above survey
 Steve Elliot was one chainsman sworn


Surveyors Notice.

Notice is hereby given to all non-
 residents and all others interested
 that I will proceed on Wednesday,
 the 6th day of July, together with
 the County Surveyor of Monroe
 county Indiana, or his deputy, to
 run all the lines and establish all
 the corners necessary to determine
 the boundary lines of the land of
 S. C. Cavaness in section thirteen,
 town 10, North range or West.
 Meet at the residence of S. C. Cavaness
 at 8 o'clock p. m. of said day.
 Be present at said time and place
 and bear a part in same, or said
 survey will proceed in your absence.

S. C. CAVANESS,
 June 11, 1892.

June the 30th 1892
 Surveyed for ~~Jacob~~ ^{Jacob} Green
 Chanter Dun and others and
 reestablished section corner for sections 20, 21,
 28 and 29 in Town 10 North Range 2 West
 witness Elm 4 in N 87 $\frac{1}{2}$ W 34 $\frac{1}{2}$ lbs. Sycamore
 6 in S 16 $\frac{1}{2}$ W 1.35 link and Solid Limestone
 N $\frac{1}{2}$ W 4 lbs distant. Said survey was made by
 agreement of parties. Flagman sworn Jacob Green
 and W. B. Lipford Chainman James D. Green
 and George W. Runyan. The foregoing is a true
 Statement of the survey by made
 Geo. B. Rader M. C. S.

Oct. 24, 25 and 26 Surveyed in section 33 Town 11 North, Range 2 West For Elza Wagoner. Joseph Wampler and others by request of an agreement and established the following corners as presented in field notes and plat below.



{ B. Gum $2\frac{1}{2}$ in. \times $2\frac{1}{2}$ W. $4\frac{2}{3}$ links
 " " $1\frac{1}{4}$ in \times $5\frac{1}{4}$ E. $14\frac{1}{2}$ "

14 in S 54 E. 14 1/2 "

B. { 13 rods, and $15\frac{1}{2}$ lbs of it
Sycamore 8 in $548 W \frac{3}{4}$ links
Elm $1\frac{1}{2}$ in 61 E. 3 lbs

B. { Sycamore Sin S 43 W 43 line

Elm $1\frac{1}{2}$ in at B. E. 3 lbs

39 rods $15\frac{1}{2}$ lks. N. of D or 26 rods N. of B

6) Beech 23 in S 32 E 4 lbs

(Oak 4 in $\text{cm} \frac{1}{2}$ & 42.)

60 rods S of Large Sycamore on bank of
of white river corner tree
Sycamore 8 in dbh 1/2 was links
Honey Locust 1 in dbh 1/2 22

27 1/2 White river corner tree
Sycamore 8 in. dbh + 100 ft

Honey Locust in 1894

40 rods N 88 E of D

2) { 40 rods, 10 1/2 lbs, N of S. E. corner
W oak 2 1/2 in corner tree

2 } W oak 26 in corner tree

40 rods N 88 E of D

6 Mulberry coin 380 $\frac{1}{4}$ W 36 $\frac{1}{2}$ lbs

(Honey Locust gin 526 1/2 W 23 lbs)

Chain bearers Sworn Joseph Langley Joseph Wamp
Mr. Flag bearer Eliza Wagoner

The foregoing is a true statement of the survey by
me made Geo. B. Rader C. L. S.


Nov. the 14, 1892 Surveyed Hor Wm.
Lee and Mike Glesner in section
4 Town of North Range one East and estab-
lished corner at half distance between North
East corner and North half mile post
Witness trees Elm 3 in North 7 degrees E 17 1/4 lbs
Hickory 4 in N 40° E 26 links

Chairman sworn Wm Lee and Ora Adams. Flag bearer Oscar Lee

Geo. B. Stader M.C.S.

Nov. 13
Brown 10
Public 10
copy of
notice to
corners 10

Nov. 15, and 16 Made a survey in section three
Town 10 North Range one East as appears in
Public Notice printed in the Bloomington Telephone
a copy of which is appended hereto, also personal
notice to resident land holders, and established
corners as appears in plat and field notes



NOTICE OF SURVEY.
Notice is hereby given to all con-
cerned—Green Berry McGowan,
John Martin and Butler University,
that I will make a survey of my
land in Marion Twp. to get the ex-
act location of my place in north-
west quarter of the southeast quar-
ter, section 3. Survey to begin
Nov. 15th, at 9 a. m., and continue
until completed.
MILES R. WEDDIE.

few witness
D Chestnut Oak 7 in S 39° E 24 1/2 links

1/4 South of center of section
Beech 15 in N 36° E 14 lks
Oak 5 in S 23° E 10 1/2 "

1/4 west of east 1/2 mile post
Elm 1 in S 33 1/2° E 17 1/2 lks
Beech 15 in S 7 1/2° W 200 lks

D Center of South East quarter
Oak 1 1/2 in S 75 1/2° W 4 1/2 lks
Hickory 1 in N 75 1/2° W 4 lks

We had James M. Adkins and
Wm. Balis chain carriers and
Green Berry Bennett flag bearer all sworn
The above is a true statement of corners es-
tablished
Geo. B. Rader M. C. S.

Nov. 17th 1892 Made the following survey
for Johnson Hubbard and Butler Uni-
versity in section 10 Town 10 North Range
one East and established the following corners
center of north west quarter W. Walnut 4 in
S 15° W 59 links, Gum 1 1/2 in. S 25 1/2° E 64 1/2 links
One fourth mile South of north half mile post
B. Walnut 3 in N 57 1/2° E 66 1/2 lks. B. Walnut
10 in N 76 1/2° E 119 1/2 links. Chainmen sworn
James M. Adkins, Miles R. Weddell, flag bearer
Wm. Adkins Geo. B. Rader M. C. S.


Dec 3rd 1892 Surveyed for Calvin Worrel Doc. Walker and Cornelius Walker in Section 23 Town 10 North Range 2 west and perpetuated the West half mile post Buck sin $S 87^{\circ} W 45^{\frac{1}{2}}$ links Ash $4\frac{1}{2}$ in $S 49^{\circ} W 44$ links Chasmen Cal. Worrel and Cornelius Walker, Flagbearer Wm. Gallaspie all duly sworn The foregoing is a true statement of the work by me done Geo. B. Rader Ch. Co. S

State of Bloomington Ind. Dec. 24th 1892 I do solemnly swear to support the Constitution of the United States and the constitution of the State of Indiana and to faithfully and impartially discharge my duties as Deputy County Surveyor in and for Monroe County Indiana to the best of my skill and ability

Sworn in by County Surveyor of Monroe County Ind. on 24th of Dec. 1892
Geo. B. Rader
Elmer Buskirk
County Surveyor

Dec. 1892 Surveyed for Taylor Langwell and Nathan Loster in Sec. 18 Town 10 North Range 1 west. Began at corner heretofore established at center of said section 18 running thence West 80 poles to corner previously established but stone was gone and but one witness tree remained. Perpetuated corner by depositing stone corner witnessed by Elm 16 in. $S 7^{\circ} W 91$ lbs dist Wild cherry 4 in. $S 98^{\circ} W 40$ lbs distant. Ran West 80 poles farther straightened the line on true bearing according to the old corner heretofore marked and staked. I then ran the West side of section 18 and reestablished western half mile post at terminus of first line ran. Sand stone witnessed by Sand stone $N 60^{\circ} E 37^{\frac{1}{2}}$ links distant. Sand stone $S 60^{\circ} E 44^{\frac{1}{2}}$ links The foregoing is true statement of the work by me done
Booked Dec. the 29, 1892 Geo. B. Rader Deputy Ch. Co. S


March the 15th 1893 Surveyed for John W. Hacker Jacob Bennet, John L. Polley and others in section 25 Town 10 North, Range one West. Began at the North West corner of the North East quarter of the North West quarter of section 25 run south one half mile to corner limestone established and connected same. Perpetuated corner at beginning place as shown by plat. By agreement the aforesaid John W. Hacker and Jacob Bennet were sworn as assistants chain bearers and John L. Polley Flag bearer



W oak 8 in N 88 $\frac{1}{2}$ E 31 $\frac{1}{2}$ links
Beech 18 in S 64 $\frac{1}{2}$ W 40 "

The foregoing is a true statement of the work by me done signed
This March the 29th 1893.
George B. Reader Dpty
M. C. S.

March the 27th 1893 Surveyed for James Galyean Wm Galyean and John Therr in section 29, Town 9 North Range one East and established corner as presented on plat. By agreement James Galyean and John Therr were sworn Chairman and Wm Galyean Flag bearer



W oak 1 in N 88 $\frac{1}{2}$ E 10 $\frac{1}{2}$ links
W oak 1 $\frac{1}{2}$ in S 80 $\frac{1}{2}$ W 22 $\frac{1}{2}$ links


April 1st 1893 Surveyed for the Homewood Land company Dr. Joe Rogers president and A. V. Harris Secretary and Minnie A. Hunter represented by Morton E. Hunter. Her father and by agreement established corner as follows: in the center of the north line of the known as Rights place S 1 $\frac{1}{2}$ W true bearing from a point where said crosses the northern boundary of section 33 T 9 N R one W 157 $\frac{1}{2}$ feet distant witnessed by sugar 24 in S 41 $\frac{1}{2}$ E 56 ft distant sugar 23 in S 49 $\frac{1}{2}$ E 58 ft distant corner two feet long drove in the ground to the surface I was assisted by city engineer George B. Reader

George B. Reader

Copy M. C. S.

Snoddy & Adams Survey

Section 24, T. 8, N. R. 1, W.



March 27th & 28th 1894
 Surveyed for Samuel W. Snoddy
 and John L. Adams by
 agreement and established
 corners as presented by plat
 and field notes below the same
 being in town 8 North, Range
 one West

H { At half dist. between S.E. corner and S.E. m. p.
 Sassafras 8 in N $72\frac{1}{2}^{\circ}$ W 45 lks
 Maple $1\frac{1}{2}$ in N $37\frac{1}{2}^{\circ}$ E ~~XX~~ 82 lks

I { At half distance between center and E.E. m. p.
 W. Oak 8 in S $73\frac{1}{2}^{\circ}$ E $7\frac{1}{3}$ lks
 W. Oak 15 in N 65° W $31\frac{1}{2}$ lks

J { At half dist between the N.E. corner of Section and the north
 West corner of the E.E. of the N.E. $\frac{1}{4}$ of N.E. $\frac{1}{4}$
 Birch 12 in S $52\frac{1}{2}^{\circ}$ E 28 lks
 W. Oak 5 in S 64° W 25 lks

I had for assistants John L. Adams and Samuel W.
 Snoddy, chainmen and Bart Adams flagman
 all duly sworn.

The foregoing is a true statement
 of the above survey by me made

George B. Rader
 Depty. M. C. S.

Hinkle and Matlock Survey Sec. 21, T. 9, N. R. 1, W.

Oct 31st 1893 Surveyed for Paris C. Matlock
 and James M. Hinkle in Section 21, T. 9, N. R. 1, W.
 and established the following corner 10 poles
 South of E.E. m. p. and 130 Poles north of
 S.E. corner of said Section by planting
 an iron rod one half inch in diameter
 and 3 feet in the ground and 6 inches above
 the surface witnessed by willow 7 inches in diameter
 N 35° W 11 lks willow 12 inches in diameter.

George B. Rader
Deft in C.S.

Sec. 21 F10 NK 1 E

Nov 30th 1893

Surveyed for
James A. Riddle and Martin
Christman by agreement
in Section 21 T 10 R. 1 E
and established corners
as presented by the following
plat and field notes

A { half dist. bet. center & E $\frac{1}{2}$ m p
 Birch 14 inches N 86° W 103' h
 Elm 14 " S 82° W 106 "

B { Half dist. bet. it's an p. d. l. E. cor.
Wild cherry & anthesis N 45° E 34 1/2 m
Red Oak 10 " N 7 1/2 E 74 "

George B. Rader
Dept. M. C. S.


March 24th 1894

Established the N W corner of a 2 acre lot on the Rogers pike east of Bloomington said lot is off the S. E. corner of Section 34 T 9 R 9 W and is located at a point 16 poles west of a stone set 20 poles north of the S. E. corner of said Section witnessed by a stone set 23 lbs South of corner. The above survey was made at the expense and by the order of Ben S Rogers

Henry Skirvin
Ben S Rogers Chairman

M H Bunker
Deft S. C. S

Section 10 T 8 R 1 W



May 11th 1894

Made the following Survey in Section 10 T 8 R 1 W by agreement of parties interested commenced at Rock 1/2 on run South 320 Poles and ran 120 lbs west of corner at S 1/2 m p corrected back and established corner at half dist between center and N 1/2 m p

A { witness Hackberry 6 N 33° E 43 lbs
Black walnut 7 S 4° E 141 "


Also Established corner 'B' at half distance between E 1/2 m p and N. E. corner witnessed by Elm 8 S 58° W 66 lbs Ironwood 4 N 58° W 404 lbs During the above Survey James Smith and Agilla Rogers were chain bearers and Bennie S Rogers flag man all parties interested by mutual consent this being a survey by mutual consent without notice

M. H. Bunker
Deft S. M. C

Warrah Survey

April 16th 1894

Surveyed in Section
30 & 31 T. 9. R. 2. W. and established
corners as per plat and field notes
accompanying



A } S. W. corner of Section 30 Sandstone
witness by limestone North $16\frac{1}{2}$ lks
Limestone South $16\frac{1}{2}$ "

B } S. E. corner of 30 Sandstone 160 Poles west of C
witness Limestone 2 lks west
Limestone 2 lks north

C } Sandstone half dist bet S. E. cor of 30
witness Sandstone South 33 lks
Bench 24 North 6 lks (notch in road)

D } 7 rods East of 'C'
Sandstone 10 $\frac{1}{4}$ lks north
Sandstone 8 lks west

E } 73 rods West of S. E. cor of 30
and 160 rods north of 'D'
witness Sandstone 7 lks South
Sandstone 15 $\frac{1}{2}$ lks west

F } Center of Section 30
witness Sandstone 13 $\frac{1}{2}$ lks South
Sandstone N 32 $\frac{1}{2}$ W 17 lks

G } 122 rods 10 lks South of 'A' (Limestone)
witness Limestone 10 $\frac{1}{2}$ lks South
Limestone 7 lks north

H } Sandstone 80 rods South of 'C'
witness Sandstone 14 $\frac{1}{2}$ lks north
Sandstone 14 " west

I } Sandstone 19 rods east of 'H'
witness Sandstone 9 lks East
Sandstone 10 $\frac{1}{2}$ lks West

J } 80 rods South of S. E. cor of 31
Limestone witnessed by Sandstone 65 lks West
also Sandstone 10 $\frac{1}{2}$ lks west

K } Sandstone 181 Poles 15 lks South of 'I'
witness Limestone N 70° W 17 lks
Limestone north 15 "

The above Survey was made by the consent of parties
interested

The following parties were sworn as assistants
John Mason, Charles Livingston, Ben Leonard - Neil
John Bradford Charles Warrah

Elmer E. Rustick
M. C. S.


Cox & Lampkins Survey

May 17th 1894 by agreement I met Douglas Cox George W. Lampkins Olin Eaton and Eli Stockdale and made the following Survey as presented in plat and field notes below same being in Section 21 T 9 R 1 E.

H	{	Half dist bet. C & center	I	{	Center of S. E. quarter
		Black Oak 12 S 83° E 33' 16"			Oak Walnut 8 in S 8° W 14'
		" " 2 1/2 S 26 1/2° E 33' "			Buck 6 N 65 1/2° W 29 1/4'

The parties interested furnished Thomas W. Cox James B. Lampkins and Olin Eaton as assistants all sworn and sworn. The foregoing plat and field notes is a true report of the work by me done as I verily believe.

George B. Rader
Deputy M. C. S.




Stout Survey

May 23^d 1894 Surveyed for Ira B. and Conery & Stout in Section 19 T 9 N R 2 W and established corners in the divisions of their lands as presented by plat and field notes below.

F	{	50 1/2 Poles South of N.E. cor.	G	{	51 1/2 Poles South of N.E. m.p.
		Buck 18 N 45 1/2° E 117' 16"			Buck 30 S 1° W 13' "
		" 20 S 57° W 20' 16 1/2"			" 15 S 85° E 130' "

Oke had for assistants Ira B. Stout, Cora A. Stout Conery & Stout and Albert J. Stout all sworn and worked on changes.



I hereby certify the foregoing to be a true report of Survey by me made as I verily believe.

George B. Rader
Deputy M. C. S.

June 14th 1894 met at Michael H. Lerner pursuant to ten days notice in writing served on Leander Whitwood by Michael H. Lerner and James A.

Mr. Lary his guardian or counsellor and made the following survey from description in a deed of conveyance Beginning at half distance between the E $\frac{1}{2}$ m p & the center of section 27 T 10 R 1, E. Thence north on true line Sixty three (63) Poles Thence S 89° W parallel with the bearing of the section Seventy two (72) Poles Thence South parallel with the bearing of the section Sixty three (63) Poles Thence East parallel with section Seventy two (72) Poles to the beginning as further set forth plat and field notes. Below. I had for assistants Isel McBoys and George O. Stewart chain bearers and J. C. Ealy flag bearer all duly sworn




D { 63 poles north of a point 80 poles east of center
B. Walnut 10 inches N 10° W 76 $\frac{1}{2}$ lks
O. oak 10 " S 15° W 41 $\frac{1}{2}$ "

N { 72 Poles east of 'D'
B. Walnut 3 lks 7 $\frac{1}{2}$ E 143 lks.
Buck 24 N 87 $\frac{1}{2}$ ° W 73 "

I certify the foregoing to be a true statement of the surveying made as I verily believe

George B. Lander
Deputy M. C. S.



May - 1894

Surveyed in Section 20 T 8 R 1 W for John Drafton and Cyra Pessing by their consent and at their request Established corner at A' which is 52 Poles 18 lks south of corner heretofore established 15 Poles east of the center of

Section 20 witnessed by Elm 24 inches against the South side of said corner Thence S 75° W 5 Poles 14 lks and established corner B' witnessed by an Elm 30 inches against the S. E. corner of said Stone Thence S 32° W 63 Poles 5 lks and established corner C' witnessed by Stone Set 9 lks E and Stone Set 9 lks west Thence East 12 Poles 5 lks and now State Thence West 53 Poles 23 lks to the Beginning containing 24 28 20 7 (2 $\frac{1}{2}$)

Elmer E. Rusker
M. C. S.

Impree & Baskirk Survey

Sections 1, 2, 11 & 12 T. 10. R. 2. W.

March 20th 1894

In pursuance to notice served on parties interested by Sim.

Impree 10 days previous to the commencement of survey (which

notice has got impeded & worked a few days

having a great deal of trouble and several

random lines to run in order to get a

start and the weather getting very

disagreeable with quite a snow

on the ground we finally adjourned

by mutual consent of parties interested

until Tuesday the 17th day of April 1894 when I again began and continued until the 22nd day of April 1894 establishing corners in Sections 1, 2, 11 & 12 as per plat above and filed notes below parties concerned in corners in sec 2, 11 & 12 consenting and parties to corners in sec 1 having been notified as stated above

- | | |
|--|---|
| <p>A { N W corner of sec 1
Buck 18 N 80° E 114 lks
Sugar 3 S 47° E 42 "</p> | <p>B { N E cor sec 1
Buck 18 S 89° W 89 lks
Sugar 2 S 44° W 104 "</p> |
| <p>C { Half distance bet. N 1/2 on p. & N. E. cor.
elm & S 13° W 164 lks
elm & S 12° E 244 "</p> | <p>D { Half dist bet. E 1/2 on p. & N. E. cor.
Maple 15 N 84° W 78 lks
Stone South 25 lks</p> |
| <p>E { S. E. cor of Section 1
White Oak & N 42° E 24 lks
Sugar 6 N 84° W 72 "</p> | <p>F { W 1/2 on p. of Section 1
Walnut 8 S 83° W 178 lks
Walnut 7 S 72 1/2° W 180 "</p> |
| <p>G { S 1/2 on p. of Section 1
Stone South 25 lks
Stone East 25 "</p> | <p>H { Half dist bet. S 1/2 on p. & center
Stone South 25 lks
Stone West 20 "</p> |

- I { 6 Poles 18 lks South of center
Ash 8 S 10° W 34½ lks
Haw bush 6 S 48° W 53..
- K { half dist bet. center & NW ¼ m p.
Walnut 8 S 18° E 46½ lks
Walnut 8 W 5° W 53 lks
- L { half dist bet ½ m p. & S W corner
Beech 12 N 45° E 31½ lks
Beech 4 S 21° E 32 lks
- M { S W corner of sec 1
Elm 18 N 86° E 62½ lks
Stone bet west 25..
- N { 40 Poles 8¾ lks north of 'L'
Stone East 25 lks
Stone north 25..
- O { center of S W ¼ of 1
H. Oak 7 S 85° E 37 lks
Ash 6 S 66° E 37..
- Q { half dist bet. center & ½ m p.
B. Walnut 24 S 25° E 7 lks
B. Walnut 24 S 1° E 14..
B. Walnut 8 N 12° E 20..
Gum 2 N 9° E 29..
- R { center of N. E ¼
Beech 3 S 34° E 3½ lks
Beech - N 12° E 14
- S { 180 Poles west of E ½ m p. of 2
Ash 7 East 31 lks
Beech 7 N 34° E 40½ lks
- T { 60 poles South of 'L'
Elm 6 N 4° E 32 lks
Ash 8 N 77° W 36..
- U { 60 poles South of Stake 80 p west of N.E. cor. of 11.
Poplar 12 S 23° E 28 lks
Poplar 12 N 3° W 56..
- V { 80 Poles west of N.E. cor. of 2.
Maple 3 N W 43 lks
Poplar 13 N 67° E 26..
- W { 20 Poles west of 'U' sec 11
Beech 24 S 58° E 10 lks
Beech 10 N 12° E 33..
- X { 120 Poles west of E ½ m p. of sec 11
Hackberry N 43° W 34 lks
Stone N 7½° E 20..

During the above Survey the following parties were sworn as assistants
by consent Elmer C. Baskirk, David Lantry, Thos Logan, Simon Dupres
W. R. Kirk, David H. Baskirk, Wm Hoke, James Branton, James
M. Lantry, John H. King, Milton McPhetridge, & Hardin Fisher

W. R. Baskirk
Dep. S, M, L

The foregoing survey was made in compliance with notice by Ella H. Smith and published in the Bloomington Telephone 3 weeks continuously previous to the 22nd day of Oct 1894. The time first set for the survey I had as assistants George Tague and Jacob E. Tague chainmen and Wm H. Smith flagman all duly sworn

M. H. Baskirk Deft S M C

November the 30th 1894

In compliance with notice published in the "Saturday Courier" a weekly newspaper published in Bloomington Monroe County Ind. said notice having been given by Peter Bowden and Frank Delap and published three weeks continuously before the commencement of said survey ran the following ^{lines and established the following} corners in Section 38 T 10 R 3 W ran the east line of said section and established ^{by angle} $6\frac{1}{2}$ m. p. witnessed by Sugar 2 lbs north (supposed to be original govt witness tree) Also ran west line of section covered back and set stakes at average distances for $10\frac{1}{2}$ m. p. Also ran through the center of the section E & W and established corner at center of section also East corner 40 poles north of center Also established corner 40 poles north of corner at half distance between center of section & $6\frac{1}{2}$ m p. planted corner stones and marked witnesses at all the above corners but the notes having got destroyed I cannot record the witness trees


M. H. Baskirk Deft S. M. C

Kerr Survey



November 21st 1894
 Surveyed in Section 32, T. 9 R. 1, E
 for John A Kerr and Charles
 Kerr by their consent and set
 their request ran the following
 lines and established the following
 corner. Commenced at corner
 heretofore established at the center
 of the section ran north to the
 N $\frac{1}{2}$ m. p. corrected back and
 established corner "A" at average
 distance witnessed by by Sugar 4 inches in diameter
 N $2\frac{1}{2}^{\circ}$ E 20 lks distant S. Walnut 10 inches in diameter
 N 65° E 77 lks distant Also ran from said corner "A"
 west to the west line of the section in order to find
 the line between John A Kerr and Charles Kerr.
 Chain carriers John A. & Charles Kerr, flagman Wm Ratcliff
 by consent of parties

M. H. Buskirk Deputy S. M. C.



October 11th 1894

Surveyed for
 Howard Hard and Andrew
 Cooke by agreement in
 T. 8, 17 & 18 R. 1 E as
 set forth in plat and
 field notes accompanying
 Beginning at corner marked "H"
 in section 18 running thence north
 80 Poles and established corner
 "M" in Section 7 witnessed by
 apple tree (middle fork) 7 inches in
 diameter N $43\frac{1}{2}^{\circ}$ W 62 lks apple tree
 15 inches in diameter S $47\frac{1}{2}^{\circ}$ E 12 lks

Also beginning at corner marked "T" in section 17. Ran
 north 80 Poles and established corner "K" in section 8
 witnessed by Birch 15 N $82\frac{1}{2}^{\circ}$ E 9 lks Dogwood 3 S $85\frac{1}{2}^{\circ}$ W 7 lks I had
 for assistants Truman Perry Bennett & John Payne flagman Thomas
 Hard all duly sworn. This is a true account of the survey by me
 made as I verily believe

George B Rader
 Deputy M. C. S.

Williams' Survey.

Sections 17, 20, 28, 430. T. 18 N. R. 10 W.

18		20	
G.	F.		
		D.	B.
	C.		
30	"E."	28	

May the 8th 1875 Met at Joseph Williams at 8 o'clock A.M. according to publication made for three weeks in the Blomington Courier and the reading of said notice to all resident parties interested ten days previous to said time of meeting and made the following survey as presented by plat and field notes containing said survey from the 8th to the eighth of said month in sections

17, 20, 28, 430 Town 10. North, Range 1 West.

At center of section 17. reestablished corner "A"

Maple 8 in. S. 8° E. 15 1/2 links distance

" 4 in. S. 62 3/4° W. 15 1/2 links distance

Limestone east 12 links distance

"E" at 1/2 distance between center & C 1/2 mi. p. sec. 17

Beech 20 in. S. 57 1/2° W. 24 links distance

" 11 in. N. 15° W. 40 " "

"G" at 40 poles 4 1/2 links S. of center sec. 17.

Stone one pole North on line } West.

Stone one pole South on line }

"C" at South West cor. sec. 20.

Turkey Oak 23 in. N. 6 1/2° E. 42 1/2 links distance

Limestone sawed west on line 35 links "

"B" at South 1/2 mi. post sec. 20.

Chin. Tree 8 1/2 in. W. 40 3/4 links distance

Beech 14 in. N. 73° W. 74 1/4 " "

"C" at center of of. N. E. q. sec. 30

Limestone south on line 18 links dis.

" " West " " 20 " "

"D" at 1/2 distance bet C 1/2 mi. post and cor.

of sec. 30. west marked by lime stones

Limestone C. on line 35 links distance

" " W. " " 34 " "

By me made as I verily believe

This June 13th 1875.

We had for assistants agreed upon by parties interested chain makers, Agaria C. Dunsy, Dr. J. Walls, James B. Bartin, and A. W. Jones & Philag bones Joseph Williams and Tillman Ray. all duly sworn, I. here by certify the foregoing to be a true and correct statement of the survey.
George B. Rader Dpty
J. W. S.

Williams' Survey
Section 17, 20, 28, 430
T. 18 N. R. 10 W.
Published in
the Blomington
Courier
for three weeks
prior to the
meeting of the
parties interested
on the 8th of
May 1875
and the reading
of said notice
to all resident
parties interested
ten days previous
to said time of
meeting and made
the following
survey as presented
by plat and field
notes containing
said survey from
the 8th to the
eighth of said
month in sections
17, 20, 28, 430
Town 10. North,
Range 1 West.

The above survey
was made by
Joseph Williams
and Tillman Ray
all duly sworn
and I, George B.
Rader, Deputy
Recorder, do hereby
certify that the
same is a true and
correct statement
of the survey.
This Oct 26
1875
George B. Rader
Deputy Recorder

Bowman & Wylie Survey Section 9 T 9 R 1 W

Nov 5th 1895 Surveyed the following lines in section 9 T 9 R 1 W commenced at corner theretofore established in the center of said Section reestablished or rather perpetuated this corner by making new witnesses Elm 8 25 75 W 7 1/2 lks Stone N 42° E 6 1/2 lks Ran north 159 Poles 22 1/2 lks run 7 lks west of corner at 1/2 m p. corrected back and drove stake at average in said line Thence West 140 Poles 14 lks to west side of Section landing 80 Poles 17 lks south of the N E corner of Section 9 moved Stake 17 lks north and corrected line back east from it to find the line between Doctor R Wylie and Peter Bowman they each being present and agreeing to the same

Thomas Whisenand } chainmen
D. R. Wylie } sworn

Lewis Goodwin & Hagman sworn

The above survey was made in compliance with the following Notice of Survey

Notice is hereby given to Frank Whisenand Mrs Johnson D. R. Wylie & wife that I will proceed together with the county surveyor of Monroe County and or his deputy on the 15th day of November 1895 to run all the lines that may be necessary to locate the line between my land and the land of D. R. Wylie & wife in Section 9 Town 9 R 1 W. Meet at the residence of D. R. Wylie at 10 o'clock A. M. on said day. Be present at said time and place else the Survey will proceed in your absence
This Oct 26th 1895

Peter Bowman

This notice was returned to me by Peter Bowman with the following endorsement by him made
Mrs Johnson was notified by copy
D. R. Wylie & wife " " "
Frank Whisenand was notified by reading 10 days before commencing survey

M. H. Burtch
Sept 14 1895

Section 31 T 10. R. 2. W

Nov 23 1895 Ran the South line of Section 31 Town 10 R 2 W Established corner 125 Poles 17 1/2 lts East of the S.W. corner for the S 1/2 m p witnessed by Sycamore 2 S 42° W 32 lts Red oak 2 N 40° W 36 lts

Ran East from here 242 Poles and found old corner made new witnesses at half dis between S.W. cor and S 1/2 m p of Section 32 witness Birch 15 S 31° W 35 lts Elm 3 N 38° W 34 1/2 lts Then commenced at stone at half distance between S.E. corner and Southern 1/2 m p Ran North 161 Poles and Set Stone in open ground

The above survey was made by the request of parties interested. Barton Huffy and Thomas Broton were sworn as chainmen and Pleasant Hampler as flagman

M. H. Bushirk Sept 16, 1895

Magenis & Hadden Survey

Sept. the 16th 1895 - Put as Thomas Magenis pursuant to notice filed here with and established corner at half distance between West half mile post and center of Sect 20 Town 10 North Range one East as presented by plat. I had for assistants, duly sworn John Clorson Flag bearer Wm A Anderson and James A David Chain markers.

S 2, T 10, R. 2, E.

Aug. 31, 1895



at 1/2 dist bet w. 1/2 mi. p. & center, witnessed by a

Birch 10 in west on line 47 lts necessary to be established to determine dogwood 4 in N. 27 1/2° W. 4 1/2 lts.

Notice is hereby given to Joseph Hadden that I will proceed together with the County Surveyor of Monroe County, Indiana, or his deputy on Monday, Sept. 16th 1895 - to run all the lines and establish all the corners necessary to be established to determine the boundary lines of the lands of said Joseph Hadden and myself, situated in section twenty, Town Ten North Range One East. I will be at my residence at eight o'clock A. M. of said day be present at said time and place and bear a part in said survey else I will proceed in your absence


Thomas Magenis

I hereby certify the foregoing statements of the above survey by me made is true as I verily believe George B. Rader

M. H. S.

Patten & Warren Survey.

Nov. 11th 1893 - at request of W. H. Patten and Dr. Warren made a survey and established corner at an half dist between East half mile post and North East corner of section 3. Town 7 North Range one East as by plat and field notes below. I had for my assistants David P. Bartly and Henry S. Hager chain markers and J. L. Wiering Blazeman all duly sworn T. T. N. R. 1. C.



E { Half the dist. bet. 8 1/2 mi post & N.E. cor of sec. 3.
E. 12 in N. 44 3/4 E. 23 lks.
S. 47 1/2 East 7 1/2 lks

The above is a true statement of the survey by me made and I verily believe George B. Rader D. P. M. C. Surveyor.

Edward Martin Survey.

June the 20th 1893 - met pursuant to notice given by Edward Martin in writing and served on Taylor Martin Com. Anderson L. B. More and Dora More Guardian of Wm More at the house of George Payne said notice having been duly served at least ten days before hand and proceeded to run the section line between between 25 & 36 Town Ten North Range one west and established corner at half distance between the North West Corner and North half mi post of sec. 36. and on the 17th of September 1893 - all the above parties together with Jonathan Sutz met on the above section line at the corner at the half distance between the North East corner and the the north half mile post of sec. 36. and said corner was reestablished and said survey was completed as presented by Plat and field notes below.



B. { Beech 2 in West 13 1/2 lks. a N.E. recorded line tree
W. Oak 2 in N. 47. W. 31 1/2 lks.
Reestablished
A { Burr Oak 7 1/2 in S. 47 1/2 W. 67 1/2 lks.
W. Walnut 2 1/2 in S. 62 E. 42 1/2 lks

I here by certify that the notice of the above survey is lost or mislaid but that the parties interested were present and bore part in the same, and that the above statements are true as I verily believe


Geo. B. Rader Deputy M. C. S.

Benjamin Pally Blazeman
Jeff. Hager Chain
Wm. Pally Markers

sworn

Anderson Survey

May the 23. 1875 - Surveyed for ^{Wm} Anderson Senior, Jeremiah Lewis, Jack Robinson and others by agreement and request of parties, and established the following corners in section 24. Town 10. North Range one West.



- 20 poles S. of. W. $\frac{1}{2}$ mi post.
 B { Chestnut oak 2 in N. $87\frac{1}{2}^{\circ}$ E. 4 lks.
 Bastard oak $3\frac{1}{2}$ in S. 1° E. $13\frac{1}{4}$ lks.
 B. oak 2 in N. 15° E. 19 lks.

- $79\frac{2}{3}$ poles East of C.
 F { Beech 16 in S. $71\frac{1}{2}^{\circ}$ W. $26\frac{1}{4}$ lks.
 Chestnut oak $1\frac{1}{2}$ in N. $60\frac{1}{2}^{\circ}$ W. 24 lks.

The said parties furnished the following assistants, Chain Markers, Joseph Hadden, James B. Robinson, John S. Hendrixon and Jeremiah Lewis, Flag bearers, Benjamin H. Polley & John D. Colson; All duly sworn
 I hereby

George B. Rader
 Deputy M. C. Surveyor

Hancock Survey.

April 30th 1876. met pursuant to notice given by Benjamin Hancock to in writing to Howard Cagy & Co. By more Sines & Burgeon said notice having been duly served 10 days before and proceeded to run all lines necessary to find the boundary lines of said party situated in sec. 9. T. 7 N. R. 1 East.

- S. 9. T. 7. N. R. 1 E. G. { Hickory a little N. W. $47\frac{1}{2}$ lks.
 I. { Sand stone witnessed by chestnut oak 5 in N. 69° E. 56 lks. & a
 H. { B. oak 5 in N. $33\frac{1}{2}^{\circ}$ W. 57 lks.
 I. { Sand stone wit. Hickory 6 in S. 61° E. 57 lks. dis & a
 B. oak 17 in N. $50\frac{1}{2}^{\circ}$ E. 60 lks. dis.
 F. { Lime stone wit. gum 5 in N. 45° W. 43 lks.
 W. oak. S. 51° W. 36 lks. dis.
 J. { Lime stone 20 rds East of cen. of sec. wit by a
 Beech. 12 in S. 10° W. $54\frac{3}{4}$ lks. & a
 " 15 " S. 66° East $27\frac{1}{2}$ lks. dis

I hereby certify that the notice of the above survey is lost or mislaid but that the parties were all present and bore part in survey and that the above statements and plat are true as I

Assistants Isaac M. Channeler } Chain
 George R. Hayse } Markers
 Joe Grubb. } Flag man

Sworn
 I verily believe
 Elmer C. Buskirk
 M. C. S.

Hollenburg Survey.

Notice of Survey.

Notice is hereby given to all non-residents and all others interested that I will proceed together with the county Surveyor of Monroe county Ind., or his deputy on Tuesday the 27th. day of June 1893 to run and establish all the lines and corners necessary to be established in section nine (9), Town seven (7) north, Range one (1) east meet at my residence at 8 o'clock A. M., be present at said time and place else the survey will proceed in your absence.

This June 3d. 1893.

JOSEPH M. HEAD

June 27th 1893 Met pursuant to notice given by Joseph M. Head. through the Bloomington Courier to all interested in section 9. and proceeded to run lines necessary in sec 9 T. 7. N. R. 1. East.



Time stone with gage 8 in N. 45° W. 23 lks.
 W. Oak S 51° W. 36 lks do
 Hickory 5 in N. 70½° W. 47½ lks.
 R. Oak 10 in N. 20 E. 20½ "

Assistants Joseph Outright } Chain
 Mac Channeller } Markers.
 J. D. Waldrup, Flagman

I here by certify that this is a true statement of the survey made by me as I verily believe

Elmer Baskirk
 M. C. S.

Taylor. Johnson Survey.

April 13th 1896. met pursuant to notices given by Taylor Johnson in writing to Lewis Waldren, Fred Bengel, Ben Waldren, George Sharp, Nancy Allen, Amos Howe, Marion Fields, Jotham Rice. James James & others said notices having been duly served 10 days before hand by Taylor Johnson foreman of William Matthews lands. and proceeded to run all lines necessary and establish all corners wanted in sec 6. T. 9 North Range two west as presented by plat. I had for assistants Charles Bowers Samuel Buskirk chain markers & Marion Fields all duly sworn



Notice is here by given to W. B. Waldren George Sharp, Amos Howe, James James, Nancy Allen, Jane Allen, Fred Bengel Marion Fields Louis Waldren, Mary D. Ray Sarah C. Sharp, J. C. Sharp. that I will proceed, together with the county Surveyor of Monroe County, Indiana, or his deputy on the 13th day of April 1896 to run all lines, established all corners necessary to be established, to determine the boundary lines of the lands of William Matthews, Ben Waldren & others if desired, situated in section 6, Town 9, North Range 2 West. Meet at W. B. Waldren at one o'clock P. M. of said day. be present at said time and place and bare a part in said survey. else the survey will proceed in your absence.

William Matthews
Taylor Johnson
Fore man

- A. Line stone 108 rods 11 1/2 lks. East of N. W. cor. of sec. 6. wit by line stone S. 16° E. 20 1/2 lks. do. " " S 39° W. 26 lks. "
- B. A line stone 6 poles west of point at half distance between S. E. cor & E. 1/2 M. P. wit by a stone set S. 83° W. 16 1/2 lks. " a stone set S 86 1/2° E. 14 lks.
- C. Line stone 5 poles west of the center of the S. E. q. witnessed by a stone set N. 86° E. 19 lks. & a forked Elm 12 in in dia North 24 1/2 lks.
- D. East cor. 63 poles South of the N. W. corner wit. stone set N. 7 1/2° E. 14 1/2 lks. Stone set N. 86 1/2° E. 26 lks.

Survey in Sec. 5 Town 8 N. R. 1 E made in June 1896. See page 562

Pafford & Carpenter Survey.

April the 17th 1897 by agreement I met Matthias Carpenter Solomon Pafford & Harvey Storvick and made the following survey as presented in plat and field notes below same being in sec 33. T. 8. N. R. 2. W.



A { Half distance between West half mile post and center of section sand stone with by an Elm 10 in dia N. 61° W. 5.7 lks distance

B { Half distance between S. W. cor. & S. half mile post sand stone with by a black Oak 12 in dia S. 26° E. 12.8 lks distance also sand stone S. 41° W. 24 lks distance


Assistants were the parties interested also. Bradford Surch.

The above plat and field notes is a true report of the work by me done as I verily believe

Elmer Bush Kirk
Deputy M. C. S.

Johnston & Anderson Survey

April 10th 1897 by agreement I met Homer Johnson & Mrs. Jack Anderson & made the following survey as presented in field notes and plat below the same being in sec 25 T. 7. N. R. 2. W.



A { The S. E. corner of sec 25 set a limestone with by B. walnut 14 in West 93 lks
" " " " " " N. 34° W. 16 1/2 lks

B { Half distance between S. E. corner & east 1/2 m post limestone witnessed by beech 30 in S. 64° E. 10 1/4 lks
beech 20 in S. 66° W. 15 1/2 lks

C { 1/2 m S. 100 rds W. from B a limestone witnessed by B. walnut 14 in N. 74° W. 79 lks also a stone N. 75° E. 25 lks

Assistants were Finus Clay Berry Owens chairman John Graves flagman

The above field notes & plat is a true report of the work done by me as I verily believe

Charlie M. Bowers
M. C. S.

Man's John. Sec 34. T. 10. N. R. 1 E

Met at John Man's March the 29th 1897 pursuant to legal notice filed here with, and made the following survey as presented by plat and field notes below. We had for assistants Joseph A. Haden & J. M. Whitwood chain carriers & Hiram A. Mc Coy flag bearer all sworn and accepted by the parties interested.

Sec 34 T. 10 N. R. 1 E. p.



L. 52 rods E of S $\frac{1}{2}$ mi post

sugar 13 in N 63° W $16\frac{1}{2}$ lks

W oak 16 " N $3\frac{1}{2}^{\circ}$ E $22\frac{1}{2}$ "

M $\frac{1}{2}$ distance between center & E $\frac{1}{2}$ mi post

W oak 14 in S $21\frac{1}{2}^{\circ}$ W 67 lks

Ash 13 " West 94 lks

N center of S E quarter

Bur oak 10 in N 86° E 67 lks

Red oak 4 " S 2° E $14\frac{1}{2}$ "

O N. E. corner of section

W oak 6 in N $76\frac{1}{2}^{\circ}$ W $25\frac{1}{2}$ lks

Hickory 6 " S $77\frac{1}{2}^{\circ}$ E 33 "

P $\frac{1}{2}$ distance between north $\frac{1}{2}$ mi post and N. E. corner.
Sand stone 1 lks N of corner, Ash 5 in 1 lks E of corner.
Ash 2 in 1 lks W of corner.

Q $\frac{1}{2}$ distance between center & W. $\frac{1}{2}$ mi post across on solid sand.
Elm 11 in S $13\frac{1}{2}^{\circ}$ W 16 lks.
Hickory 5 in S $77\frac{1}{2}^{\circ}$ E $16\frac{1}{2}$ lks.

I hereby certify the accompanying plat and field notes to be a true and correct presentation of the survey by me made as I verily believe.

George B. Rader.

Dpty M. C. S.

Bush
July 1 1897
accompanied
of Owen b
for the purp
white rose
easies of
front 11 lks
of sec 32 T. 10
old bed of a
measured by
N 14° E 8 lks
S to 2 thence
old bed marked
a stone m
of the old be
white river
was located
taking 1/2 the
as assistants
Owen Bush
given.
The survey of
standing Owen
The N. E. fract
Owen county I
as I now res
hypothetical to
land owners to
Bush
of Bush
and William
James R. Bush
strator of the
with the same m
signed Stanley
stake is hereb
of July 1897
of Owen Co. a
is provided f
two and corner
the same two

Buskirk Nancy M. sec 32 T. 11. R. 2 W.

July 1 1897 In pursuance to notice (a copy of which accompanies this record) in connection with the Surveyor of Owen County Ind. made the following survey for the purpose of locating the center of the old bed of white river which is the county line dividing the counties of Monroe and Owen. Commencing at a point 17 chains W. of the W. 1/2 of the S. fraction of the N. W. 1/4 of sec 32 T. 11. R. 2 W. set a stone in the center of the old bed of white river 4 ft long 6 in. square marked S. No. 1. witnessed by a sugar 18 in. st. 83 1/2° E. 2 ch. 22 lbs. thence N. 14° E. 8 ch. set a stone in the center of old river bed marked S. No. 2. thence N. 26° W. 8 ch. and set a stone in center of old bed marked S. No. 3. thence N. 9 1/2° W. 20 ch. 38 lbs. and set a stone marked S. No. 4. which stone is in the center of the old bed of white river and on the south bank of white river as it now runs. The above described line was located by measuring the width of the old bed and taking 1/2 the width. The following parties were sworn as assistants Harry Humble Isaac Buskirk chamberman Owa Buskirk flag bearer the following notice was given.

Notice

For survey of lines and establishing corners of the line dividing Owen & Monroe counties in all that part of the N. E. fraction of fractional sec 32 T. 11. R. 2 W. in Owen county Ind. which lies on the south side of white river as it now runs and thereby establishing perfecting and perpetuating the lines and corners of the abutting land owners to wit: Elizabeth Buskirk, as widow John W. Buskirk Henry C. Buskirk William R. Buskirk Isaac C. Buskirk James M. Buskirk Paul Sink Minnie Sink and William Sink as heirs at law and widow of James R. Buskirk deceased and Nathan C. Gray as administrator of the estate of James R. Buskirk, deceased. as the same may be and about the land of the undersigned Nancy M. Buskirk

Notice is hereby given to you, that on Thursday, the first day of July 1897 at one o'clock P.M. the County Surveyors of Owen Co. and Monroe Co. Indiana at my request as is provided for by law, will proceed to survey the lines and corners as set out in the caption of this notice. The same to be done at the equal cost of the

parties interested and whose lands are thereby abutting and adjoining the line of survey

Witness my hand this 18th day of July 1897.

A true copy as I verily believe Stanley M. Boushirk
Charlie M. Bowers M. C. S.

Notice Of Survey.


Notice is hereby given to all non residents and others who may be interested that I will proceed together with the County Surveyor of Monroe County, Indiana or his deputy on Friday, the 8th of October 1897, to run and establish all the lines and corners necessary to be established in Section 25, Township 10, Range 2 west and in Section 30 T-10-R-1-W.

Meet at my residence at 8 o'clock A. M. on said day. Be present else the Surveyor will proceed in your absence.


BERNARD LIPPS.

Oct 8th 1897 met pursuant to notice given by Bernard Lipps through The Bloomington Courier to all interested in sections 25 T 10 R 2 W and sec 30 T 10 R 1 W.

Sec 25 T 10 R 2 W.



sec 30 T 10 R 1 W.



G { Beech 8. 17° W 36 lbs
Sugar 18 in N. 8° E 70 lbs
H { Beech 14 in S 26° W 54 lbs
Poplar 12 in N. 81° W 21 lbs
I { Sycamore 14 in S 26° W 49 lbs
Maple 6 " N 44° W 36 "

E reestablished
{ Lime stone S 43° W 36 lbs
" " S 43° E 44 "

G { Beech 12 in S 27° W 30 lbs
" 8 " N 65° W 28 "

D { Beech 20 in S. 42° W 19 lbs
Poplar 14 in S 36° E 74 "

E { Stone 8 in N. 78° E 25 "
" 2 x 5 N 25° W 48 "

F { Stone N 76° W 19 lbs
" S 12° E 20 "

Assistants

A J H B. H.

Lovell W. Bowers Chairman

Bernard Lipps Jr. flagman all sworn and accepted

I hereby certify that the above is a true statement of the survey made by me as I verily believe

Charlie M. Bowers

M. C. S.

December 9th 1894

This is to certify that I have this day appointed
M H Baskirk a true and lawful deputy
Charles M Bowers

I M H Baskirk do solemnly swear that I
will support the constitution of the United States
and the constitution of the State of Indiana
and that I will faithfully perform the duty
of deputy Surveyor to the best of my
ability so help me God

M H Baskirk

Subscribed and Sworn to before me this the
9th day of December 1894

Charles M Bowers

whose lands are thereby
survey
day of July 1894
Taney as Baskirk
M Bowers M H
77 not pursuant to notice
Lippes through the
all interested in section
see 30 5 10 R 105

17° 11' 36" lbs
18 in at 9° 70 lbs
14 in S 28° W 54 lbs
12 in at 81° W 21 lbs

more 14 in S 25° W 49 lbs
6 " W 48° 29 36 "

Established

stone S 45° W 31 lbs
" S 45° E 44 "

2 in S 27° W 30 lbs
8 " N 65° W 28 "

20 in S 42° W 19 lbs
14 in S 36° E 74 "

Damage at 77° 25 "

2 x 5 at 25° W 48 "

at 76° W 19 lbs
S 12° E 20 "

Tanto
H S H

or Bowers shown
ed Lippes for flagman
and accepted

by certify that the above
made by me as

Charles M Bowers

M H

Hayes

Wuskuk sec 32 T11 R2W

October 16, 1897. In pursuance to notice (a copy of which follows this record) In connection with the Surveyor of Owen County Ind made the following survey for the purpose of locating the center of the old bed of white river which is the county line dividing Monroe and Owen Counties. commencing at a stone marked +A at the S. E. corner of Moll Morris land in sec 32 T11 N. R 2 W. the same being in the center of the old bed of white river and on the line between Monroe & Owen Counties thence S 30° E. 2 ch 62 lks to a stone marked X.1. thence S $42\frac{1}{2}^{\circ}$ E. 2 ch 8 lks to a stone marked X.2, this stone being 9 rds N of a stone on the S bank of the old bed of white river thence S 76° E. 2 ch 75 lks to a stone marked X.3. thence N 83° E. 2 ch 73 lks to a stone marked X.4 thence N $66\frac{1}{2}^{\circ}$ E. 1 ch 77 lks to a stone marked X.5 thence N 42° E. 3 ch 79 lks to a stone marked X.6 thence N $39\frac{1}{2}^{\circ}$ E. 1 ch 44 lks to a stone marked S. 1 which stone is the center of the old bed of white river 17 ch W of the W $\frac{1}{2}$ of the S. fraction of the N.W. $\frac{1}{4}$ of sec 33 T11 R 2 W. and in the county line dividing Monroe and Owen County. The above is a true report of the work. as I verily believe

Witness my hand and seal.

William Wampler Notary

D. N. Wampler } Surveyor Charlie M. Bowers
George C. Wampler } Notary M. C. S.

Sec 4 T11

1/4 Pole 14
This corner
Sugar 24

The above
agreement
legal notice
The follo
Elmer & L
Holt Ham

the half
and plant
and the s
We had p
shammon
The m
as I w

Sec 4 T 10 R 2 W

December 14th & 15th 1897
 Surveyed in Section 4 & 9
 T. 10. R. 2 W. and established
 corners as per plat and
 field notes accompanying

Corner at center of Sec 9 (reestablished)
 A { Red Oak 30 N 6° W 38½ lks
 Elm Bush 1 N 30° E 16 lks

B { 1½ m p of 4
 Black Walnut 15 N 83° W 63 lks
 Ash 8 N 25° W 28 lks

C { 14 Poles 14 lks South of N ½ on p of Sec 9 T 10 R 2 W
 This corner belongs 4 Poles farther South in the center of Bean Blossom creek
 Sugar 24 N 33° W 8½ lks Elm 14 N 44° W 28 lks

The above survey was made in compliance with a written
 agreement signed by the parties interested agreeing to waive
 legal notice

The following parties were sworn as assistants
 Elmer A Lighter and John Abel chainmen
 Robt Hampler flagman

M. H. Driskill Deputy Sur

Oct 20th 1897 Met at W. S. Dow
 pursuant to ten days notice in writing
 served on Joseph Luther by W. S. Dow
 and made the following survey
 beginning at the half distance between the
 W. ½ m p T. 8. W. corner. Thence E. to a stone at

the half distance between the E. ½ m p. T. 8. W. corner of said sec.
 and planted a stone at the ½ dist. between the S. ½ m. p.
 and the center of section 27. T. 7. R. 1 W.

We had for assistance Jas R Kelly & Lovell Bowers
 chainmen. John Graves flagman all sworn
 The above is a true report of the work
 as I truly believe

Charlie M Bowers
 M. C. S.

Sec 27 T 7 R 1 W

P.

Copy

Section 32. Township 11. North of Range
Twp. (2) West.

Being called upon by H. Hays to establish
the line and corners between his land in
Sec. 32. Township 11. North Range Two
(2) West and the land of J. M. Bursick
Notice having been given Ten (10) days
before the first (1st) day of May, 1889.

To all parties interested in the survey
of said land, I proceeded with the assistance
of the county Surveyor of Mon-
roe County to establish the following
line and corners in the center of the
"Old Bed" of White River which is con-
sidered to be the line between Monroe
and Owen Counties as the river in this
place was named as the parent
line commencing on the West Bank of
the Old Bed of White River at the
South East Corner of said Hays' Land
Thence North 87° East Ten (10) rods to
Three (3) Links to a Stone marked "A"; in
the center of said "Old Bed". Thence North
 18° West Fortythree (43) rods and Five (5) Links
to a Stone marked "C". Thence North 9°
West Quarter (14) rods and Five (5) Links
to a Stone marked "D". Thence North 14°
West Twentyfour (24) rods and Eight (8)
Links to a Stone marked "E". Thence
North 14° West Twenty (20) rods and Nine (9)
(9) Links to White River.

The chain carriers were James Davis

M. C. C.

Sec 27 T 7 R 1 W

Charles M. Brown
M. C. C.

and H. O. Ginn. and Cyrus Thompson
Shamian. who were by me duly sworn
before commencing the work

This May 1st 1889.

George A. Phillips
Surveyor Conn Co.


State of Indiana, S.S.
Conn County, Ind.

I Parke M. Martin
surveyor of said Conn County, Indiana, do
hereby certify that the above and forgo-
ing is a full and complete paper of
said survey as appears of Record
in "Conn Co. State Record" - page
378. now on file in the office of
the surveyor of said Conn County, Ind.
Witness my hand and official seal
this 27th day of December, 1892.

(S)

Parke M. Martin
Surveyor Conn Co. Ind.

Charles M. Brown
M. B. S.



April 9th 1898 made the following survey in Section 33 T 10 N R 2 W

Commenced at the E 1/2 on p of said section witness Sugar 24 North 2 lks Beech 15 S 72° E 36 lks Ran South 100 poles and East corner "A" white oak 12 N 38° W 42 1/2 lks B Walnut 2 S 6° W 23 lks Then commenced at corner 40 poles north of corner at half dist between E 1/2 on p & center of section

witness Sugar 30 N 56° W 34 lks Elm 12 S 81° W 29 lks Ran South 140 poles and East corner "B" 80 poles west of "A" witness Ash 12 S 84° E 18 1/2 lks apple tree 6 N 71° E 96 lks Then commenced at center of Section witness B Walnut 2 N 10° W 59 lks Beech 30 S 8° W 49 lks Ran South 60 poles and East corner "C" witness Beech 24 S 15° E 13 lks Beech 30 S 69° E 28 lks Thence East 80 poles and established corner "D" 60 poles South of "X" witness Hickory 10 S 29° W 29 lks Apple tree 10 N 9° W 93 lks The following parties were sworn as assistants Henry Soble & James L Williams chainmen Benton H Bowden flagman The foregoing survey was made by agreement and at the request of parties interested

M. H. Buckner & Deft. Sur

April 27th to May 13th made the following survey in sections 32 & 33 T 11 N Range two west and sections 3, 4 & 10 T 10 N R. 2. W Commenced at corner heretofore established at the S W corner of the lands of Rufus Soble (Stone in open ground no witness) supposed to be 95 poles west of the center of section 33 T 11 R. 2. W Ran north 94 poles 15 lks and drove stake on the South bank of white river Then commenced at stake 15 poles 2 lks west of Rufus Soble's S. W. corner ran north 144 poles 23 lks and drove stake on the South bank of white river Then commenced at Stone No 1 ^{in old bed of white river} Ran N 11° E 29 poles 23 lks to Stone "2" Thence N 28° W 25 poles 21 lks to Stone "3" Thence N 13° W 70 poles 14 lks to Stone "4" Thence N 18° W 7 poles to the South bank of white river Established corner 60 poles 8 lks west of Rufus Soble's S W corner witness Sugar 24 N 81° W 90 lks Thence North 154 poles and drove stake on the South bank of white river

Then commenced at Stake 82 poles 2 lks west of Rufus Goble S. W. corner
 ran north 131 poles and drove stake on South bank of white river
 Then commenced at corner 42 poles South of $E\frac{1}{2}$ m p of sec 3 T 10 R
 2 W Ran west 98 poles to the center of the Gasport and Tabor road
 Then commenced at Stake 4 (80 poles) of above line ran South 18 poles
 to center of Gasport & Tabor road and drove rail road spike for
 corner Thence east 80 Poles to sec line and east corner in branch
 in said line Then Ran South 21 poles 10 lks and East corner witness
 Elm 7 S 7° W 13 lks Thence West 61 poles 18 lks to the center of the
 Gasport and Tabor road and drove iron rod for a corner
 witness Speckmore 12 N 39° W 80 lks
 Then commenced at Stake 100 poles $6\frac{1}{4}$ lks South of $W\frac{1}{2}$ m p of sec 4
 T 10 R 2 W Ran East 169 poles 15 lks to the center of the Tabor &
 Martinsville road Then commenced at corner heretofore East at the
 center of the S. W. cor of Sec 3 T 10 R. 2 W Ran north 66 poles
 to corner heretofore established in Indian boundary line Then began
 at same corner (center of S. W. corner) Ran East 88 poles to Indian boundary
 line Then commenced at Stake witnessed by Elm 4 N 63° W $3\frac{1}{2}$ lks
 140 poles $6\frac{1}{4}$ lks South of $W\frac{1}{2}$ m p of Sec 3. T 10 R 2 W Ran East 130
 poles 10 lks to the center of the Tabor and Martinsville road
 Then commenced at corner 140 poles $6\frac{1}{4}$ lks South of $W\frac{1}{2}$ m p of sec
 3 T 10 R. 2 W Ran South 16 poles to the center of the Gasport and
 Tabor road Thence S 15° E with said road until a point
 20 poles east of the Section line and 30 poles $18\frac{1}{2}$ lks South of starting
 point is reached Ran East 103 poles 11 lks to the center of the Tabor
 & Martinsville road Then commenced at corner heretofore East
 at half dist between center and $N\frac{1}{2}$ m p of Sec 10 T 10 R 2 W
 Ran north 40 poles and drove stake Thence west 45 poles 18 lks
 and drove stake in the center of the Bowman road near
 the school house Then com 20 poles South of the $N\frac{1}{2}$ m p sec 10
 T 10 R 2 W Ran W 36 poles 14 to the center of the Tabor & Martins-
 ville road Then again commenced 20 poles South of $N\frac{1}{2}$ m p
 Ran north 72 poles to the center of the Tabor & Martinsville
 road Thence East 46 poles 3 lks to Indian boundary line
 Then commenced at $N\frac{1}{2}$ m p of Sec 10 T 10 R 2 W
 Ran west 26 Poles to center of Tabor and Martinsville road
 Then again commenced at $N\frac{1}{2}$ m p ran east 78 poles 3
 links and intersected the east line of the 80 at a
 point 29 poles 15 lks South of the intersection of
 said east line with Indian boundary line
 Ran west from intersection with Indian boundary line

88 poles 20 lks to the center of the wayport to martinville road

The foregoing Survey was made by the orders of Nathan C Gray, John Ridge and Samuel Chagoner Commissioners appointed to make partition of the lands of the Estate of James R Buskirk by the Owen county circuit court

During the above Survey the following parties were sworn and acted as assistants Wm Laughlin and Curtis Leay chairmen Fred Lukenbill flagman

	6 E
	B A

M H Buskirk Sept 20th 1897
Dec 30th 1897 In accordance with accompanying notice I made Survey in Section 33 T 9 R 1 W as per plat and field notes

S. E. cor W 1/2 of S. E. qtr

E 1/2 3rd 60° W 66 1/2 lks

S W pillar of veranda of A. n. b. house at 40° E 105 lks

28 Poles W of "A"
Apple tree 4 in at 22 1/2 W 67 lks
S W pillar of P. C. Andrews
Veranda at 2° E 113 lks

34 Poles 7 1/2 lks north of "K"
S. E. corner of Charles Wylie's
wood house at 5° W 17 1/2 lks

28 poles W of "C" and 34 poles 7 1/2 lks north of B stone in open ground

The following assistants were sworn by agreement Wm F. Headly & David C. Andrews chairmen Charles E. Headly flagman. The above survey is not satisfactory to all parties M H B

Notice of Survey.

Notice is hereby given to the university Park land to E. Ernest Sears J. B. Hendrix Charles Wylie Moses P. um That I will proceed together with the Surveyor of Monroe Co Ind. or his deputy on the 30th of Dec 1897

To run & establish all the lines and corners necessary to be established in order to find the meads and bounds of my land on university Park Bloomington Monroe Co Ind. I will meet at my residence at 11 o'clock A.M. be present at said time and place else the survey will proceed in your absence
This Dec 20th 1897 David C. Andrews

A True report of Survey in Sec. 33 T 9 R 1 W as made
by me on the 30th day of Dec 1897

M. H. Buschick Dep. M. C. S.

Feb. 18th 1898.

Made the following Survey in section
35 T 10 R 1 W at the request and by

The consent of parties interested

Dan Hendricks & Sol. C. Sanson chairman

Jeff V. Farr flagman all sworn by

consent of parties interested Reestablished

corner at the center of the S. W. qr. witnessed
by Burr oak 4 inches at 59° W. 48 lbs

" " 2 " " 61½ " 41 "

A True copy of Survey of section 35 T 10 R 1 W
made by me on the 18th day of Feb. 1898

M. H. Buschick Dep. M. C. S.



Feb. 18th 1898.

In compliance with
accompanying notice I made
the following Survey in
Sections 35 & 36 T 7 R 1 E
as per plat and field notes

O is 16 poles S. of the center of of the S. W. qr. of Sec 36
Hickory 6 in S 43° E 29 lbs
Oak 12 " S 22° E 49 "

K is 16 poles S. of the center of the S. E. qr. of sec 35
W. oak 6 in S. 51° W. 54 lbs
Elm 6 " S 81° W 74 "

The following assistants were chosen and sworn

R. C. Todd & Howard Houshour, chairman

Howard E. Feltwood & chairman

George W. Houshour

Notice of Survey

Notice is hereby given to Stanley Norman Bolland,

& White R. C. Todd Alex Mitchell Ben F

Hamedick & see J. Feltwood Howard Feltwood

James Murphy George W. Houshour Elizabeth

Houshour Henry Hallentury Mary Hallentury

Sarah Hallentury and all others interested

That I will proceed together with the County Surveyor of Monroe County Ind. or his deputy on Tuesday the 8th day of Feb. 1898 to run and establish all the lines and corners necessary to be run in Sec 35 T 36 S 7 R 1 E meet at the residence of Alex. Mitchell at 10 o'clock A.M. on said day be present else the survey will proceed in your absence

Stanley A. Norman

I hereby certify the above to be a true report of survey of Sec 35 T 36 S 7 R 1 E. made by me on the 8th of Feb. 1898

Charlie M. Bowers

M. C. S.

W	M	.
K	P	.

Feb. 24th, 1898,

In compliance with accompanying note I made the following survey in Sec. 8 T 7, R 1 E. as per plat and field notes

F { I reestablished W. measured by
Ironwood 1 in S 76° E 33 lbs
Limestone at 6° W 12 "

K { K Reestablished
Rickory 3 in N 70° W 66 lbs
elm 1 " at 62 E 21 "
N { W. oak 5 in S 55° E 36 lbs.
beech 14 " at 18° W 7 "

M { Gum 6 in N 45° E 7 lbs
W. oak 6 in S 15° W 63 "

The following assistants were chosen and sworn. Josiah butright George R. Hayse chairman
William R. Hayse flagman
at once.

Notice is hereby given to Susan A. Gilchrist Showers
Bros. Wm. Smith Elsie Rogers Jas. Rogers Mary A.
Rogers Sampson Dickard Joshua P. Waldrup
John P. Searse & Nancy Rogers Supts. Waldrup

That I will proceed together with the
surveyor of Monroe County Ind. or his deputy
on Thursday the 24th of Feb. 1898 to run
and establish all the lines and corners
necessary to be established in Section 8 T 7
R 1 E meet at my residence at 9 o'clock
A.M. Be present at said time and place

else the survey will proceed in your
absence This Feb. 12th 1898


Joseph M. Meach.

I hereby certify the above to be a true
report of survey made in section 8.
T7 R1 E made by me on the 24th of
Feb. 1898.

Charles M. Bowers
M. C. S.

Sep. 6, 1898.

Surveyed for Thomas J. Owens and
others in section 7 and 18 Town 9, N. Range 1 West
as set forth in plat and field notes below.



Center of section 7.
A. { T3. Walnut 4 N 64° E 8 3/4 lks
" " 24 S 80 W 5 1/2 "

Section 18.
M. { 16 poles 3 of 1/2 m. p.
W. oak. 32 S 1 1/2° E 18 lks
" " 18 S 3 1/2° E 10 1/2 lks
N. { S. 65° W. 28.10 from M.
T3 oak 4 S 34 1/2° W 5 1/2 lks
W " 32 N 26° E 49 "

I had for sworn assistants
Doctor T. Wampler flagman
and Thomas K. Wampler &
Perry J. Wampler chainman

I hereby certify the foregoing
to be a true presentation of
survey by me as I verily believe.

Geo. B. Rader Dep. M. C. S.

This is to
C. M. Brown

J. C. M. Brown
the constable
of Indiana
duties of dep
So hlp

Subscribed at
November 18

Notice
Notice is
that we
of Monroe
on the 29
and esta
the fine
of the 18
section
the south
N.E. quarter
section
the N.W.
of the S
the above
H. L. W.
Indian
camps
and the
Christian
and H.
be pres
in 4

Nov. 25, 1898.

This is to certify that I have this day appointed
C. M. Bowers. a true and faithful deputy.

Eugene Bowers.

I C. M. Bowers. do solemnly swear that I will support
the constitution of the United States, and the constitution
of Indiana, and that I will faithfully perform the
duties of deputy surveyor to the best of my ability
So help me God.

Charles M Bowers

Subscribed and sworn to before me this 25th day of
November 1898.

Eugene Bowers.

Notice of Survey.

Notice is hereby given to all who are interested,
that we will proceed together with the surveyor
of Monroe County, Indiana, or his deputy
on the 29th day of December 1898 to run
and establish the following lines

The line dividing the N. half and S. half
of the N.W. quarter of the S.E. quarter of
section seven (7) also the line dividing
the south half of the N.W. and S half of the
N.E. quarter of the S.E. quarter of section (7)
seven, also the line dividing the N.E.
quarter and the S.E. quarter of the S.E. quarter
of section (7) seven and the line dividing
the N.W. quarter and the S.W. quarter
of the S.W. quarter of section eight (8)
The above lines and corners are in T. 10
R. 2 W. 1 Sec. 7 Blossom T. P. Monroe Co
Indiana. The lines divide the lands of
James H. Smith, and wife, The widow
and heirs of Austin Arnet and William
Chrismore and, Anna B. Ritter et. Al.
and H. G. Osgood, Anna B. Ritter
Be present else the survey will proceed
in your absence H. G. Osgood



I hereby certify this
to be a correct report
of the survey made
by me on the 29th
day of December 1898
in ~~section 7~~ and
eight of T. 10, R. 2, W.
Eugene Bowers
M. C. S.

In compliance with the foregoing notice I
made the following survey as per plot and notes
in section 7 & 8, of T. 10 R. 2 W.

I { 8 $\frac{1}{2}$ links E of proper place to get it out of the creek
Sycamore 6, N 68° W 62 $\frac{1}{2}$ lks.
4 S 69° E 28 $\frac{1}{2}$ "


B. { W. Walnut 6 N 25° W 23 $\frac{1}{2}$ lks.
Ash 2 N 4° W 52 lks.

{ W. oak 3 in S 70° E 22 lks.

C. { Beech 24 S 12° E 65 $\frac{1}{2}$ "
Beech 23 S 20° W 26 lks.

D. { " 18 S 42 $\frac{1}{2}$ ° E 15 $\frac{1}{2}$ "
" 18 N 80° E 23 "

The following assistants were chosen and sworn
Chas E. Taylor, Geo Wampler & W. M. Chrusmore.
Section 34 T. 7, N. 4 R. 1 E.




Mar. 21, 1899. Surveyed in section
34 Town 7, North of Range 1 East
and established corners as per
plat and field notes below:

P { Chestnut 4 N 4° W 44 links
W. oak 3 S. 23° W 53 "
Q { B. oak 6 S. 42° E 5 $\frac{1}{2}$ "
" 6 N 63° E 16 $\frac{1}{2}$ "


The above survey was made in compliance with
an agreement of parties interested to waiving
legal notice. The following parties were sworn as
assistants George Heltonberg, Flayman
Oscar Kinser & Joseph Heltonberg Chairman
The above is a true report of survey as
I verily believe Eugene Bowers
M. C. S.

interested
Had for a
John W.
The above
by me

Sec 30 T. 1 N.



The above
with an
waiving
sworn as
Joseph She
The ab
as made



Mar. 23 1899. Surveyed in Sec. 35
T. 7. R. 1. W. and established
corners as per plot and notes
of B. Walnut 63 62° E. 35 links
S Elm 55 S. 88½ E 49 "
P. Maple 4 S. 85½ W. 103 "

The above survey was made
in compliance with an
agreement of parties


interested waving legal notice.

Had for assistants Dennison Chambers
John W. Young William Meadows

The above is a true report of survey as made
by me and I verily believe

Eugene Bowers M.C.S.

Sec. 30 T. 8 N. R. 1 E.



July 28. 1899. Surveyed in
Section 30 Town 8 North of
range 1 East and established
corners as per plat and
field notes below

C. { Buck 10 S 81° E 17 links
W. oak 5 N 48½ W. 17 "
D. { Stone buried N. 7½ "
Hickory 8.3° E 63 "

The above survey was made in compliance
with an agreement of parties interested to
waving legal notice. The following parties were
sworn as assistants, E. L. Bender flagman
Joseph Shields and Geo. Pennington chain
bearers

The above is a true report of survey
as made by me, I verily believe

Eugene Bowers
M.C.S.

Notice of Survey.

Notice is hereby given to John Simons, John S. Wilson, Samuel Ferry, Robert Hovious, James Shelbourn, Nathaniel Conter, Louisa Weaver, Nathaniel Rhodes, and all others who may be interested, that I will proceed together with the county surveyor of Monroe County Ind., or his deputy, on Monday Aug. 1. 1899 to run and establish all lines and corners necessary to be established in Section 6 Town 10 Range 1 W. Survey to meet at my residence at 8 A.M. on said date, Parties are asked to be present else survey will proceed in your absence.

Martin Samgull.

In compliance with the foregoing notice I made the following survey in section 6 Town 10 Range 1 west. as per plat and field notes below.

Section 6 T. 10. R. 1. W.

	B	G	
	C	F	
	D	E	I
	A	H	


- A. { Beech 8 S 39 $\frac{1}{2}$ ° E 16 lks
Hick. 4 N 85° E 17 "
- B. { W. Oak 2 N 62° E 4 $\frac{1}{2}$ "
Ash 5 N 89° E 31 $\frac{1}{2}$ "
- C. { Ash 3 S 2° W 23 "
Mul. 6 S 22 $\frac{1}{2}$ ° W 34 $\frac{1}{2}$ "
- D. { Sug. 4 N 50° W 22 $\frac{1}{2}$ "
Beech 4 S 60° E 25 "
- E. { Sug. 3 N 28° E 12 "
W. O. 2 West 15 "
- F. { Beech 8 N 23° W 76 "
B. Oak. 4 N 10° W 48 $\frac{1}{2}$ "
- G. { Beech 9 S 86° W 35 $\frac{1}{2}$ "
" 4 N 70° E 38 "
- H. { Hick. 3 N 80° W 26 "
Beech 3 S 15° E 15 $\frac{1}{2}$ "

John Collier, Will Kinley I { Beech 6 S 12° W 9 "
& Wesley Weaver were sworn assistants. } " 6 N 45° E 2 $\frac{1}{2}$ "

I certify this to be a correct report of survey as made by me, as I verily believe

Ernest Bowers V.C.S.

S.E. 18.



In compliance with the foregoing notice I made the following survey in section 18 Town 10 R 1 West. Kilman Ray Robert Ebbage and Wm H. Lucas were sworn assistants

Sys. $4\frac{1}{2}$ S 22 W 51, perpetuated
 " 3 N 81 $\frac{1}{2}$ W 53 $\frac{1}{2}$ Hackberry 9 9 $\frac{1}{2}$ W 32

I { Be 24 S 59 E 47.
 Syc 4 N 43 $\frac{1}{2}$ E 37.

{ Lime stone firm
 in the ground

Stone set 34 W 30 $\frac{1}{4}$
 D { Hickory 2 $\frac{1}{2}$ S 49 W 103 $\frac{1}{4}$

{ Pin Oak 4 S 10 $\frac{1}{2}$ W 17
 " " 4 N 37 E 40.

G { B. Oak 5 S 45 W 70
 Be W. 58

I certify this to be a correct report of survey as made by me as I truly believe

H { Be 14 N 84 E 14 $\frac{1}{2}$
 Be 16 N 62 W 16 $\frac{1}{2}$

Engine Bowers.
 M. C. S.

Notice of survey.


Notice is hereby given to Mary A. Bushnick John Davis B. S. Kidd & S. P. Waggoner that I will proceed together with the Co Sur of Monroe Co or his deputy on the 9th day of March 1900 proceed to run all lines and establish all corners necessary to be established in sec 3 T 10 N R. 2 W. Said survey to meet at my Residence on said date at 8 am. parties are asked to be present else the survey will proceed in your absence

J. O. Bushnick.

In compliance with the foregoing notice I made the following survey in Sec 3 T 10 N R 2 W The following were sworn assistants John Able John Davis B. S. Kidd Sam Waggoner J. O. Bushnick

I. W. { Bush 8 S 39 E
 A { Hick 4 N 10 W
 B { W. Oak 2 N 62 E
 C { Ash 8 S 21 W
 D { Mulb 8 S 22 E
 E { Syc 4 N 50 W
 F { Be 4 S 10 W
 G { Syc 3 N 22 E
 H { W. O. 2 W
 I { Be 8 N 22 E
 J { B. Oak 4 N 10 W
 K { Be 9 S 10 W
 L { Hick 3 S 10 W
 M { Be 6 N 10 W
 N { Be 6 N 10 W
 O { Be 6 N 10 W
 P { Be 6 N 10 W
 Q { Be 6 N 10 W
 R { Be 6 N 10 W
 S { Be 6 N 10 W
 T { Be 6 N 10 W
 U { Be 6 N 10 W
 V { Be 6 N 10 W
 W { Be 6 N 10 W
 X { Be 6 N 10 W
 Y { Be 6 N 10 W
 Z { Be 6 N 10 W

N.W. of Sec 3.



N.W. cor perpetuated
J { Be 7 N 42 E 47

center of sec
I { Red oak N 31 W 15

40 rods S of N 1/2 m. p.
K { Stone buried S 5 W 9 1/2

choice of parties
L { Stone " N 11 E 12

Stone S 5 E, 28

Be 30 N 40 E, 35


I certify this to be a correct report of survey as made by me Mar 10 1900 as I truly believe

Engin Bowers
M. C. S.

Dec 26 1899. In compliance with the foregoing notice I made the survey as per plat and field notes in Sec 13 Town 7 N. R. 1 East.

Andley Whitaker C. R. Whitaker and V. H. McConnell were sworn assistants.

(and in paper)



H { B.O. 6 N 26 W 30

I { N.O. 8 24 E 83.

J { W.O. 5 S 26 W 34 1/2

K { W.O. 6 S 44 E 64

J { B.O. 4 S 36 1/2 W 14

K { B.O. 6 S 85 W 42

H { B.O. 6 S 47 E 14

K { B.O. 4 S 18 E 39

L { B.O. 2 S 15 W 58


Chastnut 2 N 57 1/2 E 69 1/2

I certify this to be a correct report of survey as made by me, as I truly believe

Engin Bowers M. C. S.

Sept. 4. 1900. In compliance with the accompanying notice I made the survey in Town 10 Range 2 West Sec. 14. R.C. Carver, C.C. Carver & T.J. Gable were sworn assistants.

Platt and field notes shown
 I. Stone S 77 1/2° W 10 and Stone S 40° E 8, lks
 J. " S. 8° E 12 Stone N 63 1/2° E 7, lks
 K. " S 84 1/2° W 13 1/2, " S 17° E 13,
 L. " S 78 1/2° W 14 " N 77° E 11.



I certify this to be a correct report of survey as made by me as I verily believe


Erigen Bowers, M.C. 3.

Oct 12 - 1900 In conjunction with a notice published in Co. paper (but not preserved) I made a survey for Mary J. Fox in Town 7 N range one west to establish corner of Sections 5-6-7-8. witnesses taken as follows, ash 182. N 86° E 5 1/2 Bush 22 in N 33 1/2° E 45 lks

Geo. Sylvestre John Sylvestre Forest Sylvestre were sworn assistants

I certify this to be a correct report of survey as made

C. M. Bowers (Deputy M.C. 3.)



W cor perpetuate
 7 N 42 E 47
 center of sec
 Red oak N 31 W 15
 40 rods S of N km. p.
 Stone burned S 5 W
 choice of pasture
 Stone " N 11 E 12
 a correct report of survey
 10/1900 as I verily believe
 Erigen Bowers
 M.C. 3.
 In compliance
 notice I made
 plat and field
 N. R. 1 East
 taken C.R. Whit
 all were sworn
 a correct report of survey
 believe
 Erigen Bowers

Sec 5 Town 8 N. R 1 E

December 3rd 1900

I, George B. Rader hereby certify that I was a sworn Deputy Surveyor in and for Monroe County in the state of Indiana during the year 1896, acting as such under Elmer C. Buskirk, The official Surveyor of said county, and that I did in the month of June of the said year (1896) by the request and agreement of all the parties concerned, namely Thos. Simpson, Thomas Lamphier, Frank Lamphier, George Campbell, and Susan Ellis represented by John Leasie meet at the residence of the said John Leasie the above named parties and proceeded to make the following survey in Section five, Town eight North, Range one East as shown by plat and field notes appended hereto.

And I had for chain markers Wm. St. Sewell and Wm. T. Shivers and for Flag bearers Joseph Reed, all duly sworn.

And I further certify that I made my report as deputy in due time, and also made a record of the field notes on the Township book which I had in my possession. But as we had to use the mail and other facilities for exchange of papers, books &c, it now occurs that my report of this survey to the said Buskirk is lost and not of record on the county surveyors book. I ask the present county Surveyor to transcribe them together with these statements on his docket.

George B. Rader.

Sec 5 Town 8 Range 1 E

Dec. 3rd 1900

I hereby certify that the above is a true transcription of the report of George B. Rader made Dec. 3rd 1900 of his survey in Sec 5 Town 8 N. R 1 E in June 1896; Also that the above plat is a correct transcription from the field book of Township 8 N. Range 1 E. L. E. Debeard M.C.S.

- 30 poles E of the NW corner of the SW qr. of the SW gr.
 Hickory 5 in. S 2 1/2 E 17 lks
 " 3 in. W 40 lks
 4 poles and 2 1/2 lks S 7 1/2
 Hickory 4 in N 10 E 2 8 1/2 lks
 W Oak 5 in N 44 1/2 W 83 lks
 At 1/2 dist. bet. cent. + 5 1/2 mi post
 Hickory 5 in S 12 E 50 1/2 lks
 W Oak 9 in N 42 1/2 W 63 lks
 At cent. of S 2 gr.
 W Oak 4 in N 13 1/2 E 14 lks
 Birch post 3 in S 4 1/2 W 21 lks
 N 16 W 17 1/2 poles dist. from a point
 30 poles W of the SE cor. of the SW gr.
 of the SW gr.
 Sand stone witnessed by cherry 2 1/2
 N 11 1/2 E 14 8 lks S 57 E 13
 Hickory 4 in

March 16, 1901.

This is to certify that I this day appointed Eugene Bowers a true and lawful deputy M.C.S. in and for the County of Monroe State of Indiana.

Lew C. Dechard
M.C.S.

I Eugene Bowers solemnly swear that I will faithfully support the constitution of the United States and the constitution of the State of Indiana, and that I will faithfully perform the duties as a deputy surveyor, ^{in Monroe County, State of Indiana} to the best of my ability, so help me God.

Eugene Bowers.

Subscribed and sworn to before me, this the 16th of March 1901.

Lew Dechard M.C.S.

Patton 9th & Patton. Sec. 5 & 6, T⁸ N R 1 E.

March 22, 1901.

By agreement to warning legal notice I made survey as per plat and field notes below, in sections 5th & 6th town 8 N. Range one (1) E. P. H. Jacob Patton, Samuel Patton, and Smith Shriver were sworn assistants.



- N { stone corner 15 m long S 75° E dist 5 1/2 lks
B { reestablished
 { Gum 4 S 63° W 1 lks
 { Oak 5 N 71° E 1 1/2 lks
 { 10 lks N of proper place to get out of branch
O { Hickory 1 mi N 35° W 2 1/2 lks
 { Beech 4 S 33° E 2 1/2 lks

I certify this to be a true report of survey as I verily believe.

Eugene Bowers
Deputy M.C.S.

N.H. May and Jas. Hughes Survey In sec 15 T10N R2W.

March 25
1901

Subst N.H. May, Jas. Hughes et al. pursuant to written notice served on interested parties by N.H. May ten days previous to date of survey. See attached notice below. We organized by qualifying Russel Hughes, Burk May and Willie South, and Newton Hone as assistants. We began at the N.W. corner of the N.E. 1/4 of sec 15 T10N R2W. run East one quarter of a mile and found witnesses of old corner. Said corner was perpetuated by a lime stone rock set two feet in ground and witnesses are Ash 12 in S 10° 14 links and an elm 12 in S 82 1/2° W 46 links. see Sec. 10. Thence we run south on a random line with variation of needle at 2 1/2° E. a distance of 17 chains to Bear Blossom creek. Said Creek was up and we had no way to cross. We then drove a stake on this random line on the bank of said creek and one at every five chains along said line. Both interested parties agreeing we disbanded.

I hereby certify that the above is a true statement of the survey as made by me, in witness whereof I attach my hand and seal.

Lew E. Heckard
M.C.S.

this day appointed
unful deputy
State of Indiana
Lew E. Heckard
renew that I was
of the United States
that I will judge
deputy surveyor
to me had
Eugene
before me, this the
Lew Heckard

Sec. 574, S 8 N 11 W

to wrong legal
no field notes
ang one (1) C.
allotment, and



I certify that
true report of
as I verify
Eugene

Survey of the W^m Ping Farm in Section 30 T⁸ N R¹ E and Section

March 28 25 T⁸ N R¹ W.
1907.

Assuming a branch, fences, and stones planted in the ground to be on true boundary lines, I made a survey and find that the above said real estate is bounded as follows, to wit:

Beginning at a point on the township line twelve (12) chains and fourteen (14) links north of the south west corner of the north west quarter of the south west quarter of section thirty (30) town 8 N R¹ E running thence in a north-easterly direction following the meanderings of a branch known as the Baxter Branch a distance of fifteen (15) chains and eighty five (85) links; thence north $12\frac{1}{2}^{\circ}$ West eight (8) chains and ninety-four (94) links; thence west thirty-five (35) chains and sixteen (16) links; thence South ten (10) chains and twenty-four (24) links; thence East four (4) chains and thirty-one links; thence South Seven (7) chains and sixty-one links; thence East twenty (20) chains and twenty (20) links to the place of beginning. Said tract of land contains 54.03 acres more or less.

I hereby certify that the above is a true and correct statement of the survey as made by me. In witness whereof I attach my hand and seal.

Lew P. Peckard
M. C. S.

Surveyor's Notice.
Notice is hereby given that I
James S. Peckard, together with the
Deputy Surveyor, on the 11th day of April, 1907,
at the town of Ping, located and established
the corner between the Northwest Quarter of
Section 30, Town 8 North, Range 1 East, and
the Northwest Quarter of Section 31,
Town 8 North, Range 1 East, One
mile at S. B. Canada's, at 10 o'clock
a.m. All parties interested are
notified to be present at said place
on the 11th day of April, 1907, at 10 o'clock
a.m. for a hearing.
WALTER S. TAYLOR
Deputy Surveyor

Wm. Dennis

NW 1/4 SECTION



Land Stone
Bl. Oak 85 88
Bl. . 105 80
Sand Stone
Beech 9 N 8
Spotted Oak 3 N 3
Land Stone
B. Walnut 14
Beech 8 N
Sand Stone
Bl. Oak 18 S
Hickory 12 N
Land Stone
Spotted Oak
Hickory

of the survey
whereof I attach

Sec 10, T10N R1W. Vanscoyoe Survey

April 15, '01.


Surveyor's Notice.

Notice is hereby given that I will proceed, together with the Monroe County Surveyor or his Deputy, on Monday, the 13th day of April, 1901, to run all lines, locate and establish all the corners required to locate my real estate, which is the Northwest Quarter of the Northwest Quarter and East Half of Northwest Quarter of Section 10, Town 10 North Range One West. Meet at S. D. Canada, at 10 o'clock of said day.

All parties interested are hereby notified to be present at said place and time, else said survey will proceed in your absence.

WALTER N. VANSCHOYOE.

and Dennis Welch as chainmen.



The attached notice having been duly published for three successive weeks in the "Courier", a newspaper of general circulation, I met the interested parties on appointed day at the appointed place. We organized by qualifying Douglass Canada as plainer and Jefferson Brown

Witness trees of corner "J" sec 3, T10N R1W were identified and corner perpetuated with new witnesses as follows.

"J" { Perpetuated, sand stone
Hickory 12 N 28 E 35 lks
W Oak 2 1/2 N 17 1/2 W 4 1/2 "

We then proceeded to establish the corners in the NW 1/4 Sec 10 T10N R1W as per plat and notes as follows.

"A" { sand stone
Bl. Oak 8 S 88 1/2 W 55 lks
Bl. " 10 S 80 1/2 E 4 "

"C" { Sand Stone
Beech 9 N 83 W 42 1/2 "
Spotted Oak 3 N 3 1/2 E 16 "

"D" { Sand Stone
B. Walnut 14 S 74 1/2 W 125 lks.
Oak 8 N 9 1/2 E 100 "

"E" { Sand Stone
Bl. Oak 18 S 61 1/2 E 19 "
Hickory 12 N 28 1/2 E 22 "

"F" { Sand Stone
Spotted Oak 3 N 1/2 W 4 "
Hickory 5 S 53 E 14 "

"G" { sand stone
W Oak 4 N 30 1/2 W 46 1/2 lks
W " 9 S 31 W 28 1/2 "

"H" { sand stone
Double Beech 15 S 22 W 53 "
Cedar 5 S 44 E 87 "

"I" { turn over.

I hereby certify that the above is a true record of the survey as made by me as I verily believe. In witness whereof I attach my hand and official Seal.

Geo. J. Heckard M. C. S.

Seal

Sec 27 T7N R1E Cordor Myers Survey

April 29, '01

Notice of Survey


You are hereby notified that on Monday April 30th 1901, I will proceed with the Surveyor of Monroe County or his deputy, to run all lines and establish all corners in Section 27 T7N R1E necessary to locate my real estate in said Section.

Meet at my house at 7 o'clock A.M. on appointed date.

David L. Cordor

The above written notice having been served on all interested parties at least ten days previous to date of beginning Survey, I met them at aforesaid place on appointed date and organized by qualifying David L. Cordor Jr. Flagman, T. J. Fender & J. W. Kinser as chainmen; all interested parties consenting.

Sec 27 T7N R1E



We then proceeded to run lines and establish and perpetuate corners as per plat and notes.

"A" } Reestablished
B Walnut 7 S 18 E 73 lks
Hickory N 89 W 54 1/2 "

"B" } Reestablished
Hickory 6 S 87 W 83 lks
Hickory - N 31 W 49 1/2 "

"C" } Reestablished, sand stone
chestnut 3 N 41 E 7 1/2 lks
Sassafras 4 S 80 W 17 "

"D" } B Oak 10 N 37 E 12 lks

"B" } B " 3 1/2 S 48 E 10 1/2 "

"C" } Hickory 2 S 31 E 24 1/2 lks

"C" } Hickory 1 S 42 1/2 W 7 1/4 "

"E" } Apple 10 N 34 1/2 W 104 1/2 lks
W Oak 24 S 18 1/2 W 150 1/2 "

"F" } Chestnut 3 S 22 W 10 lks

"F" } W Oak 4 S 18 E 7 "


"E" } 1/2 mi E. of sec 28
W Oak 6 S 5 1/2 E 3 1/2 lks
W " 2 4 3 1/2 W 21 1/2 "

I hereby certify the above to be a true and accurate report of survey as made by me on above date, in witness whereof I attach my hand and Seal.

Levi E. Richard M. Sec.

Someone
May 11th 1901
Party, or his
correspondence
two (2), branch
of Indiana
appointed

The
days before
the end time
of flagman,
daily down.
We have
per flat and



I have
report of
whereof

Sec 1st & 2nd

Sp. 7 N R 1 W.

Kentzer, Clark Survey.

569


May 11 '01

Surveyors Notice you are hereby notified that on Saturday, May 11th 1901, I will proceed with the Surveyor of Monroe County, or his deputy, to run all lines and establish all corners necessary to locate my real estate in Section one (1) and two (2), Township (7) N, R. One (1) West. all in Monroe County State of Indiana. Meet at my residence at 7 o'clock A.M. on appointed day. Chas. L. Kentzer.

The above notice having been duly served ^{on all interested parties} ten days before beginning the survey, I met them at appointed place and time and organized by qualifying Albert Clark as flagman, Jno. M. Allen & Riley Lucas Jr. chummen, all duly sworn.

We at once began to run lines and establish corners as per plat and notes.

Sec 2. T 7 N R 1 W



E } Perpetuated $\frac{1}{2}$ distance between Cent. 4 N $\frac{1}{2}$ W. p.
Beech 12 N 11 $\frac{1}{2}$ E 10 lks
Maple 6 S 45 W 38 "

C } Perpetuated center of sec
Poplar 8 S 34 W 74 $\frac{1}{2}$ lks
Beech 18 N 87 $\frac{1}{2}$ W 98 $\frac{1}{4}$ "

K } All evidence of original corner lost
40 rds due S of I
W Oak 8 S 42 $\frac{1}{2}$ E 76 lks
" " 8 S 21 W 69 "

I } Reset. witnesses same
Beech 12 S 67 E 16 lks
" 10 S 46 W 17 $\frac{1}{2}$ "

I hereby certify the above to be a true and accurate report of survey as made by me on above date; in witness whereof I attach my hand and Seal.

Lea E. Fleckard
M. C. S.



Sec's. 9th & 10 T. 10 N R 1 W

Hodges Survey

May 6 '01

Notice of Survey.

You are hereby notified that on Monday May 6, '01 at 10 o'clock A.M. I will proceed with the county Surveyor, or his deputy, to run all lines and establish all corners in sections nine (9) & ten (10) town 10 N R 1 W, necessary to locate my real estate in said sections. Meet at S. 21 Canada. Be present at said time and place else survey will proceed in your absence.

Cynthia Hodges

The above notice having been duly served on all interested parties ten days previous to date of survey I met them at appointed place on an appointed time.

S. 21 Canada & William Fry were sworn in as chainmen and H. J. Spradlin was sworn as flagman. We then proceeded to run the lines and locate corners as per plat and notes below:

	S.		
Sec 9	i	D. Sec 10	
	B	L K	

Perpetuated
B { Beech 12 N 75 $\frac{1}{2}$ W 3 $\frac{1}{2}$ lks
Sassafras 5 N 57 E 9 "

Perpetuated, sand stone
i { B. Walnut 10 S 25 $\frac{1}{2}$ E 68 lks
Sycamore 1 S 10 $\frac{1}{2}$ W 18 "

sand stone
S { B. Oak 10 N 70 E 80 lks
B. " 13 N 47 E 84 $\frac{1}{2}$ "

sand stone 40 rds E of D
J { B. Walnut 14 S 54 $\frac{1}{2}$ W 4 lks
B. Oak 10 S 67 $\frac{1}{2}$ E 38 $\frac{1}{2}$ "

sand stone 80 rds 38 lks S of J
K { B. Walnut 2 N 15 E 20 lks
Spotted Oak 2 N 35 W 37 $\frac{1}{2}$ "

sand stone
L { W. Oak 3 N 65 E 66 $\frac{1}{2}$ "
B. Walnut 1 S 54 $\frac{1}{2}$ E 46 $\frac{1}{2}$ "

I hereby certify the above to be a true and accurate report of survey as made by me on above date. In witness whereof I attach my hand and Seal.

D. E. Dickard M. C. S.

Hedges Survey

testified that on W. side of road I will proceed to or her deputy to see all corners necessary to locate the line. Meet at the place and place the evidence.



Stone 40 rods E of D
Walnut 14 S 34 W 1/2
Oak 10 S 62 1/2 E 3/4
and stone ponds on the S side
Walnut 2 N 15 E 20 W
otted oak 2 N 35 W 3/4
and stone 66
Oak 2 N 65 E
Walnut 1 S 34 1/2 E 46
be a true and
close set

Sec 18 T7 N R1 E


Hedrick Meadows Survey

June 20 '01

Written notice having been served on all interested parties at least ten days previous to date of survey, I met them as per appointment and proceeded to make the following survey as per plat and notes.

Lewis Conner and Geo. W. Palmer, Chairmen and Wm. Hedrick, flagman all duly sworn and all parties consenting.

Sec 18, T7 N R1 E




101 rods S of F
K { B. oak 3 S 26 W 20 lbs
Water Beech S 74 W 1 1/2 "

3, 0 1/2 chs North of G
J { sycamore 5 S 58 1/2 E 11 lbs
elm 5 N 10 W 34 "

I hereby certify the above to be a true and accurate statement of survey as made by me on above date. In witness whereof I attach my hand and seal.

L. E. Peckard
H. C. S.




Sec. 4 T7N R1E & Sec 33 T8N R1E July 1st 1901

NOTICE OF SURVEY.
Notice is hereby given to all non-residents and all others interested, that I will proceed, together with the County Surveyor of Monroe County, Indiana, or his Deputy, on
MONDAY, JULY 1st, 1901,
to run all lines and establish all corners necessary in section four (4), township seven (7) north, range one (1) east, and also in section thirty-three (33), township eight (8) north, range one (1) east.
Meet at Perry Hill's residence at eight o'clock. All interested parties are requested to be present at said time and place, else said survey will proceed in their absence.
JAMES W. SEXTON.
w31.

Pursuant to attached notice published for three successive weeks in the Bloomington Courier a news paper of general circulation, I met the interested parties on appointed date at appointed place and organized, began the survey and continued for 6 days when by agreement we adjourned until July 15, 01 when the work was again taken up and completed.

Edgar Duncan & James Pate were flagmen
Edgar Tapp & J.H. Thum were chainmen
all duly sworn.



Sec. 4 T7N R1E.

- Reestablished
C { W. Oak 22 N 48 W 97 lks W } 1/2 dist bet S & R
Willow 4 N 74 E 22 " } Burr Oak 7 S 4 1/2 E 9 1/3 lks
Sand Stone North 15 "
- N { Beech 20 South 27 1/2 lks } Sand Stone South 15 lks
Ash 16 N 87 1/2 W 57 " } " " North 15 "
- Reestablished
D { Oak 10 N 63 1/2 W 16 1/3 lks } Beech 15 S 55 E 33 1/2 "
Elm 18 N 65 E 31 1/3 " } Sugar 4 N 70 E 26 "
S { Elm 8 S 86 E 32 " } Sugar 10 S 4 W 18 1/2 "
Sand Stone West 15 " } Hickory 3 N 66 1/2 W 40 1/2 "
- X { Sand Stone West 15 " } g { Set corner stone 6 lks W of true corner
Sand Stone South 15 " } Swamp oak stone outline corner
Sand Stone 7 1/2 feet N of true corner

Sec. 33 T8N R1E

- H { B. Walnut 8 N 10 W 25 lks
Elm 8 S 7 1/2 W 42 " } perpetuated
52 rds E of " } M { B. oak 15 S 78 1/2 W 8 1/2 "
B. Walnut 4 N 4 1/2 W 43 " } Hickory 12 N 78 E 24 "
" " 8 N 61 E 105 " } center of N & E
Sand stone buried in Road } Brook 10 S 61 W 34 lks
B. Walnut 4 N 8 9 E 28 1/2 lks } W { B. 11 10 S 7 1/2 W 58 1/2 "
" " 3 N 30 E 27 " } Perpetuated
40 rds E of K } 40 rds E of L
C { Beech 12 S 40 E 8 1/3 lks } B. oak 8 N 58 E 11 1/2 lks
" 6 S 83 1/2 W 34 " } Sugar 4 N 33 1/2 W 31 "
- N { Sand Stone East 15 " }
" " South 15 "

I hereby certify the above to be a true and correct report of survey so made by me on above date. In witness whereof I attach my hand and official seal
L. E. Beckard. C. H. S.

I George B. Rader do solemnly swear to support the constitution of the United States and the Constitution of the State of Indiana and discharge the duties of Deputy County Surveyor in and for Monroe County according to law to the best of my skill and ability So help me God
George B. Rader

January 2nd 1902

This is to certify that I this day appointed George B. Rader a true and lawful Deputy Surveyor in and for the county of Monroe State of Indiana.

L. E. Peckard M.C.S.

Notice of Survey.

Notice is hereby given to all non-residents and all others interested, that I will proceed, together with the County Surveyor of Monroe County, Indiana, or his Deputy, on
MONDAY, NOVEMBER 25th, 1901,
to run all lines and establish all corners necessary in sections six (6) and seven (7), township seven (7) north, range one (1) east.
Meet at John Duncan's residence at 9 o'clock on said date. All interested parties are requested to be present at said time and place; also said survey will proceed in their absence.
SUSAN A. DUNCAN.

Sec. 7 Tp. 7.N.R. 1.E. Nov. 25 1901.

Pursuant to attached notice published for three successive weeks in "The Star" a newspaper of general circulation in Monroe Co. I met the interested parties on appointed date at appointed place and organized by swearing in as assistants, J. H. Duncan and Chas. Shields as chairmen and for Duncan as flagman.

The work continued until Nov. 27 when Chas. Shields was to be excused and I took up his work. The following is a complete record of the survey.

- | | | | |
|---|-------------------------------|---|--------------------------------|
| O | Hickory 8 N 60 W 70 1/2 lks | P | B. Gum 10 N 58 W 8 1/2 lks. |
| | Beech 5 S 30 1/2 W 25 " | | Beech 13 S 56 1/2 E 17 " |
| N | Burr Oak 6 S 29 E 21 1/2 " | R | Beech 10 S 80 E 33 1/2 " |
| | Turkey Oak 12 S 3 W 25 1/4 " | | Soft Gum 16 S 73 W 30 " |
| A | B. Pear 4 N 62 1/2 E 10 " | S | + on sandstone in open ground. |
| | B. Oak 14 S 8 1/2 W 51 3/4 " | | Apple 10 N 74 1/2 W 48 " |
| Q | B. Gum 8 N 28 1/2 E 22 " | t | Line stone 11.40 chs N 48 W |
| | P. Pear 8 S 54 1/2 W 15 1/2 " | | Beech 3 N 77 1/2 E 26 lks |
| | | | Sugar 10 N 62 1/2 W 39 1/2 " |

I hereby certify the above to be a true and correct report of said survey as made by me on said date. In witness whereof I attach my hand and official Seal.

L. E. Peckard M.C.S.



Sec 7-N.E.

Sec. 13 T 9 N R 2 W. Feb. 11, 1902

Notice of Survey.


Notice is hereby given to Thomas Ridge, Benjamin Stall, Mary Williams, James Stanger, Horwin Woodall, Sarah Woodall, and Hythe Stanger, that I will proceed with the County Surveyor of Monroe County, Indiana, or his deputy, on the 11th day of February 1902 to run all lines and establish all corners necessary to be established in section 13 township N. 9 north range two west.

Met at the residence of Benjamin Stall at 9 o'clock. All interested parties are requested to be present at said time and place else said survey will proceed in their absence.

Henry Steel.

The above notice having been served on all interested parties at least 10 days previous to date of survey by Mr. H. Steel I met them at appointed place and time. We organized by qualifying James Williams and H. S. Stanger as chairmen and Benjamin Stall as flagman, all duly sworn and all parties consenting.

Sec 13-9-2-W




I { New { B. Walnut 17 S 27 W 38 lks
Witnesses { + on Stone Gate post R 81 W 24 1/2 lks
{ Ash 20 N 44 1/2 W 6 1/2 lks. "E" { B. Walnut 7 S 26 1/2 W 20 3/4 lks
F { B. Walnut 12 S 23 3/4 W 11 1/4 " { Poplar 24 N 19 1/2 W 12 1/4 "
{ W. Walnut 4 S 4 1/2 E 17 3/4 lks. "O" { limestone set 10 S E N.
C { Sycamore 10 N 23 1/2 E 11 1/2 " { " " " 7 " S
G { limestone N 85 1/2 E 15 lks "Q" { " " " 40 S N 45 " I
" " " N 12 S " 15 " { " " " East 15 ft.
R { half way between "t" & "o" { limestone with W. 11 S 1 1/2 in W "t" { " " " North 15 lks
" " " 12 S 10 1/2 in E. { " " " South 15 "
P { Beech 26 S 86 1/2 W 29 1/2 lks "N" { Beech 30 S 20 1/2 W 45 lks
Q/m { Elm 6 S 75 E 50 " { " " " 18 N 17 1/2 E 15 1/2 "
M { perpetuated { Sugar 4 S 87 1/2 W 16 1/2 lks
Will cherry 3 1/2 S 34 E 4 1/2 " { Reestablished { Elm 10 S 66 1/2 E 62 3/4 lks
Mulberry 6 S 9 1/2 W 5 1/2 "

I hereby certify the above to be a true and correct report of Survey as made by me on above date. In witness whereof I hereby attach my hand and official Seal.

L. E. Dickard M. C. S.

Sec. 12 T7N R1W March 5 1902

All interested parties having agreed to waive the statutory ten days notice of survey I met them on above date and made the following survey as shown by plat and field notes.



J
limestone { 22 rds E 45 W cor. of SE 1/4 of SW 1/4
Ash 6 N 59° E 4 1/2 lks.
" 5 S 42 1/2° W 14 3/4 "

I
Sandstone { 15 rds E of NE cor of SW 1/4 of SW 1/4
Black walnut 15 S 45° E 25 lks.

C { New witnesses
Reed 15 N 88° E 6 1/2 lks
" 12 N 10 1/2° E 8 1/4 "
Dogwood 4 S 57 1/4° W 2 "

J. F. Deekard } chainman
Thos Deekard }

Jno. W. Miller, flagman

were all duly sworn in as assistants also parties consenting.

I hereby certify the above to be a true and correct report of survey as made by me on above date. In witness whereof I hereby attach my hand and official Seal.

L. E. Deekard

On July 31, 1902 I met Thos and J. F. Deekard as per agreement and made the following survey. Thos & J. F. Deekard acted as chain bearer and W. F. Deekard as flagman.


I began at "J" (see plat above) in Sec 12 T7N R1W run N 10° 33' E 9.71 chains to an Elm 10 in in diameter, thence N 11° 29' west 9.5 chains to "I".

"K" { It's an Elm tree 10 in. on west Bank of Ramp Creek
(Witnessed by a Sycamore 14 818° W 56 links.

I hereby certify this to be a true & correct report of said survey as made by me on above date as I verily believe. In witness whereof I hereby attach my hand and official Seal L. E. Deekard M.C.S.

Sec 11 T9R1E March 12, 1903

All interested parties having agreed to waive the statutory ten day's notice I met them on their representatives on above date and made the following survey as per plat and field notes. Geo. B. Raider acted as assistant surveyor. Chain-bearers and flagmen served interchangeable and by agreement of all parties present Henry Mohr, Geo Gray, Edgar and Oscar Richardson, Wade H. Fuller, Harry Sawley, Moses Richardson were sworn in as assistants.




N	Chestnut Oak 4 S 68° 1/2 E 1 1/2 lks.	
	" " 8 N 83 W 24 "	
O	New witnesses	
	Beech 8 N 63 1/2 E	36 3/4 "
D	W. Oak 8 S 19 1/2 E	43 1/2 "
	Beech 10 N 87 1/2 W	15 "
H	" 8 N 2 1/2 E	24 1/2 "
	Perpetuated	
H	Walnut 4 N 20 E	29 "
	B. Ash 16 S 28 E	42 1/2 "
B	B. Walnut 6 S 29 W	23 "
	B. " N 10 1/2 W	39 "
A	Hickory 4 N 5 E	18 1/2 "
	Dogwood 3 S 64 3/4 W	5 1/2 "
K	Hickory 10 N 4 E	73 3/4 "
	Ash 8 N E	52 "
M	W. Ash 8 S 23 E	3 "
	B " 16 N 84 W	24 1/2 "
I	New witnesses	
	B. Oak 3 S 45 1/2 E	28 "
	W Oak 3 N 89 W	28 "

I hereby certify the above to be a true and correct report of survey as made by me on above date, in witness whereof I hereby attach my hand and official Seal.

L. E. Pedward M. S.

Sec 24 T
of the reg
established a
one (1) ear
for assistants
Pedward and J



report to be the


Sec 16 T

correct rep
date, in
and off

Sec. 24 T10N R1E

Mar 17 '02

At the request of Jas Young, Jas Fleener, Lee Whitwood, Clem Caley, and Lydia Fleener I made a survey and established a corner in section ²⁸ ~~24~~ tower ten (10) north range one (1) east as indicated by field notes below. I had for assistants Jas Young and Benton Spencer Lehair Markers and Lee Whitwood flag bearer all duly sworn



Half distance between
 Center $\frac{1}{4}$ South $\frac{1}{2}$ mi. post.
 Ash 3 N 12° W 211ks
 Cherry 5 N 53½ E 24 "

March 24, 1902.

I hereby certify the foregoing report to be true and correct as I verily believe.

Geo. W. Baird
 Deputy N.C. Surveyor

May 22, 1902

Sec 16 T 7 N R 1 W

correct report of survey as made by me on above date. In witness whereof I hereby attach my hand and official Seal.

L. J. Peckard
 N.C. Surveyor

2, 1902
 agreed to waive the
 on their representative
 ng Survey as per plat
 a assistant Surveyor. Chas
 ingeable and by agree
 Mr. Jas. Gray, Edgar
 c, Harry Hawley, Ross W. L...

Mar 17 '02

at 044 36 1/2 lbs.
 8983W 24
 43145
 846 1/2 E 36 1/2
 819 1/2 E 43 1/2
 9 N 87 1/2 W 15
 N 2 1/2 E 20 1/2
 at 2
 20 E 28
 28 E 42 1/2
 6 S 25 W 23
 N 10 1/2 W 38
 5 E 18 1/2
 4 1/4 W 2 1/2
 4 E 23 1/2
 E 52
 3 E 3
 W 24 1/2
 28
 E 28

May
 22, 1902

In pursuance of the attached notice which was served on interested parties ten day previous to date of survey, I met them at appointed time and place and proceed to make survey as per notice. A. W. Chambers and Ballard Stultz acted as Chairmen and H. E. Sherlock and Thor. Underwood as flagmen all were duly sworn.

Began at center of Sec. 21, T7N R1W and run North 80.11 E 53
 Here we identified witness tree taken by A. J. Hillman to the corner for the center of sec. 16-7-1W which was in Little Clear Creek (see field notes of survey in 1887) Run East of corner 33 link and connected back.

Witnesses for
 corner at cent. of Sec. { B. Walnut 124 N 5° W 66 1/2 lbs
 { Elm 12 N 84° W 57 "
 No Stone.

I hereby certify the above to be a true and correct report of survey as made by me on above date. In witness whereof I hereby attach my hand and official Seal.


L. J. Peckard
 N.C. Surveyor

be a true and
 above date
 official Seal
 L. J. Peckard

Sec 24 T 10 N R 1 E

Mar 17 '02

At the request of Jas Young, Jas Fleener, Lee Whitwood, Clem Caley, and Lydia Fleener I made a survey and established a corner in section ¹²⁸ 24 tower ten (10) north range one (1) east as indicated by field notes below. I had for assistants Jas Young and Benton Spencer Lehair Markers and Lee Whitwood flag bearer all duly sworn



Half distance between
 C Center $\frac{1}{4}$ South $\frac{1}{2}$ mi. post.
 Ash 3 N 12° W 211hs
 Cheery 5 N $53\frac{1}{2}^{\circ}$ E 24 "

March 24, 1902.

I hereby certify the foregoing report to be true and correct as I verily believe.

Geo. B. Raider
 Deputy N. C. Surveyor

May 22, 1902

Sec 16 T 7 N R 1 W

Notice of Survey

Notice is hereby given to Levi A. Strain, Ballard Stultz, Malinda Sherlock and Anthony Chambers that I will proceed together with the County Surveyor of Monroe County, or his deputy, on Thursday May the 22nd 1902 to locate and establish the mid-section line running north and south, which divides section sixteen (16) township number seven (7) north, Range one (1) west, into an east and west half.

Said survey will begin at eight (8) o'clock on said day above mentioned. You are requested to meet at my residence ^{and be present} on appointed day at appointed time else said survey will proceed in your absence.

Lafayette Munderwood

To Thor. Ridge,

Said survey will begin at 8 o'clock AM on said date.
Met at said tract of land.

you are requested to be present at said time
and place else said survey will proceed in your absence
H. S. Steel

Served Aug 16, 1902.

In pursuance to above notice I met the interested parties on appointed date and proceeded to locate said corners as per field notes below

It is 40 rods N of SW corner of section

u { limestone 20 yds. east of " "
limestone with W 15 lks east
" " " " south

v { Limestone 14 rds. South of "u"
" " with w 10 lks north
" " w 10 lks west

W { Limestone 14 rds South of "t"
" " with w 15 lks north
" " " 15 lks south

Elmer Bush and Jas. Williams
acted as chancellors and J W
Rife as flagman. All were

daily swarms.

I hereby certify the above to be a true and accurate report
of survey made by me on above date. In witness whereof I hereby
attach my hand and official seal. L. E. Peckard M. E. S.

L. E. Pedraza M. E. S.

Notice is hereby given to all interested real estate owners in township numbers two (2) and three (3) township number ten (10) range one (1) west, section 36, T. 2 N., R. 10 W., to meet at the residence of Robert F. Fulford, Mary Harrey, Bedford Harrey, Wm. H. Peters, Albert W. Goshay, and all other interested parties, and I will proceed with the survey of Monroe township Indiana, on his deputy, on Wednesday, April 16th, 1902, at the all time and establish all corners necessary to be established in sections numbers two (2) and three (3) township number ten (10) range one (1) west, at the residence of Robert F. Fulford at 2 o'clock a. m. on said day. All interested parties are requested to be present at said place and time also said survey will proceed in their absence.

A. L. FULFORD

Sycamore 1 1/2 S
 Sand stone E
 L B. Oak 6 N 83 W
 B " 6 S 10 1/4 W
 R Hickory 3 S 27 1/2 W
 " 4 S 18 W
 P Hickory 7 W
 Sugar 4 S 8 E
 A Limestone
 Sycamore 3
 S W. Oak 1 1/2 N
 Sugar 3 S
 M B. Oak 3
 " 4
 N Hickory 7

I
accurate
date. In
official

Secs. No. 2 & 3, T 10 N, R 1 W

April 16
1902


Notice of Survey.

Notice is hereby given to all non-resident real estate owners in sections numbers two (2) and three (3) township number ten (10) north, range one (1) west, and to Spacey Fulford, Robert Fulford, Sylvanus Fulford, Mary Fulford, Lucy Harvey, Bedford Peters, Harvey Peters, Wm. H. Bolin, George W. Godsey, Albert Cooksey and all other interested parties, that I will proceed with the county surveyor of Monroe county, Indiana, or his deputy, on Wednesday, April 16th, 1902, to run all lines and establish all corners necessary to be established in sections numbers two (2) and three (3) township number ten (10) north, range one (1) west. Meet at the residence of A. L. Fulford at 9 o'clock a. m. on said day. All interested parties are requested to be present at said place and time else said survey will proceed in their absence.

A. L. FULFORD.

In pursuance of the attached notice I met parties on appointed date at appointed place and proceeded to make the following survey as per plat and field notes.

It is Collier, Marion Hubbard, Jas. H. Houston, Robert, Fulford, David Houston, Albert Cooksey and Oscar Fulford were sworn as assistants.



K Sycamore $1\frac{1}{2}$ S 3 E $15\frac{3}{4}$ lks.
Sand Stone E 10 "

L B. Oak 6 N 83 W 12 "
B " 6 S $10\frac{1}{4}$ W 20 "

R Hickory 3 S $27\frac{1}{2}$ E $13\frac{1}{4}$ "
" 4 S $79\frac{1}{2}$ E $42\frac{1}{2}$ "

P Hickory 7 W 84 lks
Sugar 4 S 89 E 172 lks.

A limestone
Sycamore 30 N $19\frac{1}{2}$ E 30 "

S W. Oak $1\frac{1}{2}$ N 6 W 6 "
Sugar 3 S 8 W $45\frac{1}{2}$ "

M B. Oak 3 N 7 E $15\frac{1}{2}$ "
" 4 N $58\frac{1}{2}$ E $42\frac{1}{2}$ "

N Hickory 7 S $86\frac{1}{4}$ E 34 "
" 6 S $65\frac{1}{2}$ E $28\frac{3}{4}$ "

L sec 3 { 58 yds west of NE cor. sec 3
Sugar 6 S 87 E 149 lks.

B sec 3 { Reestablished
Hickory 3 S $27\frac{1}{2}$ E $13\frac{1}{4}$ "
" 4 S $79\frac{1}{2}$ E $42\frac{1}{2}$ "

A sec 3 { Reestablished
W. Oak 5 N $9\frac{1}{4}$ E 20 "
Hickory 1 N 81 E 16 "

I hereby certify the above to be a true and accurate report of survey as made by me on above date. In witness whereof I hereby attach my hand & official Seal.

L. E. Heckard M.C.S.



Sep. the 8th 1902 met at time and place specified in in notice published in the Gosport tri-county papers a copy of which is appended hereto, and proceeded to run the boundary lines of the lands owned W. R. Kennedy and specified in his deed, said boundaries was originally surveyed out in the year 1854 and placed of record on surveyors book, and is situate in sections 32 and 33 Town eleven North, Range two West as indicated in Plot and drove stakes at the different bearings where there were no ^{aligners} bearings. I did not run the North boundary as White river changed its bed. On October the 6th I run the old bed of White river and found the corners all but one which I replaced by planting stone

Tri-County Reporter
Notice of Survey

Notice is hereby given to Mrs. Dora McCarty and to all interested resident and non-resident real estate owners, that I will proceed with the county Surveyor of Monroe County, Indiana or his deputy on the 8th day of September 1902, to run all lines and establish all corners necessary to be established in section number thirty-three (33) township number eleven (11) north range, two (2) west all in Monroe County, State of Indiana. Meet at residence on the farm at 8 o'clock a. m. All interested parties are requested to be present at said time and place, else said survey will proceed in their absence.

W. R. Kennedy

Sec 32

Sec 33

I had for assistants David Evans, Daniel Pettyjohn, and Amos Bowman duly sworn; and on the river bed I had Harry Ennis, Amos Bowman, and James O. Bushirk all duly sworn

I hereby certify the foregoing to be a true and correct statement of the work by me done as witness my hand and seal George B. Raeder

Dpty Ch. C. S. Surveyor



Oct 13, 1902
published
a copy of
following
last as per




I had for
said May
assistants
There
and corre
done as
and seal

Oct 11, 1902
Abraham
West corn
West, 2nd
of said
like road
like road
and line
of the fo
running
side of a
said per
5 rods and
ster grow

Oct 13th 1902 met ^{at} Frank Todds pursuant to notice published three weeks in the Bloomington Courier a copy of which is lost or mislaid and made the following survey in ^{section eleven} Town seven North, Range one East as presented in plat and field notes below

Sec. 11, T. 7, N. R. 1, E.



At $\frac{1}{2}$ dist bet cent and $\frac{1}{2}$ mile
 Persimmon 4 in. S. 62 W. 68 $\frac{1}{2}$ lbs
 Gum 14 in. N. 69 W. 105 "
 Cent of $\frac{1}{4}$ section
 Hickory 4 in. S. 62 W. 25 $\frac{1}{2}$ links
 Ash 4 in. S. 64 E. 32 "
 At $\frac{1}{2}$ dist bet $\frac{1}{2}$ mile and $\frac{1}{2}$ mile
 Hickory 2 in. S. 16 E. 14 $\frac{3}{4}$ lbs
 Hickory 6 in. S. 28 W. 12 "
 At center of section
 Hickory 4 in. S. 44 W. 39 lbs
 Sugar 6 in. S. 6 E. 38 lbs
 At $\frac{1}{2}$ mile post
 Stone planted as witness

I had for assistants Henry S. Hays, David David Hays, Frank Todds and Curtis Hays as assistants alternately duly sworn

I hereby certify the foregoing to be a true and correct statement of the work by me done as I verily believe and witness my hand and seal

George B. Mader
 Deputy M. C. Surveyor

Oct 11, 1902 made the following survey for Abraham Hetcham, commencing at the North West corner of section six Town seven North one West; from thence ran South on west boundary of said section 128 rods to the intersection of the Pike road; thence North 12 $\frac{1}{2}$ degrees East along said Pike road four rods and 8 links to a cross made on a limestone bed rock, the same being a corner of the following described tract of land; thence running South 71 degrees East along right hand side of a fence 31 rods and 5 links to a bend in said fence; thence S. 72 $\frac{3}{4}$ degrees East along said fence 5 rods and 13 links to an ash tree 7 inches in diameter growing in a large rent or split in native rock

The said tree is marked on the North west side facing a cross on rock 3 links distance; thence North $58\frac{1}{2}$ degrees East in the direction of the middle of what is known as the Hetcham mill pond, but stops at a distance of twenty five rods and 13 links at point in the bed of clear creek near the left hand side and in line ^{with} the center of a public road given in the next bearing; thence North 56 degrees West with the center of said road 20 rods and 14 links; thence $S 74$ degrees West along the center of the pike road 35 rods and 8 links to a point which is 10 links South of East of a cross cut on a limestone bed rock; thence South $40\frac{1}{2}$ degrees West 9 rods and 21 links to the place of beginning. The above described land contains five acres and 28 square rods.

I also ran a line from each corner of the west side of the grave yard to the Pike road. From the South west corner ran $S 85^{\circ} 11'$ 25 rods and 5 links to center of Pike road, a stone standing next to the fence. From the North west corner ran $S 85^{\circ} 11'$ 17 rods and 17 links to Pike road, a stone standing next to the fence in line.

I also by request of land owners present perpetuated the North West corner of Section Six Town 7 North Range one West

$S 17^{\circ} N, R. 1. W$



N.W. corner

$S 17^{\circ} 12'$ in $S 65^{\circ} 6'$ 3 lks

(B. Walnut 10 in $S 75^{\circ} 11'$ 14 lks

I had for assistants, Les. Stowell and Napoleon Fredway Chain markers and Absolem Hetch am all duly sworn

I hereby certify the foregoing statements to be a true and correct statement of the survey by me made as I very believe and George B. Rader & ply witness my hand and official seal M. C. Surveyor

Jan 12. 1903.

Sec 27 T 7 R 2 W

Notice of Survey

To Alva McConnell


Thomas A. Fowler

John M. Stephenson

You are hereby notified that on Monday, January 19th 1903 I will proceed with the Surveyor of Monroe County Indiana to establish the Northeast and Northwest corners of Section 27. Town 7. R 2. W. in Monroe County Indiana and to run and locate the line between said Sections 27 and Section 22 in said township and range. When and where you can attend will meet at the late residence of Jacob Tague in said Section 27.

Ira C. Bateman
Homer Johnson

The above written notice having been served on all interested parties at least ten days previous to date of beginning survey I meet them at appointed place on appointed date and organized by qualifying W. H. Jones, Asbery Bowers, Chairmen. Jas. Douglas flagman all were duly sworn we then proceeded to run lines and establish corners as per plat and Notes below




I hereby certify the above to be a true and accurate report of the survey as made by me on above date. In Witness Whereof I Attach my hand and seal.

C. M. Bowers.

M C S

Shield Survey Sec. 1 T7 R1 W

1 Feb. 16th 1903

Survey in section 1 T7 R1 W. and established corners as per plat and field notes accompanying.

The $\frac{1}{2}$ distance between the N. $\frac{1}{4}$ and the S. $\frac{1}{4}$ witnessed.

W. B. Oak 16 in N. $75\frac{1}{2}^{\circ}$ E. 20 lks.

Hickory 1 in. N. 83° W. 8 lks.

B. Oak 8 in S. 46° E. 13 lks.

" " 6 " S. 78° W. 13 lks.

The at

The Above survey was made in compliance with a written Notice served ten days previous to the date of survey on interested parties a copy of which accompanies this record.

Notice

Notice is hereby given to Mary Shields, Billie Shields, David Shields, George Roberts, Thomas Siscoz, Bert Lucas, Laura Lucas, Valentine Beckard, Peter Cades, John Cades, John Fox, that I will proceed to gather with the County Surveyor of Monroe County, Ind. or his deputy on Monday 16th 1903, to run all lines and establish all the corners necessary or required to be established to determine the boundary lines of the land of Charles A Shields in section 1 T7 Range 1 W. meet at the residence of Charles A Shields at 8 o'clock P.M. of said day Be present at said time and place or else said survey will proceed in your absence.

Charles A Shields.

The following parties were sworn assistants
David Shields Oscar Shields Chairman
Joe Shields flagman.

I hereby certify the above to be a true and accurate report of Survey as made by me on above date in witness whereof I attach my hand and seal.

Q. M. Bowers.

M. C. S.

Sw

In person
in the Bl
face lost
and place
my own
established
by old




Joseph
Shields
and look
on above
attach

Swartz-Survey Sec 19-T8-R1E

Mar 12.

In pursuance of a notice which was published in the Bloomington Telephone which has been lost. I met them at appointed time and place and proceeded to make the following survey as per plat and field notes, reestablished the center of North East quarter by old witness. New witness.



M } plum tree 4 in S. $45\frac{1}{2}^{\circ}$ W $2\frac{1}{2}$ lks.
 W } Walnut 2 in S 27° E. 9 lks.
 C } Cycamore 2 in N. 83° W 11 lks.

The following parties were sworn assistants John Baxter Robert Swartz Chain carriers Isaac Sherrel Flagman.

I hereby certify the above to be a true and correct report of survey made by me on above date. In witness whereof I hereby attach my hand and official Seal.

C. M. Bowers. M.C. S.



to Mary Shields
 to George Roberts
 to Laura Lums, Val
 John Lums, John
 together with the
 County, Ind. 11
 run all lines ad
 ary or required to
 boundary line
 Shields in situ
 the residence of
 M. of said day
 lace or else
 ur presence
 Charles A
 were sworn in
 Shields Chain

above to be
 of Survey
 in witness
 Seal
 M. Bowers
 M.C.S.

April 6, 1903 Underwood & Sherlock. Sec. 16 T7-R1 W.

Notice

To John M Harrell, Anthony W. Chambers, Matilda Sherlock and Granville Wooden Bra Thrasher and Ballard Stultz and all who may interest you are each notified that on the sixth (6) day of April 1903.

The Surveyor of Monroe Co. or his deputy will view locate establish and perpetuate the corner and lines in section 16 T 7. N, R - 1 - W and especially the South half thereof and including the mid section line running North and South dividing the South half into two equal parts all parties meet at Susan M Underwood at eight & 10 o'clock A.M. on said day and place. All parties are hereby notified to be present on said time and place Else said Survey will proceed in your absence.

Susan M Underwood.

In pursuance of the above Notice which was served on interested parties ten days previous to the date of survey I met them at appropriate time and place and organized by qualifying Quincy Short of Lawrence County as Assistant Surveyor We working together I acting as flag bearer also Levi H Strain and John M Harrell Chairman the first day all duly sworn

We then proceeded to find the nearest Established Corner, to start from to locate the lines and corners desired to be located in section (16) Town (7) N. R. 1 W after searching a day and finding nothing except the center of 16 & 2 we adjourned until Tues. Morning we then qualified Willis and Frank Underwood Chairman instead of Levi H Strain and John Harrell we then proceeded again and found nothing to rely upon except the above mentioned corners we then decided to run the line from the center of section 16 ^{to the center of section 21} Mr Short and I doing the interior work in running said line I hereby certify the above to be a true and

Correct report of survey Made by me on above
date in witness hereof I attach my hand
And Official Seal.

C. M. Bowers
M. C. S.

I George B Rader do solemnly swear
to support the Constitution of the United
States and the Constitution of the State
of Indiana and to faithfully and im-
partially discharge my duties as Deputy
County Surveyor in and for Monroe
County in the State of Indiana according
to law to the best of my skill and
ability So help me God

George B Rader

Sept. 26th 1903

This is to certify that I this day
appointed George B Rader a true and
lawful Deputy Surveyor in and
for the County of Monroe State
of Indiana

C. M. Bowers M. C. S.

April 15 1903 Sect. 36 T. 7. R. 1 W.

Notice

Notice is hereby given to George Fox Polly Meadows, Dan Anderson, Nancy H. Ellenburg, William Deekerd and all who may be interested that I will proceed with the County Surveyor of Monroe County Indiana or his deputy on Wednesday April 16th 1903 to run all lines and establish all corners necessary to be run and established in section (36) T. 7. R. 1 W. said Survey to meet at James Stewarts at 9 a.m. on said day parties are asked to be present else said survey will proceed in their absence

W. E. Parker.

The above notice having been served on all interested parties at least ten days previous to date of beginning survey I met them at appointed time and place and organized by qualifying George M. Fox and Frank Blendemering chainmen and John Adams flagman we then proceeded to make the following survey as shown in plat and field notes

sect 36.

		B	I
J	A		D
E	F	G	H

- A { Oak 4 in N 67° E 10½ lbs
R " 7 " N 88° E 6½ "
- B { Oak 12 in 90° E 36 lbs
sugar 6 " S 48½ E 34 "
Oak 4 " S 54½ W 43 "
- D { Walnut 12 in S 50 W 25½ lbs
- E { Elm 4 in N 39 E 21½ lbs
Walnut 4 in S 24 E 24½ lbs
- F { Beech 14 in S 70 W 24½ lbs
" 18 " N 50 E 41 "
- G { Mulberry 6 in S 22 W 29½ lbs
Beech 4 " N 78½ E 26 "
- H { Hickory 6 in 90 W 26 lbs
" 3 " N 72½ W 26 "

I { Oak 5 in S 71° E 11½ lbs, Beech 12 in N 80 W 16
J { Mulberry 16 in N 63° W 62 lbs, Hickory 10 in N 44 E 33 lbs
I also by agreement of land owners present established the ½ distance between the

East 1/2 m.p. and the center of section (35) T (7)
R (1) W. witnessed by. { limestone 4x4 S 4° W 15' lbs
" " " " 4x4 N 7° W 8 "

I hereby certify the above to be a true and
accurate report of the survey made by me
on above date In witness whereof I attach
my hand and seal

C. M. Bowers

M. C. S.

Musser & Deekard. (sect. 12)

By agreement I met The interested
parties at a pointed time and place
and made the following survey
perpetuated the center of section (12)
T. T. R 1 W. by marking new witnesses

A W. oak 8 in N 66° E, 27 lbs. Red Elm 10 in S 24° E 40 1/2 lbs
Buck 4 in S. 61 1/2° W 1 lb

I had for assistants all duly sworn.

Frank Deekard John Fox chain markers
W. D. Miller flag bearer.

I hereby certify the above to be a true
and accurate report of the survey made
by me on above date In witness
whereof I attach my hand and seal

C. M. Bowers

M. C. S.

Sept. 30. 1903. Sect. 2 T 9 R. 1 W.

By agreement of all parties concerned met at Rolla Jacksons and made the following survey in section 2 Two Town Nine North, Range one West for Rolla Jackson Robert Hendricks, Ephraim Peters, Tillman Lenty, Levi Lenty, and Benjamin Huff,

At the half distance between the East half mile post and the North East corner

M. Sugar 3 in at $N 19^{\circ} W 30$ lks

Beech 17 " S $11^{\circ} W 27$ "

cross on hill side rock $9\frac{1}{2}$ lks. of corner D & A the $\frac{1}{2}$ dist between center T & E $\frac{1}{2}$ mile post.

W oak 4 in at $N 4^{\circ} W 15\frac{1}{2}$ lks, R oak 1 in S $9^{\circ} E 27\frac{1}{2}$ lks.

N. { Perpetuated the South East corner of section

W oak 7 in N $66^{\circ} E 15\frac{1}{2}$, W oak 3 in N $76^{\circ} W 16$ lks.


I also ran for Rolla Jackson a three acre strip fifty four rods long North and South and eight rods and $23\frac{1}{4}$ lks wide East and West off of the North East corner of the North West fourth of the South East quarter of section two Town and Range afore said and drove stakes to the three corners not previously located.

I had for assistants all duly sworn both as chain markers and flag bearers some of which did both kinds of work Ephraim Peters, Tillman Lenty, Wade L. Dracher, Gorman Lenty Robert Hendricks, Rolla Jackson.

I hereby certify the foregoing to be a true and correct statement of the survey by me made as I verily believe

George B. Rader.

Deputy M. C. S.




By agreement
met at
survey on
on above d
field notes
dist 23.6
I had for
6 food ch
flag bearer
all duly
I hereby c
true and
me on ad
I witness
and re

Oct 7th 1903 Sect 23 T 9 R 1 E

By agreement of all parties interested I met at J. E. Dours and made the following survey in section 23 Town (9) Range (1) east on above date as shown in plat and field notes below

Sect 23. T 9 R 1 E



perpetuated the $\frac{1}{2}$ distance between the center and the west $\frac{1}{2}$ mile post witnessed by
 E { R. oak 11 m N 35° W 3 $\frac{3}{4}$ lbs
 W. oak 6 " S 12° E 15 " established the $\frac{1}{2}$ dis. between the north $\frac{1}{2}$ mi. p. and the N. W. corner
 I { dogwood 6 m N 66° E 8 $\frac{1}{2}$ lbs
 ash 2 " N 72° W 6 $\frac{1}{2}$ "
 W. oak 2 $\frac{1}{2}$ S 23 $\frac{1}{2}$ E 15 "

I had for assistants Jasper Mc Coy, James E. Ford chain markers, Joseph Stephens flag bearer first day Joel Mc Coy second day all duly sworn


I hereby certify the foregoing to be a true and correct report of survey made by me on above date.

In witness where of I attach my hand and seal

C. M. Bowers

Oct 12th 1903 Sect 36 T 7 R 1 E

Survey in section (36) Town (7) Range
11 east and established corners as per plat
and notes accompanying
Section 36 T 7 R 1 E.



Perpetuated center by marking
new witnesses

K { Poplar 5 m S 72 $\frac{1}{2}$ ° E 32 $\frac{1}{2}$ lbs
Hickory 6 " S 72° W 32 "
P { Oak 4 m S 86 $\frac{1}{2}$ ° E 8 $\frac{1}{2}$ lbs
B. Walnut 6 " S 27° E 17 $\frac{1}{2}$ "

Q is 17 poles west of center
Q { Hickory 1 $\frac{1}{2}$ in S 52 $\frac{1}{2}$ ° W 2 $\frac{1}{4}$ lbs
" 4 " 90 E 36 "

R is 73 poles south of center
R { Oak 12 m S 66° E 14 $\frac{1}{2}$ lbs
Reestablished center of
south east qtr

M. { Byeamore 16 m S 8° W 17 $\frac{1}{2}$ lbs

The above survey was made in
compliance with a written notice served
on interested parties ten days previous
to the date of survey

The following parties were sworn assistants
John Glaser Enoch Martin chain markers
Miles Harris flag bearer

I hereby certify the above to be a true
and correct report of survey as made
by me on above date

In witness whereof I attach my hand and
seal.


L. M. Bowers

Oct 19th 1903
By agreement
between the
parties to the
survey the
following
plat was
made

By agreement
interested
parties I hereby
certify to be
true and
correct
by me on
the within
hand and
seal

Oct 19th 1903 Section 36 T 8 R 2 W

By agreement I met H. C. May, Revo box and A W Pursee and made the following survey in section (36) Town (8) Range (2) West as shown in plat and notes accompanying Sect (36) T 8 R 2 W




L is 60 poles W. of center
witnessed by
L { B. walnut 2 m N 66 $\frac{1}{2}$ ° W 60 lks
L { Flint stone at 38° E 26 "
M { M is 60 poles SW of N.
1/2 mi p. witnessed by
O. poplar 10 m S 60 $\frac{1}{2}$ ° W 37 lks

By agreement I had for assistants the interested parties
I hereby certify the foregoing to be a true and correct report of survey made by me on above date
In witness whereof I attach my hand and seal.

C. M. Bowers

Nov 21st 1903 Section 30 Town 7 Range 1 East

In pursuance to the attached notice I met on appointed date at appointed place and proceeded to make the following survey as per plat and notes accompanying
Sect 30 T 7 R 1 E



perpendicular the 1/2 dis between the
N. Corner & N. 1/2 mi p
B oak 6 in ^{1/2} 1' W 10 lbs
R is 28 poles 4 lbs N of center of N 1/2
R { eyeamore 6 in S 36° W 106 lbs
B oak 3 in S 65° W 72 1/2 "
S { S is 28 poles 4 lbs W of R
B chestnut 6 in N 88° W 76 lbs
T { T is 28 poles 4 lbs South of S
B hickory 3 in S 29° W 29 lbs

I had for assistants Marion Smith, Joseph Duillen, chain markers Medie & Edes flag bearers all duly sworn

I hereby certify the above to be a true and accurate report of survey as made by me on above date

In witness where of I hereby attach my hand and seal

C. M. Bowers

Nov 29th
In pursuance
I met on
place and
survey
to vest
notes re
Sect 29


NOTICE OF SURVEY
Notice is hereby given to all residents and all other persons interested that I will proceed to run all lines and establish all corners necessary and established in Township 8, range 1, east of the County Surveyor's office, County, Ind., or his date. All parties are to be present at said place else said survey will proceed in their absence.
M. J. Mc

Joel H. E.
I hereby
and some

In wit
and

Nov 28th 1903 Section 28 T 8 R 2 W

In pursuance of the attached notice I met on appointed date at appointed place and proceeded to make the following survey in section 28 Town 8 Range 2 west as shown in plat and notes accompanying
Sect 28 T 8 R 2 W



perpetuated the north east corner by marking new witnesses

C { Walnut 10 in S $14\frac{1}{2}^{\circ}$ W 45 lbs
Chickory 12 " S 84 $^{\circ}$ E 193 $\frac{1}{2}$ "

established the N. $\frac{1}{2}$ mi p
D { Elm 17 in N $6\frac{1}{2}^{\circ}$ W 200 lbs
Stone East 118 $\frac{3}{4}$ "

established center
E { W. cherry 6 in N $16\frac{1}{2}^{\circ}$ W 6 lbs
Limestone S $72\frac{1}{2}^{\circ}$ E 43 $\frac{1}{2}$ "

F is 39 $\frac{3}{4}$ poles E. of center
A { stone S $88\frac{3}{4}^{\circ}$ W. 16 lbs
stone N 44° E 16 $\frac{1}{2}$ "

C is 39 $\frac{3}{4}$ poles E. of N. $\frac{1}{2}$ mi p.
B { sugar 2 in S $72\frac{1}{2}^{\circ}$ W. 26 lbs
Elm 6 " N $53\frac{1}{2}^{\circ}$ E 63 "

I had for assistants James F. Carter & Eli Bowers chain markers the first day the second day James F. Brinegar in the place of Eli Bowers

Joel H. Eaton flag bearer all duly sworn
I hereby certify the foregoing to be a true and correct report of survey made by me

In witness whereof I attach my hand and seal

C. M. Bowers

NOTICE OF SURVEY.

Notice is hereby given to non-residents and all others interested that I will proceed with the County Surveyor of Monroe County, Ind., or his deputy on NOVEMBER 28th, 1903, to run all lines and establish all corners necessary to be run and established in section 28, township 8, range 2, west. Meet at the residence of M. J. McFarland at 8 a. m. on said date. All parties are requested to be present at said time and place else said survey will proceed in their absence.

M. J. McFarland.

December 2nd 1908. Sect 5 T 8 R 2 W

Written notice having been served on all interested parties at least ten days previous to the date of the survey I met them on appointed time at appointed place and proceeded to make the following survey in section five (5) T 8 R 2 W as per plat and field notes

		<p>A Hickory 5 in S $3\frac{1}{2}$ W $50\frac{1}{2}$ lks A sh 8 " N 24 W $82\frac{3}{4}$ " B Catalpa 20 in N $69\frac{1}{2}$ E 86 lks Cedar 8 " N 45 E 108 " C Ash 15 in S $64\frac{1}{2}$ E $94\frac{1}{2}$ lks Beech 24 " S $49\frac{1}{2}$ E $76\frac{1}{2}$ "</p>
	<p>D</p>	<p>B D { P is 7 poles S of the center of the S.E. qr. Stone N 10 W $12\frac{1}{2}$ lks I had for assistants W. A. Neeld, Sylvester Reuss chain markers Carl Morris flag bearer all duly sworn</p>

I hereby certify the above to be a true and correct report of survey made by me on above date as I verily believe I in witness whereof I attach my hand and seal.

C. M. Bowers